

Programming Multi-Agent Systems in AgentSpeak using *Jason*

Rafael H. Bordini

University of Durham, UK

Jomi Fred Hübner

University of Blumenau, Brazil

Michael Wooldridge

University of Liverpool, UK



Contents

| | |
|--|-----------|
| Preface | xi |
| Acknowledgements | xvii |
| 1 Introduction | 1 |
| 1.1 Autonomous Agents | 1 |
| 1.2 Characteristics of Agents | 2 |
| 1.3 Multi-Agent Systems | 5 |
| 1.4 Hello World! | 7 |
| 2 The BDI Agent Model | 15 |
| 2.1 Agent-Oriented Programming | 15 |
| 2.2 Practical Reasoning | 17 |
| 2.3 A Computational Model of BDI Practical Reasoning | 20 |
| 2.4 The Procedural Reasoning System | 22 |
| 2.5 Agent Communication | 25 |
| 3 The <i>Jason</i> Agent Programming Language | 31 |
| 3.1 Beliefs | 32 |
| 3.2 Goals | 40 |
| 3.3 Plans | 41 |
| 3.4 Example: A Complete Agent Program | 58 |
| 3.5 Exercises | 65 |
| 4 <i>Jason</i> Interpreter | 67 |
| 4.1 The Reasoning Cycle | 67 |
| 4.2 Plan Failure | 86 |
| 4.3 Interpreter Configuration and Execution Modes | 93 |
| 4.4 Pre-Defined Plan Annotations | 97 |
| 4.5 Exercises | 98 |

| | | |
|-----------|---|------------|
| 5 | Environments | 101 |
| 5.1 | Support for Defining Simulated Environments | 102 |
| 5.2 | Example: Running a System of Multiple Situated Agents | 109 |
| 5.3 | Exercises | 114 |
| 6 | Communication and Interaction | 117 |
| 6.1 | Available Performatives | 118 |
| 6.2 | Informal Semantics of Receiving Messages | 119 |
| 6.3 | Example: Contract Net Protocol | 130 |
| 6.4 | Exercises | 135 |
| 7 | User-Defined Components | 139 |
| 7.1 | Defining New Internal Actions | 140 |
| 7.2 | Customising the Agent Class | 144 |
| 7.3 | Customising the Overall Architecture | 151 |
| 7.4 | Customising the Belief Base | 155 |
| 7.5 | Pre-Processing Directives | 160 |
| 7.6 | Exercises | 162 |
| 8 | Advanced Goal-Based Programming | 165 |
| 8.1 | BDI Programming | 166 |
| 8.2 | Declarative (Achievement) Goal Patterns | 169 |
| 8.3 | Commitment Strategy Patterns | 172 |
| 8.4 | Other Useful Patterns | 175 |
| 8.5 | Pre-Processing Directives for Plan Patterns | 176 |
| 9 | Case Studies | 179 |
| 9.1 | Case Study I: Gold Miners | 180 |
| 9.2 | Case Study II: Electronic Bookstore | 194 |
| 10 | Formal Semantics | 201 |
| 10.1 | Semantic Rules | 207 |
| 10.2 | Semantics of Message Exchange in a Multi-Agent System | 212 |
| 10.3 | Semantic Rules for Receiving Messages | 215 |
| 10.4 | Semantics of the BDI Modalities for AgentSpeak | 221 |
| 11 | Conclusions | 225 |
| 11.1 | <i>Jason</i> and Agent-Oriented Programming | 225 |
| 11.2 | Ongoing Work and Related Research | 227 |
| 11.3 | General Advice on Programming Style and Practice | 230 |

| | |
|---|------------|
| Appendix: Reference Guide | 235 |
| A.1 EBNF for the Agent Language | 235 |
| A.2 EBNF for the Multi-Agent Systems Language | 236 |
| A.3 Standard Internal Actions | 237 |
| A.4 Pre-Defined Annotations | 255 |
| A.5 Pre-Processing Directives | 256 |
| A.6 Interpreter Configuration | 258 |
| | |
| References | 261 |
| | |
| Index | 269 |