

---

# Quantum Dot Heterostructures

---

**Dieter Bimberg**

**Marius Grundmann**

**Nikolai N. Ledentsov**

*Institute of Solid State Physics,  
Technische Universität Berlin,  
Germany*

JOHN WILEY & SONS

Chichester • New York • Weinheim • Brisbane • Singapore • Toronto

---

# Contents

---

**Preface ix****1 Introduction 1**

- 1.1 HISTORICAL DEVELOPMENT 1
  - 1.1.1 From atoms to solids 1
  - 1.1.2 From solids to 2D heterostructures 1
  - 1.1.3 From 2D heterostructures to quantum dots 3
- 1.2 BASIC REQUIREMENTS FOR QDs IN ROOM TEMPERATURE DEVICES 6
  - 1.2.1 Size 6
  - 1.2.2 Uniformity 7
  - 1.2.3 Material quality 8

**2 Fabrication Techniques for Quantum Dots 9**

- 2.1 QUANTUM DOTS FABRICATED BY LITHOGRAPHIC TECHNIQUES 9
  - 2.1.1 Overview 9
  - 2.1.2 Free-standing quantum dots 12
  - 2.1.3 Selective intermixing based on ion implantation 15
  - 2.1.4 Selective intermixing based on laser annealing 16
  - 2.1.5 Strain-induced lateral confinement 16
  - 2.1.6 Quantum dots grown on patterned substrates 17
  - 2.1.7 Cleaved edge overgrowth 19
- 2.2 QUANTUM DOTS FORMED BY INTERFACE FLUCTUATIONS 19
- 2.3 SELF-ORGANIZED QUANTUM DOTS 19

**3 Self-Organization Concepts on Crystal Surfaces 22**

- 3.1 INTRODUCTION 22
- 3.2 SPONTANEOUS FACETING OF CRYSTAL SURFACES 24
  - 3.2.1 The problem of equilibrium crystal shape 24
  - 3.2.2 The concept of intrinsic surface stress of a crystal surface 26
  - 3.2.3 Force monopoles at crystal edges 28
  - 3.2.4 Spontaneous formation of periodically faceted surfaces 29
- 3.3 PERIODIC ARRAYS OF MACROSCOPIC STEP BUNCHES 32
- 3.4 HETEROEPITAXIAL GROWTH ON CORRUGATED SUBSTRATES 33
- 3.5 ORDERED ARRAYS OF PLANAR SURFACE DOMAINS 35
- 3.6 ORDERED ARRAYS OF THREE-DIMENSIONAL COHERENTLY STRAINED ISLANDS 37
  - 3.6.1 Heteroepitaxial growth in lattice-mismatched systems 37
  - 3.6.2 Energetics of a dilute array of 3D islands 41

3.6.3	Ordering of 3D islands in shape	43
3.6.4	Ordering of 3D islands in size versus Ostwald ripening	44
3.6.5	Lateral ordering of 3D islands	48
3.6.6	Phase diagram of a two-dimensional array of 3D islands	49
3.6.7	Ordering-to-ripening phase transition for 3D islands	51
3.6.8	Kinetic theories of ordering	51
3.6.9	Equilibrium ordering versus kinetic-controlled ordering of 3D islands	52
3.7	VERTICALLY CORRELATED GROWTH OF NANOSTRUCTURES	53
3.7.1	Vertically correlated growth of nanostructures due to a modulated strain field	53
3.7.2	Energetics of Stranski–Krastanow growth for subsequent InAs and GaAs deposition cycles	54
3.7.3	Strain energy of vertically coupled structures	56
4	<b>Growth and Structural Characterization of Self-Organized Quantum Dots</b>	59
4.1	INTRODUCTION	59
4.2	MBE OF INGAAS/GAAS QUANTUM DOTS	61
4.2.1	Deposition below the 2D–3D transition	61
4.2.2	2D–3D transition	63
4.2.3	Quantum dot structure	64
4.2.4	Hierarchy of self-organization mechanisms	69
4.2.5	Influence of deposition conditions	71
4.3	MOCVD GROWTH OF INGAAS/GAAS QUANTUM DOTS	76
4.3.1	2D–3D transition	76
4.3.2	Quantum dots	78
4.3.3	High index substrates	79
4.4	OTHER MATERIAL SYSTEMS	80
4.4.1	InP on GaInP/GaAs	80
4.4.2	Sb compounds	82
4.4.3	Ge on Si	82
4.4.4	III–V on Si	84
4.4.5	II–VI compounds	84
4.4.6	Group III nitrides	85
4.5	VERTICAL STACKING OF QUANTUM DOTS	86
4.6	ARTIFICIAL ALIGNMENT OF QUANTUM DOTS	92
5	<b>Modeling of Ideal and Real Quantum Dots</b>	95
5.1	STRAIN DISTRIBUTION	95
5.1.1	Stress–strain relations	96
5.1.2	Strain in dots	96
5.1.3	Valence force field model	107
5.1.4	Impact on band structure	111
5.1.5	Impact on phonon spectrum	113
5.1.6	Piezoelectric effects	114

5.2	QUANTUM CONFINEMENT	115
5.2.1	Particle in a harmonic potential	115
5.2.2	Particle in a sphere	116
5.2.3	Particle in a cone	118
5.2.4	Particle in a pyramid	119
5.2.5	Particle in a lens	122
5.2.6	Stress-induced quantum dots	122
5.2.7	Twofold cleaved edge overgrowth	124
5.2.8	Eight-band $k\cdot p$ theory and pseudopotential methods	125
5.3	COULOMB INTERACTION	128
5.3.1	Excitons	128
5.3.2	Type-II excitons	143
5.3.3	Electronically coupled quantum dots	145
5.3.4	Coulomb blockade	146
5.4	OPTICAL TRANSITIONS	148
5.4.1	Single quantum dots	148
5.4.2	Quantum dot ensembles	150
5.4.3	Inter-sublevel transitions	154
5.5	POPULATION OF LEVELS	155
5.5.1	Thermal versus nonthermal distribution	155
5.5.2	Population statistics	158
5.5.3	Auger effect	165
5.6	STATIC EXTERNAL FIELDS	165
5.6.1	Electric fields	167
5.6.2	Magnetic fields	170
5.7	PHONONS	174
5.7.1	Phonon spectrum	174
5.7.2	Electron-phonon interaction	174
5.8	QUANTUM DOT LASER	177
5.8.1	Basic properties of quantum well lasers	178
5.8.2	The ideal quantum dot laser	181
5.8.3	The real quantum dot laser	182
6	Electronic and Optical Properties	198
6.1	ETCHED STRUCTURES	198
6.2	LOCAL INTERMIXING OF QUANTUM WELLS	201
6.3	STRESSORS	202
6.4	SELECTIVE GROWTH	208
6.5	EXCITONS LOCALIZED IN QUANTUM WELL THICKNESS FLUCTUATIONS	212
6.6	TWOFOLD CLEAVED EDGE OVERGROWTH	220
6.7	SELF-ORGANIZED TYPE-I QUANTUM DOTS	222
6.7.1	Luminescence	223
6.7.2	Absorption	239
6.7.3	Electroreflectance	241

6.7.4	Fourier spectroscopy of inter-sublevel transitions	243
6.7.5	Carrier dynamics	246
6.7.6	Vertically stacked quantum dots	252
6.7.7	Annealing of quantum dots	255
6.8	SELF-ORGANIZED TYPE-II QUANTUM DOTS	260
6.8.1	CW properties	260
6.8.2	Time-resolved experiments	262
<b>7</b>	<b>Electrical Properties</b>	<b>265</b>
7.1	CV SPECTROSCOPY	265
7.2	DLTS	269
7.3	VERTICAL TUNNELING	270
7.4	LATERAL TRANSPORT	274
<b>8</b>	<b>Photonic Devices</b>	<b>277</b>
8.1	PHOTO-CURRENT DEVICES	277
8.2	QUANTUM DOT LASER	279
8.2.1	History	279
8.2.2	Static laser properties	281
8.2.3	Dynamic laser properties	291
8.2.4	VCSEL	295
8.2.5	Inter-sublevel IR laser	299
<b>References</b>		<b>303</b>
<b>Index</b>		<b>325</b>