

Invited review

Quick and dirty but still pretty good: a review of new descriptive methods in food science

Dominique Valentin,^{1*} Sylvie Chollet,² Maud Lelièvre² & Hervé Abdi³

1 UMR CSGA 6265 CNRS, Inra, Université de Bourgogne, 21000 Dijon, France

2 Institut Supérieur d'Agriculture, 59046 Lille Cedex, France

3 The University of Texas at Dallas, Richardson, TX 75083-0688, USA

(Received 29 September 2011; Accepted in revised form 25 February 2012)

Summary For food scientists and industrials, descriptive profiling is an essential tool that involves the evaluation of both the qualitative and quantitative sensory characteristics of a product by a panel. Recently, in response to industrial demands to develop faster and more cost-effective methods of descriptive analysis, several methods have been offered as alternatives to conventional profiling. These methods can be classified in three families: (i) verbal-based methods (flash profile and check-all-that-apply), (ii) similarity-based methods (free sorting task and projective mapping aka Napping[®]) and (iii) reference-based methods (polarised sensory positioning and pivot profile). We successively present these three classes of methods in terms of origin, principles, statistical analysis, applications to food products, variations of the methods and the Pros and Cons.

Keywords Check-all-that-apply, consumer research, descriptive methods, flash profile, pivot profile, polarised sensory positioning, projective mapping, sensory characterisation, sensory evaluation, sorting task.

Introduction

Food companies routinely use descriptive profile to define and quantify the sensory characteristics on which products differ because the information provided by descriptive profiles has numerous applications such as product development and improvement, quality control, advertising claim substantiation (Sidel & Stone, 1993; Lawless & Heymann, 2010), as well as understanding both consumer preferences (Greenhof & MacFie, 1994) and their relationships with instrumental data (Lee *et al.*, 1999). Several descriptive profiling techniques – some of them trademarked – can be found in the sensory evaluation literature. These include the Flavour Profile (Cairncross & Sjoström, 1950), the Texture Profile (Brandt *et al.*, 1963), Quantitative Descriptive Analysis (QDATM; Stone *et al.*, 1974), SpectrumTM methods (Munoz & Civille, 1992) and Quantitative Flavour Profiling (Stampanoni, 1993). The most frequently used method, referred to as conventional descriptive analysis (DA), is closely related to QDATM.

Descriptive analysis is performed by a small number of panellists (from 8 to 15) who provide intensity ratings for a set of selected attributes. It involves three main steps. The *first* step is product familiarisation and

development of a lexicon that comprehensively and accurately describes the product space. This is generally achieved by exposing panellists to many variations of the products and asking them to generate a set of terms that can describe differences among products. The hedonic terms are then eliminated and synonyms or antonyms regrouped in a single term. The *second* step consists in training the panellists to align and standardise the sensory concepts of the panel. This is generally achieved by associating a definition and a physical reference to each of the attributes present in the lexicon. The *third* step is scoring of the products on the basis of each descriptive attribute on an intensity scale. The performance of the panel is monitored in terms of discrimination power, agreement between panellists and reproducibility during training to achieve the most accurate, reliable and consistent results as possible.

As the first developments of sensory profiling, DA has been successfully used to evaluate a variety of food products, as evidenced by an abundant scientific literature (see, *e.g.* Stone & Sidel, 1993; Meilgaard *et al.*, 1999). DA provides good quality data but, as a counterpart of this quality, it requires extensive training before the panel can be used as a reliable sensory instrument. Because the vocabulary and associated training must be adapted to each product space, it can take from few weeks to several months – depending on

*Correspondent: E-mail: valentin@u-bourgogne.fr

the product – to complete a study, and thus, there is an obvious need for faster and more cost-effective methods.

Recently, in response to this demand, several methods have been offered as alternatives to DA. These alternative methods do not require a training phase and can be performed either by trained or untrained assessors. Therefore, these methods can be quite useful when a rapid access to the relative sensory positioning of a set of food products is of primary concern. These new methods can be categorised into three classes: The first class encompasses methods based on verbal descriptions of individual products; the second class includes methods based on similarity measurements between products; and the third class comprises methods based on the comparison of individual products with a (or a set of) reference(s).

Verbal-based methods

The two methods included in this section, ‘flash profile (FP)’ and ‘check-all-that-apply (CATA)’, build on the idea of free choice profiling (FCP, Williams & Langron, 1984), a technique that allows assessors to use their own attributes. Like DA, these two methods generate a direct description of the products but have the advantage of bypassing the time-consuming steps of attribute and scaling alignment of classical methods.

Flash profile

Origin and general principle

The FP was initially developed (by Sieffermann, 2000) as a method providing quick access to the relative sensory positioning of a set of products. This descriptive method is a combination of FCP and ranking methods. It relies on the often noted fact that it is easier and more natural

to compare products than to evaluate them on an absolute scale.

Flash profile involves two sessions separated by an inter-session. In the *first session*, the whole set of products is presented simultaneously to each assessor who is then asked to observe, smell and/or taste the products (depending on the objectives of the study) and to generate a set of attributes, which should be sufficiently discriminant to permit ranking these products. The assessors are free to generate as many attributes as they want, but are asked to focus on descriptive terms and to avoid hedonic terms. Assessors can re-taste the products as often as they wish and can take as much time as needed. During the inter-session, the experimenter pools all the generated attributes to form a global list that is then provided to the panellists. The goal of this global list is not to obtain a consensus but to allow the panellists to update their own list if desired. They can do so by either (i) adding to their list a few terms they think are relevant but did not generate themselves or by (ii) replacing some of their own terms by terms they think are more adapted. In the *second session*, the assessors are asked to rank order the products from least to most on each of their chosen attributes (see Fig. 1 for an example).

Statistical analysis

Assessors’ rank data are first collected as shown in Fig. 2 and are analysed using multivariate analysis. Initially, FP data were analysed by first performing a principal component analysis (PCA) for each assessor and then integrating these PCAs using generalised procrustean analysis (GPA, Gower, 1971; Moussaoui & Varela, 2010). GPA (see Data S1) uses an iterative algorithm to find rotation and scaling transformation of individual assessor rank matrices to maximise the




Figure 1 An example of flash profile answer sheets and data coding. Assessors were asked to select their own attributes to describe a set of five products presented simultaneously and to rank the products for each attribute.

| Product | Assessor 1 | | | | Assessor 2 | | | | | | | Assessor 3 | | | | |
|---------|------------|-----|----|-----|------------|-----|----|-----|-----|-----|-----|------------|-----|----|-----|----|
| | A1 | A2 | A3 | A4 | A1 | A2 | A3 | A4 | A5 | A6 | A7 | A1 | A2 | A3 | A4 | A5 |
| 327 | 1 | 1.5 | 4 | 1 | 2.5 | 1.5 | 5 | 1 | 1 | 1 | 4.5 | 1.5 | 4.5 | 3 | 1.5 | 4 |
| 145 | 2.5 | 1.5 | 1 | 4.5 | 1 | 1.5 | 2 | 4.5 | 2 | 2.5 | 1 | 4.5 | 2 | 2 | 1.5 | 1 |
| 365 | 2.5 | 3 | 5 | 2.5 | 2.5 | 4 | 4 | 2.5 | 3 | 2.5 | 4.5 | 1.5 | 4.5 | 1 | 3 | 4 |
| 124 | 4 | 4.5 | 2 | 4.5 | 4 | 3 | 2 | 4.5 | 4.5 | 4 | 2 | 4.5 | 1 | 4 | 4 | 2 |
| 909 | 5 | 4.5 | 3 | 2.5 | 5 | 5 | 2 | 2.5 | 4.5 | 5 | 3 | 3 | 3 | 5 | 5 | 4 |

Figure 2 An example of data table obtained with flash profile. Three assessors described five products using, respectively, four, seven and five attributes.

agreement between the assessors and to create a consensus product map. However, multiple factor analysis (MFA, see Data S2, Escoufier & Pagès, 1990; Abdi & Valentin, 2007) or any multi-block analysis (e.g. STATIS, see Data S3, Escoufier, 1980; Abdi *et al.*, 2011; or DISTATIS, Abdi & Valentin, 2007) can also be used. Multi-block analyses give product maps similar to those obtained with PCA. The main difference is that the maps display specific terms of all the assessors rather than common terms.

Applications to food products

Although FP has become somewhat popular in food companies – mostly in France where it was developed – only a few scholarly publications referring to this new technique were available until recently. After a first application on red fruit jams (Dairou & Sieffermann, 2002), FP has been applied by the same group to describe fruit dairy products (Delarue & Sieffermann, 2004), chewing gum (Delarue & Loescher, 2004), fruit jelly (Blancher *et al.*, 2007), bread texture (Lassoued *et al.*, 2007), fruit purées (Tarea *et al.*, 2007) and lemon ice tea (Veinand *et al.*, 2011). It is currently used more widely and outside of France to address various issues. For example, Ramírez Rivera *et al.* (2009) used it in association with a Taguchi design to optimise the formulation of smoked shrimps. Albert *et al.* (2011) compared it with QDA to describe hot served foods with contrasting textural layers as fish nuggets. Jaros *et al.* (2009) combined it with a hedonic test to explore the main driving of preference of cloudy apple juices. Gómez Alvarado *et al.* (2010) evaluated the effect of origin on the sensory characteristics of Cuajada cheese, and Rason *et al.* (2006) used it to evaluate the sensory diversity of traditional dry sausages.

Variations on flash profile

A variant of FP called ranking descriptive analysis (RDA) was recently proposed by Bragato Richter *et al.* (2010). This variant is based on previous work by Rodrigue *et al.* (2000) in which untrained assessors had to rank sweet corn samples on ten pre-defined attributes. In RDA, assessors first develop a consensual vocabulary. This procedure involves four steps: (i) attribute development with selection of the most frequent terms; (ii) definition of the selected terms; (iii) development of a consensus evaluation procedure; and (iv) finally, like in FP, assessors are asked to rank the samples for all the selected terms. RDA can be seen as a compromise between DA and FP. Although not as fast as FP, it preserves the idea of using a consensual vocabulary, and this facilitates data interpretation.

Pros and Cons

The main advantage of FP is to provide a product map in a very short time because the phases of familiarisation

with the product space, attribute generation and evaluation have been integrated into a single step. Another advantage is that FP allows for a diversity of points of view because, for example, assessors from different countries and using different languages can be included in the same study. Besides these advantages, FP presents some weaknesses. First, although the authors of studies comparing FP and QDA have reported that these techniques gave similar product maps, these authors also noted that ‘the interpretation of sensory terms is not always easy due to the large number of terms and the lack of definitions and evaluation procedure’ (Albert *et al.*, 2011) and that ‘the semantic consensus obtained in the conventional profile allowed a more accurate description of the products’ (Delarue & Sieffermann, 2004). Another weakness of FP is that – as it relies on ranking – it is not suitable for large numbers of products because tasting too many products often produces saturation effects and short-term memory problems. In addition, it could be difficult to compare products that require careful temperature control or have persistent sensory characteristics. Finally – according to Delarue & Sieffermann (2004) – expert assessors are to be preferred to consumers to obtain reliable data. By ‘expert assessors’, these authors mean assessors having previously performed several descriptive evaluation tasks being able to understand the panel leader’s instructions and to generate discriminative and non-hedonic attributes, even if these assessors were not trained on a specific product set.

Check-all-that-apply

Origin and general principle

The CATA or ‘pick-any’ approach originated from the work of Coomb (1964) and was first used in marketing research for studying consumers’ perception of different brands (see, e.g. Driesener & Romaniuk, 2006). It has been recently introduced in sensory evaluation to understand consumer preference to help optimising food products (Adams *et al.*, 2007; Lancaster & Foley, 2007).

A CATA question consists of a list of attributes (words or phrases) from which assessors should select all the attributes they consider appropriate to describe a product. Products are presented one at a time to the assessors according to a balanced (e.g. Williams Latin square) or randomised design. Assessors are asked to evaluate each product and to check in the list the attributes that best describe the product (Fig. 3). Assessors can check as many attributes as they wish and can take as much time as needed. The attributes are not constrained to sensory aspects but could also be related to hedonic and emotional aspects as well as product usage or concept fit (Dooley *et al.*, 2010). The terms can be chosen by the assessors using, for example, a focus

| | |
|--|---|
| <input type="checkbox"/> Sweet | <input type="checkbox"/> Not much sweet |
| <input type="checkbox"/> Yummy | <input checked="" type="checkbox"/> Disgusting |
| <input type="checkbox"/> Soft | <input type="checkbox"/> Very thick |
| <input checked="" type="checkbox"/> Thick | <input type="checkbox"/> Very sweet |
| <input type="checkbox"/> Intense chocolate flavour | <input type="checkbox"/> Not much thick |
| <input type="checkbox"/> Vanilla flavour | <input type="checkbox"/> Not much chocolate flavour |
| <input type="checkbox"/> Creamy | <input checked="" type="checkbox"/> Bitter |
| <input type="checkbox"/> Delicious | <input checked="" type="checkbox"/> Not much creamy |
| <input checked="" type="checkbox"/> Rough | |

| Product | A1 | A2 | A3 | A4 | A5 | A6 | A7 | A8 | A9 | A10 | A11 | A12 | A13 | A14 | A15 | A16 | A17 |
|---------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| 2 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 4 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 5 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 |
| 6 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| 7 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |

Figure 3 An example of check-all-that-apply question (From Ares et al., 2010a,b) and data coding. Assessors are asked to check all attributes that describe a given product. Attributes (A1 to A17) that have been checked for a given product are assigned a value of one, the other attributes have a value of zero.

group (the assessors can be the same as the ones performing the CATA task or not). Alternatively, the terms can be derived from the results of open-ended questions (Aeres et al. 2010a). Open-ended questions are usually used in consumer tests in addition to a hedonic scale to obtain a rough product description. After evaluating their liking of the products, consumers are asked to provide a few terms to either describe the products or to indicate what they like or dislike about these products (Ares et al., 2010a; Symoneaux et al., 2012; ten Kleij & Musters, 2003).

Statistical analysis

A frequency matrix is compiled by counting the number of assessors who used each attribute to describe each product. This matrix is obtained by summing the individual 1/0 matrices depicted in Fig. 3. Correspondence analysis (CA) can then be performed on the frequency matrix to obtain a sensory map of the products. CA (see Data S4) is a generalised PCA tailored for the analysis of qualitative data. Multi-block analyses, such as MFA or multiple correspondence analysis (MCA), have also been used (Ares et al., 2011a,b). Recently, Popper et al. (2011) have also suggested using a variant of CA called multi-block Hellinger analysis that relies on the Hellinger/Bhattacharyya distance (see Abdi, 2007; Abdi et al., 2012) rather than the chi-square distance of CA and that can also integrate individual differences.

Applications to food products

Although CATA is a relatively recent addition to the food sensory evaluation toolbox, it seems to become popular in product optimisation where it is used to probe consumer product perception. It has been applied to salty snacks (Adams et al., 2007; Popper et al., 2011), strawberry cultivars (Lado et al., 2010), vanilla ice cream (Dooley et al., 2010), chocolate milk dessert (Ares et al., 2010a,b), orange-flavoured powdered drinks (Ares et al., 2011a,b) and texture perception of milk desserts (Bruzzone et al., 2011). It has also been used in addition to hedonic ratings to provide an alternative to classical external preference maps

generated from sensory profiles (Dooley et al., 2010; Ares et al., 2011a,b). In a very recent paper, Plaehn (2012) proposed to use a penalty/reward analysis akin to the one used for 'Just About Right scales' (Lawless & Heymann, 2010) to analyse CATA questions in association with hedonic ratings. This new approach, although promising, still needs additional work to be better understood and validated.

Variations on check-all-that-apply question

A variant of CATA, called 'pick- K attributes', (or 'pick K over N ', see Coomb, 1964, pp. 66ff) is also used in the marketing and in the sensory domain. In this variant, assessors receive also a list of attributes, and they are asked to choose the K attributes that are dominant or that describe best a product. In the food sensory domain, this method had been mostly applied to describe aroma of complex products such as wines (McCloskey et al., 1996; Chollet & Valentin, 2000) or beers (Chollet & Valentin, 2001). The main difference between CATA and pick- K attributes is that when K is small, the pick- K attributes method highlights the main sensory characteristics of the products, whereas the CATA method provides a more complete description. The choice of using CATA or pick- K attributes thus depends on the specific objective of the study.

Pros and Cons

All publications using CATA concluded that this method was powerful enough to discriminate between samples. Compared with DA, the main advantage of CATA is its great simplicity both from the assessors and experimenter points of view. Its main limitation – as underlined by Dooley et al. (2010) – is that it produces counts (*i.e.* frequencies) rather than ranking or intensities, and because nominal data tend to have less power than quantitative data, CATA can require a rather large number of assessors. Also, because of the relative novelty of this method in food product description, further work is needed to assess its validity in this domain. The main issues with CATA are the choice of the list – how to optimise the list proposed to the assessors – and the choice of the number of attributes to

be used. This last problem can be crucial, because, for example, previous work by Hughson & Boakes (2002) showed that providing a short list rather than a longer list to consumers asked to describe a set of wines lead to more efficient descriptions, as measured by a matching task between descriptions and wines. A final limitation worth noting is that CATA seems to be more adapted to elicit judgments from consumers than from trained assessors because standard methods are likely to provide more information when used with trained assessors. Also, CATA seems to be better suited when used with sensory judgments than with other domains as suggested by Popper *et al.* (2011) who noted that, for unbranded products, variables describing sensory properties were more significant than variables related to domains such as emotions. These authors, however, suggested that for branded products, emotional variables would then become more relevant.

Similarity-based methods

One of the main issues with verbal-based methods is that they rely heavily on an analytical perception of the products as well as on the ability to translate sensations into words. As a consequence, it is likely that product aspects difficult to verbalise will be overlooked by these methods. The methods presented in this section alleviate this problem by relying first on a global perceptual step in which the similitude between the products is evaluated. The verbalisation of the differences between products occurs only in a second step or can even be omitted.

Free sorting task

Origin and general principle

The free sorting task (FST) originated in Psychology (Hulin & Katz, 1935), a field that has used it routinely (see, e.g. Miller, 1969; Imai, 1966; for early applications; see also Coxon, 1999; for a thorough review and historical perspectives) to reveal – via statistical analyses – the structure of stimuli perceptual space and to interpret the underlying dimensions of these spaces. In the sensory domain, FST was first used in the early

nineties to investigate the perceptual structure of odours (Lawless, 1989; Lawless & Glatter, 1990; MacRae *et al.*, 1992; Stevens & O’Connell, 1996; Chrea *et al.*, 2005). Lawless *et al.* (1995) were the first to use FST with a food product.

Free sorting task consists in a single session. All products are presented simultaneously and randomly displayed on a table with a different order per assessor. Assessors are asked first to look at, smell and/or taste (depending on the objectives of the study) all the products and then to sort them in mutually exclusive groups based on product-perceived similarities (Fig. 4). Assessors can use the criteria they want to perform their sorts, and they are free to make as many groups as they want and to put as many products as they want in each group. Once they are done with their groupings, assessors can be asked to provide a few terms to characterise each group they formed (Lawless *et al.*, 1995; Tang & Heymann, 1999; Saint-Eve *et al.*, 2004; Faye *et al.*, 2004; Lim & Lawless, 2005; Faye *et al.*, 2006; Cartier *et al.*, 2006; Blancher *et al.*, 2007; Lelièvre *et al.*, 2008). This procedure (Fig. 5) is called ‘labeled sorting’ by Bécue-Bertaut & Lê (2011). To facilitate both the assessors’ task and data analysis, a pre-established list can be provided during this step to help assessors labelling their groups (Lelièvre *et al.*, 2008). An often




Figure 4 An example of free sorting task and data coding. One assessor was asked to sort six products presented simultaneously in as many groups as needed based on products perceived similarity. The assessor grouping was then coded in a co-occurrence matrix with a value of 1 if two products were grouped together and a value of 0 if two products were not grouped together. The diagonal values are set to 1 (because a product is always sorted with itself).




Figure 5 An example of labelled sorting and data coding. Assessors were asked to provide a few attributes to describe their product groups. Data are coded by counting the number of assessors who cited a given attribute for a given product.

encountered problem with labelled sorting is that assessors spontaneously qualify their attributes with various quantitative terms such as “very”, “many”, “slightly”, and this makes data interpretation rather cumbersome. To alleviate this problem, Lelièvre *et al.* (2008) suggested to provide the assessors with a pre-defined set of quantifiers to indicate the intensity of the perceived attributes (e.g. “not”, “a little”, “medium and “very”).

Statistical analysis

A similarity matrix is generated by counting the number of times each pair of stimuli was sorted in the same group. This similarity matrix can be obtained by summing the individual 0/1 matrices depicted in Fig. 4. In the sensory field, this similarity matrix is generally submitted to non-metric multidimensional scaling (MDS), but metric MDS can also be used because the sorting similarity provides a Euclidean metric (see Abdi *et al.*, 2007). MDS (see Data S5) produces a spatial representation of the product similarity in which products are represented by points on a map. The points are arranged in this representation so that the distances between pairs of points reflect as well as possible the similarities among the pairs of stimuli. The coordinates of the stimuli on the spatial representation are often used as input to a cluster analysis to reveal product groupings in the MDS representation. Multi-block analyses that take into account individual data such as DISTATIS (Abdi *et al.*, 2007), MCA (Takane, 1982; Cadoret *et al.*, 2009) or common components and specific weights analysis (SORT CC, Qannari *et al.*, 2009) have also been used recently. For French readers, a presentation of these methods can be found in Faye *et al.* (2011).

The analysis of the descriptors associated to the groups of products depends upon the authors. Most analyses start by constructing a contingency table with descriptors in row and products in columns (Fig. 5). The values in the contingency table indicate the frequency at which each descriptor was employed for a stimulus. The descriptors given for a group of stimuli are assigned to each stimulus of the group and descriptors given by several assessors are assumed to have the same meaning. If the intensity of the descriptors is evaluated as suggested by Lelièvre *et al.* (2008), geometric means (Dravineks, 1982) can be used instead. The resulting contingency tables are quite large, and so the list of descriptors is generally reduced by grouping together terms with similar meanings and by discarding descriptors used by fewer than a certain number of assessors (e.g. 10%). The frequency data can then be projected onto the similarity maps by computing the correlations between the occurrence of descriptors and the stimuli factor scores (Faye *et al.*, 2004; Cartier *et al.*, 2006). Alternatively, the contingency table can be submitted to

a CA to position both stimuli and descriptors on a descriptor-based space (Picard *et al.*, 2003; Soufflet *et al.*, 2004) or to an MCA (Cadoret *et al.*, 2009). Recently, Bécue-Bertaut & Lê (2011) used hierarchical MFA to compare sorting data collected from several panels.

Applications to food products

Free sorting task is currently the most popular alternative method to classical descriptive analysis of food products. It has been used on a large variety of food products including vanilla beans (Heymann, 1994), cheese (Lawless *et al.*, 1995), drinking waters (Falahee & MacRae, 1995, 1997; Teillet *et al.*, 2010), fruit jellies (Tang & Heymann, 1999; Blancher *et al.*, 2007), beers (Chollet & Valentin, 2001; Abdi *et al.*, 2007; Lelièvre *et al.*, 2008, 2009), wines (Piombino *et al.*, 2004; Ballester *et al.*, 2005; Bécue-Bertaut & Lê, 2011), yoghurts (Saint-Eve *et al.*, 2004), spice aromas (Derndorfer & Baierl, 2006), cucumbers and tomatoes (Deegan *et al.*, 2010). FST has also been used to understand how consumers perceive food products such as meat or meat-substitute products (Hoek *et al.*, 2011), wine (Ballester *et al.*, 2008; Campo *et al.*, 2008) or beer (Lelièvre *et al.*, 2009).

Variations on the sorting task

A first variation on FST, referred to as ‘directed sorting task’ consists in providing information on either the number (e.g. the assessors may be asked to sort the products into two or three groups) and/or the nature (e.g. the assessors may be asked to sort – according to the colours red, rosé, or white – a set of wines that are presented in dark glasses) of the groups (Ballester *et al.*, 2009; Chollet *et al.*, 2011). This type of directed sorting is very useful, for example, to evaluate the effect of the region of origin on food products sensory characteristics (Parr *et al.*, 2010).

Another variation first proposed by Rao & Katz (1971) is called hierarchical sorting task (Fig. 6). In this variation, assessors are asked to form a given number of groups based on perceived similarities. Then, assessors are asked to successively merge the two groups that are most similar up to the time when a single group is formed (ascendant hierarchical sorting, see Coxon, 1999), or inversely to separate each group into finer groups up to the time when no further separation is possible (descendant hierarchical sorting, Clark, 1968) or both (Kirkland *et al.*, 2000). Ascendant hierarchical sorting has been applied to milk chocolate recently under the name of taxonomic free sorting by Courcoux *et al.* (2012). Descendant hierarchical sorting has been applied to olive oil by Santosa *et al.* (2010) and to cards by Cadoret *et al.* (2011). Hierarchical sorting seems to give more precise information than FST as it gives rise to a more graduate measurement of the similarity




Figure 6 Example of descendant hierarchical sorting and data coding. Assessors were asked to sort ten products in two groups and then to sort each group into two subgroups up to the time they could not sort the products anymore. In this example, the assessor used three sorting levels. The similarity between products is coded as the last level at which they have been sorted together divided by the number of sorting levels. Two products sorted together at the third level will have a similarity score of 3/3, two products sorted together at the second level will have a score of 2/3 and so on.

between products than the 0/1 data provided by FST. According to Courcoux *et al.* (2012), the position of the products on the sensory map could be more stable than that provided by FST. But further studies are needed to validate this contention.

Pros and Cons

Free sorting task is well adapted to obtain a coarse characterisation of products or to select a subset of products for conducting further DA (Giboreau *et al.*, 2001; Piombino *et al.*, 2004). Despite a few differences, perceptual maps obtained with FST are globally comparable with those obtained from DA (Faye *et al.*, 2004; Saint-Eve *et al.*, 2004) and seem to be reproducible (Cartier *et al.*, 2006; Falahee & MacRae, 1997; Lelièvre *et al.*, 2008; Chollet *et al.*, 2011). FST is suitable for use with untrained assessors (Chollet *et al.*, 2011). As for FP, however, the vocabulary is difficult to interpret, and all the samples should be presented in a single session. In addition, with FST a time costly pre-processing is generally needed to analyse product descriptions. Moreover, work by Patris *et al.* (2007) suggests that FST might not be as easy a task as generally accepted. These authors filmed trained and novice assessors performing a beer sorting task and then invited them to comment on their behaviour at specific instances during the task. Both groups of assessors found the task difficult to perform, especially novice assessors who reported memory difficulties as well as saturation problems.

Placing, projective mapping, spatial arrangement procedure or Napping[®]

Origin and general principle

The idea of projective mapping (PM) was first mentioned by Dun-Rankin (1983) under the name of 'placing' to describe a technique in which assessors are asked to express the similarity structure of a set of stimuli by the stimuli's relative positions on a plane. It was then reintroduced independently in the mid-nineties

under the names of 'PM' by Risvik *et al.* (1994, 1997) in the sensory evaluation field and of 'spatial arrangement procedure' (SAP) by Goldstone (1994) in the psychology field. With PM – also called Napping[®] by Pagès (2003, 2005) with an intriguing mixture of French and English (*nappe* means tablecloth in French) – the assessors are asked to place the stimuli on a piece of paper to express the similarity structure of the stimuli. The procedure in SAP is similar, but the assessors position the stimuli on a computer screen. Because the appellation of PM (or Napping[®]) has been used mostly in sensory evaluation (see MacKay, 2001 for an exception), we will use this denomination.

Projective mapping consists in a single session. As in FST, all products are presented simultaneously and are randomly displayed on a table with a different order for each assessor. Assessors are asked first to look at, smell and/or taste (depending on the objectives of the study) all the products and then to position the products on an A3 white sheet of paper (60 by 40 cm) according to the similarities or dissimilarities between these products (Fig. 7). Assessors are instructed that two products should be placed very close to each other if they are perceived as identical and far one from the other if they are perceived as different. There is no further instruction as to how the samples should be separated in this space, and so each assessor chooses his/her own criteria. After they have positioned the products on the map, assessors can be asked to describe each product by writing a few words directly on the sheet near the products (Fig. 8). This technique is referred to as Ultra FP by Perrin *et al.* (2008). Assessors are free to re-taste the samples as often as they want and to take as much time as needed.

Statistical analysis

The *X* and *Y* coordinates of each sample are recorded on each assessor map and compiled in a product-by-assessors table where each assessor contributes to columns representing, respectively, his or her *X* and *Y* coordinates (Fig. 7). The matrix is then submitted to a




Figure 7 An example of projective mapping (aka Napping®). An assessor was asked to taste all the samples presented on a piece of paper and to arrange them on the paper in such a way that similar samples are located near one another and different samples are placed far apart. After the assessor had positioned the products, the assessor was asked to mark the location of each sample with their corresponding three digit codes. The data are then coded by recording the coordinates of the samples on the assessor map.




Figure 8 An example of data table obtained with projective mapping (aka Napping®). Two assessors positioned the products on the map and described them using seven descriptors.

multivariate analysis to provide a sensory map of the products. Originally, PM data were analysed with PCA and SAP with non-metric MDS. More recently, Pagès (2003, 2005) proposed to use MFA because this technique takes into account the differences between assessors. As usual, other equivalent methods could be used such as INDSCAL (Bárcenas *et al.*, 2004; Nestrud & Lawless, 2011) or DISTATIS (Abdi & Valentin, 2007). As for FST, the coordinates of the samples on the resulting product maps can be used as input to a cluster analysis to reveal sample groupings. When a description step is used, the same approaches as the ones described for FST can be applied to characterise the samples (Fig. 8). Alternatively, Perrin *et al.* (2008) (see also, Abdi & Valentin, 2007; and Albert *et al.*, 2011) proposed to add the descriptive data as supplementary variables in the MFA of PM coordinates.

Applications to food products

Although PM appeared in sensory evaluation at about the same time as FST, it has been much less used than the sorting task. A regain of interest in PM could be noted in food companies during the last decade probably as a consequence of its promotion under the name of Napping® by Pagès (2003). Despite this regain of interest, PM has given rise to a smaller number of scientific publications than FST. Yet, PM has been applied to diverse food products such as chocolate (Risvik *et al.*, 1994; Kennedy & Heymann, 2009), commercial dried soup samples (Risvik *et al.*, 1997), snack bars (King *et al.*, 1998; Kennedy, 2010), ewe milk cheeses (Bárcenas *et al.*, 2004), citrus juices (Nestrud &

Lawless, 2008), wines (Morand & Pagès, 2006; Pagès, 2003, 2005; Perrin & Pagès, 2009; Perrin *et al.*, 2008), hot beverages (Moussaoui & Varela, 2010), fish nugget (Albert *et al.*, 2011), and apples and cheese (Nestrud & Lawless, 2010).

Variations on projective mapping

Recently, Pagès *et al.* (2010) proposed a variation in PM which they called 'sorted napping'. The idea behind sorted napping is similar to that behind hierarchical sorting. Assessors are asked first to position a set of products on a sheet of white paper. Then, they are asked to regroup similar products by circling, on the sheet of paper, products that belong to the same group. However, the benefit of this variation over PM remains to be validated.

Pros and Cons

Projective mapping gives rise to perceptual maps comparable to those obtained with DA for obvious aspects of the products (Risvik *et al.*, 1994, 1997; Perrin *et al.*, 2008) and seems to be reproducible at the group level (Risvik *et al.*, 1994, 1997; Kennedy, 2010). As FST, PM is well adapted for obtaining product coarse descriptions. An often cited, difficulty of PM is to constrain the assessors to use two dimensions to discriminate between the products (Perrin *et al.*, 2008). However, this constraint may not be too much of a problem. For example, Goldstone (1994) compared SAP with two different types of pairwise comparisons of stimuli and found that the spaces, recovered by non-metric MDS, for these different techniques were highly correlated and that the solution obtained from SAP had

the same dimensionality than the other methods. Recent work by Nestrud & Lawless (2011) using 3D shapes reached the same conclusion. Indeed, in practice, multivariate analyses (MFA or INDSCAL) of individual 2D PM configurations often seem to recover the full dimensionality of the objects. Again, the main drawback of PM as a way to describe products is the difficulty to interpret precisely the descriptions provided by the assessors (Perrin *et al.*, 2008) as well as the necessity of presenting all the samples in the same session. From a practical point of view, Veinand *et al.* (2011) report that PM was somewhat difficult to perform for assessors showing spatial difficulties. They observed that *de facto* many assessors performed a FST (grouping together samples on the paper map) rather than a real PM. Also, the same memory problems as for FST are likely to occur with PM for large product sets.

Reference-based methods

The methods described previously do not enable data aggregation as all samples need to be presented at the same time. This might be problematic in circumstances when (i) the number of products to be tested is too large to be presented in a single session, (ii) a new product needs to be described or (iii) only one product is available at a time – as, for example, in quality control. The methods presented in this section propose a way to address this issue. The main idea is to keep a comparative method but instead of comparing all the products together to compare them to a (or a set of) reference(s).

Polarised sensory positioning

Origin and general principle

Polarised sensory positioning was initially proposed by Teillet *et al.* (2010) to define the sensory characteristics of water using consumers. The basic idea behind polarised sensory positioning (PSP) is to replace a large number of sensory attributes by a few prototypical products or references that will act as ‘meta-attributes’.

In PSP, assessors receive first the three reference products, and then, the products to be evaluated are presented one at a time to the assessors according to a balanced (*e.g.* Williams Latin square) or randomised design. Assessors are asked to observe, smell and/or taste each product (depending on the objectives of the study) and the three reference products and to evaluate, on a

continuous scale, the dissimilarity between the products to be evaluated and the three reference products (Fig. 9).

Statistical analysis

Teillet *et al.* (2010) suggest two strategies to analyse PSP. In the first one, the dissimilarities between the products and each reference product are averaged across assessors, and the resulting product-by-references matrix is submitted to MDS unfolding. This technique can recover a spatial configuration under the assumption that the intensities of the judgments of an assessor are proportional to their distances from an ideal point (see Coomb, 1964; and MacKay, 2001 for an application to food science). In the second strategy, individual data are preserved (Fig. 9) and the results analysed using STATIS or MFA.

Variation on polarised sensory positioning

Teillet *et al.* (2010) proposed a simplified version of PSP that they named Triad-PSP. In this simplified version, assessors are asked to indicate to which reference product the product under scrutiny is the most similar and to which it is the least similar. Data are then analysed using CA (MCA could be also considered). According to the authors, Triad-PSP and PSP lead to similar results, but Triad-PSP seems to be somewhat more discriminant and easier for assessors than PSP. These results, however, need to be verified in further studies.

Applications to food products

So far, PSP gave rise to only one scientific publication in the food domain where it was applied to the description of mineral waters (Teillet *et al.*, 2010). The authors started using DA and FST to describe a set of commercial mineral waters and tap waters. These methods revealed a pattern – structured around a minerality gradient – suggesting (according to the authors) the presence of three main types of waters. A commercial exemplar of each type was then selected as reference product for PSP. The main advantage of PSP was then to be able to position tap water samples relative to these three stable commercial references.

Pros and Cons

Although very recently introduced in the field of sensory evaluation, PSP seems to be a very promising method whose main advantages are (i) to be easy to perform by assessors as they are only required to evaluate the global



| | Assessor1 | | | Assessor 2 | | |
|----|-----------|---|---|------------|---|---|
| | A | B | C | A | B | C |
| P1 | 4 | 9 | 1 | 3 | 7 | 2 |
| P2 | 2 | 3 | 7 | 1 | 4 | 8 |
| P3 | 4 | 1 | 8 | 6 | 2 | 7 |
| P4 | 3 | 4 | 5 | 2 | 5 | 4 |
| P5 | 8 | 2 | 3 | 7 | 3 | 1 |

Figure 9 Example of polarised sensory positioning answer sheet and data coding. The three reference products are labelled A, B and C. The assessor was asked to compare the taste of the sample with the three references (from Theillet *et al.*, 2010).

similarities between samples and reference products and (ii) to allow the compilation of data across sessions. Results obtained on mineral water (Teillet *et al.*, 2010) and on cosmetic products (Navarro *et al.*, 2011) are comparable to those obtained with standard DA. The main drawbacks of PSP is that the descriptions of the products are obtained only indirectly by deduction from the sensory characteristics of the most similar reference product and that it can be used to aggregate data only in situations where stable references can be found. Finally, this method requires a good knowledge of the product space to be able to select optimal product references. Further work will be needed to better understand this method and in particular to evaluate the effect of the number and nature of the products selected as references.

Pivot profile©

Origin and general principle

At about the same period as PSP, Thuillier (2007) developed a somewhat related method called pivot profile© (PP). PP was developed in the field of wine description and build on the idea of free description techniques often used in this field. Free description consists in asking assessors to freely write down, without any constraint, all the product attributes that they perceive. This method allows for a rich description of the products, but the data interpretation calls upon textual analyses that are often difficult to carry as well as quite time-consuming. The strategy implemented in PP to simplify data analysis and to reduce inter-individual variability is to collect free descriptions of the differences between two products: a sample product and a single reference product (the so called pivot).

In PP, assessors are first provided with the reference product, and then, the products to be evaluated are presented one at a time to the assessors according to a balanced (*e.g.* Williams Latin square) or randomised design. Assessors are asked to observe, smell and/or taste each product (depending on the objectives of the study) and the reference product and to write down each attribute that the product has in smaller or larger amount than the reference product (*e.g.* less sweet, more astringent) as shown Fig. 10. Assessors are instructed to use only descriptive words without any sentence. The negative form is not allowed (*e.g.* flat for non-effervescent). The reference product is chosen within the range of products to be evaluated.

Statistical analysis

Data analysis begins by regrouping synonyms and optionally regrouping the terms by categories. Then, negative and positive frequencies are computed for each term and each product, and the negative frequency is subtracted from the positive frequency (Fig. 11). The

| | Less | More |
|-------------------|------------------------|---------------|
| Visual appearance | Orange, bright | Red |
| Smell | Fruity, spicy, alcohol | Floral, honey |
| Taste | Sweet | Bitter |
| Texture | Tanin, palate weight | Springy |
| After taste | Short | |

Figure 10 Example of pivot profile© answer sheet. The assessor is asked to indicate all the attributes that the product has in less or in more than the reference product (Thuillier *et al.*, 2007).

| | Less | More |
|-------------------|------------------------|---------------|
| Visual appearance | Orange, bright | Red |
| Smell | Fruity, spicy, alcohol | Floral, honey |
| Taste | Sweet | Bitter |
| Texture | Tanin, palate weight | Springy |
| After-taste | Short | |

| | less | More |
|-------------------|--------|---------------|
| Visual appearance | | Red |
| Smell | Fruity | Floral, honey |
| Taste | Sweet | |
| Texture | dry | |
| After-taste | | |

| | | Less | More | Subtraction | After translation |
|-------------------|---------------|------|------|-------------|-------------------|
| Visual appearance | Orange | 1 | 0 | -1 | 1 |
| | Bright | 1 | 0 | -1 | 1 |
| | Red | 0 | 2 | 2 | 4 |
| Smell | Fruity | 2 | 0 | -2 | 0 |
| | Spicy | 1 | 0 | -1 | 1 |
| | Alcohol | 1 | 1 | 0 | 2 |
| | Floral | 0 | 2 | 2 | 4 |
| | Honey | 0 | 1 | 1 | 3 |
| Taste | Sweet | 2 | 0 | -2 | 0 |
| | Bitter | 0 | 1 | 1 | 3 |
| Texture | Tannin | 1 | 0 | -1 | 1 |
| | Palate weight | 1 | 0 | -1 | 1 |
| | Springy | 0 | 1 | 1 | 3 |
| | Body | 1 | 0 | -1 | 1 |
| After-taste | Short | 1 | 0 | -1 | 1 |

Figure 11 An example of data table obtained with pivot profile©. Two assessors described one products.

resulting score is finally translated so as to obtain positive scores only. The final matrix is submitted to CA to obtain a sensory map of the products.

Applications to food products

As for PSP, PP gave rise to only one scientific publication in the food domain where it was applied to the description of a set of champagnes (Thuillier, 2007).

Pros and Cons

Pivot profile© seems to be a very promising method for complex products such as wines where a tradition of free description is relatively strong among experts. This method might provide a trade-off between experts' practice and sensory evaluation. It might prove also useful for other products because it allows for a fast direct description of the products with the possibility of aggregating data as long as a stable reference is available. As in PSP, the main difficulty of PP remains the choice of the reference product, and, here also, further work is needed to explore this issue.

Comparison between methods

As a testimony of the current interest in alternative descriptive analyses, there have been recently several comparisons between these methods and classical DA as well as between verbal- and similarity-based methods.

Comparison of alternative and conventional descriptive analysis

Consumers are often considered as being only capable of making hedonic judgments. Yet, alternative descriptive methods based on consumers were recently compared with classical DA finding similar sensory spaces with R_V coefficients (a measure of similarity between matrices akin to a squared coefficient of correlation, see Abdi, 2010) often > 0.8 (Dairou & Sieffermann, 2002; Delarue & Sieffermann, 2004; Cartier *et al.*, 2006; Blancher *et al.*, 2007; Kennedy & Heymann, 2009; Moussaoui & Varela, 2010; Albert *et al.*, 2011). These studies used products varying in complexity: from simple cold products (such as jam or jelly) to complex and heterogeneous hot products (such as fish nuggets). Differences in the terms used for the samples' description were, however, observed, with consumers using a more varied and spontaneous vocabulary and trained assessors using fewer but more precise terms (Albert *et al.*, 2011). This last observation suggests that DA tends to be more accurate and reliable owing to the extensive training of the assessors. Risvik *et al.* (1997), for example, report that the largest similarity between maps obtained via PM and DA was found for the first dimension, a pattern that suggests a 'good

agreement for the obvious aspects of the products'. Therefore, it seems that DA might enable to identify smaller differences between samples, particularly when dealing with complex samples and/or sensory characteristics than alternative methods. Yet, according to Albert *et al.* (2011), DA – as it requires a consensus from the panel – could potentially lead to some loss of information. Accordingly, those authors suggested that FP used with semi-trained panellists might yield a more detailed description of the samples than DA. On the other hand, as noted by Lelièvre *et al.* (2009), the interpretation of untrained consumer's sensory terms is not always easy owing to the large number of terms and the lack of definitions and evaluation procedures. Another disadvantage of all alternative methods compared with DA is that these alternative methods do not give rise to average rating scores, and thus, the assessment of least significant differences between products or the visual display of individual attributes is not possible (Albert *et al.*, 2011). Additionally, data analysis is not standard and generally more complex than for conventional DA. Further developments aiming at integrating the different stages of data analysis into a unified user-friendly software package are still needed.

Comparison of flash profile and similarity-based methods (projective mapping or free sorting task)

Blancher *et al.* (2007) were the first to compare FP and FST in a study focusing on the visual appearance and the texture of eighteen sweet jellies samples evaluated by French and Vietnamese participants. They showed that whatever the culture, FP and FST lead to similar maps, with, nevertheless, a few noticeable differences. The authors explain these small discrepancies in terms of the nature of the task (verbal methodology vs. non-verbal methodology) and assessors' strategy when performing the task. According to the authors, in FST assessors are asked to concentrate on the global similarities between the products, whereas in FP, assessors dissect their perceptions into attributes. This last point is consistent with the fact that, in an additional comparison contrasting both FP and FST to DA, FP was shown to be closer to DA than to FST.

More recently, Albert *et al.* (2011) compared FP and PM on fish nuggets with contrasting textural layers. FP was performed by ten semi-trained assessors, and PM was carried out by twenty untrained assessors. The sensory maps obtained by FP and PM were well correlated, but clusters obtained from Hierarchical Cluster Analysis (HCA) were somewhat different. According to the authors, this difference might be explained, in addition to the fact that the assessors differed for the two methods, by the fact that in FP assessors are asked to generate as many terms as possible to differentiate samples before ranking them,

whereas in PM the description is done after the mapping. This difference might focus the assessors' attention on very different dimensions of the samples and more readily accessible or global dimensions might take on a greater importance in PM than in FP. Accordingly, the authors conclude that FP gave 'more detailed information about the samples characteristics', whereas PM 'tended to summarise the information'.

Similar results were observed by Veinand *et al.* (2011) who compared FP and PM with eight lemon ice tea samples evaluated by about forty consumers for each method. In their study, despite a few differences in sample positioning, sensory maps were globally similar, but this might be in part owing to a strong opposition between two products and the other products. FP seemed to be more discriminant than PM. Both methods were repeatable. PM allowed eliciting more terms than FP. From a practical point of view, PM was on the average somewhat faster than FP (40 vs. 50 min), and the quantity of ice tea drunk by the consumers was more important for FP than for PM. And, thus, PM assessors reported to be less saturated and tired than FP assessors. In contrast, PM was more difficult to perform and to explain than FP. Veinand *et al.* concluded their paper with the suggestion that PM should probably be limited to expert panellists.

A superiority in term of discrimination and precision of descriptions of FP over PM and FST was also reported by Moussaoui & Varela (2010) in a study carried out on eight hot beverages. Twenty-four untrained assessors evaluated the samples with each method. In addition, this study showed that assessors were more repeatable – as measured using a replicated sample – with FP than PM and FST. Finally, PM was found to be more efficient – as measured by comparison with classical DA – than FST and also led to more repeatable results. Along the same lines, Nestrud & Lawless (2010) reported that, when applied to apples and cheese, PM and FST gave similar sensory maps but that a cluster analysis performed on the sensory maps was more easily interpretable for PM than for FST. However, this result still needs to be generalised to other products.

Comparison of check-all-that-apply and similarity-based methods (projective mapping or free sorting task)

Ares *et al.* (2011a) compared PM and CATA in the context of ideal products characterisation using seven samples of orange-flavoured powdered juice drinks. First, consumers evaluated the sensory characteristics of the samples using either PM or CATA. For PM, they were asked, in addition, to position their ideal product on their map, whereas for CATA they were asked to check all the terms they consider appropriate to describe their ideal product. The different approaches yielded

similar information regarding the sensory characteristics of the products, but differences were observed in the positioning of the ideal product. According to the authors, PM might be more adapted to characterise ideal products than CATA because PM forces assessors to locate their ideal product within the sample space, whereas with CATA the ideal product might be located outside this space (*e.g.* the ideal product might load very high on the naturalness dimension, whereas all the samples load very low on this dimension). Moreover, locating an ideal product on a map seems to be a more intuitive and easier task than checking it for multiple attributes, as this last process might induce some rationalisation. However, from a practical point of view CATA is perceived as less difficult than PM and is, in general, less time-consuming (about 10 vs. 20 min on the average).

In another publication by the same group, Ares *et al.* (2011b) compared CATA with PM and FST using again seven powdered juice samples. For each method, fifty panellists evaluated the samples. After the evaluation, the panellists were asked to rate the difficulty of the task using a nine-point structured scale anchored with 'very easy' on the left and 'very difficult' on the right. CATA, PM and FST provided very similar information both in terms of product positioning and description except for two products for which the similarity-based methods differed from CATA. According to the authors, this difference was owing to sensory characteristics that were not included in the CATA list and so were not taken into account by assessors using this method. Difficulty score analysis showed that assessors perceived similarity-based methods as more difficult than CATA.

How to evaluate the reliability of alternative descriptive methods

Despite the fact that all the proposed approaches seem promising, further work is clearly needed to better characterise them. In particular – as noted by Blancher *et al.* (2012) – we are still lacking unified tools to evaluate the reliability of the methods. Some authors use repetitions (*e.g.* Falahee & MacRae, 1997; Cartier *et al.*, 2006; Lelièvre *et al.*, 2008), some other authors use duplicate samples (*e.g.* Moussaoui & Varela, 2010; Chollet *et al.*, 2011), other authors use R_V coefficients to compare maps obtained by several panels (Lelièvre *et al.*, 2008; Chollet *et al.*, 2011), whereas other authors use bootstrapping to draw confidence ellipses around the products (Abdi & Valentin, 2007; Ballester *et al.*, 2009; Santosa *et al.*, 2010) on the sensory map. Blancher *et al.* (2012) propose a simple tool that can be used routinely to assess whether FST results are reliable. In their paper, they considered that 'results can be considered reliable if the sorting map is stable, *i.e.*, if conducting again an experiment under similar condi-

tions (same panelists, same stimuli, and same instructions) the experimenter would get a similar sorting map'. To assess the stability of the sorting solution, Blancher *et al.* propose to use resampling techniques (see, also, *e.g.* Strother *et al.*, 2002) and to draw large numbers of samples of different sizes from the original set and to compute the average R_V coefficient (which they called R_{Vb}). These authors suggest to consider these techniques as reliable experiments for which this average R_{Vb} is at least equal to 0.95. Even though more work is needed to define a good threshold and its properties, this work constitutes a first important step that deserves to be extended to other approaches than FST.

Conclusion

To sum up, on the whole all methods presented in this review seem to be adapted when coarse descriptions are sufficient. They provide product spaces that are generally comparable to those obtained with conventional DA. Yet, DA might still be more appropriate when the objective of the researcher is to find out small differences in the intensity of specific sensory attributes as sometimes is the case, for example, in product optimisation. Further work is still needed, though, to better understand the extent to which alternative methods can be used to describe complex food products or products with small sensory differences. For such complex products, combining ideas from conventional and alternative approaches might be a good line of future research. For example, in a very recent paper, da Silva *et al.* (2012) propose to use a very short training period along with the presentation of reference materials during the evaluation to allow semi-trained panellists to quantify sensory attributes. Along the same lines, Talaverabianchi *et al.* (2010) proposed a method based on a *simplified user-friendly lexicon – which they call high identity traits (HITS) – as an alternative to traditional DA*.

Most alternative methods can be used either with trained or untrained panellists (although, some authors suggest to use experts or sensory-trained assessors for FP and PM) and all provide more or less similar product spaces. Some differences and specificities can, however, be noted. Although further work is needed to fully confirm this statement, verbal-based methods (FP and CATA) seem to provide more detailed and readily interpretable descriptions and seem to be more discriminant than similarity-based methods. Similarity-based methods seem to be more suited for providing summarised sensory information. Reference-based methods are too recent and need further explorations and comparisons with other methods. Among verbal-based methods, FP is more time-consuming and leads to more saturation problems than CATA but has the advantage of providing ordinal data rather than mere frequencies.

Among similarity-based methods, PM might be more discriminant than FST but appears to be more difficult to understand and to perform. Among reference-based methods, PSP might be better suited to compare new products with known ones, and PP to describe a set of products. Ultimately, the choice between methods depends mostly on both practical issues and the specific objectives of the studies.

References

- Abdi, H. (2007). Distance. In: *Encyclopedia of Measurement and Statistics* (edited by N.J. Salkind). Pp. 280–284. Thousand Oaks, CA: Sage.
- Abdi, H. (2010). Congruence: congruence coefficient, RV coefficient, and Mantel Coefficient. In: *Encyclopedia of Research Design* (edited by N.J. Salkind, D.M. Dougherty & B. Frey). Pp. 222–229. Thousand Oaks, CA: Sage.
- Abdi, H. & Valentin, D. (2007). Some new and easy ways to describe, compare, and evaluate products and assessors. In: *New Trends in Sensory Evaluation of Food and Non-Food Products* (edited by D. Valentin, D.Z. Nguyen & L. Pelletier). Pp. 5–18. Ho Chi Minh, Vietnam: Vietnam National University-Ho Chi Minh City Publishing House.
- Abdi, H., Valentin, D., Chrea, C. & Chollet, S. (2007). Analyzing assessors and products in sorting tasks: DISTATIS, theory and application. *Food Quality and Preference*, **18**, 627–640.
- Abdi, H., Williams, L.J., Valentin, D. & Bennani-Dosse, M. (2012). STATIS and DISTATIS: optimum multi-table principal component analysis and three way metric multidimensional scaling. *Wiley Interdisciplinary Reviews: Computational Statistics*, **4**, 124–167.
- Adams, J., Williams, A., Lancaster, B. & Foley, M. (2007). Advantages and uses of check-all-that-apply response compared to traditional scaling of attributes for salty snacks. In: *7th Pangborn Sensory Science Symposium*. Pp. 12–418. August 16th 2007, Minneapolis, MN, USA.
- Albert, A., Varela, P., Salvador, A., Hough, G. & Fiszman, S. (2011). Overcoming the issues in the sensory description of hot served food with a complex texture. Application of QDA®, flash profiling and projective mapping using panels with different degrees of training. *Food Quality and Preference*, **22**, 463–473.
- Ares, G., Giménez, A., Barreiro, C. & Gámbaro, A. (2010a). Use of an open-ended question to identify drivers of liking of milk desserts: comparison with preference mapping techniques. *Food Quality and Preference*, **21**, 286–294.
- Ares, G., Deliza, R., Barreiro, C., Giménez, A. & Gámbaro, A. (2010b). Comparison of two sensory profiling techniques based on consumer perception. *Food Quality and Preference*, **21**, 417–426.
- Ares, G., Varela, P., Rado, G. & Giménez, A. (2011a). Identifying ideal products using three different consumer profiling methodologies. Comparison with external preference mapping. *Food Quality and Preference*, **22**, 581–591.
- Ares, G., Varela, P., Rado, G. & Giménez, A. (2011b). Are consumer profiling techniques equivalent for some product categories? The case of orange-flavoured powdered drinks. *International Journal of Food Science & Technology*, **46**, 1600–1608.
- Ballester, J., Dacremont, C., Le Fur, Y. & Etievant, P. (2005). The role of olfaction in the elaboration and use of the Chardonnay wine concept. *Food Quality and Preference*, **16**, 351–359.
- Ballester, J., Patris, B., Symoneaux, R. & Valentin, D. (2008). Conceptual vs. perceptual wine spaces: does expertise matter? *Food Quality and Preference*, **19**, 267–276.
- Ballester, J., Abdi, H., Langlois, J., Peyron, D. & Valentin, D. (2009). The odors of colors: can wine expert or novices distinguish the

- odors of white, red, and rosé wines? *Chemosensory Perception*, **2**, 203–213.
- Bárcenas, P., Pérez Elortondo, F.J. & Albisu, M. (2004). Projective mapping in sensory analysis of ewes milk cheeses: a study on consumers and trained panel performance. *Food Research International*, **37**, 723–729.
- Bécue-Bertaut, M. & Lê, S. (2011). Analysis of multilingual labeled sorting tasks: application to a cross-cultural study in wine industry. *Journal of Sensory Studies*, **26**, 299–310.
- Blancher, G., Chollet, S., Kesteloot, R., Nguyen, D., Cuvelier, G. & Sieffermann, J.-M. (2007). French and Vietnamese: how do they describe texture characteristics of the same food? A case study with jellies. *Food Quality and Preference*, **18**, 560–575.
- Blancher, G., Clavier, B., Egoroff, C., Duineveld, K. & Parcon, J. (2012). A method to investigate the stability of a sorting map. *Food Quality and Preference*, **23**, 36–43.
- Bragato Richter, V., Avancini de Almaidio, T.C., Prudencio, S.H. & De Toledo Benassi, M. (2010). Proposing a ranking descriptive sensory method. *Food Quality and Preference*, **21**, 611–620.
- Brandt, M.A., Skinner, E.A. & Coleman, J.A. (1963). Texture profile method. *Journal of Food Science*, **28**, 404–409.
- Bruzzone, F., Ares, G. & Giménez, A. (2011). Consumers' texture perception of milk desserts. Comparison with trained assessors' data. *Journal of Texture Studies*, Doi: 10.1111/j.1745-4603.2011.00332.x.
- Cadoret, M., Lê, S. & Pagès, J. (2009). A factorial approach for sorting task data (FAST). *Food Quality and Preference*, **20**, 410–417.
- Cadoret, M., Lê, S. & Pagès, J. (2011). Statistical analysis of hierarchical sorting data. *Journal of Sensory Studies*, **26**, 96–105.
- Cairncross, S. & Sjostrom, I. (1950). Flavor profile. A new approach to flavor problems. *Food Technology*, **4**, 308–311.
- Campo, E., Do, V.B., Ferreira, V. & Valentin, D. (2008). Sensory properties of a set of commercial Spanish monovarietal young white wines. A study using sorting tasks, lists of terms and frequency of citation. *Australian Journal of Grape and Wine Research*, **14**, 104–115.
- Cartier, R., Rytz, A., Lecomte, A. et al. (2006). Sorting procedure as an alternative to quantitative descriptive analysis to obtain a product sensory map. *Food Quality and Preference*, **17**, 562–571.
- Chollet, S. & Valentin, D. (2000). Le degré d'expertise a-t-il une influence sur la perception olfactive? Quelques éléments de réponse dans le domaine du vin. *L'Année Psychologique*, **100**, 11–36.
- Chollet, S. & Valentin, D. (2001). Impact of training on beer flavor perception and description: are trained and untrained assessors really different? *Journal of Sensory Studies*, **16**, 601–618.
- Chollet, S., Lelièvre, M., Abdi, H. & Valentin, D. (2011). Sort and Beer: everything you wanted to know about the sorting task but did not dare to ask. *Food Quality and Preference*, **22**, 507–520.
- Chrea, C., Valentin, D., Sulmont-Rossé, C., Ly, M.H., Nguyen, D. & Abdi, H. (2005). Semantic, typicality and odor representation: a cross-cultural study. *Chemical Senses*, **30**, 37–49.
- Coomb, C.H. (1964). *The Theory of Data*. New York: Wiley.
- Courcoux, P., Qannari, E.M., Taylor, Y., Buck, D. & Greenhoff, K. (2012). Taxonomic free sorting. *Food Quality and Preference*, **24**, 30–35.
- Coxon, A.P.M. (1999). *Sorting Data: Collection and Analysis*. Thousand Oaks, CA: Sage.
- Dairou, V. & Sieffermann, J.-M. (2002). A comparison of 14 jams characterized by conventional profile and a quick original method, the Flash Profile. *Journal of Food Science*, **67**, 826–834.
- Deegan, K.C., Koivisto, L., Näkkilä, L.J., Hyvönen, L. & Tuorila, H. (2010). Application of a sorting procedure to greenhouse-grown cucumbers and tomatoes. *Food Science and Technology*, **43**, 393–400.
- Delarue, J. & Loescher, E. (2004). Dynamics of food preferences: a case study with chewing gums. *Food Quality and Preference*, **15**, 771–779.
- Delarue, J. & Sieffermann, J.-M. (2004). Sensory mapping using Flash profile. Comparison with a conventional descriptive method for the evaluation of the flavour of fruit dairy products. *Food Quality and Preference*, **15**, 383–392.
- Derndorfer, E. & Baierl, A. (2006). Development of an aroma map of spices by multidimensional scaling. *Journal of Herbs, Spices & Medicinal Plants*, **12**, 39–50.
- Dooley, L., Lee, Y.S. & Meullenet, J.F. (2010). The application of check-all-that-apply (CATA) consumer profiling to preference mapping of vanilla ice cream and its comparison to classical external preference mapping. *Food Quality and Preference*, **21**, 394–401.
- Dravineks, A. (1982). Odor quality: semantically generated multidimensional profiles are stable. *Science*, **218**, 799–801.
- Driesener, C. & Romaniuk, J. (2006). Comparing methods of brand image measurement. *International Journal of Market Research*, **48**, 681–698.
- Dun-Rankin, P. (1983). *Scaling Methods*. Hillsdale, NJ: L. Erlbaum.
- Escoufier, B. & Pagès, J. (1990). Multiple factor analysis. *Computational Statistics & Data Analysis*, **18**, 121–140.
- Escoufier, Y. (1980). L'analyse conjointe de plusieurs matrices de données. In: *Biométrie et Temps* (edited by M. Jolivet). Pp. 59–76. Paris, France: Société Française de Biométrie.
- Falahee, M. & MacRae, A.W. (1995). Consumer appraisal of drinking water: multidimensional scaling analysis. *Food Quality and Preference*, **6**, 327–332.
- Falahee, M. & MacRae, A.W. (1997). Perceptual variation among drinking waters: the reliability of sorting and ranking data for multidimensional scaling. *Food Quality and Preference*, **8**, 389–394.
- Faye, P., Brémaud, D., Durand-Daubin, D., Courcoux, P., Giboreau, A. & Nicod, A. (2004). Perceptive free sorting and verbalization tasks with naive subjects: an alternative to descriptive mappings. *Food Quality and Preference*, **15**, 781–791.
- Faye, P., Brémaud, D., Teillet, E., Courcoux, P., Giboreau, A. & Nicod, H. (2006). An alternative to external preference mapping based on consumer perceptive mapping. *Food Quality and Preference*, **17**, 604–614.
- Faye, P., Courcoux, P., Qannari, M. & Giboreau, A. (2011). Méthodes de traitement statistique des données issues d'une épreuve de tri libre. *Revue MODULAD*, **43**, 1–24.
- Giboreau, A., Navarro, S., Faye, P. & Dumortier, J. (2001). Sensory evaluation of automotive fabrics: the contribution of categorization tasks and non-verbal information to set-up a descriptive method of tactile properties. *Food Quality and Preference*, **12**, 311–322.
- Goldstone, R. (1994). An efficient method for obtaining similarity data. *Behavior Research Methods, Instruments and Computers*, **26**, 381–386.
- Gómez Alvarado, T., Hernández Cervantes, M., López Velázquez, J., Santiago Cabrera, R., Ramón Canul, L.G. & Juárez Barrientos, J.M. (2010). Caracterización sensorial del queso fresco "cuajada" en tres localidades de Oaxaca, México: diferencias en la percepción sensorial. *Revista Venezolana de Ciencia y Tecnología de Alimentos*, **1**, 127–140.
- Gower, J.C. (1971). Statistical methods of comparing different multivariate analysis of the same data. In: *Mathematics in the Archeological and Historical Sciences* (edited by F.R. Hodson, D. Kendall & P. Tautu). Pp. 138–149. Edinburgh, UK: University Press.
- Greenhof, K. & MacFie, H.J.H. (1994). Preference mapping in practice. In: *Measurement of Food Preferences* (edited by H.J.H. MacFie & D.M.H. Thomson). Pp. 137–166. London: Blackie Academic and Professional.
- Heymann, H. (1994). A comparison of free choice profiling and multidimensional scaling of vanilla samples. *Journal of Sensory Studies*, **9**, 445–453.
- Hoek, A.C., Van Boekel, M., Voordouw, J. & Luning, P.A. (2011). Identification of new food alternatives: how do consumers categorize meat and meat substitutes? *Food Quality and Preference*, **22**, 371–383.

- Hughson, A.L. & Boakes, R.A. (2002). The knowing nose: the role of knowledge in wine expertise. *Food Quality and Preference*, **13**, 463–472.
- Hulin, W.S. & Katz, D. (1935). The Frois-Wittmann pictures of facial expression. *Journal of Experimental Psychology*, **18**, 482–498.
- Imai, S. (1966). Classification of sets of stimuli with different stimulus characteristics and numerical properties. *Perception and Psychophysics*, **1**, 48–54.
- Jaros, D., Thamke, I., Raddatz, H. & Rohm, H. (2009). Single-cultivar cloudy juice made from table apples: an attempt to identify the driving force for sensory preference. *European Food Research and Technology*, **229**, 51–61.
- Kennedy, J. (2010). Evaluation of replicated projective mapping of granola bars. *Journal of Sensory Studies*, **25**, 672–684.
- Kennedy, J. & Heymann, H. (2009). Projective mapping and descriptive analysis of milk and dark chocolates. *Journal of Sensory Studies*, **24**, 220–233.
- King, M.C., Cliff, M.A. & Hall, J.W. (1998). Comparison of projective mapping and sorting data collection and multivariate methodologies for identification of similarity-of-use snack bars. *Journal of Sensory Studies*, **13**, 347–358.
- Kirkland, J., Bimler, D., Drawneek, A., McKim, M. & Schölmerich, A. (2000). A quantum leap in the analyses and interpretation of attachment sort items. In: *Patterns of Secure Base Behavior: Q-Sort Perspectives on Attachment and Caregiving in Infancy and Childhood* (edited by B. Vaughn, E. Waters, G. Posada & D. Teti). Hillsdale, NJ: Lawrence Erlbaum.
- ten Kleij, F. & Musters, P.A.D. (2003). Text analysis of open-ended surveyresponses: a complementary method to preference mapping. *Food Quality and Preference*, **14**, 43–52.
- Lado, J., Vicente, E., Manzsoni, A. & Ares, G. (2010). Application of a check-all-that-apply question for the evaluation of strawberry cultivars from a breeding program. *Journal of the science of Food and Agriculture*, **90**, 2268–2275.
- Lancaster, B. & Foley, M. (2007). Determining statistical significance for choose-all that-apply question responses. In: *7th Pangborn Sensory Science Symposium*. August 16th 2007, Minneapolis, MN, USA.
- Lassoued, N., Delarue, J., Launay, B. & Michon, C. (2007). Baked product texture: correlations between instrumental and sensory characterization using Flash Profile. *Journal of Cereal Science*, **48**, 133–143.
- Lawless, H.T. (1989). Exploration of fragrances categories and ambiguous odors using multidimensional scaling and cluster analysis. *Chemical Senses*, **14**, 349–360.
- Lawless, H.T. & Glatter, S. (1990). Consistency of multidimensional scaling models derived from odor sorting. *Journal of Sensory Studies*, **5**, 217–230.
- Lawless, H.T. & Heymann, H. (2010). *Sensory Evaluation of Food: Principles and Practice*. New York: Springer.
- Lawless, H.T., Sheng, N. & Knoops, S.S.C.P. (1995). Multidimensional scaling of sorting data applied to cheese perception. *Food Quality and Preference*, **6**, 91–98.
- Lee, S.-Y., Luna-Guzman, I., Chang, S., Barrett, D.M. & Guinard, J.-X. (1999). Relating descriptive analysis and instrumental texture data of processed diced tomatoes. *Food Quality and Preference*, **10**, 447–455.
- Lelièvre, M., Chollet, S., Abdi, H. & Valentin, D. (2008). What is the validity of the sorting task for describing beers? A study using trained and untrained assessors. *Food Quality and Preference*, **19**, 697–703.
- Lelièvre, M., Chollet, S., Abdi, H. & Valentin, D. (2009). Beer trained and untrained assessors rely more on vision than on taste when they categorize beers. *Chemosensory Perception*, **2**, 143–153.
- Lim, J. & Lawless, H.T. (2005). Qualitative differences of divalent salts: multi-dimensional scaling and cluster analysis. *Chemical Senses*, **30**, 719–726.
- MacKay, D.B. (2001). Probabilistic unfolding models for sensory data. *Food Quality and Preference*, **12**, 427–436.
- MacRae, A.W., Rawcliffe, T., Howgate, P. & Geelhoed, E.N. (1992). Patterns of odour similarity among carbonyls and their mixtures. *Chemical Senses*, **17**, 119–125.
- McCloskey, L.P., Sylvan, M. & Arrhenius, S.P. (1996). Descriptive analysis for wine quality experts determining appellations by Chardonnay wine aroma. *Journal of Sensory Studies*, **11**, 49–67.
- Meilgaard, M., Civille, G.V. & Carr, B.T. (1999). *Sensory Evaluation Techniques*, 3rd edn. Boca Raton, FL: CRC Press.
- Miller, G.A. (1969). A psychological method to investigate verbal concepts. *Journal of Mathematical Psychology*, **6**, 169–191.
- Morand, E. & Pagès, J. (2006). Procrustes multiple factor analysis to analyze the overall perception of food products. *Food Quality and Preference*, **17**, 36–42.
- Moussaoui, K.A. & Varela, P. (2010). Exploring consumer product profiling techniques and their linkage to a quantitative descriptive analysis. *Food Quality and Preference*, **21**, 1088–1099.
- Munoz, A.M. & Civille, G.V. (1992). The spectrum descriptive analysis method. In: *Manual on Descriptive Analysis Testing for Sensory Evaluation* (edited by C. Hootman). West Conshohocken, PA: ASTM Manual Series MNL 13.
- Navarro, S., Teillet, E., Chrea, C. & Mougou, D. (2011). Application of the polarized sensory positioning in the cosmetic area. In: *9th Pangborn Sensory Science Symposium*. September 5th, 2011, Toronto, CA.
- Nestrud, M.A. & Lawless, H.T. (2008). Perceptual mapping of citrus juices using projective mapping and profiling data from culinary professionals and consumers. *Food Quality and Preference*, **19**, 431–438.
- Nestrud, M.A. & Lawless, H.T. (2010). Perceptual mapping of apples and cheeses using projective mapping and sorting. *Journal of Sensory Studies*, **25**, 390–405.
- Nestrud, M.A. & Lawless, H.T. (2011). Recovery of subsampled dimensions and configurations derived from napping data by MFA and MDS. *Attention, Perception, & Psychophysics*, **73**, 1266–1278.
- Pagès, J. (2003). Recueil direct de distances sensorielles: application à l'évaluation de dix vins blancs de Val de Loire. *Science des Aliments*, **23**, 679–888.
- Pagès, J. (2005). Collection and analysis of perceived product inter-distances using multiple factor analysis: application to the study of 10 white wines from the Loire Valley. *Food Quality and Preference*, **16**, 642–664.
- Pagès, J., Cadoret, M. & Lê, S. (2010). The sorted napping: a new holistic approach in sensory evaluation. *Journal of Sensory Studies*, **25**, 637–658.
- Parr, W.V., Valentin, D., Green, J.A. & Dacremont, C. (2010). Evaluation of French and New Zealand Sauvignon wines by experienced French wine assessors. *Food Quality and Preference*, **21**, 56–64.
- Patris, B., Gufoni, V., Chollet, S. & Valentin, D. (2007). Impact of training on strategies to realize a beer sorting task: behavioral and verbal assessments. In: *New trends in Sensory Evaluation of Food and Non-Food Products* (edited by D. Valentin, D.Z. Nguyen & L. Pelletier). Pp. 17–29. Ho Chi Minh, Vietnam: Vietnam National University-Ho chi Minh City Publishing House.
- Perrin, L. & Pagès, J. (2009). Construction of a product space from the Ultra-flash profiling method: application to ten red wines from the Loire Valley. *Journal of Sensory Studies*, **24**, 372–395.
- Perrin, L., Symoneaux, R., Maître, I., Asselin, C., Jourjon, F. & Pagès, J. (2008). Comparison of three sensory methods for use with the Napping® procedure: case of ten wines from the Loire valley. *Food Quality and Preference*, **19**, 1–11.
- Picard, D., Dacremont, C., Valentin, D. & Giboreau, A. (2003). Perceptual dimensions of tactile textures. *Acta Psychologica*, **114**, 165–184.
- Piombino, P., Nicklaus, S., LeFur, Y., Moio, L. & Le Quéré, J. (2004). Selection of products presenting given flavor characteristics: an application to wine. *American Journal of Enology and Viticulture*, **55**, 27–34.

- Plaehn, D. (2012). CATA penalty/reward. *Food Quality and Preference*, **24**, 141–152.
- Popper, R., Abdi, H., Williams, A. & Kroll, B.J. (2011). Multi-block *Hellinger* analysis for creating perceptual maps from check-all-that-apply questions. In: *9th Pangborn Sensory Science Symposium*. September 7th, 2011, Toronto, CA.
- Qannari, E.M., Cariou, V., Teillet, E. & Schlich, P. (2009). SORT-CC: a procedure for the statistical treatment of free sorting data. *Food Quality and Preference*, **21**, 302–308.
- Ramírez Rivera, E.J., Ramón Canul, L.G., Huante González, Y., Shain Mercado, A.J., Bravo Delgado, H.R. & Concepción Martínez Liébana, M. (2009). Caracterización sensorial del camarón ahumado (*Litopenaeus vannamei*) mediante la técnica perfil flash. *Ciencia y Mar*, **XIII**, 27–34.
- Rao, V.R. & Katz, R. (1971). Alternative multidimensional scaling methods for large stimulus sets. *Journal of Marketing Research*, **8**, 488–494.
- Rason, J., Léger, L., Dufour, E. & Lebecque, A. (2006). Relations between the know-how of small scale facilities and the sensory diversity of traditional dry sausages from the Massif-Central in France. *European Food Research and Technology*, **222**, 580–589.
- Risvik, E., McEwan, J.A., Colwill, J.S., Rogers, R. & Lyon, D.H. (1994). Projective mapping: a tool for sensory analysis and consumer research. *Food Quality and Preference*, **5**, 263–269.
- Risvik, E., McEwan, J.A. & Redbottona, M. (1997). Evaluation of sensory profiling and projective mapping. *Food Quality and Preference*, **8**, 63–71.
- Rodrigue, N., Guillet, M., Fortin, J. & Martin, J.F. (2000). Comparing information obtained from ranking and descriptive tests of four sweet corn products. *Food Quality and Preference*, **11**, 47–54.
- Saint-Eve, A., Paçi Kora, E. & Martin, N. (2004). Impact of the olfactory quality and chemical complexity of the flavouring agent on the texture of low fat stirred yogurts assessed by three different sensory methodologies. *Food Quality and Preference*, **15**, 655–668.
- Santosa, M., Abdi, H. & Guinard, J.X. (2010). A modified sorting task to investigate consumer perceptions of extra virgin olive oils. *Food Quality and Preference*, **21**, 881–892.
- Sidel, J.L. & Stone, H. (1993). The role of sensory evaluation in the food industry. *Food Quality and Preference*, **4**, 65–73.
- Sieffermann, J.M. (2000). Le profil Flash: Un outil rapide et innovant d'évaluation sensorielle descriptive. In: *L'innovation: de l'idée au succès – Douzièmes rencontres AGORAL*. Pp. 335–340, 22 & 23 mars 2000. Paris, France: Lavoisier, Tec & Doc.
- da Silva, R., Minim, V.P.R., Simiquel, A.A., da Silva Moraes, L.E., Gomide, A.I. & Minim, L.A. (2012). Optimized descriptive profile: a rapid methodology for sensory description. *Food Quality and Preference*, **24**, 190–200.
- Soufflet, I., Calonnier, M. & Dacremont, C. (2004). A comparison between industrial experts' and novices' haptic perception organization: a tool to identify descriptors of handle of fabrics. *Food Quality and Preference*, **15**, 689–699.
- Stampanoni, C.R. (1993). The quantitative flavor profiling technique. *Perfumer & Flavorist*, **18**, 19–24.
- Stevens, D.A. & O'Connell, R.J. (1996). Semantic-free scaling of odor quality. *Physiological Behavior*, **60**, 211–215.
- Stone, H. & Sidel, J. (1993). *Sensory Evaluation Practices*. San Diego, CA: Academic Press, Inc.
- Stone, H., Sidel, J., Oliver, S., Woosley, A. & Singleton, R.C. (1974). Sensory evaluation by quantitative descriptive analysis. *Food Technology*, **28**, 24–34.
- Strother, S.C., Anderson, J., Hansen, L.K. et al. (2002). The quantitative evaluation of functional neuroimaging experiments: the NPAIRS data analysis framework. *NeuroImage*, **15**, 747–771.
- Symoneaux, R., Galmarini, M.V.E. & Mehinagic, E. (2012). Comment analysis of consumer's likes and dislikes as an alternative tool to preference mapping: a case study on apples. *Food Quality and Preference*, **24**, 59–66.
- Takane, Y. (1982). IDSORT: an individual differences multidimensional scaling program for sorting data. *Behavior Research Methods & Instrumentation*, **14**, 546.
- Talavera-bianchi, M., Edgar Chambers, I.V. & Chambers, D.H. (2010). Describing flavor using fewer and simpler "HITS" (high identity traits) profiling: an example with cheese. *Journal of Sensory Studies*, **25**, 481–493.
- Tang, C. & Heymann, H. (1999). Multidimensional sorting, similarity scaling and free choice profiling of grape jellies. *Journal of Sensory Studies*, **17**, 493–509.
- Tarea, S., Cuvelier, G. & Sieffermann, J.-M. (2007). Sensory evaluation of the texture of 49 commercial apple and pear purees. *Journal of Food Quality*, **30**, 1121–1131.
- Teillet, E., Schlich, P., Urbano, C., Cordelle, S. & Guichard, E. (2010). Sensory methodologies and the taste of water. *Food Quality and Preference*, **21**, 967–976.
- Thuillier, B. (2007). *Rôle du CO2 dans l'Appréciation Organoleptique des Champagnes – Expérimentation et Apports Méthodologiques*. Reims, France: Thèse de l'URCA.
- Veinand, B., Godefroy, C., Adam, C. & Delarue, J. (2011). Highlight of important product characteristics for consumers. Comparison of three sensory descriptive methods performed by consumers. *Food Quality and Preference*, **22**, 474–485.
- Williams, A.A. & Langron, S.P. (1984). The use of free-choice profiling for the evaluation of commercial ports. *Journal of the Science of Food and Agriculture*, **35**, 558–568.

Supporting Information

Additional Supporting Information may be found in the online version of this article:

Data S1. Generalized procrustean analysis (GPA).

Data S2. Multiple factor analysis.

Data S3. Statis.

Data S4. Correspondance analysis (CA).

Data S5. Multidimensional scaling.

Please note: Wiley-Blackwell are not responsible for the content or functionality of any supporting materials supplied by the authors. Any queries (other than missing material) should be directed to the corresponding author for the article.

1 Supplementary material 1

2 GENERALIZED PROCRUSTEAN ANALYSIS (GPA)

3

4 General principle


5 Generalized procrustean analysis (GPA) is a technique that tries to find a consensus
6 configuration from a set of individual configurations obtained from the principal
7 component analysis (PCA) of a set of data tables. So, the first step of GPA consists in
8 performing a PCA of each of the data tables and to keep a small number of components
9 (typically 2 or 3). Then, the factor scores (i.e., the coordinates of the objects on the
10 principal components) of one table are taken as reference and the procedure tries to fit the
11 factors scores of the other tables onto the first set of factor scores (called the “reference”
12 set of factor scores) using procrustean analysis (PA). PA tries to fit one configuration of
13 factor scores to the reference set by using three types of transformation: rotation,
14 reflection, and expansion. After all the tables have been fitted to the reference, one of the
15 fitted factor score configuration is selected and will play the role of the reference set of
16 factors scores to which all the other sets of factors scores are now fitted using PA. The
17 procedure is iterated till convergence is reached. The final configuration is called the
18 consensus and it plays a role analogous to the compromise configuration of STATIS. Just
19 like in MFA and STATIS, the fitted configurations can be projected onto the consensus
20 configuration.

21

22 An example: Flash profile of five products (cf. section 11.2)

23 As an illustration a GPA was apply to the data matrix shown Figure 2 section 11.2).
24 Figure S1 displays the products in the space of the first two principal components along
25 with the product projections for the three assessors. The first component opposes
26 products 307 and 385 to products 124 and 909. The second component opposes product
27 909 to product 145. The product projections for the three assessors show how each
28 assessor “interprets” the product space. The lines linking the products to the color dots
29 represents the deformation needed to transform the map of an assessor to the consensus
30 map.

31



32

33

34 Figure S1.: The map of the products From GPA.

35 Supplementary material 2

36 MULTIPLE FACTOR ANALYSIS

37

38 General principle


39 Multiple factor analysis (MFA) is a generalization of principal component analysis
 40 (PCA) which allows for analyzing data tables in which a set of objects is described by
 41 several sets of variables. MFA is performed in three steps. First, a principal component
 42 analysis (PCA) is performed on each data set. Second, each data set is “normalized” by
 43 dividing all its elements by the square root of the first eigenvalue obtained from of its
 44 PCA (this normalization is akin to the Z-score transform used to standardize variables).
 45 This normalization balances the influence of each data set. Third, the normalized data
 46 sets are merged to form a unique matrix and a global PCA is performed on this matrix.
 47 The individual data sets are then projected onto the global analysis.

48

49 An example: Flash profile of five products (cf. section 11.2)

50 As an illustration a MFA was apply to the data matrix shown Figure 2 section 11.2).
 51 Figure S2a displays the products in the space of the first two principal components along
 52 with the product projections for the three assessors. The first component explains 55.15%
 53 of the inertia. It opposes products 307 and 385 to products 124 and 909. The second

54 component explains 36.37 % of the inertia. It opposes product 909 to product 145. The
 55 position of each product in the global analysis is the barycenter (i.e., centroid) of its
 56 positions for the assessors. The product projections for the three assessors show how each
 57 assessor “interprets” the product space. The lines linking the assessors’ product
 58 projections to the global product position reveal the agreement between assessors: The
 59 shorter the lines the larger the agreement.
 60 As in standard PCA, the variable loadings on the principal components are computed as
 61 the correlation between the original variables and the global factor scores. These
 62 loadings are plotted in Figure S2b along with the “circles of correlation.”



63
 64 Figure S2. : a) The map of the products, b) The attributes as loadings along with the
 65 circle of correlation.
 66

67 Supplementary material 3


68 STATIS

69
 70 General principle

71 STATIS—an acronym that stands for the French expression ‘*Structuration des Tableaux*
 72 *à Trois Indices de la Statistique*’ meaning approximately ‘structuring three way
 73 statistical tables’—is a generalization of principal component analysis (PCA) which
 74 allows for analyzing data tables in which a set of objects is described by several sets of
 75 variables. STATIS is performed in two steps. First, it analyzes the relationship between
 76 the different data tables and derives from this analysis an optimal set of weights that are
 77 used to compute a linear combination (i.e., a weighted sum) of the data tables called the
 78 compromise. The weights are chosen so that the data tables agreeing the most with other
 79 data tables will have the larger weights. This is done so that the compromise will best
 80 represents the information common to the different data tables Second, the compromise is
 81 submitted to a PCA which will give an optimal map of the objects. Finally, like in MFA,
 82 the individual data sets can be projected onto the global analysis.

83

84 An example: Flash profile of five products (cf. section 11.2)
 85 As an illustration STATIS was apply to the data matrix shown Figure 2 section
 86 11.2)Figure S3a displays the products in the space of the first two principal components
 87 along with the product projections for the three assessors. The first component explains
 88 55.22% of the inertia. It opposes products 307 and 385 to products 124 and 909. The
 89 second component explains 36.65% of the inertia. It opposes product 909 to product 145.
 90 The position of each product in the global analysis is the barycenter (*i.e.*, centroid)
 91 positions for the assessors. The product projections for the three assessors show how each
 92 assessor “interprets” the product space. The lines linking the assessors’ product
 93 projections to the global product position reveal the agreement between assessors: The
 94 shorter the lines the larger the agreement.
 95
 96 In STATIS, the loadings (Figure S3b) are obtained from the standard loadings of a PCA
 97 (see Abdi *et al.*, for more details). Alternatively, the loadings could be obtained as
 98 correlations between the original variables and the factor scores obtained for the
 99 products.



100
 101

102 Figure S3. a) The map of the products, b) Map of the loadings for the attributes.

103 Supplementary material 4

CORRESPONDANCE ANALYSIS (CA)

104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120

General principle


Correspondence analysis (CA) is a generalized principal component analysis (PCA) tailored for the analysis of qualitative data. Classically, CA is used to analyze frequency tables. The first step in CA is to transform the data table into *row profiles* by dividing each row of the data matrix by its total and to assign a mass to each row and a weight to each column. The mass of each row is the proportion of this row in the total of the table and the weight of each column is inversely proportional to its use and so the mass of a row reflects its importance in the sample and the weight of a column reflects its importance for *discriminating* between the objects described in the table. The second step consists into applying a singular value decomposition to the row profile matrix. This operation provides factors scores for both rows and columns which can be plotted as a map where each point represents a row or a column of the data matrix. An essential property of CA is the so-called *duality principle*, which states that we can represent the rows and the columns in the same map.

An example: Check-all-that-apply (CATA) question (cf. section II.2)

121
122
123
124
125
126
127
128

Figure S4b displays the products in the space of the first two dimension of CA. The first dimension explains 44.33% of the inertia. It opposes products P3, P1, and P6 that were more often described as bitter, rough, and disgusting to products P2, P4, and P7 that were described more often as soft, yummy, creamy delicious, and vanilla flavor. The second component explains 18.71 % of the inertia. It opposes product P5 that was more often described as very sweet and very thick to product P8 that was more often described as not much thick and not much chocolate flavor.

| | P1 | P2 | P3 | P4 | P5 | P6 | P7 | P8 |
|-------------------|----|----|----|----|----|----|----|----|
| Sweet | 1 | 15 | 0 | 5 | 17 | 2 | 6 | 5 |
| Yummy | 3 | 15 | 0 | 3 | 5 | 1 | 16 | 6 |
| Soft | 2 | 16 | 1 | 17 | 2 | 3 | 13 | 4 |
| Thick | 15 | 3 | 3 | 4 | 4 | 2 | 15 | 2 |
| Int choco fl | 5 | 4 | 13 | 1 | 14 | 13 | 4 | 2 |
| Vanilla fl | 0 | 14 | 1 | 8 | 2 | 0 | 12 | 11 |
| Creamy | 2 | 12 | 2 | 10 | 5 | 9 | 15 | 12 |
| Delicious | 3 | 3 | 1 | 3 | 3 | 0 | 13 | 5 |
| Rough | 19 | 1 | 17 | 0 | 2 | 15 | 0 | 0 |
| Not much sweet | 3 | 2 | 14 | 2 | 3 | 16 | 2 | 14 |
| Disgusting | 19 | 0 | 4 | 1 | 0 | 2 | 0 | 1 |
| Very Thick | 6 | 2 | 0 | 2 | 15 | 20 | 1 | 2 |
| Very Sweet | 0 | 4 | 0 | 14 | 16 | 0 | 4 | 2 |
| Not much thick | 2 | 2 | 4 | 3 | 2 | 2 | 3 | 18 |
| Not much choco fl | 4 | 2 | 2 | 2 | 1 | 1 | 2 | 15 |
| Bitter | 16 | 1 | 13 | 3 | 1 | 17 | 0 | 1 |
| not much creamy | 12 | 3 | 3 | 2 | 16 | 2 | 2 | 3 |



129
130
131
132
133

Figure S4.: a) frequency table obtained from the CATA question shown section II.2; b) products and descriptors CA map.

Supplementary material 5

134

135

136 General principle

137 Multidimensional scaling (MDS) is a data analysis technique used to visualize
138 proximities or distance between objects in a low dimensional space. In MDS, each object
139 is represented by a point in a multidimensional space. The points are arranged in this
140 space so that objects that are perceived to be similar to each other are placed near each
141 other on the map, and objects that are perceived to be different from each other are placed
142 far away from each other on the map. The space is usually a two- or three-dimensional
143 Euclidean space, but could be non-Euclidean and/or have more dimensions.

144


145 The input to MDS is a square, symmetric matrix indicating proximities among a set of
146 objects. Different algorithms can be used to obtain the visual representation of the
147 objects. These algorithms can be classified in to main categories: metric (also called
148 classical) and non-metric MDS. In metric MDS, the proximities are treated directly as
149 distances. The input matrix is first transformed into a cross-product matrix and then
150 submitted to a principal component analysis (PCA). Like PCA, MDS can be used with
151 supplementary or illustrative elements that are projected onto the dimensions after they
152 have been computed. In non-metric MDS the proximities are treated as ordinal data. An
153 iterative stepwise algorithm is used to create a visual representation of the objects. Before
154 starting the algorithm, the dimensionality, denoted by P , of the solution needs to be
155 chosen. The algorithm then proceeds with the following steps: 1) create an arbitrary
156 configuration in P -dimensional space; 2) compute distances among all pairs of points; 3)
157 compare the input matrix and the distance matrix using a stress function: the smaller the
158 value of the stress the greater the correspondence between the two matrices (so stress is
159 similar to one minus a squared correlation coefficient between the original data and the
160 data on the map); and 4) adjust the object in the configuration in the direction that best
161 decreases the stress. Steps 2 to 4 are repeated until the value of the stress is small enough
162 or cannot be decreased any more. Different authors have different standards regarding the
163 amount of stress to tolerate. The rule of thumb used in sensory evaluation is that anything
164 under 0.2 is acceptable.

165

166 An example: Free Sorting task (section III.1)

167 A non-metric MDS was applied to the co-occurrence matrix resulting from a free sorting
168 task performed by 14 assessors on 9 products (figure S5a). A stress value of .12 for a 2-
169 dimensional space (Figure S5b) was judged to be satisfying.

| | P1 | P2 | P3 | P4 | P5 | P6 | P7 | P8 | P9 |
|----|----|----|----|----|----|----|----|----|----|
| P1 | 14 | 8 | 1 | 0 | 1 | 1 | 0 | 3 | 5 |
| P2 | 8 | 14 | 0 | 0 | 3 | 1 | 0 | 3 | 4 |
| P3 | 1 | 0 | 14 | 4 | 0 | 1 | 2 | 1 | 0 |
| P4 | 0 | 0 | 4 | 14 | 1 | 2 | 9 | 0 | 0 |
| P5 | 1 | 3 | 0 | 1 | 14 | 0 | 1 | 6 | 3 |
| P6 | 1 | 1 | 1 | 2 | 0 | 14 | 2 | 0 | 2 |
| P7 | 0 | 0 | 2 | 9 | 1 | 2 | 14 | 0 | 2 |
| P8 | 3 | 3 | 1 | 0 | 6 | 0 | 0 | 14 | 0 |
| P9 | 5 | 4 | 0 | 0 | 3 | 2 | 2 | 0 | 14 |



170

171 Figure S5.: a) co-occurrence matrix coding the results of the FST, b) product 2-

172 dimensional space obtained via non-metric MDS.

173