

RADIOCARBON DATING OF THE STONE AND BRONZE AGE SITES IN PRIMORYE (RUSSIAN FAR EAST)

YAROSLAV V. KUZMIN,¹ LYOBOVA A. ORLOVA,² LEOPOLD D. SULERZHITSKY³
and A. J. T. JULL⁴

INTRODUCTION

The first results of radiocarbon dating of the ancient sites in the Russian Far East were published early in the 1960s (Okladnikov 1964). We now have enough data to establish the main features in the ¹⁴C chronology of the Stone and Bronze Age cultures in Primorye, one of the archaeologically well-studied regions of the Russian Far East.

The 49 dates described here were sampled from 19 sites and analyzed at different laboratories at the following institutions: The University of Arizona, Tucson (AA); Institute of Geology, Novosibirsk (SOAN); Geological Institute, Moscow (GIN); Moscow State University (MGU); Institute of Archaeology, St. Petersburg (RUL, LE); Northeastern Complex Research Institute, Magadan (MAG); Institute of Geochemistry and Physics of Minerals, Ukrainian Academy of Sciences, Kiev (Ki); Institute of Geography, Moscow (IGAN). All the Russian laboratories are part of the Russian Academy of Sciences.

The materials dated are mainly charcoal collected during excavations, but we also dated other materials, such as birch bark, wood, bones (both human and animal), humus and seeds. Except for samples indexed AA-, which were dated by accelerator mass spectrometry (AMS), all samples were dated using liquid scintillation counting (LSC). Neolithic and Bronze Age dates were calibrated according to standard tables compiled by Klein *et al.* (1982) and Stuiver and Pearson (1986). Figure 1 shows the locations of sites in this study.

We report here only dates that correspond well to archaeological contexts (Krushanov 1989). Some disagreements of ¹⁴C ages with the expected archaeological contexts are discussed in the comments.

THE PALEOLITHIC

1. IGAN-341 **32,570 ± 1510**
Bones of horse and mammoth, from Geographical Society cave (42°52'N, 133°00'E), depth 60–80 cm below surface. Collected and submitted by N. K. Vereschagin.

Comment (Y.K.): Vasiljevsky (1987) believes that artifacts lie below the dated level. This conjecture remains to be confirmed.

2. Ki-3502 **15,300 ± 140**
Small charcoal fragments from Suvorovo 4 (44°15'N, 135°19'E), from 25–30 cm below surface in Squares KH-9, TS-9, collected August 1989 by S. Gladyshev and A. Tabarev, submitted September 1989 by Y. Kuzmin.

¹Pacific Institute of Geography, Far Eastern Branch of the Russian Academy of Sciences, Radio Street 7, Vladivostok 690041 Russia

²Institute of Geology, Russian Academy of Sciences, Universitetsky Prospect 3, Novosibirsk 630090 Russia

³Geological Institute, Russian Academy of Sciences, Pyzhevsky Pereulok 7, Moscow 109017 Russia

⁴NSF-Arizona AMS Facility, The University of Arizona, Tucson, Arizona 85721 USA




Fig. 1. ^{14}C -dated sites in Primorye. Numbers correspond to those in the text: 1. Geographical Society cave; 2. Suvorovo 4–6; 3. Gorbatka 3; 4. Ilistaya 1; 5. Almazinka; 6. Rudnaya; 7. Chertovy Vorota; 8. Boisman 2; 9. Oleny A; 10. Valentin-Peresheek; 11. Mustang; 12. Phusun; 13. Kirovsky; 14. Novoselische 4; 15. Sinii Gai; 16. Lidovka 1; 17. Eustaphy-Oleg 1; 18. Sinie Skaly; 19. “Under the Linden”.

3. AA-9463

15,105 ± 110

Small charcoal fragments from Suvorovo 4, 25–30 cm below surface. Collected August 1990 by S. Gladyshev and A. Tabarev, submitted August 1992 by Y. Kuzmin.

Comment (Y.K.): Although the dates for Ki-3502 and AA-9463 are in remarkable agreement, they contradict pollen data, which show a younger age for this site, of *ca.* 8000–9000 BP (Kuzmin 1992).

4. SOAN-1922

13,500 ± 200

Humic acids from Gorbatka 3 (43°57'N, 132°24'E), from a lens of organic-rich sediments in colluvial deposits. Collected and submitted 1980 by A. Kuznetsov.

Comment (Y.K.): the sample was collected below the artifacts at this site, which are slightly younger at 13,500 BP.

5. Ki-3163

7840 ± 60

Charcoal from Ilistaya 1 (43°57'N, 132°26'E) at 30–40 cm below surface. Collected July 1987 by A. Kuznetsov, submitted Oct 1987 by Y. Kuzmin.

General Comment: Because of the paucity of dates, the age of the Paleolithic in Primorye is still not well known. The main problem is the lack of charcoal in the Paleolithic cultural layers. The age of the Suvorovo 4 site is under discussion, and more dating of the site sediments is necessary. In general, the ^{14}C dates show that Paleolithic sites existed in Primorye during the Late Pleistocene and Early Holocene, up to 7800 BP. *Editors' note:* The five dates from the Paleolithic reported here also appear in Kuzmin (1994), which follows this article.

THE NEOLITHIC

Rudnaya Series

Charcoal from Tetukhe, Rudnaya Pristan (44°21'N, 135°48'E).

6. GIN-5983

7690 ± 80

Charcoal from the lowest layer of site, Dwelling 2, Squares A–YA/12. Collected 1985, submitted 1988 by V. Djakov.

7. GIN-5631 **7550 ± 60**

Charcoal from the lowest layer of site, Dwelling 2, Squares A–YA/10–11. Collected 1985 by V. Djakov, submitted 1987 by Y. Kuzmin.

8. GIN-5984 **7390 ± 100**

Charcoal from the lowest layer of site, Dwelling 2, Squares A–YA/10–11. Collected 1985, submitted 1988 by V. Djakov.

Comment (Y.K.): GIN-5631 and -5984 were collected from the same location.

9. GIN-5980 **4130 ± 40**

Charcoal from the middle layer of site, depth 60 cm below surface, Dwelling 7, Squares ZH–Z/7–8. Collected 1985, submitted 1988 by V. Djakov. Calibrated range: 2910–2435 cal BC.

10. GIN-5630 **4040 ± 40**

Charcoal from the middle layer of site, Dwelling 8, Squares B–V/1–3. Collected 1985 by V. Djakov, submitted 1987 by Y. Kuzmin. Calibrated range: 2870–2405 cal BC.

11. GIN-5982 **4030 ± 40**

Charcoal from the middle layer of site, Dwelling 8, Squares A–D/1–2. Collected 1985, submitted 1988 by V. Djakov. Calibrated range: 2865–2400 cal BC.

12. GIN-598 **4000 ± 40**

Charcoal from the middle layer of site, depth 65 cm below surface, Dwelling 7, Squares I–K/9–10. Collected 1985, submitted 1988 by V. Djakov. Calibrated range: 2785–2330 cal BC.

Almazinka Series

13. AA-9818 **7545 ± 80**

14. AA-9817 **7430 ± 65**

15. AA-9819 **7410 ± 60**

Small charcoal fragments from Almazinka (45°58'N, 135°46'E), depth 80–90 cm below surface, excavation pit 1992. Collected July 1992 by V. Lyinsha, submitted September 1992 by Y. Kuzmin.

Comment (Y.K.): Lyinsha (1992) expected the site to be Paleolithic, but 1992 excavations revealed pottery fragments (V. Lyinsha, personal communication, October 1993); thus, the site may be associated with the Neolithic.

Chertovy Vorota Series

16. SOAN-1212 **6825 ± 45**

Animal bones from Chertovy Vorota (44°29'N, 135°230'E), depth 10–80 cm below surface. Collected and submitted 1973 by V. Tatarnikov. Calibrated range: 6037–5377 cal BC.

17. LE-4182 **6710 ± 105**

Animal bones collected 1986 by Zh. Andreeva, submitted 1987 by Y. Kuzmin. Calibrated range: 5930–5310 cal BC.

18. SOAN-1083 **6575 ± 45**

Charcoal, depth 90 cm below surface. Collected and submitted 1973 by V. Tatarnikov. Calibrated range: 5755–5255 cal BC.

19. MGU-504 **6380 ± 70**

Charcoal collected 1973 by V. Tatarnikov, submitted 1974 by V. Stepanov. Calibrated range: 5565–5095 cal BC.

20. LE-4181 **5890 ± 45**

Animal bones collected 1986 by Zh. Andreeva, submitted 1987 by Y. Kuzmin. Calibrated range: 5070–4560 cal BC.

Boisman 2 series**21. AA-9461** **6355 ± 60**

Small charcoal fragments from the lowest layer of Boisman 2 (42°47'N, 131°16'E), depth 95 cm below surface in Square G14. Collected July 1992 by A. Popov, submitted August 1992 by Y. Kuzmin. Calibrated range: 5545–5077 cal BC.

Comment (Y.K.): The sample was collected from the bottom of the cultural layer, below the shell midden.

22. AA-9460 **5330 ± 55**

Small charcoal fragments from the lower layer of site, depth 50 cm in Square V7. Collected July 1992, submitted August 1992 by Y. Kuzmin. Calibrated range: 4400–3890 cal BC.

Comment (Y.K.): The sample was collected from the center of the shell midden.

23. SOAN-3020 **5300 ± 215**

Animal bones from the lower layer of site in Squares A–B/13–14. Collected July 1991 by A. Popov, submitted Nov 1991 by Y. Kuzmin. Calibrated range: 4530–3685 cal BC.

Comment (Y.K.): The sample was collected from the center of the shell midden.

24. SOAN-3019 **5160 ± 140**

Human bones from Burial 1, depth 130–135 cm below surface. Collected July 1991 by A. Popov, submitted Nov 1991 by Y. Kuzmin. Calibrated range: 4530–3685 cal BC.

Comment (Y.K.): The burial is associated stratigraphically with the middle of the shell midden.

25. GIN-6957 **5030 ± 140**

Animal bones from the lower part of the site in Squares A–B/13–14. Collected July 1991 by A. Popov, submitted Nov 1991 by Y. Kuzmin. Calibrated range: 4120–3545 cal BC.

Comment (Y.K.): GIN-6957 is from the same location as SOAN-3020.

Oleny A Series**26. SOAN-1549** **5370 ± 65**

Charcoal from Layer 3, Oleny A (43°21'N, 132°17'E), 100 cm below surface, Dwelling 9b. Collected 1965 by D. Brodiansky, submitted 1966 by A. Okladnikov. Calibrated range: 4410–3900 cal BC.

27. SOAN-1534 **5010 ± 30**

Charcoal from hearth, layer 3, depth 78 cm below surface, Dwelling 7b. Collected 1965 by D. Brodiansky, submitted 1966 by A. Okladnikov. Calibrated range: 3915–3360 cal BC.

Valentin-Peresheek Series**28. MAG-422** **4900 ± 200**

Charcoal from the lower layer of Valentin-Peresheek (43°07'N, 134°18'E), depth 70–80 cm below surface. Collected and submitted 1975 by A. Garkovik. Calibrated range: 4090–3355 cal BC.

29. MAG-398 **4500 ± 120**

Charcoal from the lower layer of site, depth 70–80 cm below surface. Collected and submitted 1975 by A. Garkovik. Calibrated range: 3505–2925 cal BC.

30. MGU-544 **4320 ± 90**

Charcoal from the lower layer of site, depth 100–130 cm. Collected 1975 by A. Garkovik, submitted 1976 by V. Stepanov. Calibrated range: 3355–2665 cal BC.

Mustang Series

31. Ki-3151 **4660 ± 60**

Charcoal from the lower layer of Mustang (44°09'N, 132°35'E), 80 cm below surface. Collected July 1987 by A. Garkovik, submitted October 1987 by Y. Kuzmin. Calibrated range: 3655–3175 cal BC.

32. Ki-3152 **4050 ± 70**

Charcoal from the lower layer of site, depth 50 cm below surface. Collected July 1987 by A. Garkovik, submitted Oct 1987 by Y. Kuzmin. Calibrated range: 2875–2405 cal BC.

33. RUL-193 **4250 ± 60**

Charcoal from Phusun (Moryak-Rybolov) (43°20'N, 134°48'E). Collected and submitted 1959 by A. Okladnikov. Calibrated range: 3145–2660 cal BC.

Comment (Y.K.): it is still unclear whether the sample was collected from the Neolithic or the Bronze Age (Derevianko 1973: 118–119; Brodiansky 1987: 114; Djakov 1992: 113–119).

34. RUL-177 **4150 ± 60**

Wood from Kirovsky (43°20'N, 132°17'E). Collected and submitted 1959 by A. Okladnikov.

Comment (Y.K.): Okladnikov (1964) associated the dated cultural layer with the Bronze Age. In this layer, the earliest cultivated plant remains—millet (*Setaria italica* L.)—were found. A Neolithic layer is also present at the site. Calibrated range: 2925–2550 cal BC.

“Under the Linden” Series

35. SOAN-1530 **3915 ± 50**

Charcoal from “Under the Linden” (42°56'N, 133°06'E). Collected and submitted 1976 by A. Okladnikov and V. Medvedev. Calibrated range: 2480–2361, 2339–2327 cal BC.

36. SOAN-1532 **3635 ± 30**

Charcoal. Collected and submitted 1976 by A. Okladnikov and V. Medvedev. Calibrated range: 2130–2103, 2092–2073, 2054–2037, 2017–1978, 1962–1946 cal BC.

General Comment: The Rudnaya (basal layer) and the Chertovy Vorota sites are of the earliest Neolithic culture in Primorye, the Rudnaya. Together with the basal layer of the Boisman 2 site (Boisman culture) they can be attributed to the Early Neolithic. Another principal Neolithic culture in Primorye, the Zaisanovskaya, is represented by the Rudnaya (middle layer), Oleny A, Valentin-Pereshhek (basal layer), Mustang (basal layer) and “Under the Linden” sites. The dates of the Phusun and Kirovsky sites are chronologically close to the Zaisanovskaya culture, with which they may be associated.

THE BRONZE AGE

37. GIN-6951 **2980 ± 50**

Charcoal from Novoselische 4 (44°37'N, 131°47'E), from the middle layer of site, depth 40 cm below surface in Square T3. Collected August 1991 by N. Kluev, submitted Nov 1991 by Y. Kuzmin. Calibrated range: 1335–1254, 1229–1122 cal BC.

Sinii Gai A Series

38. SOAN-1540 **2875 ± 45**

Birch bark from Sinii Gai A (44°28'N, 132°36'E) Layer 3, depth 60–70 cm below surface, Dwelling 29. Collected 1967 by D. Brodiansky, submitted 1967 by A. Okladnikov. Calibrated range: 1125–1002 cal BC.

39. SOAN-1541 **2820 ± 55**

Birch bark from Layer 3, depth 40–60 cm below surface, Dwellings 17–18. Collected 1967 by D. Brodiansky, submitted 1967 by A. Okladnikov. Calibrated range: 1034–915 cal BC.

Lidovka 1 Series

40. SOAN-1390 **2610 ± 45**

Charcoal from Lidovka 1 (44°25'N, 135°53'E), depth 35 cm below surface. Collected and submitted 1975 by V. Djakov. Calibrated range: 806–789 cal BC.

41. SOAN-1388 **2570 ± 60**

Charcoal, depth 35 cm below surface. Collected and submitted 1975 by V. Djakov. Calibrated range: 804–764, 675–662 cal BC.

42. SOAN-1424 **2530 ± 40**

Seeds of foxtail or Japanese millet, depth 40–50 cm below surface. Collected and submitted 1976 by V. Djakov. Calibrated range: 792–759, 685–658 cal BC.

43. SOAN-1389 **2450 ± 50**

Charcoal, depth 30 cm below surface. Collected and submitted 1975 by V. Djakov. Calibrated range: 764–678 cal BC.

Suvorovo 6 Series

44. GIN-7234 **2960 ± 90**

Charcoal from the upper layer of Suvorovo 6 (44°14'N, 135°20'E), depth 30–40 cm below surface in Square K3. Collected July 1991 by A. Krupianko, submitted April 1992 by Y. Kuzmin. Calibrated range: 1370–1345, 1317–1031 cal BC.

45. SOAN-3023 **2935 ± 50**

Charcoal from the upper layer of the site in Square K3. Collected July 1991 by A. Krupianko, submitted November 1991 by Y. Kuzmin. Calibrated range: 1261–1068 cal BC.

46. SOAN-3022 **2320 ± 55**

Charcoal from the upper layer of site, southern part of the 1991 excavation pit. Collected July 1991 by A. Krupianko, submitted November 1991 by Y. Kuzmin. Calibrated range: 405–378 cal BC.

Eustaphy-Oleg 1 Series

47. GIN-6948 **3150 ± 80**

Charcoal from Eustaphy-Oleg 1 (43°28'N, 134°59'E), depth 50–70 cm below surface in Squares V/2–3, G/2–3. Collected August 1991 by A. Garkovik, submitted November 1991 by Y. Kuzmin. Calibrated range: 1519–1394, 1332–1329 cal BC.

48. GIN-6949 **2900 ± 120**

Charcoal from the lower part of the cultural layer, depth 80–90 cm below surface. Collected August 1991 by A. Garkovik, submitted November 1991 by Y. Kuzmin. Calibrated range: 1300–920 cal BC.

49. MGU-542

2840 ± 170

Charcoal from the lower layer of the site at Sinie Skaly (43°44'N, 135°14'E), depth 80–100 cm below surface. Collected 1976 by Zh. Andreeva, submitted 1977 by V. Stepanov. Calibrated range: 1260–830 cal BC.

General Comment: Krushanov (1989) subdivided the Bronze Age of Primorye into three cultures: Sinegaiskaya (Sinii Gai, Layer 3; Novoselischche 4), Lidovskaya (Lidovka 1; Suvorovo 6, upper layer) and Margaritovskaya (Sinie Skaly, lower layer; Eustaphy-Oleg 1). All these cultures follow the Neolithic and are close to one another chronologically.

DISCUSSION AND CONCLUSION

We have estimated for these series of dates the weighted mean age (WMA) (Aitken 1990). The WMA of the 3 dates at the Almazinkasite is 7450 ± 40 BP; of the 3 dates for Rudnaya (lower layer), 7560 ± 45 BP; of the 4 dates for the Rudnaya (middle layer), 4050 ± 20 BP, *i.e.*, 2865–2415 cal BC; of the 2 dates for Sinii Gai (layer 3), 2855 ± 35 BP, *i.e.*, 1082–977 cal. BC; and of the 4 dates for Lidovka 1, 2540 ± 25 BP, *i.e.*, 792–765, 677–661, 606–604 cal BC.

Based on the chronological difference between the Rudnaya and Zaisanovskaya cultures, we establish the Zaisanovskaya as a Late Neolithic culture. The ¹⁴C age of the oldest shell midden on the Pacific coast of the Russian Far East, Boisman 2 (lower layer), is close to the age of the Early Neolithic shell midden at Tongsamdong in Korea (5890 ± 140 BP; GX-0378) (Nelson 1991).

Using the WMA as a reference point together with all the ¹⁴C dates (Fig. 2), one can establish both the boundaries and the duration of archaeological periods and cultures. The transition from the Pale-




Fig. 2 ¹⁴C sequence of the Neolithic and Bronze Ages of Primorye. Numbers correspond to those in the text; dates are plotted with two sigma errors. WMA: 1. Rudnaya (lower layer); 2. Almazinka; 3. Rudnaya (middle layer); 4. Sinii Gai A, Layer 3; 5. Lidovka 1.

olithic to the Early Neolithic occurred ca. 7800–7900 BP. The Early Neolithic Rudnaya and Boisman cultures existed up to 5000 BP; the Rudnaya to 7600–5900 BP, and the Boisman to 6400–5000 BP. The Early Neolithic gave way to the Late Neolithic at ca. 5300–5000 BP. The Zaisanovskaya culture existed between 5300–3600 BP. We can also place the boundary between the Late Neolithic and Bronze Age at ca. 3000 BP, but no known Zaisanovskaya sites are dated between 3600 and 3000 BP. The Bronze Age cultures date from 3000–2300 BP.

The first interpretation of ^{14}C dates of the ancient cultures from Primorye presented here show that we must continue to date these sites and cultures, and establish the age of the Paleolithic/Neolithic transition and the Late Neolithic/Bronze Age boundary.

ACKNOWLEDGMENTS

The authors thank the following individuals for helpful discussions of the results and for providing us with information: Zh. Andreeva, D. Brodiansky, A. Garkovik, S. Gladyshev, V. Djakov, N. Kluev, A. Krupianko, A. Kuznetsov, V. Lyinsha, N. Ovodov, A. Popov, V. Stepanov, A. Tabarev, R. Vasijevsky. The dating of the Arizona AA- samples was partially funded by U.S. NSF Grant EAR 92-03883. We thank L. J. Toolin and A. L. Hatheway for technical assistance in these measurements. We also thank N. Mishchenko for helping to prepare the manuscript.

REFERENCES

- Aitken, M. J. 1990 *Science-Based Dating in Archaeology*. London, Longman: 274 p.
- Brodiansky, D. L. 1987 *An Introduction to Far Eastern Archaeology*. Vladivostok, Far Eastern University Press: 276 p. (in Russian).
- Derevianko, A. P. 1973 *The Early Iron Age of the Amur River Basin*. Novosibirsk, Nauka: 355 p. (in Russian).
- Djakov, V. I. 1992 *The Multilayered Settlement Rudnaya Pristan and the Periodization of the Neolithic Cultures in Primorye*. Vladivostok, Dalnauka: 140 p. (in Russian).
- Klein, J., Lerman, J. C., Damon, P. E. and Ralph, E. K. 1982 Calibration of radiocarbon dates: Tables based on the consensus data of the Workshop on Calibrating the Radiocarbon Time Scale. *Radiocarbon* 24 (2): 103–150.
- Krushanov, A. I., ed., 1989 *The History of the USSR Far East From Prehistory Up to the 17th Century*. Moscow, Nauka: 376 p. (in Russian).
- Kuzmin, Y. V. 1992 Geoaarchaeological study of the Late Paleolithic sites in Primorye, Far East Russia. *Nihon Daigongi Gakkai [Quaternary Research]* 31 (4): 243–254.
- Lyinsha, V. A. 1992 The discovery of the Paleolithic in Northern Primorye. In *Paleoecology and Human Settlement in Northern Asia and America*. Abstracts of the International Symposium. Krasnoyarsk, Institute of Archaeology and Ethnography: 168–171 (in Russian).
- Nelson, S. M. 1991 Korean archaeological sequences from the first ceramics to the introduction of iron. In Ehrich, R. W., ed., *Chronologies in Old World Archaeology*, 3rd edition. Chicago, University of Chicago Press: 418–424, 430–438.
- Okladnikov, A. P. 1964 The Soviet Far East in the light of modern achievements of archaeology. *Voprosy Istorii* 1: 44–57 (in Russian).
- Stuiver, M. and Pearson, G. W. 1986 High-precision calibration of the radiocarbon time scale, AD 1950–500 BC. In Stuiver, M. and Kra, R. S., eds., Proceedings of the 12th International ^{14}C Conference. *Radiocarbon* 28 (2B): 805–838.
- Vasiljevsky, R. S. 1987 The Upper Paleolithic cultures of the southeastern Primorye. In Vasiljevsky, R. S., ed., *The Prehistory of Siberia and the Far East*. Novosibirsk, Nauka: 103–106 (in Russian).