

Redundancy Elimination on RDF Graphs in the Presence of Rules, Constraints, and Queries^{*}

Reinhard Pichler¹, Axel Polleres², Sebastian Skritek¹, and Stefan Woltran¹

¹ Technische Universität Wien

{pichler,skritek,woltran}@dbai.tuwien.ac.at

² DERI, National University of Ireland, Galway

axel.polleres@deri.org

Abstract. Based on practical observations on rule-based inference on RDF data, we study the problem of redundancy elimination on RDF graphs in the presence of rules (in the form of Datalog rules) and constraints (in the form of so-called tuple-generating dependencies), as well as with respect to queries (ranging from conjunctive queries up to more complex ones, particularly covering features of SPARQL, such as union, negation, or filters). To this end, we investigate the influence of several problem parameters (like restrictions on the size of the rules, the constraints, and/or the queries) on the complexity of detecting redundancy. The main result of this paper is a fine-grained complexity analysis of both graph and rule minimisation in various settings.

1 Introduction

The Semantic Web promises to enable computers to gather machine readable meta-data in the form of RDF statements published on the Web and make inferences about these statements by means of accompanying standards such as RDFS and OWL2. While complete OWL2 reasoning is hard – and in many cases even inappropriate for Web data [1] – (incomplete) rule-based inference is becoming quite popular and supported by many RDF Stores and query engines: frameworks like GiaBATA [2], Jena, Sesame, OWLIM,¹ etc. allow for custom inference on top of RDF Stores, supporting different rule-based fragments of RDFS and OWL. Several such fragments have been defined in the literature, such as ρ DF [3], DLP [4], OWL⁻ [5], ter Horst’s pD* [6], or SAOR [7], and – more recently – the W3C standardised OWL2RL, a fragment of OWL implementable purely in terms of rule-based inference [8]. All these fragments have in common that they are implementable by simple Datalog-like rules over RDF. As an example, let us take (1) the sub-property rule from RDFS [9, Section 7.3, rule rdfs7],

^{*} Preliminary results have been presented at the Alberto Mendelzon Workshop 2010. R. Pichler, S. Skritek and S. Woltran were supported by the Vienna Science and Technology Fund (WWTF), project ICT08-032. A. Polleres was supported by Science Foundation Ireland under Grant No. SFI/08/CE/I1380 (Lion-2).

¹ cf. <http://jena.sourceforge.net/>, <http://openrdf.org/>, and <http://ontotext.com/owlim/>

rules (2)–(5) from OWL2RL [9, Section 4.3, rules prp-inv1,prp-symp,prp-spo2] representing inverse properties, symmetric properties, and property chains:²

- (1) $\{ \text{S P O} . \text{P } \textit{subPropertyOf} \text{ Q} . \text{uri}(\text{Q}) \} \Rightarrow \{ \text{S Q O} \}$
- (2) $\{ \text{S P O} . \text{P } \textit{inverseOf} \text{ Q} . \text{uri}(\text{O}) \wedge \text{uri}(\text{Q}) \} \Rightarrow \{ \text{O Q S} \}$
- (3) $\{ \text{S P O} . \text{P } \textit{inverseOf} \text{ Q} . \text{blank}(\text{O}) \wedge \text{uri}(\text{Q}) \} \Rightarrow \{ \text{O Q S} \}$
- (4) $\{ \text{S P O} . \text{P } \textit{type SymmetricProperty} . \text{uri}(\text{O}) \} \Rightarrow \{ \text{O P S} \}$
- (5) $\{ \text{S P O} . \text{P } \textit{type SymmetricProperty} . \text{blank}(\text{O}) \} \Rightarrow \{ \text{O P S} \}$
- (6) $\{ \text{S P}_0 \text{ O}_1 . \dots \text{O}_n \text{ P}_n \text{ O} . \text{P } \textit{propertyChainAxiom} (\text{P}_0 \dots \text{P}_n) \} \Rightarrow \{ \text{S P O} \}$

Let G_D be an RDF graph talking about authors and their publications:

- (7) $G_D = \{ \langle \text{http://semanticweb.org/wiki/Pat_Hayes} \rangle \textit{made} \langle \text{http://www.w3.org/TR/rdf-mt}/ \rangle .$
- (8) $\langle \text{http://semanticweb.org/wiki/Pat_Hayes} \rangle \textit{name} \text{ "Patrick J. Hayes"}.$
- (9) $\langle \text{http://www.w3.org/TR/rdf-mt}/ \rangle \textit{creator} \text{ "Patrick J. Hayes"}. \}$

Moreover, let graph G_O be part of the ontology defining the terms used in G_D :

- (10) $G_O = \{ \textit{name subPropertyOf label}.$
- (11) $\textit{inverseOf type SymmetricProperty}.$
- (12) $\textit{made inverseOf maker}.$
- (13) $\textit{maker inverseOf made}.$
- (14) $\textit{creator propertyChainAxiom (maker label)}. \}$

When storing the graph $G = G_D \cup G_O$ in an RDF Store that supports inference over rules (1)–(6), different questions of redundancy arise like if some statements may be deleted since they can be inferred by the rules. In our example, e.g. statement (9) as well as statement (13) may be deleted, since they could be reproduced by inference. Similarly, suppose that we transfer the graph $G = G_D \cup G_O$ to a “weaker” RDF Store that only supports rules (1)–(3). Then the question is if we thus lose any inferences. In fact, the answer is no. Interestingly enough, standard rule sets, such as OWL2RL are even known to be non-minimal [8, Section 4.3].

We thus want to be able to answer the general question about redundancy of both triples and rules. However, it is often important to limit the minimisation of RDF graphs in such a way that certain consistency conditions must be preserved. These consistency conditions can be expressed by means of constraints [10]. We shall restrict ourselves here to constraints in the form of so-called *tuple-generating dependency (tgd) constraints*, which are a generalisation of the familiar foreign-key dependencies in the relational database world. Roughly speaking, a tgd may be viewed as a generalised rule “read” as constraint. So, for instance, if we read rules (4)–(5) as constraints, we could say that graph G alone without rules satisfies these constraints, and likewise the closure of G with respect to rules (1)–(3) does. Tgd constraints can be more general than (Horn) rules in that they also

² We disregard full URIs for common RDF terms, i.e., we just write e.g. *inverseOf*, for $\langle \text{http://www.w3.org/2002/07/owl\#inverseOf} \rangle$, *name* for $\langle \text{http://xmlns.com/foaf/0.1/name} \rangle$, or *creator* for $\langle \text{http://purl.org/dc/elements/1.1/} \rangle$, etc. Further, $(P_1 \dots P_n)$ in RDF is short for a fresh variable X plus additional triples $X \textit{ first} P_1 . X_1 \textit{ rest} X_2 . \dots X_n \textit{ first} P_n . X_n \textit{ rest nil}$. using reserved terms *first*, *rest*, *nil*.

allow otherwise unbound, existential variables in the head, possibly occurring in a larger conjunct. That is, tgds are – rather than rules – constraining queries (in the head) “triggered” by bindings coming from a query in the body; for instance, a constraint

$$(15) \{ A \text{ made } D \} \Rightarrow \{ A \text{ label } N . D \text{ creator } N \}$$

would hold only on graphs where everybody who made something also has a declared label and that label is also used to denote the creator. Note that constraint (15) holds on the closure of G with respect to rule (1) but – as opposed to the constraint reading of (4)-(5) – not on G alone.

Next, we are interested in redundancy with respect to queries. This might be particularly relevant for RDF stores that expose a narrow SPARQL query interface. For instance, suppose that, in our example, we are interested only in completeness with respect to the query “SELECT ?D ?L { ?D maker ?M . ?M label ?L }” which is the SPARQL way of writing a conjunctive query:

$$(16) \{ D \text{ maker } M . M \text{ label } L \} \rightarrow \text{ans}(D, L)$$

In such setting, both rules (3)–(6) as well as triples (9), (11), (13), and (14) can be dropped. Such redundancy elimination is not unique; for instance, keeping triples (11), (13), and rule (4) we could drop (12), still preserving completeness.

The primary goal of our work is a systematic complexity analysis of both graph and rule minimisation under constraints, as well as with respect to queries. To this end, we investigate the influence of several problem parameters (like restrictions on the size of the rules, constraints, and queries) on the complexity of detecting redundancy. A first important step in this investigation has been recently made by Meier [11]. He studied the following problem: Given a graph G , a set \mathcal{R} of rules and a set \mathcal{C} of tgds, can G be reduced to a proper subgraph $G' \subset G$, such that G' still satisfies \mathcal{C} and the closure of G' under \mathcal{R} coincides with the closure of G under \mathcal{R} ? For the special case that both the rules in \mathcal{R} and the constraints in \mathcal{C} have bounded size (referred to as *b-boundedness*), this problem was shown to be NP-complete in [11]. In this paper, we want to extend the work initiated in [11] and provide a much more fine-grained analysis of the complexity, e.g., by weakening or strengthening restrictions such as *b-boundedness* and by considering redundancy elimination that only preserves RDF *entailment* (rather than keeping the closure of the original graph under the original rules unchanged) and additionally considering redundancy with respect to queries.

We shall come up with a collection of complexity results, ranging from tractability to Σ_3^P -completeness. Additionally, we address the orthogonal problems of rule minimisation and the problem of reducing rules or triples without preserving completeness of the entire closure, but only ensuring that the answers to certain queries are preserved.

We shall also discuss further variations of the graph and rule minimisation problem. For instance, the rules and tgds in [11] do not allow variables in predicate positions, which is a severe restriction in the sense that many of the common RDF inferences rules are not covered (e.g., all except rules (4) and (5) above). We will not make this restriction, since it can be dropped without significant change of the complexity results.

Organisation of the paper and summary of results. In Section 2, we recall some basic notions and results. A conclusion and an outlook to future work are given in Section 7. Sections 3–6 contain the main results of the paper, namely:

- *Graph Minimisation.* In Section 3, we provide a comprehensive complexity analysis of the RDF graph minimisation problem, both when full reconstruction of the graph or only RDF entailment is required. We study various settings which result from different restrictions on the rules and/or tgds like restricting their size, considering them as fixed, omitting them, or imposing no restrictions at all. Our complexity results range from tractability to Σ_3^P -completeness.
- *Rule Minimisation.* In Section 4, we consider the problem of minimising the set of rules. We show that the problem of finding redundant rules with respect to a given RDF graph is NP-complete for b-bounded rules and not harder than Δ_2^P for arbitrary rules. Note that rule minimisation is closely related to the field of Datalog equivalence and optimisation. We therefore discuss how the large body of results in this area can be fruitfully applied to the problems studied here.
- *Graph Minimisation w.r.t. Queries.* In Section 5, we study how guaranteeing completeness only w.r.t. a given set of conjunctive queries (CQs) or unions of conjunctive queries (UCQs) influences the complexity for each of the above settings. Considering different restrictions on the size of the queries, hardness never exceeds Σ_3^P , but for some settings raises by two levels in the polynomial hierarchy compared to Section 3. Finally we extend our findings to the problem of rule minimisation. We shall also briefly touch on full SPARQL queries beyond unions of conjunctive queries.
- *Problem Variations.* In Section 6, we analyse the complexity of further problems which are either variations of or strongly related to the graph and rule minimisation problems mentioned above. For instance, rather than asking if an RDF graph contains redundant tuples, we consider the problem whether an RDF graph can be reduced below a certain size. We show that this problem is NP-complete also in those settings where the graph minimisation problem is tractable. We also discuss the effect of allowing blank nodes in predicate positions in the Datalog rules.

Due to lack of space, proofs are only sketched. While for most of the hardness proofs we only describe the idea of the reduction, membership proofs are either also informal or even omitted. All proofs are worked out in detail in [12].

2 Preliminaries

Let U , B , and L denote pairwise disjoint alphabets for *URI references*, *Blank nodes* (or variables) and *Literals*, respectively. We denote unions of these sets simply by concatenating their names.³ An RDF statement (or *triple*) is a statement of the form $(s, p, o) \in UB \times U \times UBL$, and an RDF *graph* is a set of triples. In this paper, we do not distinguish between variables and blank nodes, but just note that blank nodes/variables appearing in the data are understood to be existentially quantified within the scope of the whole RDF graph they appear in.

³ In this paper, we use a slightly simplified notion of RDF compared to [9], e.g. not considering typed literals separately.

We write elements from B (U) as alphanumeric strings starting with an upper case letter (lower case letter or number), elements from L as quoted strings, and – inspired by the common Turtle [13] syntax – RDF statements as white-space separated triples and RDF graphs as ‘.’ separated lists of triples in curly braces.

It is convenient to define the notion of *entailment* between two RDF graphs via the interpolation lemma from [9, Section 2] rather than in a model-theoretic way: an RDF graph G_1 *entails* G_2 , written $G_1 \models G_2$ if a subgraph of G_1 is an instance of G_2 , that is, if there exists a graph *homomorphism*, i.e., a blank node mapping $\mu : B \rightarrow UBL$ such that $\mu(G_2) \subseteq G_1$, where $\mu(G)$ denotes the graph obtained by replacing every variable $B \in B$ with $\mu(B)$. A homomorphism h' is an *extension* of a homomorphism h if $h'(B) = h(B)$ for all B on which h is defined. Given G_1, G_2 , deciding whether there exists a homomorphism $G_2 \rightarrow G_1$ (thus also $G_1 \models G_2$) is well known to be NP-complete.

We define a *basic graph pattern* (BGP) as a set of generalised triples (s', p', o') $\in UBL \times UBL \times UBL$, a *filter condition* as a conjunct of the unary predicates $\text{uri}(\cdot)$, $\text{blank}(\cdot)$, $\text{literal}(\cdot)$ (denoting the unary relations U, B , and L , respectively). A *filtered basic graph pattern* (FBGP) is a BGP conjoined with a filter condition, the latter containing only variables already appearing in the BGP. Given an FBGP P , we write $BGP(P)$ and $F(P)$ to denote its components, i.e. its BGP and its filter condition, respectively.

We define an *RDF tuple-generating dependency (tgd) constraint* (or simply constraint) r as $\text{Ante} \Rightarrow \text{Con}$, where the *antecedent* Ante is an FBGP and the *consequent* Con is a BGP. A constraint $\text{Ante} \Rightarrow \text{Con}$ is a short-hand notation for the first-order formula $\forall \mathbf{x}(\text{Ante}(\mathbf{x}) \rightarrow (\exists \mathbf{y})\text{Con}(\mathbf{x}, \mathbf{y}))$ (where \mathbf{y} denotes the blank nodes occurring in Con only, while \mathbf{x} are the remaining blank nodes) Hence, a constraint $\text{Ante} \Rightarrow \text{Con}$ is satisfied over an RDF graph G if for each homomorphism on \mathbf{x} mapping $BGP(\text{Ante})$ to G , there exists an extension h' of h to \mathbf{y} s.t. $h'(\text{Con}) \subseteq G$. To increase the readability, we will sometimes explicitly write out the quantifiers and variable vectors. *RDF rules* (or simply rules), are syntactically restricted constraints, where all variables appearing in Con also appear in Ante (akin to the common notion of safety [14] in Datalog). In the following, we will call RDF rules with an empty filter condition *Datalog rules*.⁴ We define the closure of a graph G with respect to a set \mathcal{R} of rules, written $Cl_{\mathcal{R}}(G)$ as usual by the least fix-point of the immediate consequence operator. For a given graph G or a given set \mathcal{R} of rules, we use $X_G, X_{\mathcal{R}}$ ($X \in \{U, B, L\}$) to denote the subset of U (resp. B, L) used in G , or \mathcal{R} , respectively.

A *conjunctive query (CQ)* over an RDF graph G is of the form $G_q \rightarrow \text{ans}(\mathbf{X})$, where G_q is an FBGP, ans is a distinguished predicate, and \mathbf{X} is a vector of blank nodes. We refer to G_q as the *body* of q ($\text{body}(q)$), and to $\text{ans}(\mathbf{X})$ as the *head* of q ($\text{head}(q)$). A *union of conjunctive queries (UCQs)* is a set of CQs, all having the same head. The result of a CQ q over some RDF graph G is defined as the set $q(G) = \{\langle \mathbf{x} \rangle \mid \text{for all } x_i \in \mathbf{x} : x_i \in U_G B_G L_G U_q L_q, \text{ there exists a homomorphism } \tau : B_q \rightarrow U_G B_G L_G \text{ s.t. } \tau(\text{body}(q)) \subseteq G \text{ and } \mathbf{x} = \tau(\mathbf{X})\}$. The result of a UCQ is the union of the results of its CQs.

⁴ In fact, we will for most parts of the paper only consider Datalog rules, but will revisit the extension to arbitrary RDF rules in the end of Section 6, concluding that this extension does not change any of our results.

We say that a rule or constraint is *b-bounded* if both antecedent and consequent contain at most b triples. We say a conjunctive query q is *body-b-bounded* if $body(q)$ is b -bounded, and we denote q as *head-b-bounded* if $|X| \leq b$ for some constant b (however, $body(q)$ may be arbitrary). A set \mathcal{Q} of (U)CQs is body-b-bounded (resp. head-b-bounded) if every $q \in \mathcal{Q}$ is body-b-bounded (resp. head-b-bounded). Finally, we write $[n]$ to denote the set $\{1, \dots, n\}$.

3 RDF Graph Minimisation

In this section, we study the complexity of RDF graph minimisation. For different restrictions on the input parameters, the complexity varies between tractability and Σ_3^P -completeness. Formally, we consider the following two basic problems:

Definition 1. Let $MINI-RDF^{\models}(G, \mathcal{R}, \mathcal{C})$ be the following decision problem:
INPUT: RDF graph G , set \mathcal{R} of RDF rules, set \mathcal{C} of tgds (G satisfies \mathcal{C}).
QUESTION: Is there a $G' \subset G$ s.t. $Cl_{\mathcal{R}}(G') \models Cl_{\mathcal{R}}(G)$ and G' satisfies \mathcal{C} ?

Definition 2. Let $MINI-RDF^{\subseteq}(G, \mathcal{R}, \mathcal{C})$ be the following decision problem [11]:
INPUT: RDF graph G , set \mathcal{R} of RDF rules, set \mathcal{C} of tgds (G satisfies \mathcal{C}).
QUESTION: Is there a $G' \subset G$ s.t. $Cl_{\mathcal{R}}(G) = Cl_{\mathcal{R}}(G')$ and G' satisfies \mathcal{C} ?

The $MINI-RDF^{\subseteq}$ problem and the minimisation of RDF graphs via entailment aim at two kinds of redundancy elimination: In $MINI-RDF^{\subseteq}$, triples which can be restored via the rules are considered as redundant while minimisation via entailment allows us to replace a graph G by $\bar{G} \subset G$ if $\bar{G} \models G$ holds, i.e. checks if G is lean (see [15]). The $MINI-RDF^{\models}(G, \mathcal{R}, \mathcal{C})$ problem combines these two approaches and thus yields the strongest redundancy criterion. Nevertheless, in most cases, its complexity is not higher than for $MINI-RDF^{\subseteq}$ (see Theorem 1).

Table 1. The complexity of $MINI-RDF^{\models}$ and $MINI-RDF^{\subseteq}$ w.r.t. input parameters (“bb” indicates the set to be b-bounded, and “arb.” allows for arbitrary sets.)

		$MINI-RDF^{\models}$	$MINI-RDF^{\subseteq}$
(1)	\mathcal{R} arb., \mathcal{C} arb.	Σ_3^P -complete	Σ_3^P -complete
(2)	\mathcal{R} arb., \mathcal{C} bb	NP-complete	NP-complete
(3)	\mathcal{R} arb., \mathcal{C} fixed	NP-complete	NP-complete
(4)	\mathcal{R} arb., $\mathcal{C} = \emptyset$	NP-complete	NP-complete
(5)	\mathcal{R} bb., \mathcal{C} arb.	Σ_3^P -complete	Σ_3^P -complete
(6)	\mathcal{R} bb, \mathcal{C} bb	NP-complete	NP-complete [11]
(7)	\mathcal{R} bb, \mathcal{C} fixed	NP-complete	NP-complete
(8)	\mathcal{R} bb, $\mathcal{C} = \emptyset$	NP-complete	in P
(9)	\mathcal{R} fixed, \mathcal{C} arb.	Σ_3^P -complete	Σ_3^P -complete
(10)	\mathcal{R} fixed, \mathcal{C} bb	NP-complete	NP-complete
(11)	\mathcal{R} fixed, \mathcal{C} fixed	NP-complete	NP-complete
(12)	\mathcal{R} fixed, $\mathcal{C} = \emptyset$	NP-complete	in P




Fig. 1. Dependency graph: Numbers refer to lines in Table 1. An arrow from A to B means that B is a special case of A .

It is easy to see that the condition $Cl_{\mathcal{R}}(G) = Cl_{\mathcal{R}}(G')$ in Definition 2 is equivalent to $G \subseteq Cl_{\mathcal{R}}(G')$. The following lemma shows that similarly, for $\text{MINI-RDF}^{\models}$, it is enough to show $Cl_{\mathcal{R}}(G') \models G$ rather than $Cl_{\mathcal{R}}(G') \models Cl_{\mathcal{R}}(G)$.

Lemma 1. *Let G_1, G_2 be RDF graphs and \mathcal{R} a set of rules. Then the following equivalence holds: $Cl_{\mathcal{R}}(G_2) \models Cl_{\mathcal{R}}(G_1) \Leftrightarrow Cl_{\mathcal{R}}(G_2) \models G_1$.*

Theorem 1. *For $\text{MINI-RDF}^{\models}$ and $\text{MINI-RDF}^{\subseteq}$, the complexity w.r.t. different assumptions on the input (arbitrary, b-bounded, or fixed rule set; arbitrary, b-bounded, fixed, or no constraints) is as depicted in Table 1.*

The following lemma justifies that we do not have to give an explicit completeness proof for each entry in Table 1, and points out a proof plan for Theorem 1.

Lemma 2. *The graph in Figure 1 correctly describes the dependencies between the problems (identified by their line number) in Table 1, i.e.: If there is an arrow from A to B , then B is a special case of A .*

Hence an arrow from A to B means that membership results for A hold also for B , and that hardness results for B apply also to A . Therefore, to prove Theorem 1, it suffices to show the membership for (1),(2),(8) and the hardness for (4),(9),(11),(12). Due to lack of space, we only work out the hardness results for (9) and (11) (the latter only for $\text{MINI-RDF}^{\subseteq}$). Before, we shortly discuss the membership results and give an intuition of why they are correct. All proofs are worked out in detail in the full paper [12].

The most general case, (1), can be solved by a guess and check algorithm that is allowed to use a Π_2^P oracle for the checks. One has to guess: a subgraph G' of G , a sequence of rule applications on G' , and for each rule application a homomorphism justifying that the rule is applicable. Note that $Cl_{\mathcal{R}}(G') \subseteq AD^3$ (with $AD = U_G U_{\mathcal{R}} B_G B_{\mathcal{R}} L_G L_{\mathcal{R}}$). Hence if considering all possible rule applications of length $|AD|^3$, one of them has to return $Cl_{\mathcal{R}}(G')$. The most expensive check is to test if G' satisfies \mathcal{C} . However, it obviously fits into Π_2^P .

The following properties lead to the cases of lower complexity: If \mathcal{R} is a b-bounded set, then $Cl_{\mathcal{R}}(G')$ can be computed in polynomial time [11, Proposition 9] and if \mathcal{C} is a b-bounded set, then testing if G' satisfies \mathcal{C} is in PTIME [11, Proposition 3]. For the tractable cases, note that if $\mathcal{C} = \emptyset$, then not all subgraphs of G have to be checked, but only those missing exactly one triple from G .

Lemma 3. *The problems $\text{MINI-RDF}^{\models}(G, \mathcal{R}, \mathcal{C})$ and $\text{MINI-RDF}^{\subseteq}(G, \mathcal{R}, \mathcal{C})$, for fixed \mathcal{R} and arbitrary \mathcal{C} , are Σ_3^P -hard.*

Proof. Σ_3^P -hardness is shown by reduction from the well-known Σ_3^P -complete problem QSAT₃, of which we only give an informal description here. Let an instance of QSAT₃ be given by $F = \exists \mathbf{x}_1 \forall \mathbf{y}_1 \exists \mathbf{x}_2 \bigwedge_{i=1}^n C_i$, with $C_i = (l_{i,1} \vee l_{i,2} \vee l_{i,3})$ (clearly, the restriction to 3-CNF is w.l.o.g.). The graph G created contains on the one hand triples encoding truth assignments on clauses (e.g. $\{0 \ h_1 \ a_{001} . 0 \ h_2 \ a_{001} . 1 \ h_3 \ a_{001}\}$ for the assignment $(false, false, true)$), and on the other hand triples encoding the two possible truth assignments for variables (e.g. $\{v_i \ q_1 \ a_{01} . v_i \ q_1 \ a_{10}\}$ for $x_i \in \mathbf{x}_1$ where v_i is a new URI for each x_i and the URI a_{01} (resp. a_{10}) denotes that x_i evaluates to *false*, hence $\neg x_i$ evaluates to *true* (resp. x_i to *true* and $\neg x_i$ to *false*), together with further triples that allow us to actually refer to the truth value of x_i (resp. $\neg x_i$) under a selected truth assignment. The rules and constraints are chosen in such a way that (1) the triples encoding the truth assignment $(false, false, false)$ for clauses must not be present in any valid subgraph $G' \subset G$, (2) for every $x_i \in \mathbf{x}_1$ exactly one of the two triples encoding a truth assignment must be present in G' and (3) for all other variables, both triples have to remain in G' . The restrictions imposed by $\bigwedge_{i=1}^n C_i$ are encoded in one big tgdt, where every homomorphism from its antecedent to G' defines a truth assignment for \mathbf{x}_1 and \mathbf{y}_1 . Thereby for every valid G' all such homomorphisms define the same truth assignment on \mathbf{x}_1 , hence the values for \mathbf{x}_1 are determined by the selection of G' . But every homomorphism defines a different truth assignment on \mathbf{y}_1 , and there exists exactly one homomorphism for each of the $2^{|\mathbf{y}_1|}$ truth assignments on \mathbf{y}_1 . The consequent of the tgdt contains a representation of the literals in each clause C_i and has the following property: for every homomorphism h from the antecedent to G' , there exists an extension of h to a homomorphism h' from the consequent to G' iff this extension defines a truth assignment on \mathbf{x}_2 such that the assignment on \mathbf{x}_1 , \mathbf{y}_1 and \mathbf{x}_2 maps the representations of the clauses onto the possible truth assignments for clauses present in G' . As all triples encoding these truth assignments must be in G' , except the ones for $(false, false, false)$ which must not, such an extension for every homomorphism from the antecedent to G' implies that F is valid. \square

Lemma 4. *The problems $\text{MINI-RDF}^{\subseteq}(G, \mathcal{R}, \mathcal{C})$ and $\text{MINI-RDF}^{\models}(G, \mathcal{R}, \mathcal{C})$, where both \mathcal{R} and \mathcal{C} are considered to be fixed, are NP-hard.*

Proof. As NP-hardness of $\text{MINI-RDF}^{\models}$ follows easily from the co-NP-hardness of testing if G is lean [15], we concentrate on $\text{MINI-RDF}^{\subseteq}$ and prove its NP-hardness by reduction from the 3-SAT problem. We fix the rules and tgds as

$$\begin{aligned} \mathcal{R} &= \{ \{X' \text{ in } I . X \text{ active } I\} \Rightarrow \{X' \text{ active } I\} \} \\ \mathcal{C} &= \{ \{X \text{ active } I . X \text{ in } J\} \Rightarrow \{X \text{ active } J\} \\ &\quad \{X \text{ clash } X' . X \text{ active } I . X' \text{ active } I' . Y \text{ in } J\} \Rightarrow \{Y \text{ active } J\} \}. \end{aligned}$$

Now let an instance of 3-SAT be given by the formula $F = C_1 \wedge \dots \wedge C_n$, where $C_i = (l_{i,1} \vee l_{i,2} \vee l_{i,3})$ and the $l_{i,j}$ are literals. W.l.o.g., we assume that every variable appears negated and unnegated in F . Then we construct an RDF graph $G = \{l_{i,j}^* \text{ in } c_i \mid i \in [n], j \in [3]\} \cup \{l_{i,j}^* \text{ active } c_i \mid i \in [n], j \in [3]\} \cup \{x_j \text{ clash } \bar{x}_j \mid x_j \text{ in } F\}$, where we introduce new URIs c_i (for every clause C_i) and x_j, \bar{x}_j (for every variable x_j in F), and $l_{i,j}^* = x_j$ (resp. \bar{x}_j) if $l_{i,j} = x_j$ (resp. $\neg x_j$).

Intuitively, the triples in G with predicate *in* encode the literals in F . If a triple with predicate *active* remains in the selected subgraph G' then the corresponding literal in F is set to true. The triples with *clash* keep track of dual literals. \square

4 Rule Minimisation

In this section, we study the rule minimisation problem of RDF graphs. Although there is a huge amount of literature in the Datalog world addressing related problems (as query containment), the particular nature of the problems we study requires a distinguished complexity analysis. Note that rules for RDF, when written as Datalog rules, have a fixed predicate arity of three, which makes problems computationally easier than in the general Datalog setting (see, e.g. [16]). Depending on whether we consider the Datalog rules as b-bounded or not, we obtain complexity results from NP-completeness to Δ_2^P -membership. The rule minimisation problem is formally defined as follows. As the RDF graph remains unchanged, constraints are irrelevant here.

Definition 3. Let $\text{RDF-RULEMIN}^{\models}(G, \mathcal{R})$ be the following decision problem:
 INPUT: An RDF graph G and a set \mathcal{R} of RDF rules.
 QUESTION: Does there exist $\mathcal{R}' \subset \mathcal{R}$ s.t. $Cl_{\mathcal{R}'}(G) \models Cl_{\mathcal{R}}(G)$?

Definition 4. Let $\text{RDF-RULEMIN}^{\subseteq}(G, \mathcal{R})$ be the following decision problem:
 INPUT: An RDF graph G and a set \mathcal{R} of RDF rules.
 QUESTION: Does there exist $\mathcal{R}' \subset \mathcal{R}$ s.t. $Cl_{\mathcal{R}'}(G) = Cl_{\mathcal{R}}(G)$?

For the case that the set of rules is b-bounded, we can pinpoint the complexity of the problem to NP.

Theorem 2. For a set \mathcal{R} of b-bounded rules (for fixed b), the problem $\text{RDF-RULEMIN}^{\models}(G, \mathcal{R})$ is NP-complete while $\text{RDF-RULEMIN}^{\subseteq}(G, \mathcal{R})$ is in PTIME.

Proof. The hardness is shown by reduction from the 3-Colorability problem. The RDF graph G is built over the URIs $U = \{0, 1, 2\}$ in subject and object positions. G contains triples of the form $i e j$ for all value combinations $i, j \in U$ with $i \neq j$. \mathcal{R} contains a single rule which generates an encoding $X_\alpha e X_\beta$ (with blank nodes X_α, X_β) for each edge (v_α, v_β) of the graph to be 3-colored. This rule is redundant iff a valid 3-coloring exists, i.e., iff the triples $X_\alpha e X_\beta$ can be mapped into $\{i e j \mid i \neq j\}$.

For the membership, note that it suffices to compare the closure of G under \mathcal{R} with the closure of G under every subset of \mathcal{R} missing exactly one rule. In the b-bounded case, the closure can be computed efficiently. Hence, we get PTIME-membership for $\text{RDF-RULEMIN}^{\subseteq}$ and NP-membership for $\text{RDF-RULEMIN}^{\models}$ (the NP-computation is needed only for the entailment check). \square

Theorem 3. For arbitrary rules, $\text{RDF-RULEMIN}^{\subseteq}(G, \mathcal{R})$ is co-NP-hard and in Δ_2^P while $\text{RDF-RULEMIN}^{\models}(G, \mathcal{R})$ is NP-hard, co-NP-hard, and in Δ_2^P .

Proof. The Δ_2^P upper bound is due to the fact that computing the closure under a set of arbitrary rules requires an NP-oracle (to check if a rule is applicable). The NP-hardness of $\text{RDF-RULEMIN}^{\models}(G, \mathcal{R})$ carries over from Theorem 2. The co-NP-hardness of both problems is shown by a straightforward reduction from the co-problem of 3-Colorability: \mathcal{R} contains a single rule whose body encodes the graph to be 3-colored. This rule is redundant iff no 3-coloring exists. \square

In order to reduce the complexity of the problems $\text{RDF-RULEMIN}^{\subseteq}(G, \mathcal{R})$ and $\text{RDF-RULEMIN}^{\models}(G, \mathcal{R})$, one could seek for approximations of those problems. In fact, one option is to check for *redundant* rules in the set \mathcal{R} of given Datalog rules; or whether some rule is subsumed by another rule from \mathcal{R} . The first problem is known to be tractable while the test for rule subsumption is NP-complete (see [17]). The latter result can be shown to hold also for rules of bounded arity (which we deal with here); but becomes tractable in the case of b-bounded rules. Further methods (e.g., folding and unfolding of rules) are well understood for logic programs (see [18]), and could also apply to our domain. An in-depth analysis how to use those results in our setting is left for future work.

5 Minimisation w.r.t. Queries

Another variant of the RDF graph and rule minimisation problems is to guarantee completeness only w.r.t. a given set of queries. We restrict ourselves here to (unions of) conjunctive queries (CQs resp. UCQs). Such a minimisation is of high interest, e.g. when importing data into an RDF Store that provides a narrow query interface only. Formally, we get the following problems:

Definition 5. $\text{MINI-RDF}^{\subseteq, CQ}(G, \mathcal{R}, \mathcal{C}, \mathcal{Q})$ is the following decision problem:
INPUT: An RDF graph G , a set \mathcal{R} of RDF rules, a set \mathcal{C} of tgds (G satisfies \mathcal{C}), and a set \mathcal{Q} of CQs.

QUESTION: Is there a $G' \subset G$ s.t. (1) for every $q \in \mathcal{Q}$, the answers to q over $Cl_{\mathcal{R}}(G)$ coincide with the answers to q over $Cl_{\mathcal{R}}(G')$ and (2) G' satisfies \mathcal{C} ?

Definition 6. $\text{RDF-RULEMIN}^{\subseteq, CQ}(G, \mathcal{R}, \mathcal{Q})$ is the following decision problem:
INPUT: An RDF graph G , a set \mathcal{R} of RDF rules, and a set \mathcal{Q} of CQs.

QUESTION: Is there a $\mathcal{R}' \subset \mathcal{R}$ s.t. for every $q \in \mathcal{Q}$, the answers to q over $Cl_{\mathcal{R}}(G)$ coincide with the answers to q over $Cl_{\mathcal{R}'}(G)$?

Note that, in the above problem definitions, \mathcal{Q} is *some* set of CQs. If we choose \mathcal{Q} to be the set of *all* CQs, then $\text{MINI-RDF}^{\subseteq, CQ}$ coincides with $\text{MINI-RDF}^{\subseteq}$ and $\text{RDF-RULEMIN}^{\subseteq, CQ}$ coincides with $\text{RDF-RULEMIN}^{\subseteq}$. Actually, this is the case for any set \mathcal{Q} containing the CQ $\{S P O\} \rightarrow \text{ans}(S, P, O)$. It follows immediately that all hardness results from Sections 3 and 4 carry over to the CQ-variants.

Analogously to the settings studied in the previous sections resulting from different restrictions on \mathcal{C} and \mathcal{R} , we also study three settings of the CQ-variants of these problems by considering \mathcal{Q} to be body-b-bounded, head-b-bounded, or unrestricted, respectively. We thus get the following complexity results.

Theorem 4. For $\text{MINI-RDF}^{\subseteq, CQ}$, the complexity w.r.t. different assumptions on the input (arbitrary, b-bounded or fixed rule set; arbitrary, b-bounded, fixed, or

Table 2. The complexity of MINI-RDF \subseteq, CQ (1-12) and RDF-RULEMIN \subseteq, CQ (I. - II.) w.r.t. input parameters (“bb” stands for “b-bounded”, and “arb.” for “arbitrary”)

		\mathcal{Q} body-bb (a)	\mathcal{Q} head-bb (b)	\mathcal{Q} arb. (c)
(1)	\mathcal{R} arb., \mathcal{C} arb.	Σ_3^P -complete	Σ_3^P -complete	Σ_3^P -complete
(2)	\mathcal{R} arb., \mathcal{C} bb	NP/ Δ_2^P	NP/ Δ_2^P	Σ_3^P -complete
(3)	\mathcal{R} arb., \mathcal{C} fixed	NP/ Δ_2^P	NP/ Δ_2^P	Σ_3^P -complete
(4)	\mathcal{R} arb., $\mathcal{C} = \emptyset$	NP/ Δ_2^P	NP/ Δ_2^P	Π_2^P -complete
(5)	\mathcal{R} bb., \mathcal{C} arb.	Σ_3^P -complete	Σ_3^P -complete	Σ_3^P -complete
(6)	\mathcal{R} bb, \mathcal{C} bb	NP-complete	NP/ Δ_2^P	Σ_3^P -complete
(7)	\mathcal{R} bb, \mathcal{C} fixed	NP-complete	NP/ Δ_2^P	Σ_3^P -complete
(8)	\mathcal{R} bb, $\mathcal{C} = \emptyset$	in P	NP/ Δ_2^P	Π_2^P -complete
(9)	\mathcal{R} fixed, \mathcal{C} arb.	Σ_3^P -complete	Σ_3^P -complete	Σ_3^P -complete
(10)	\mathcal{R} fixed, \mathcal{C} bb	NP-complete	NP/ Δ_2^P	Σ_3^P -complete
(11)	\mathcal{R} fixed, \mathcal{C} fixed	NP-complete	NP/ Δ_2^P	Σ_3^P -complete
(12)	\mathcal{R} fixed, $\mathcal{C} = \emptyset$	in P	NP/ Δ_2^P	Π_2^P -complete
(I.)	\mathcal{R} arb.	co-NP/ Δ_2^P	co-NP+ NP/ Δ_2^P	Π_2^P -complete
(II.)	\mathcal{R} bb.	in P	NP/ Δ_2^P	Π_2^P -complete

no constraints; body-b-bounded, head b-bounded, or arbitrary CQs) is as depicted in Table 2, rows (1) – (12). Likewise, the complexity of RDF-RULEMIN \subseteq, CQ is depicted in Table 2, rows (I) – (II).

Thereby (co-)NP / Δ_2^P denotes the lower bound / upper bound for the complexity. We write co-NP+ NP/ Δ_2^P if both, co-NP- and NP- hardness hold. All lower bounds hold even if \mathcal{Q} consists of a single CQ. Likewise, all upper bounds hold even if \mathcal{Q} is a set of UCQs.

Obviously, body-b-bounded (U)CQs are a special case of head-b-bounded (U)CQs, which in turn are a special case of arbitrary (U)CQs. By combining this observation with Lemma 2, to prove Theorem 4, it suffices to show membership for the entries (6a), (8a), (2b), (1c), (4c) as well as (Ia), (IIb), and (IIc) in Table 2, and hardness for (11a), (12b), (11c), (12c) as well as (IIa), (Ib), and (Ic). Due to space restrictions, we only give a rough sketch of the intuition of these results. All proofs are worked out in detail in the full version [12].

Membership in the most general case (1c) is shown by considering the following algorithm: guess a subset $G' \subset G$ and check with Π_2^P -oracles if G' satisfies \mathcal{C} and if $q(\hat{G}) = q(\hat{G}')$, where $\hat{G} = Cl_{\mathcal{R}}(G)$, resp. $\hat{G}' = Cl_{\mathcal{R}}(G')$. Moreover, the closures \hat{G} and \hat{G}' can be computed in Δ_2^P , since they are subsets of AD^3 .

The other columns contain potentially easier settings because of the restrictions on the queries, while the other rows are potentially easier because of restrictions on \mathcal{R} and \mathcal{C} . In particular, if no constraints are present, it suffices to check the “direct” subsets $G' = G \setminus \{t\}$ for each $t \in G$. Thus the non-deterministic guess of $G' \subset G$ is no longer needed. By the same token, rule minimisation is not harder than Π_2^P , since we only need to check the direct subsets $\mathcal{R}' = \mathcal{R} \setminus \{r\}$. If the queries are head-b-bounded, then there are at most polynomially many

candidates for answer-tuples. Hence, to answer a query q over two different RDF graphs is feasible in Δ_2^P (rather than Π_2^P). For body-b-bounded queries, the answers to a query q over an RDF graph can even be computed in PTIME.

Turning to the lower bounds, the NP-hardness for (11a) follows immediately from the above remark that the hardness results of $\text{MINI-RDF}^{\subseteq}$ carry over. (12b) differs from the previous setting by allowing more expressive queries, but no constraints (which, for $\text{MINI-RDF}^{\subseteq}$, leads to tractability). However, the NP-hardness of this case follows immediately from the co-NP-hardness of checking if an RDF graph is lean [15] and defining $\mathcal{Q} = \{G \rightarrow \text{ans}()\}$. The hardness for (11c) is shown by reduction from QSAT_3 . Its main idea is, given a formula $F = \exists \mathbf{x}_1 \forall \mathbf{y}_1 \exists \mathbf{x}_2 \phi$, to define a CQ q and a graph G such that every homomorphism $\tau: \text{body}(q) \rightarrow G$ defines a truth assignment on the variables in F . (The proof allows even $\mathcal{R} = \emptyset$.) Thereby q outputs the values of this truth assignment on \mathbf{y}_1 . G is further chosen in such a way that $q(G)$ contains an encoding of all possible truth assignments on \mathbf{y}_1 . The constraints in \mathcal{C} are such that over every proper subgraph $G' \subset G$ that satisfies \mathcal{C} , every homomorphism from $\text{body}(q)$ to G' now encodes truth assignments that actually satisfy ϕ . At the same time, the assignment on \mathbf{x}_1 is already defined by the choice of G' . Hence, if $q(G')$ also contains encodings for all possible truth assignments on \mathbf{y}_1 , this means that F is indeed satisfied. For $\mathcal{C} = \emptyset$, we only get Π_2^P -hardness since we can no longer express that valid choices for G' encode a truth assignment on \mathbf{x}_1 .

For the rule minimisation, the Π_2^P -hardness is shown similarly to the Π_2^P -hardness in case (12c). In case of (head-/body-)b-bounded queries, the answers to the queries can no longer produce all possible truth assignments on \mathbf{y}_1 . Hence, we can only prove NP- and co-NP-hardness, respectively, in cases (Ia) and (IIa).

5.1 Beyond Conjunctive Queries – SPARQL

RDF minimisation w.r.t. (unions of) conjunctive queries could be extended to more expressive query languages. Actually, it can be checked that all upper bounds proved in this Section are still valid if the CQs are allowed to contain negation in the body. In particular, the complexity of the problems considered here does not go beyond Σ_3^P for this kind of extension, cf. [12]. In contrast, if we allow arbitrary non-recursive datalog queries with negation (a query language which – as well known – covers all of SPARQL [19]), then the complexity of the problems considered here will be dominated by the complexity of query evaluation, which is PSPACE-complete in this case, see [20]. We leave a more fine-grained analysis of different fragments of SPARQL to future work.

6 Problem Variations

In this section, we discuss some further problems which are variations of or strongly related to the problems studied in the previous sections. We start by a variation of the graph minimisation problem. But now we ask if G can be replaced by a subgraph G' whose size is bounded by some given bound k (rather than an arbitrary subgraph $G' \subset G$). Formally, we study the following problem.

Definition 7. Let $\text{MINI-RDF}^{\text{card}}(G, \mathcal{R}, \mathcal{C}, k)$ be the following decision problem: *INPUT:* An RDF graph G , a set \mathcal{R} of RDF rules, a set \mathcal{C} of tgds and integer k . *QUESTION:* Does there exist a subgraph $G' \subset G$ with $|G'| \leq k$, s.t. G' satisfies \mathcal{C} and $G \subseteq \text{Cl}_{\mathcal{R}}(G')$?

It can be easily verified that for all cases in Table 1 that are at least NP-hard, the complexity for $\text{MINI-RDF}^{\text{card}}$ does not change. Intuitively, this is because the nondeterministic algorithms for solving these problems all start with “guess a subgraph $G' \subset G$ ”, which can be easily changed to “guess a subgraph with at most k triples”. Therefore, the only two interesting cases are $\text{MINI-RDF}^{\subseteq}$ with a b-bounded or fixed set \mathcal{R} and no constraints, as they can be decided in PTIME. We show that for $\text{MINI-RDF}^{\text{card}}$, the complexity goes up to NP-completeness.

Theorem 5. *The problem $\text{MINI-RDF}^{\text{card}}(G, \mathcal{R}, \mathcal{C}, k)$ is NP-complete if $\mathcal{C} = \emptyset$ and \mathcal{R} is either considered as fixed or a set of b-bounded rules (for fixed b).*

Proof. The *hardness* proof is by reduction from the Vertex Cover problem. We give the basic ideas of this reduction. Given some graph $G = (V, E)$, the RDF graph G^{rdf} contains one distinct triple for every $v \in V$. The intuition is that the subset of those triples contained in a valid subgraph $G' \subset G^{\text{rdf}}$ describes a vertex cover. We further have three rules, one that (given $G' \subset G$) adds all edges covered by the remaining vertices in G' , one that (by repeated application) checks whether all edges are covered, and finally one rule that, if indeed all edges are covered, allows to restore the vertices from $G^{\text{rdf}} \setminus G'$. To allow to express according rules, G^{rdf} contains triples encoding further information (like e.g. neighbourhood of vertices and edges). But as they cannot be derived by any rule, they must remain unchanged in any valid $G' \subset G^{\text{rdf}}$. Further, their number (say K) only depends on G , such that there exists a vertex cover of size k iff there exists a valid $G' \subset G^{\text{rdf}}$ of size $K + k$. \square

Next we want to identify the sources of the complexity of $\text{MINI-RDF}^{\text{=}}$ and $\text{MINI-RDF}^{\subseteq}$ for the cases where \mathcal{C} is allowed to contain arbitrary tgds. We show that the complexity is independent of the rules, but arises mainly from the question whether there exists some non-empty subgraph that satisfies all constraints.

Theorem 6. *Let G be a RDF graph and \mathcal{C} a set of tgds. Deciding whether there exists some $\emptyset \neq G' \subset G$ s.t. G' satisfies \mathcal{C} is Σ_3^P -complete.*

Proof. Membership follows from Theorem 1. Hardness is shown by a modification of the reduction given in the proof of Lemma 3. We give the intuition of these modifications. In the aforementioned proof, the intuitive meaning of the rules, together with the requirement $G \subseteq \text{Cl}_{\mathcal{R}}(G')$, was that for each $v_i \in \mathbf{x}_1$, either $\{v_i \ q_1 \ a_{01}\}$ or $\{v_i \ q_1 \ a_{10}\}$ has to remain in the subgraph G' . However, this can be also formulated as a constraint. By introducing an additional triple for every $v_i \in \mathbf{x}_1$ (e.g. $\{v_i \ \text{opt} \ v_i\}$) that is enforced to be contained in any non-empty subgraph, the tgd $\{V \ \text{opt} \ V\} \Rightarrow \{V \ q_1 \ A\}$ does the job. \square

From the (full) proof of Lemma 4, it follows that for $\text{MINI-RDF}^{\text{=}}$, one source of the NP-hardness is just to decide the entailment. However, similarly to the last theorem, we can show that for b-bounded tgds, just testing for the existence of a valid subgraph already contains the full hardness too.

Theorem 7. *Let G be an RDF graph and \mathcal{C} a set of b -bounded tgds. Deciding whether there exists some $\emptyset \neq G' \subset G$ s.t. G' satisfies \mathcal{C} is NP-complete.*

Proof. *Membership* follows from Theorem 1. *Hardness* is shown by reduction from the SAT problem. The reduction is very similar to the one of Lemma 4, only that all the implicit information about which triples must not be removed from G (expressed by not providing rules to derive them) now have to be made explicit as tgds. This however no longer allows for a fixed set of tgds, but makes the number of tgds dependent on F . \square

Recall that tgds generalise (safe) datalog rules by allowing existential quantification and conjunctions in the head. In other words, datalog rules are an important special case of tgds – referred to as *full tgds* in the information integration literature. Below, we show that restricting the constraints to full tgds pushes the Σ_3^P -completeness results from Theorems 1 and 6 down to Σ_2^P .

Theorem 8. *The problems $\text{MINI-RDF}^{\models}(G, \mathcal{R}, \mathcal{C})$ and $\text{MINI-RDF}^{\subseteq}(G, \mathcal{R}, \mathcal{C})$ are Σ_2^P -complete if \mathcal{C} is a set of full tgds. Σ_2^P -completeness even holds for fixed \mathcal{R} .*

Likewise, let G be an RDF graph and \mathcal{C} a set of full tgds. Deciding whether there exists some $\emptyset \neq G' \subset G$ s.t. G' satisfies \mathcal{C} is Σ_2^P -complete.

Proof. The Σ_2^P -membership is established by the same algorithm as the Σ_3^P -membership in case of unrestricted tgds according to Theorem 1. However, by the restriction to full tgds, we now only need a co-NP-oracle (rather than Π_2^P) for checking that the tgds are satisfied. The Σ_2^P -hardness is shown via reduction from QSAT₂ by using similar ideas as in the Σ_3^P -hardness proof in Lemma 3. \square

So far, we have not commented on the impact of allowing general RDF rules as defined in Section 2, i.e., rules containing additional predicates *wri*(.), *blank*(.), *lit*(.) in the bodies. In the full version of this paper [12], we give a very simple argument that a polynomial time preprocessing suffices to support these predicates naturally in RDF. The same argument allows us to overcome the problem that the closure w.r.t. a rule set \mathcal{R} may contain invalid RDF triples (e.g. due to a blank node in a predicate position). This result holds independently of whether intermediate results are allowed to contain invalid triples or not.

7 Conclusion

We proved a collection of complexity results for minimisation problems over RDF graphs where we considered various restrictions on the rules and tgds. One such restriction was b -boundedness [11]. We note that this restriction can be relaxed by bounding not necessarily the size of the rules (or tgds) but only the maximal number of blank nodes occurring in the rules (or tgds) — in the Datalog world, Vardi [21] showed that such a restriction decreases complexity. We further discussed how the complexity of the problem increases if one requires completeness only with respect to a given set of conjunctive queries (CQs). Notably, if the CQs are restricted to have bounded head arity, while providing additional minimisation potential, the problem becomes only mildly harder.

The minimisation problems considered here are driven by practical needs to represent RDF data compactly or tailor them to engines supporting different rule sets. Our results also provide a basis for eliminating redundancies in existing practically relevant rule sets, such as OWL2RL [8]. We believe that our results will gain even more relevance with the advent of novel standards such as the W3C rule interchange format (RIF) which will allow one to enrich RDFS and OWL with Web-publishable custom rule sets [22].

As future work, our investigations should be further extended in several directions such as a more fine-grained analysis of SPARQL fragments when redundancy w.r.t. queries is considered, for instance well-designed SPARQL queries [20]. Moreover, we plan to cast the obtained results into practical algorithms to “compress” RDF graphs and rule sets, investigate related relevant problems such as “trading” triples for rules, or vice versa, and experimentally evaluating effects of such transformations on query answering with dynamic inference such as sketched in [2].

Finally, the high complexities identified in this paper call for a systematic search for fragments with lower complexity. One step in this direction has already been the restriction to b-boundedness studied in this paper. It is motivated by the assumption that rules, constraints, and queries are usually significantly smaller than the size of the RDF data. Further restrictions (like restrictions on graph parameters like treewidth) and their effect on the complexity of our minimisation problems are left for future work.

References

1. Hogan, A., Decker, S.: On the ostensibly silent ‘W’ in OWL 2 RL. In: Polleres, A. (ed.) RR 2009. LNCS, vol. 5837, pp. 118–134. Springer, Heidelberg (2009)
2. Ianni, G., Krennwallner, T., Martello, A., Polleres, A.: Dynamic querying of mass-storage RDF data with rule-based entailment regimes. In: Bernstein, A., Karger, D.R., Heath, T., Feigenbaum, L., Maynard, D., Motta, E., Thirunarayan, K. (eds.) ISWC 2009. LNCS, vol. 5823, pp. 310–327. Springer, Heidelberg (2009)
3. Muñoz, S., Pérez, J., Gutiérrez, C.: Minimal deductive systems for RDF. In: Francioni, E., Kifer, M., May, W. (eds.) ESWC 2007. LNCS, vol. 4519, pp. 53–67. Springer, Heidelberg (2007)
4. Grosof, B.N., Horrocks, I., Volz, R., Decker, S.: Description Logic Programs: Combining Logic Programs with Description Logics. In: Proc. WWW’03, pp. 48–57 (2003)
5. de Bruijn, J., Polleres, A., Lara, R., Fensel, D.: OWL⁻. WSML D20.1v0.2 (2005)
6. ter Horst, H.J.: Completeness, decidability and complexity of entailment for RDF Schema and a semantic extension involving the OWL vocabulary. *J. Web Sem.* 3(2-3), 79–115 (2005)
7. Hogan, A., Harth, A., Polleres, A.: Scalable authoritative OWL reasoning for the web. *International Journal on Semantic Web and Information Systems* 5(2) (2009)
8. Motik, B., Grau, B.C., Horrocks, I., Wu, Z., Fokoue, A., Lutz, C.: OWL 2 Web ontology language profiles. W3C Recommendation (October 2009)
9. Hayes, P.: RDF semantics. Technical report, W3C. W3C Recommendation (February 2004)
10. Lausen, G., Meier, M., Schmidt, M.: SPARQLing constraints for RDF. In: Proc. EDBT’08. ACM Press, New York (2008)

11. Meier, M.: Towards Rule-Based Minimization of RDF Graphs under Constraints. In: Calvanese, D., Lausen, G. (eds.) RR 2008. LNCS, vol. 5341, pp. 89–103. Springer, Heidelberg (2008)
12. Pichler, R., Polleres, A., Skritek, S., Woltran, S.: Minimizing RDF graphs under rules and constraints revisited. Technical report, DERI (April 2010), <http://www.deri.ie/fileadmin/documents/DERI-TR-2010-04-23.pdf>
13. Beckett, D., Berners-Lee, T.: Turtle - Terse RDF Triple Language, W3C Team Submission (January 2008), <http://www.w3.org/TeamSubmission/turtle/>
14. Ullman, J.D.: Principles of Database and Knowledge Base Systems. Computer Science Press, New York (1989)
15. Gutierrez, C., Hurtado, C., Mendelzon, A.: Foundations of semantic web databases. In: Proc. PODS'04, pp. 95–106. ACM, New York (2004)
16. Eiter, T., Faber, W., Fink, M., Woltran, S.: Complexity results for answer set programming with bounded predicate arities and implications. *Ann. Math. Artif. Intell.* 51(2-4), 123–165 (2007)
17. Eiter, T., Fink, M., Tompits, H., Traxler, P., Woltran, S.: Replacements in non-ground answer-set programming. In: Proc. KR'06, pp. 340–351. AAAI Press, Menlo Park (2006)
18. Pettorossi, A., Proietti, M.: Transformation of logic programs. In: Gabbay, D.M., Hogger, C.J., Robinson, J.A. (eds.) *Handbook of Logic in Artificial Intelligence and Logic Programming*, vol. 5, pp. 697–787. Oxford University Press, Oxford (1998)
19. Angles, R., Gutierrez, C.: The expressive power of SPARQL. In: Sheth, A.P., Staab, S., Dean, M., Paolucci, M., Maynard, D., Finin, T., Thirunarayan, K. (eds.) ISWC 2008. LNCS, vol. 5318, pp. 114–129. Springer, Heidelberg (2008)
20. Pérez, J., Arenas, M., Gutierrez, C.: Semantics and complexity of SPARQL. *ACM Trans. Database Syst.* 34(3) (2009)
21. Vardi, M.: On the complexity of bounded-variable queries. In: Proc. PODS'95, pp. 266–276. ACM Press, New York (1995)
22. de Bruijn, J.: RIF RDF and OWL Compatibility. W3C Proposed Recommendation (May 2010), <http://www.w3.org/TR/2010/PR-rif-rdf-owl-20100511/>