

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Kenneth Bloom Publications

Research Papers in Physics and Astronomy

2012

Search for the Standard Model Higgs Boson in the Decay Channel $H \rightarrow ZZ \rightarrow 4l$ in pp Collisions at $\sqrt{s} = 7$ TeV

S. Chatrchyan

Yerevan Physics Institute, Yerevan, Armenia

Ekaterina Avdeeva

University of Nebraska-Lincoln, tsukanovaeg@gmail.com

Kenneth A. Bloom

University of Nebraska-Lincoln, kbloom2@unl.edu

S. Bose

University of Nebraska-Lincoln, sbose2@unl.edu

J. Butt

University of Nebraska-Lincoln

See next page for additional authors

Follow this and additional works at: <https://digitalcommons.unl.edu/physicsbloom>



Part of the [Physics Commons](#)

Chatrchyan, S.; Avdeeva, Ekaterina; Bloom, Kenneth A.; Bose, S.; Butt, J.; Claes, Daniel R.; Dominguez, Aaron; Eads, Michael; Jindal, P.; Keller, J.; Kravchenko, Ilya; Lazo-Flores, J.; Malbouisson, H.; Malik, Sudhir; and Snow, Gregory, "Search for the Standard Model Higgs Boson in the Decay Channel $H \rightarrow ZZ \rightarrow 4l$ in pp Collisions at $\sqrt{s} = 7$ TeV" (2012). *Kenneth Bloom Publications*. 344.

<https://digitalcommons.unl.edu/physicsbloom/344>

This Article is brought to you for free and open access by the Research Papers in Physics and Astronomy at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Kenneth Bloom Publications by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Authors

S. Chatrchyan, Ekaterina Avdeeva, Kenneth A. Bloom, S. Bose, J. Butt, Daniel R. Claes, Aaron Dominguez, Michael Eads, P. Jindal, J. Keller, Ilya Kravchenko, J. Lazo-Flores, H. Malbouisson, Sudhir Malik, and Gregory Snow



Search for the Standard Model Higgs Boson in the Decay Channel $H \rightarrow ZZ \rightarrow 4l$ in pp Collisions at $\sqrt{s} = 7$ TeV

S. Chatrchyan *et al.**

(CMS Collaboration)

(Received 9 February 2012; published 13 March 2012)

A search for a Higgs boson in the four-lepton decay channel $H \rightarrow ZZ$, with each Z boson decaying to an electron or muon pair, is reported. The search covers Higgs boson mass hypotheses in the range of $110 < m_H < 600$ GeV. The analysis uses data corresponding to an integrated luminosity of 4.7 fb^{-1} recorded by the CMS detector in pp collisions at $\sqrt{s} = 7$ TeV from the LHC. Seventy-two events are observed with four-lepton invariant mass $m_{4\ell} > 100$ GeV (with 13 below 160 GeV), while 67.1 ± 6.0 (9.5 ± 1.3) events are expected from background. The four-lepton mass distribution is consistent with the expectation of standard model background production of ZZ pairs. Upper limits at 95% confidence level exclude the standard model Higgs boson in the ranges of 134–158 GeV, 180–305 GeV, and 340–465 GeV. Small excesses of events are observed around masses of 119, 126, and 320 GeV, making the observed limits weaker than expected in the absence of a signal.

DOI: [10.1103/PhysRevLett.108.111804](https://doi.org/10.1103/PhysRevLett.108.111804)

PACS numbers: 14.80.Bn, 12.15.Ji, 13.38.Dg, 13.85.Qk

The standard model (SM) of electroweak interactions [1–3] relies on a scalar particle, the Higgs boson, associated with the field responsible for the spontaneous electroweak symmetry breaking [4–9]. The existence of the Higgs boson has yet to be established experimentally, while its mass, m_H , is not fixed by the theory. Direct searches for the SM Higgs boson at the LEP e^+e^- collider and the Tevatron $p\bar{p}$ collider have led, respectively, to a lower mass bound of $m_H > 114.4$ GeV [10], and to an exclusion in the range of 162–166 GeV [11], at 95% C.L. Indirect constraints from precision measurements favor the mass range of $m_H < 158$ GeV [12,13] at 95% C.L. The inclusive Higgs boson production followed by the decay $H \rightarrow ZZ$ is expected to be one of the main discovery channels at the CERN proton-proton (pp) Large Hadron Collider (LHC) for a wide range of m_H values. Using the $H \rightarrow ZZ$ and the $H \rightarrow WW$ decay channels, the ATLAS collaboration has excluded at 95% C.L. the mass ranges of 145–206 GeV, 214–224 GeV, and 340–450 GeV [14–16].

In this Letter, an inclusive search in the four-lepton decay channel, $H \rightarrow ZZ \rightarrow \ell^+ \ell^- \ell'^+ \ell'^-$ with $\ell, \ell' = e$ or μ , abbreviated as $H \rightarrow 4\ell$, is presented. The analysis is designed for a Higgs boson in the mass range of $110 < m_H < 600$ GeV. It uses pp data from the LHC collected at $\sqrt{s} = 7$ TeV by the Compact Muon Solenoid (CMS) experiment during 2010 and 2011. The data correspond to an integrated luminosity of 4.7 fb^{-1} . The search relies solely on the measurement of leptons, and the analysis achieves

high lepton reconstruction, identification, and isolation efficiencies for a $ZZ \rightarrow 4\ell$ system composed of two pairs of same-flavor and opposite-charge isolated leptons, e^+e^- or $\mu^+\mu^-$, in the measurement range of $m_{4\ell} > 100$ GeV. One or both of the Z bosons can be off-shell. The background sources include an irreducible four-lepton contribution from direct ZZ (or $Z\gamma^*$) production via $q\bar{q}$ annihilation and gg fusion. Reducible contributions arise from $Zb\bar{b}$ and $t\bar{t}$ where the final states contain two isolated leptons and two b jets producing secondary leptons. Additional background of instrumental nature arises from $Z + \text{jets}$ events where jets are misidentified as leptons.

Particles produced in the pp collisions are detected in the pseudorapidity range of $|\eta| < 5$, where $\eta = -\ln \tan(\theta/2)$ and θ is the polar angle with respect to the direction of the proton beam. The CMS detector comprises a superconducting solenoid, providing a uniform magnetic field of 3.8 T in the bore, equipped with silicon pixel and strip tracking systems ($|\eta| < 2.5$) surrounded by a lead tungstate crystal electromagnetic calorimeter (ECAL) and a brass-scintillator hadronic calorimeter (HCAL) ($|\eta| < 3.0$). A steel and quartz-fiber Cherenkov calorimeter extends the coverage ($|\eta| < 5$). The steel return yoke outside the solenoid is instrumented with gas detectors used to identify muons ($|\eta| < 2.4$). A detailed description of the detector is given in Ref. [17].

Monte Carlo (MC) samples for the SM Higgs boson signal and for background processes are used to optimize the event selection and to evaluate the acceptance and systematic uncertainties. The Higgs boson signals from gluon-fusion ($gg \rightarrow H$), and vector-boson fusion ($qq \rightarrow qqH$), are generated with POWHEG [18] at next-to-leading order (NLO) and a dedicated generator from Ref. [19]. Additional samples of WH , ZH , and $t\bar{t}H$ events are generated with PYTHIA [20]. Events at generator level

*Full author list given at the end of the article.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 3.0 License](https://creativecommons.org/licenses/by/3.0/). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

are reweighted according to the total cross section $\sigma(pp \rightarrow H)$, which contains contributions from gluon fusion up to next-to-next-to-leading order (NNLO) and next-to-next-to-leading log taken from Refs. [21–32] and from the weak-boson fusion contribution computed at NNLO in Refs. [24,33–37]. The total cross section is scaled by the branching fraction $\mathcal{B}(H \rightarrow 4\ell)$ calculated with PROPHECY4F which includes NLO QCD and electroweak corrections and all interference effects at NLO [24,38–41], in particular, effects specific to the $4e$ and 4μ channels. The SM background contribution from ZZ production via $q\bar{q}$ is generated at NLO with POWHEG, while other diboson processes (WW , WZ) are generated with PYTHIA with cross sections rescaled to NLO predictions. The $gg \rightarrow ZZ$ contribution is generated with GG2ZZ [42]. The $Zb\bar{b}$, $Zc\bar{c}$, $Z\gamma$, and Z + light jets samples are generated with MADGRAPH [43] with cross sections rescaled to NNLO prediction for inclusive Z production. The $t\bar{t}$ events are generated at NLO with POWHEG. The generation takes into account the internal initial state and final state radiation effects which can lead to the presence of additional hard photons in an event. For leading-order generators, the default set of parton distribution functions (PDF) used to produce these samples is CTEQ6L [44], while CT10 [45] is used for NLO generators. All generated samples are interfaced with PYTHIA. All events are processed through a detailed simulation of the CMS detector based on GEANT4 [46] and are reconstructed with the same algorithms that are used for data.

Collision events are selected by the trigger system that requires the presence of a pair of electrons (a pair of muons) with transverse energy (transverse momenta) for the first and second lepton above 17 and 8 GeV, respectively. The trigger efficiency within the acceptance of this analysis is greater than 99% for signal in the $4e$ and 4μ channels, and rises from about 97.5% at $m_H = 120$ GeV to above 99% at $m_H > 140$ GeV in the $2e2\mu$ channel, within the acceptance of this analysis.

Electrons are reconstructed within the geometrical acceptance, $|\eta^e| < 2.5$, and with $p_T^e > 7$ GeV, by combining information from the ECAL and inner tracker [47,48]. Electron identification selection requirements rely on electromagnetic shower-shape observables and on observables combining tracker and calorimetry information. The selection criteria depend on p_T^e , $|\eta^e|$, and on a categorization according to observables sensitive to the amount of bremsstrahlung emitted along the trajectory in the inner tracker. Muons are reconstructed [49] within $|\eta^\mu| < 2.4$ and $p_T^\mu > 5$ GeV, using information from both the inner tracker and the muon spectrometer. The inner track is required to be composed of more than 10 tracker-layer hits [17] to ensure a precise measurement of the momentum. The efficiencies are measured in data, using a tag-and-probe technique [50] based on an inclusive sample of Z events. The measurements are performed in several ranges in p_T^ℓ and $|\eta|$. The

product of reconstruction and identification efficiencies for electrons in the ECAL barrel (endcaps) varies from about 68% (62%) for $7 < p_T^e < 10$ GeV to 82% (74%) at $p_T^e \approx 10$ GeV, and reaches 90% (89%) for $p_T^e \approx 20$. It drops to about 85% in the transition region, $1.44 < |\eta| < 1.57$, between the ECAL barrel and endcaps. The muons are reconstructed and identified with efficiencies above $\sim 98\%$. Lepton candidates are defined with a loose constraint on their isolation, by requiring the sum of the transverse momenta of tracks i within a cone around the lepton ℓ of $\Delta R = \sqrt{(\eta^\ell - \eta^i)^2 + (\phi^\ell - \phi^i)^2} < 0.3$, where ϕ is the azimuthal angle, to have $\sum_i p_{T,\text{track}}^i / p_T^\ell < 0.7$. The lepton isolation efficiency for identified leptons with this very loose definition of isolation is found to be greater than 99%.

We first require a Z candidate formed with a pair of lepton candidates satisfying $50 < m_{1,2} < 120$ GeV, $p_T^{\ell_1} > 20$ GeV, and $p_T^{\ell_2} > 10$ GeV. The p_T thresholds ensure that the leptons are on the high-efficiency plateau for the trigger. The lepton pair is required to be well isolated using a combination of the tracker, ECAL, and HCAL information. The sum of the combined relative isolation R_{iso} for the two leptons is required to satisfy $R_{\text{iso}}^{\ell_1} + R_{\text{iso}}^{\ell_2} < 0.35$, where for each lepton, $R_{\text{iso}} = (1/p_T^\ell) \times (\sum_i p_{T,\text{track}}^i + \sum_j E_{T,\text{ECAL}}^j + \sum_k E_{T,\text{HCAL}}^k)$, with sums running over the charged tracks i , and the E_T from energy deposits in cells j and k of the ECAL and HCAL within a cone of radius $\Delta R < 0.3$, respectively. The footprint of the lepton object (a measured track for muons, or a combination of a track and a cluster of ECAL energy deposits for electrons) is removed from the isolation sum. The combined isolation efficiencies measured with data using the tag-and-probe technique are found to be $>99\%$ for muons and between 94% and 99% for electrons. The isolation is made largely insensitive to the number of overlapping pp interactions by correcting for the average energy flow [51] per unit area measured as a function of the number of primary vertices. The ratio of the efficiencies measured with data and with simulated $Z \rightarrow \ell\ell$ events is found to be consistent with unity. The significance of the signed impact parameter (SIP) of each lepton relative to the event vertex, $\text{SIP}_{3\text{D}} = \frac{\text{IP}}{\sigma_{\text{IP}}}$, where IP is the impact parameter in three dimensions and σ_{IP} the associated uncertainty, is required to satisfy $|\text{SIP}_{3\text{D}}| < 4$. The $\ell^+\ell^-$ pair with reconstructed mass closest to the nominal Z boson mass is retained and denoted Z_1 . The $Z_1 + X$ data set thus defined is used below to estimate the ZZ rates. In the next step, a subset of events is identified with at least a third lepton candidate. The $Z_1 + \ell$ events are used to measure misidentified lepton rates. A subset of events with at least a fourth lepton candidate of any flavor or charge is then identified. Together, the $Z_1 + \ell$ and $Z_1 + \ell\ell'$ samples are used below to estimate the remaining reducible ($Zb\bar{b}$, $t\bar{t}$) and instrumental (Z + light jets) backgrounds. For the signal, we select a second lepton pair,

denoted Z_2 , from the remaining same-flavor $\ell^+\ell^-$ combinations, by requiring $m_{Z_2} > 12$ GeV, with the restriction $m_{4\ell} > 100$ GeV. For the $4e$ and 4μ final states, at least three of the four combinations of opposite-sign pairs must satisfy $m_{\ell\ell} > 12$ GeV. If more than one Z_2 candidate satisfies all criteria, the ambiguity is resolved by choosing the leptons of highest p_T . The isolation and impact parameter are used to further suppress the remaining backgrounds. We require for any combination of two leptons i and j , irrespective of flavor or charge, that $R_{\text{iso}}^i + R_{\text{iso}}^j < 0.35$ and also impose $|\text{SIP}_{3\text{D}}| < 4$ for each of the four leptons.

Finally, to select the four-lepton signal candidates, we require that the Z_1 and Z_2 masses satisfy $m_{Z_1}^{\text{min}} < m_{Z_1} < 120$ GeV and $m_{Z_2}^{\text{min}} < m_{Z_2} < 120$ GeV, with $(m_{Z_1}^{\text{min}}, m_{Z_2}^{\text{min}}) = (50, 12)$ GeV defining the baseline selection and $(m_{Z_1}^{\text{min}}, m_{Z_2}^{\text{min}}) = (60, 60)$ GeV defining the high-mass selection. The baseline selection is used to search for the Higgs boson, and the high-mass selection is used to measure the ZZ cross section.

The event yields are found to be in good agreement with the MC background expectation at each step of event selection. The ZZ and $Z + X$ backgrounds dominate after the full event selection. The overall signal detection efficiency for the $4e$ (4μ , $2e2\mu$) channel is evaluated by MC simulation and increases from $\approx 21\%$ (59% , 35%) at $m_H = 120$ GeV to $\approx 35\%$ (71% , 50%) at $m_H = 140$ GeV, reaching a plateau at $\approx 51\%$ (81% , 63%) at $m_H = 200$ GeV, and then slowly rising to $\approx 60\%$ (83% , 72%) at $m_H = 350$ GeV. The relative mass resolution estimated from MC signal samples is about 2.1% (1.1%, 1.6%) for $4e$ (4μ , $2e2\mu$).

The small number of observed events precludes a precise direct evaluation of background by extrapolating from mass sidebands. Instead, we rely on MC calculations to evaluate the number of events expected from the ZZ background. The cross section for ZZ production at NLO, through the dominant process of $q\bar{q}$ annihilation and through gg fusion, is calculated with MCFM [52–54]. The theoretical uncertainties are computed as a function of $m_{4\ell}$, varying both the QCD renormalization and factorization scales and the PDF set following the PDF4LHC recommendations [55–59]. The uncertainties for the QCD and PDF scales for each final state are on average 8%. The number of predicted $ZZ \rightarrow 4\ell$ events and their uncertainties after the baseline selection are given in Table I. As a consistency check, an evaluation is made based on a normalization to the measured inclusive single- Z production, a procedure discussed in Refs. [60,61]. The measured rate of single Z bosons defined in this analysis is used to predict the total ZZ rate; making use of the ratio of the theoretical cross sections for ZZ and Z production, and the ratio of the reconstruction and selection efficiencies for the four-lepton and two-lepton final states. The results are in agreement with the ZZ rates reported in Table I within uncertainties.

TABLE I. The number of candidates observed, compared to background and signal rates for each final state for $100 < m_{4\ell} < 600$ GeV for the baseline selection. For the $Z + X$ background, the estimations are based on data.

Channel	$4e$	4μ	$2e2\mu$
ZZ background	12.27 ± 1.16	19.11 ± 1.75	30.25 ± 2.78
$Z + X$	1.67 ± 0.55	1.13 ± 0.55	2.71 ± 0.96
All background	13.94 ± 1.28	20.24 ± 1.83	32.96 ± 2.94
$m_H = 120$ GeV	0.25	0.62	0.68
$m_H = 140$ GeV	1.32	2.48	3.37
$m_H = 350$ GeV	1.95	2.61	4.64
Observed	12	23	37

To estimate the reducible ($Zb\bar{b}$, $t\bar{t}$) and instrumental ($Z + \text{light jets}$) backgrounds, a region well separated from the signal region is defined by relaxing and inverting some selection criteria and verifying that the event rates change according to MC expectation. The event rates measured in the background control region are then extrapolated to the signal region. The control region for $Z + X$, where X stands for $b\bar{b}$, $c\bar{c}$, gluon or light quark jets, is obtained by relaxing the isolation and identification criteria for two additional reconstructed lepton objects indicated as $\ell_{\text{reco}}\ell_{\text{reco}}$. The additional pair of leptons must have like sign charge (to avoid signal contamination) and same flavor ($e^\pm e^\pm$, $\mu^\pm \mu^\pm$), a reconstructed invariant mass m_{Z_2} either satisfying the baseline selection or the high-mass selection, and $m_{4\ell} > 100$ GeV. A sample $Z_1 + \ell_{\text{reco}}$, with at least one reconstructed lepton object, is also defined for the measurement of the lepton misidentification probability, the probability for a reconstructed object to pass the isolation and identification requirements. The contamination from WZ in this set of events is suppressed by requiring the imbalance of the measured energy deposition in the transverse plane to be below 25 GeV. From the $Z + \ell_{\text{reco}}\ell_{\text{reco}}$ sample the expected number of $Z + X$ background events in the signal region is obtained by taking into account the lepton misidentification probability for each of the two additional leptons. The number of background events expected in the signal region, normalized to the integrated luminosity, and the associated systematic uncertainties, are given in Table I for the baseline selection in the range of $100 < m_{4\ell} < 600$ GeV. The reducible and instrumental background is found to be dominated by $Z + \text{light jets}$. A small residual contamination of $Zb\bar{b}$ remains at low mass while for the high-mass selection these reducible backgrounds are an order of magnitude smaller and therefore can be neglected. This was verified by performing a measurement of $Zb\bar{b}$ and $t\bar{t}$ rates in a dedicated four-lepton background control region, defined by requiring a Z_1 and two additional leptons satisfying an inverted $\text{SIP}_{3\text{D}}$ requirement, namely $|\text{SIP}_{3\text{D}}| > 5$, and with relaxed isolation, charge, and flavor requirements. This ensures a negligible $Z + \text{light jets}$ contribution in the

four-lepton background control region, while the signal and the ZZ background are absent. To extract background rates, the reconstructed Z_1 mass for the sum of the $Z_1 + 2e$, $Z_1 + 2\mu$, and $Z_1 + e\mu$ final states is fit with a Breit-Wigner function convoluted with a Crystal Ball function [62] for the Z_1 peak from $Zb\bar{b}$ and Chebychev polynomials for the description of the $t\bar{t}$ continuum. The extrapolation to the signal region relies on knowledge of, and the distinct features of, the SIP_{3D} distributions for the Z_2 leptons of the $t\bar{t}$ and $Zb\bar{b}$ backgrounds. The result is found to be compatible with the MC expectation in the signal region within the systematic uncertainty of 20%.

Systematic uncertainties are evaluated from data for trigger (1.5%), lepton reconstruction and identification (2%–3%), and isolation efficiencies (2%). Systematic uncertainties on energy-momentum calibration (0.5%), and energy resolution are accounted for by their effects on the reconstructed mass distributions. The effect of the energy resolution uncertainties is taken into account by introducing a 30% uncertainty on the width of the signal mass peak. Additional systematic uncertainties arise from limited statistics in the reducible background control regions. All reducible and instrumental background sources are derived from control regions, and the comparison of data with the background expectation in the signal region is independent of the uncertainty on the LHC integrated luminosity of the data sample. This uncertainty (4.5%) [63] enters the evaluation of the ZZ background and in the calculation of the cross section limit through the normalization of the signal. Systematic uncertainties on the Higgs boson cross section (17%–20%) and branching fraction (2%) are taken from Ref. [24].

Recent studies [24,64,65] show that current Monte Carlo simulations do not describe the expected Higgs boson mass line shape above ≈ 300 GeV. These effects are estimated to amount to an additional uncertainty on the theoretical cross section, and hence on the limits, of about 4% at $m_H = 300$ GeV and 10%–30% for m_H of 400–600 GeV.

The number of candidates observed, as well as the estimated background in the signal region, are reported in Table I for the baseline selection. The reconstructed four-lepton invariant mass distribution for the combined $4e$, 4μ , and $2e2\mu$ channels with the baseline selection is shown in Fig. 1(a) and compared to expectations from the backgrounds. The shape of the mass distribution below $m_H = 180$ GeV reflects the shape of the dominant $q\bar{q}$ annihilation process [66]. The low-mass range is shown in Fig. 1(b) together with the mass of each candidate and its uncertainty. The reducible and instrumental background rates are small. These rates have been obtained from data and the corresponding $m_{4\ell}$ distributions are obtained from MC samples.

The measured distribution is compatible with the expectation from SM direct production of ZZ pairs. We observe 72 candidates, 12 in $4e$, 23 in 4μ , and 37 in $2e2\mu$, while




FIG. 1 (color online). (a) Distribution of the four-lepton reconstructed mass for the sum of the $4e$, 4μ , and $2e2\mu$ channels. (b) Expansion of the low-mass range with existing exclusion limits at 95% C.L.; also shown are the central values and individual candidate mass measurement uncertainties. Points represent the data, shaded histograms represent the background, and the unshaded histogram the signal expectations.

67.1 ± 6.0 events are expected from standard model background processes. No hard photon ($p_T^\gamma > 5$ GeV) was found, outside the isolation veto cone that surrounds each lepton, that could be unambiguously identified as final state radiation. Thirteen candidates are observed within $100 < m_{4\ell} < 160$ GeV while 9.5 ± 1.3 background events are expected. We observe 53 candidates for the high-mass selection compared to an expectation of 51.3 ± 4.6 events from background. This high-mass event selection is used to provide a measurement of the total cross section $\sigma(pp \rightarrow ZZ + X) \times \mathcal{B}(ZZ \rightarrow 4\ell) = 28.1^{+4.6}_{-4.0}(\text{stat.}) \pm 1.2(\text{syst.}) \pm 1.3(\text{lumi.})$ fb. The measurement agrees with the SM prediction at NLO [52] of 27.9 ± 1.9 fb and is consistent with previous measurements at the LHC [67]. The local p -values, representing the significance of local excesses relative to the background expectation, are shown as a

function of m_H in Fig. 2(a), obtained either taking into account or not the individual candidate mass measurement uncertainties, for the combination of the three channels. Excesses are observed for masses near 119 GeV and 320 GeV. The small $\approx 2\sigma$ excess near 320 GeV includes three events with $p_T^{4\ell} > 50$ GeV. The most significant excess near 119 GeV corresponds to about 2.5σ significance. The significance is less than 1.0σ (about 1.6σ) when the look-elsewhere effect [68] is accounted for over the full mass range (for the low-mass range $100 < m_{4\ell} < 160$ GeV). The local significances change only slightly when including candidate mass uncertainties, instead of using the average mass resolution, e.g., rising to 2.7σ around 119 GeV and reaching 1.5σ around 126 GeV.

In absence of a significant clustering of candidates at any given mass, we derive exclusion limits. The exclusion limits for a SM-like Higgs boson are computed for a large number of mass points in the range of 110–600 GeV, using the predicted signal and background mass distribution shapes. The choice of the step size in the scan between Higgs mass hypotheses is driven by either detector resolution, or the natural width of the Higgs boson. The signal mass distributions shapes are determined using simulated samples for 27 values of m_H covering the full mass range. The shapes are fit using a function obtained from a convolution of a Breit-Wigner probability density function to describe the theoretical resonance line shape and a Crystal Ball function to account for the detector effects. The parameters of the Crystal Ball function are interpolated for the m_H points where there is no simulated sample available. The shapes of the background mass distributions are determined by fits to the simulated sample of events, while the normalization is taken from estimates of overall event yields as described above. For each mass hypothesis, we perform an unbinned likelihood fit using the statistical approach discussed in Ref. [69]. We account for systematic uncertainties in the form of nuisance parameters with a log-normal probability density function. The observed and median expected upper limits on $\sigma(pp \rightarrow H + X) \times \mathcal{B}(H \rightarrow 4\ell)$ at 95% C.L. are shown in Fig. 2(b). The limits are calculated relative to their expected SM Higgs boson prediction σ_{SM} , using the modified frequentist method CL_s [70,71]. The bands represent the 1σ and 2σ probability intervals around the expected limit. These upper limits exclude the standard model Higgs boson at 95% C.L. in the m_H ranges of 134–158 GeV, 180–305 GeV, and 340–465 GeV. The limits reflect the dependence of the branching ratio $\mathcal{B}(H \rightarrow ZZ)$ on m_H . The worsening of the limits at high mass arises from the decreasing cross section for the $H \rightarrow 4\ell$ signal. By virtue of the excellent mass resolution and low background, the structure in the measured limits follows the fluctuations of the number of observed events.

In summary, a search for the standard model Higgs boson has been presented in the four-lepton decay modes.




FIG. 2 (color online). (a) The significance of the local excesses with respect to the standard model expectation as a function of the Higgs boson mass, without (blue) or with (red) individual candidate mass measurement uncertainties. (b) The observed and the median expected upper limits at 95% C.L. on $\sigma = \sigma(pp \rightarrow H + X) \times \mathcal{B}(H \rightarrow 4\ell)$, relative to their standard model prediction σ_{SM} , for a Higgs boson in the mass range of 110–600 GeV, using the CL_s approach. The insets expand the low-mass range.

Upper limits at 95% confidence level exclude the Higgs boson mass ranges of 134–158 GeV, 180–305 GeV, and 340–465 GeV. A major fraction of the explored mass range is thus excluded at 95% C.L. and the exclusion limits extend beyond the sensitivity of previous collider experiments. Excesses of events are observed at the low end of the explored mass range, around masses of 119 and 126 GeV, and at high mass around 320 GeV. These excesses, although not statistically significant, make the observed limits weaker than expected in the absence of a signal. At low mass, only the region $114.4 < m_H < 134$ GeV remains consistent with the expectation for the standard model Higgs boson production.

We wish to congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from: FMSR (Austria); FNRS and FWO

(Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); Academy of Sciences and NICPB (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); MSI (New Zealand); PAEC (Pakistan); MSHE and NSC (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MON, RosAtom, RAS and RFBR (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEK (Turkey); STFC (United Kingdom); DOE and NSF (USA).

-
- [1] S.L. Glashow, *Nucl. Phys.* **22**, 579 (1961).
 [2] S. Weinberg, *Phys. Rev. Lett.* **19**, 1264 (1967).
 [3] A. Salam, in *Elementary Particle Physics: Relativistic Groups and Analyticity*, edited by N. Svartholm (Almqvist & Wiskell, Stockholm, 1968), p. 367, proceedings of the eighth Nobel symposium.
 [4] F. Englert and R. Brout, *Phys. Rev. Lett.* **13**, 321 (1964).
 [5] P. W. Higgs, *Phys. Lett.* **12**, 132 (1964).
 [6] P. W. Higgs, *Phys. Rev. Lett.* **13**, 508 (1964).
 [7] G. S. Guralnik, C. R. Hagen, and T. W. B. Kibble, *Phys. Rev. Lett.* **13**, 585 (1964).
 [8] P. W. Higgs, *Phys. Rev.* **145**, 1156 (1966).
 [9] T. W. B. Kibble, *Phys. Rev.* **155**, 1554 (1967).
 [10] ALEPH, DELPHI, L3, OPAL Collaborations, and the LEP Working Group for Higgs boson searches, *Phys. Lett. B* **565**, 61 (2003).
 [11] CDF and D0 Collaborations, *Phys. Rev. Lett.* **104**, 061802 (2010), a more recent, unpublished, limit is given in preprint arXiv:1103.3233.
 [12] ALEPH, CDF, D0, DELPHI, L3, OPAL, SLD Collaborations, the LEP Electroweak Working Group, the Tevatron Electroweak Working Group, the SLD Electroweak, and Heavy Flavour Groups, arXiv:1012.2367.
 [13] ALEPH, CDF, D0, DELPHI, L3, OPAL, SLD Collaborations, the LEP Electroweak Working Group, the Tevatron Electroweak Working Group, the SLD Electroweak and Heavy Flavour Groups, *Phys. Rep.* **427**, 257 (2006).
 [14] G. Aad *et al.* (ATLAS Collaboration), *Phys. Lett. B* **705**, 435 (2011).
 [15] G. Aad *et al.* (ATLAS Collaboration), *Phys. Rev. Lett.* **107**, 221802 (2011).
 [16] ATLAS Collaboration (ATLAS), this issue, *Phys. Rev. Lett.* **108**, LM13005 (2012).
 [17] S. Chatrchyan *et al.* (CMS Collaboration), *JINST* **3**, S08004 (2008).
 [18] S. Frixione, P. Nason, and C. Oleari, *J. High Energy Phys.* **11** (2007) 070.
 [19] Y. Gao *et al.*, *Phys. Rev. D* **81**, 075022 (2010).
 [20] T. Sjöstrand, S. Mrenna, and P. Z. Skands, *J. High Energy Phys.* **05** (2006) 026.
 [21] C. Anastasiou, R. Boughezal, and F. Petriello, *J. High Energy Phys.* **04** (2009) 003.
 [22] D. de Florian and M. Grazzini, *Phys. Lett. B* **674**, 291 (2009).
 [23] J. Baglio and A. Djouadi, *J. High Energy Phys.* **03** (2011) 055.
 [24] LHC Higgs Cross Section Working Group, CERN Report No. CERN-2011-002, 2011 (unpublished).
 [25] A. Djouadi, M. Spira, and P. M. Zerwas, *Phys. Lett. B* **264**, 440 (1991).
 [26] S. Dawson, *Nucl. Phys. B* **359**, 283 (1991).
 [27] M. Spira *et al.*, *Nucl. Phys. B* **453**, 17 (1995).
 [28] R. V. Harlander and W. B. Kilgore, *Phys. Rev. Lett.* **88**, 201801 (2002).
 [29] C. Anastasiou and K. Melnikov, *Nucl. Phys. B* **646**, 220 (2002).
 [30] V. Ravindran, J. Smith, and W. L. van Neerven, *Nucl. Phys. B* **665**, 325 (2003).
 [31] S. Catani *et al.*, *J. High Energy Phys.* **07** (2003) 028.
 [32] S. Actis *et al.*, *Phys. Lett. B* **670**, 12 (2008).
 [33] M. Ciccolini, A. Denner, and S. Dittmaier, *Phys. Rev. Lett.* **99**, 161803 (2007).
 [34] M. Ciccolini, A. Denner, and S. Dittmaier, *Phys. Rev. D* **77**, 013002 (2008).
 [35] T. Figy, D. Zeppenfeld, and C. Oleari, *Phys. Rev. D* **68**, 073005 (2003).
 [36] K. Arnold *et al.*, *Comput. Phys. Commun.* **180**, 1661 (2009).
 [37] P. Bolzoni *et al.*, *Phys. Rev. Lett.* **105**, 011801 (2010).
 [38] A. Bredenstein *et al.*, *Phys. Rev. D* **74**, 013004 (2006).
 [39] A. Bredenstein *et al.*, *J. High Energy Phys.* **02** (2007) 080.
 [40] A. Djouadi, J. Kalinowski, and M. Spira, *Comput. Phys. Commun.* **108**, 56 (1998).
 [41] S. Actis *et al.*, *Nucl. Phys. B* **811**, 182 (2009).
 [42] T. Binoth, N. Kauer, and P. Mertsch, in *Proceedings of the XVI Int. Workshop on Deep-Inelastic Scattering and Related Topics (DIS'08), London, England, April 2008*, edited by R. Devenish and J. Ferrando (Science Wise Publishing, 2008).
 [43] J. Alwall *et al.*, *J. High Energy Phys.* **09** (2007) 028.
 [44] H.-L. Lai *et al.*, *Phys. Rev. D* **82**, 054021 (2010).
 [45] H.-L. Lai *et al.*, *Phys. Rev. D* **82**, 074024 (2010).
 [46] J. Allison *et al.*, *IEEE Trans. Nucl. Sci.* **53**, 270 (2006).
 [47] S. Baffioni *et al.*, *Eur. Phys. J. C* **49**, 1099 (2007).
 [48] CMS Collaboration (CMS), CMS Physics Analysis Summary Report No. CMS-PAS-EGM-10-004, 2010.
 [49] CMS Collaboration (CMS), CMS Physics Analysis Summary Report No. CMS-PAS-MUO-10-002, 2010.
 [50] S. Chatrchyan *et al.* (CMS Collaboration), *J. High Energy Phys.* **10** (2011) 132.
 [51] M. Cacciari, G. P. Salam, and G. Soyez, *J. High Energy Phys.* **04** (2008) 005.
 [52] J. M. Campbell and R. K. Ellis, *Nucl. Phys. B, Proc. Suppl.* **205–206**, 10 (2010).

- [53] J. M. Campbell and R. K. Ellis, *Phys. Rev. D* **60**, 113006 (1999).
- [54] J. M. Campbell, R. Ellis, and C. Williams, *J. High Energy Phys.* **07** (2011) 018.
- [55] M. Botje *et al.*, arXiv:1101.0538.
- [56] S. Alekhin *et al.*, arXiv:1101.0536.
- [57] H.-L. Lai *et al.*, *Phys. Rev. D* **82**, 074024 (2010).
- [58] A. Martin *et al.*, *Eur. Phys. J. C* **63**, 189 (2009).
- [59] R. D. Ball *et al.*, *Nucl. Phys. B* **849**, 296 (2011).
- [60] S. Baffioni *et al.*, *J. Phys. G* **34**, N23 (2007).
- [61] S. Abdullin *et al.*, *Acta Phys. Pol. B* **38**, 731 (2007).
- [62] M. J. Oreglia, Ph.D. thesis, Stanford University, 1980, SLAC Report SLACR-236, see Appendix D.
- [63] CMS Collaboration (CMS), CMS Physics Analysis Summary Report No. CMS-PAS-EWK-11-001, 2011.
- [64] G. Passarino, C. Sturm, and S. Uccirati, *Nucl. Phys. B* **834**, 77 (2010).
- [65] C. Anastasiou *et al.*, *J. High Energy Phys.* **12** (2011) 058.
- [66] LHC Higgs Cross Section Working Group, CERN Report No. CERN-2012-002, 2012.
- [67] G. Aad *et al.*, (ATLAS Collaboration), *Phys. Rev. Lett.* **108**, 041804 (2012).
- [68] E. Gross and O. Vitells, *Eur. Phys. J. C* **70**, 525 (2010).
- [69] ATLAS and CMS Collaborations, Reports No. ATLPHYS-PUB-2011-011, and CMS NOTE-2011/005, 2011.
- [70] T. Junk, *Nucl. Instrum. Methods Phys. Res., Sect. A* **434**, 435 (1999).
- [71] A. L. Read, CERN Report No. CERN-OPEN-2000-005, 2000.

S. Chatrchyan,¹ V. Khachatryan,¹ A. M. Sirunyan,¹ A. Tumasyan,¹ W. Adam,² T. Bergauer,² M. Dragicevic,² J. Erö,² C. Fabjan,² M. Friedl,² R. Frühwirth,² V. M. Ghete,² J. Hammer,^{2,b} M. Hoch,² N. Hörmann,² J. Hrubec,² M. Jeitler,² W. Kiesenhofer,² M. Krammer,² D. Liko,² I. Mikulec,² M. Pernicka,^{2,a} B. Rahbaran,² C. Rohringer,² H. Rohringer,² R. Schöfbeck,² J. Strauss,² A. Taurok,² F. Teischinger,² P. Wagner,² W. Waltenberger,² G. Walzel,² E. Widl,² C.-E. Wulz,² V. Mossolov,³ N. Shumeiko,³ J. Suarez Gonzalez,³ S. Bansal,⁴ L. Benucci,⁴ T. Cornelis,⁴ E. A. De Wolf,⁴ X. Janssen,⁴ S. Luyckx,⁴ T. Maes,⁴ L. Mucibello,⁴ S. Ochesanu,⁴ B. Roland,⁴ R. Rougny,⁴ M. Selvaggi,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ N. Van Remortel,⁴ A. Van Spilbeeck,⁴ F. Blekman,⁵ S. Blyweert,⁵ J. D'Hondt,⁵ R. Gonzalez Suarez,⁵ A. Kalogeropoulos,⁵ M. Maes,⁵ A. Olbrechts,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ G. P. Van Onsem,⁵ I. Vilella,⁵ O. Charaf,⁶ B. Clerbaux,⁶ G. De Lentdecker,⁶ V. Dero,⁶ A. P. R. Gay,⁶ G. H. Hammad,⁶ T. Hreus,⁶ A. Léonard,⁶ P. E. Marage,⁶ L. Thomas,⁶ C. Vander Velde,⁶ P. Vanlaer,⁶ J. Wickens,⁶ V. Adler,⁷ K. Beernaert,⁷ A. Cimmino,⁷ S. Costantini,⁷ G. Garcia,⁷ M. Grunewald,⁷ B. Klein,⁷ J. Lellouch,⁷ A. Marinov,⁷ J. Mccartin,⁷ A. A. Ocampo Rios,⁷ D. Ryckbosch,⁷ N. Strobbe,⁷ F. Thyssen,⁷ M. Tytgat,⁷ L. Vanelderen,⁷ P. Verwilligen,⁷ S. Walsh,⁷ E. Yazgan,⁷ N. Zaganidis,⁷ S. Basegmez,⁸ G. Bruno,⁸ L. Ceard,⁸ J. De Favereau De Jeneret,⁸ C. Delaere,⁸ T. du Pree,⁸ D. Favart,⁸ L. Forthomme,⁸ A. Giammanco,^{8,c} G. Grégoire,⁸ J. Hollar,⁸ V. Lemaitre,⁸ J. Liao,⁸ O. Militaru,⁸ C. Nuttens,⁸ D. Pagano,⁸ A. Pin,⁸ K. Piotrkowski,⁸ N. Schul,⁸ N. Belyi,⁹ T. Caebergs,⁹ E. Daubie,⁹ G. A. Alves,¹⁰ M. Correa Martins Junior,¹⁰ D. De Jesus Damiao,¹⁰ T. Martins,¹⁰ M. E. Pol,¹⁰ M. H. G. Souza,¹⁰ W. L. Aldá Júnior,¹¹ W. Carvalho,¹¹ A. Custódio,¹¹ E. M. Da Costa,¹¹ C. De Oliveira Martins,¹¹ S. Fonseca De Souza,¹¹ D. Matos Figueiredo,¹¹ L. Mundim,¹¹ H. Nogima,¹¹ V. Oguri,¹¹ W. L. Prado Da Silva,¹¹ A. Santoro,¹¹ S. M. Silva Do Amaral,¹¹ L. Soares Jorge,¹¹ A. Sznajder,¹¹ T. S. Anjos,^{12,d} C. A. Bernardes,^{12,d} F. A. Dias,^{12,e} T. R. Fernandez Perez Tomei,¹² E. M. Gregores,^{12,d} C. Lagana,¹² F. Marinho,¹² P. G. Mercadante,^{12,d} S. F. Novaes,¹² Sandra S. Padula,¹² V. Genchev,^{13,b} P. Iaydjiev,^{13,b} S. Piperov,¹³ M. Rodozov,¹³ S. Stoykova,¹³ G. Sultanov,¹³ V. Tcholakov,¹³ R. Trayanov,¹³ M. Vutova,¹³ A. Dimitrov,¹⁴ R. Hadjiiska,¹⁴ A. Karadzhinova,¹⁴ V. Kozhuharov,¹⁴ L. Litov,¹⁴ B. Pavlov,¹⁴ P. Petkov,¹⁴ J. G. Bian,¹⁵ G. M. Chen,¹⁵ H. S. Chen,¹⁵ C. H. Jiang,¹⁵ D. Liang,¹⁵ S. Liang,¹⁵ X. Meng,¹⁵ J. Tao,¹⁵ J. Wang,¹⁵ J. Wang,¹⁵ X. Wang,¹⁵ Z. Wang,¹⁵ H. Xiao,¹⁵ M. Xu,¹⁵ J. Zang,¹⁵ Z. Zhang,¹⁵ C. Asawatrangkuldee,¹⁶ Y. Ban,¹⁶ S. Guo,¹⁶ Y. Guo,¹⁶ W. Li,¹⁶ S. Liu,¹⁶ Y. Mao,¹⁶ S. J. Qian,¹⁶ H. Teng,¹⁶ S. Wang,¹⁶ B. Zhu,¹⁶ W. Zou,¹⁶ A. Cabrera,¹⁷ B. Gomez Moreno,¹⁷ A. F. Osorio Oliveros,¹⁷ J. C. Sanabria,¹⁷ N. Godinovic,¹⁸ D. Lelas,¹⁸ R. Plestina,^{18,f} D. Polic,¹⁸ I. Puljak,^{18,b} Z. Antunovic,¹⁹ M. Dzelalija,¹⁹ M. Kovac,¹⁹ V. Brigljevic,²⁰ S. Duric,²⁰ K. Kadija,²⁰ J. Luetic,²⁰ S. Morovic,²⁰ A. Attikis,²¹ M. Galanti,²¹ J. Mousa,²¹ C. Nicolaou,²¹ F. Ptochos,²¹ P. A. Razis,²¹ M. Finger,²² M. Finger, Jr.,²² Y. Assran,^{23,g} A. Ellithi Kamel,^{23,h} S. Khalil,^{23,i} M. A. Mahmoud,^{23,j} A. Radi,^{23,k} A. Hektor,²⁴ M. Kadastik,²⁴ M. Müntel,²⁴ M. Raidal,²⁴ L. Rebane,²⁴ A. Tiko,²⁴ V. Azzolini,²⁵ P. Eerola,²⁵ G. Fedir,²⁵ M. Voutilainen,²⁵ S. Czellar,²⁶ J. Härkönen,²⁶ A. Heikkinen,²⁶ V. Karimäki,²⁶ R. Kinnunen,²⁶ M. J. Kortelainen,²⁶ T. Lampén,²⁶ K. Lassila-Perini,²⁶ S. Lehti,²⁶ T. Lindén,²⁶ P. Luukka,²⁶ T. Mäenpää,²⁶ T. Peltola,²⁶ E. Tuominen,²⁶ J. Tuominiemi,²⁶ E. Tuovinen,²⁶ D. Ungaro,²⁶ L. Wendland,²⁶ K. Banzuzi,²⁷ A. Korpela,²⁷ T. Tuuva,²⁷ D. Sillou,²⁸ M. Besancon,²⁹ S. Choudhury,²⁹ M. DeJardin,²⁹ D. Denegri,²⁹ B. Fabbro,²⁹ J. L. Faure,²⁹ F. Ferri,²⁹ S. Ganjour,²⁹ A. Givernaud,²⁹ P. Gras,²⁹ G. Hamel de Monchenault,²⁹ P. Jarry,²⁹ E. Locci,²⁹ J. Malcles,²⁹ L. Millischer,²⁹ J. Rander,²⁹ A. Rosowsky,²⁹

I. Shreyber,²⁹ M. Titov,²⁹ S. Baffioni,³⁰ F. Beaudette,³⁰ L. Benhabib,³⁰ L. Bianchini,³⁰ M. Bluj,^{30,1} C. Broutin,³⁰ P. Busson,³⁰ C. Charlot,³⁰ N. Daci,³⁰ T. Dahms,³⁰ L. Dobrzynski,³⁰ S. Elgammal,³⁰ R. Granier de Cassagnac,³⁰ M. Haguenaer,³⁰ P. Miné,³⁰ C. Mironov,³⁰ C. Ochando,³⁰ P. Paganini,³⁰ D. Sabes,³⁰ R. Salerno,³⁰ Y. Sirois,³⁰ C. Thiebaut,³⁰ C. Veelken,³⁰ A. Zabi,³⁰ J.-L. Agram,^{31,m} J. Andrea,³¹ D. Bloch,³¹ D. Bodin,³¹ J.-M. Brom,³¹ M. Cardaci,³¹ E. C. Chabert,³¹ C. Collard,³¹ E. Conte,^{31,m} F. Drouhin,^{31,m} C. Ferro,³¹ J.-C. Fontaine,^{31,m} D. Gelé,³¹ U. Goerlach,³¹ P. Juillot,³¹ M. Karim,^{31,m} A.-C. Le Bihan,³¹ P. Van Hove,³¹ F. Fassi,³² D. Mercier,³² C. Baty,³³ S. Beauceron,³³ N. Beaupere,³³ M. Bedjidian,³³ O. Bondu,³³ G. Boudoul,³³ D. Boumediene,³³ H. Brun,³³ J. Chasserat,³³ R. Chierici,^{33,b} D. Contardo,³³ P. Depasse,³³ H. El Mamouni,³³ A. Falkiewicz,³³ J. Fay,³³ S. Gascon,³³ M. Gouzevitch,³³ B. Ille,³³ T. Kurca,³³ T. Le Grand,³³ M. Lethuillier,³³ L. Mirabito,³³ S. Perries,³³ V. Sordini,³³ S. Tosi,³³ Y. Tschudi,³³ P. Verdier,³³ S. Viret,³³ D. Lomidze,³⁴ G. Anagnostou,³⁵ S. Beranek,³⁵ M. Edelhoff,³⁵ L. Feld,³⁵ N. Heracleous,³⁵ O. Hindrichs,³⁵ R. Jussen,³⁵ K. Klein,³⁵ J. Merz,³⁵ A. Ostapchuk,³⁵ A. Perieanu,³⁵ F. Raupach,³⁵ J. Sammet,³⁵ S. Schael,³⁵ D. Sprenger,³⁵ H. Weber,³⁵ B. Wittmer,³⁵ V. Zhukov,^{35,n} M. Ata,³⁶ J. Caudron,³⁶ E. Dietz-Laursonn,³⁶ M. Erdmann,³⁶ A. Güth,³⁶ T. Hebbeker,³⁶ C. Heidemann,³⁶ K. Hoepfner,³⁶ T. Klimkovich,³⁶ D. Klingebiel,³⁶ P. Kreuzer,³⁶ D. Lanske,^{36,a} J. Lingemann,³⁶ C. Magass,³⁶ M. Merschmeyer,³⁶ A. Meyer,³⁶ M. Olschewski,³⁶ P. Papacz,³⁶ H. Pieta,³⁶ H. Reithler,³⁶ S. A. Schmitz,³⁶ L. Sonnenschein,³⁶ J. Steggemann,³⁶ D. Teyssier,³⁶ M. Weber,³⁶ M. Bontenackels,³⁷ V. Cherepanov,³⁷ M. Davids,³⁷ G. Flügge,³⁷ H. Geenen,³⁷ M. Geisler,³⁷ W. Haj Ahmad,³⁷ F. Hoehle,³⁷ B. Kargoll,³⁷ T. Kress,³⁷ Y. Kuessel,³⁷ A. Linn,³⁷ A. Nowack,³⁷ L. Perchalla,³⁷ O. Pooth,³⁷ J. Rennefeld,³⁷ P. Sauerland,³⁷ A. Stahl,³⁷ M. H. Zoeller,³⁷ M. Aldaya Martin,³⁸ W. Behrenhoff,³⁸ U. Behrens,³⁸ M. Bergholz,^{38,o} A. Bethani,³⁸ K. Borrás,³⁸ A. Burgmeier,³⁸ A. Cakir,³⁸ L. Calligaris,³⁸ A. Campbell,³⁸ E. Castro,³⁸ D. Dammann,³⁸ G. Eckerlin,³⁸ D. Eckstein,³⁸ A. Flossdorf,³⁸ G. Flucke,³⁸ A. Geiser,³⁸ J. Hauk,³⁸ H. Jung,^{38,b} M. Kasemann,³⁸ P. Katsas,³⁸ C. Kleinwort,³⁸ H. Kluge,³⁸ A. Knutsson,³⁸ M. Krämer,³⁸ D. Krücker,³⁸ E. Kuznetsova,³⁸ W. Lange,³⁸ W. Lohmann,^{38,o} B. Lutz,³⁸ R. Mankel,³⁸ I. Marfin,³⁸ M. Marienfeld,³⁸ I.-A. Melzer-Pellmann,³⁸ A. B. Meyer,³⁸ J. Mnich,³⁸ A. Mussgiller,³⁸ S. Naumann-Emme,³⁸ J. Olzem,³⁸ A. Petrukhin,³⁸ D. Pitzl,³⁸ A. Raspereza,³⁸ P. M. Ribeiro Cipriano,³⁸ M. Rosin,³⁸ J. Salfeld-Nebgen,³⁸ R. Schmidt,^{38,o} T. Schoerner-Sadenius,³⁸ N. Sen,³⁸ A. Spiridonov,³⁸ M. Stein,³⁸ J. Tomaszewska,³⁸ R. Walsh,³⁸ C. Wissing,³⁸ C. Autermann,³⁹ V. Blobel,³⁹ S. Bobrovskiy,³⁹ J. Draeger,³⁹ H. Enderle,³⁹ J. Erfle,³⁹ U. Gebbert,³⁹ M. Görner,³⁹ T. Hermanns,³⁹ R. S. Höing,³⁹ K. Kaschube,³⁹ G. Kaussen,³⁹ H. Kirschenmann,³⁹ R. Klanner,³⁹ J. Lange,³⁹ B. Mura,³⁹ F. Nowak,³⁹ N. Pietsch,³⁹ C. Sander,³⁹ H. Schettler,³⁹ P. Schleper,³⁹ E. Schlieckau,³⁹ A. Schmidt,³⁹ M. Schröder,³⁹ T. Schum,³⁹ H. Stadie,³⁹ G. Steinbrück,³⁹ J. Thomsen,³⁹ C. Barth,⁴⁰ J. Berger,⁴⁰ T. Chwalek,⁴⁰ W. De Boer,⁴⁰ A. Dierlamm,⁴⁰ G. Dirkes,⁴⁰ M. Feindt,⁴⁰ J. Gruschke,⁴⁰ M. Guthoff,^{40,b} C. Hackstein,⁴⁰ F. Hartmann,⁴⁰ M. Heinrich,⁴⁰ H. Held,⁴⁰ K. H. Hoffmann,⁴⁰ S. Honc,⁴⁰ I. Katkov,^{40,n} J. R. Komaragiri,⁴⁰ T. Kuhr,⁴⁰ D. Martschei,⁴⁰ S. Mueller,⁴⁰ Th. Müller,⁴⁰ M. Niegel,⁴⁰ A. Nürnberg,⁴⁰ O. Oberst,⁴⁰ A. Oehler,⁴⁰ J. Ott,⁴⁰ T. Peiffer,⁴⁰ G. Quast,⁴⁰ K. Rabbertz,⁴⁰ F. Ratnikov,⁴⁰ N. Ratnikova,⁴⁰ M. Renz,⁴⁰ S. Röcker,⁴⁰ C. Saout,⁴⁰ A. Scheurer,⁴⁰ P. Schieferdecker,⁴⁰ F.-P. Schilling,⁴⁰ M. Schmanau,⁴⁰ G. Schott,⁴⁰ H. J. Simonis,⁴⁰ F. M. Stober,⁴⁰ D. Troendle,⁴⁰ J. Wagner-Kuhr,⁴⁰ T. Weiler,⁴⁰ M. Zeise,⁴⁰ E. B. Ziebarth,⁴⁰ G. Daskalakis,⁴¹ T. Geralis,⁴¹ S. Kesisoglou,⁴¹ A. Kyriakis,⁴¹ D. Loukas,⁴¹ I. Manolakos,⁴¹ A. Markou,⁴¹ C. Markou,⁴¹ C. Mavrommatis,⁴¹ E. Ntomari,⁴¹ L. Gouskos,⁴² T. J. Mertzimekis,⁴² A. Panagiotou,⁴² N. Saoulidou,⁴² E. Stiliaris,⁴² I. Evangelou,⁴³ C. Foudas,^{43,b} P. Kokkas,⁴³ N. Manthos,⁴³ I. Papadopoulos,⁴³ V. Patras,⁴³ F. A. Triantis,⁴³ A. Aranyi,⁴⁴ G. Bencze,⁴⁴ L. Boldizsar,⁴⁴ C. Hajdu,^{44,b} P. Hidas,⁴⁴ D. Horvath,^{44,p} A. Kapusi,⁴⁴ K. Krajczar,^{44,q} F. Sikler,^{44,b} V. Veszpremi,⁴⁴ G. Vesztergombi,^{44,q} N. Beni,⁴⁵ J. Molnar,⁴⁵ J. Palinkas,⁴⁵ Z. Szillasi,⁴⁵ J. Karancsi,⁴⁶ P. Raics,⁴⁶ Z. L. Trocsanyi,⁴⁶ B. Ujvari,⁴⁶ S. B. Beri,⁴⁷ V. Bhatnagar,⁴⁷ N. Dhingra,⁴⁷ R. Gupta,⁴⁷ M. Jindal,⁴⁷ M. Kaur,⁴⁷ J. M. Kohli,⁴⁷ M. Z. Mehta,⁴⁷ N. Nishu,⁴⁷ L. K. Saini,⁴⁷ A. Sharma,⁴⁷ A. P. Singh,⁴⁷ J. Singh,⁴⁷ S. P. Singh,⁴⁷ S. Ahuja,⁴⁸ B. C. Choudhary,⁴⁸ A. Kumar,⁴⁸ A. Kumar,⁴⁸ S. Malhotra,⁴⁸ M. Naimuddin,⁴⁸ K. Ranjan,⁴⁸ V. Sharma,⁴⁸ R. K. Shivpuri,⁴⁸ S. Banerjee,⁴⁹ S. Bhattacharya,⁴⁹ S. Dutta,⁴⁹ B. Gomber,⁴⁹ S. Jain,⁴⁹ S. Jain,⁴⁹ R. Khurana,⁴⁹ S. Sarkar,⁴⁹ R. K. Choudhury,⁵⁰ D. Dutta,⁵⁰ S. Kailas,⁵⁰ V. Kumar,⁵⁰ A. K. Mohanty,^{50,b} L. M. Pant,⁵⁰ P. Shukla,⁵⁰ T. Aziz,⁵¹ S. Ganguly,⁵¹ M. Guchait,^{51,r} A. Gurtu,^{51,r} M. Maity,^{51,s} G. Majumder,⁵¹ K. Mazumdar,⁵¹ G. B. Mohanty,⁵¹ B. Parida,⁵¹ A. Saha,⁵¹ K. Sudhakar,⁵¹ N. Wickramage,⁵¹ S. Banerjee,⁵² S. Dugad,⁵² N. K. Mondal,⁵² H. Arfaei,⁵³ H. Bakhshiansohi,^{53,t} S. M. Etesami,^{53,u} A. Fahim,^{53,t} M. Hashemi,⁵³ H. Hesari,⁵³ A. Jafari,^{53,t} M. Khakzad,⁵³ A. Mohammadi,^{53,v} M. Mohammadi Najafabadi,⁵³ S. Paktinat Mehdiabadi,⁵³ B. Safarzadeh,^{53,w} M. Zeinali,^{53,u} M. Abbrescia,^{54a,54b} L. Barbore,^{54a,54b} C. Calabria,^{54a,54b} S. S. Chhibra,^{54a,54b} A. Colaleo,^{54a} D. Creanza,^{54a,54c} N. De Filippis,^{54a,54c,b} M. De Palma,^{54a,54b} L. Fiore,^{54a} G. Iaselli,^{54a,54c}

L. Lusito,^{54a,54b} G. Maggi,^{54a,54c} M. Maggi,^{54a} N. Manna,^{54a,54b} B. Marangelli,^{54a,54b} S. My,^{54a,54c} S. Nuzzo,^{54a,54b}
 N. Pacifico,^{54a,54b} A. Pompili,^{54a,54b} G. Pugliese,^{54a,54c} F. Romano,^{54a,54c} G. Selvaggi,^{54a,54b} L. Silvestris,^{54a}
 G. Singh,^{54a,54b} S. Tupputi,^{54a,54b} G. Zito,^{54a} G. Abbiendi,^{55a} G. Barozzi,^{55a} A. C. Benvenuti,^{55a} D. Bonacorsi,^{55a,55b}
 S. Braibant-Giacomelli,^{55a,55b} L. Brigliadori,^{55a,55b} P. Capiluppi,^{55a,55b} A. Castro,^{55a,55b} F. R. Cavallo,^{55a}
 M. Cuffiani,^{55a,55b} G. M. Dallavalle,^{55a} F. Fabbri,^{55a} A. Fanfani,^{55a,55b} D. Fasanella,^{55a,55b,b} P. Giacomelli,^{55a}
 C. Grandi,^{55a} S. Marcellini,^{55a} G. Masetti,^{55a} M. Meneghelli,^{55a,55b} A. Montanari,^{55a} F. L. Navarria,^{55a,55b}
 F. Odorici,^{55a} A. Perrotta,^{55a} F. Primavera,^{55a,55b} A. M. Rossi,^{55a,55b} T. Rovelli,^{55a,55b} G. Siroli,^{55a,55b}
 R. Travaglini,^{55a,55b} S. Albergo,^{56a,56b} G. Cappello,^{56a,56b} M. Chiorboli,^{56a,56b} S. Costa,^{56a,56b} R. Potenza,^{56a,56b}
 A. Tricomi,^{56a,56b} C. Tuve,^{56a,56b} G. Barbagli,^{57a} V. Ciulli,^{57a,57b} C. Civinini,^{57a} R. D'Alessandro,^{57a,57b}
 E. Focardi,^{57a,57b} S. Frosali,^{57a,57b} E. Gallo,^{57a} S. Gonzi,^{57a,57b} M. Meschini,^{57a} S. Paoletti,^{57a} G. Sguazzoni,^{57a}
 A. Tropiano,^{57a,b} L. Benussi,⁵⁸ S. Bianco,⁵⁸ S. Colafranceschi,^{58,x} F. Fabbri,⁵⁸ D. Piccolo,⁵⁸ P. Fabbriatore,⁵⁹
 R. Musenich,⁵⁹ A. Benaglia,^{60a,60b,b} F. De Guio,^{60a,60b} L. Di Matteo,^{60a,60b} S. Fiorendi,^{60a,60b} S. Gennai,^{60a,b}
 A. Ghezzi,^{60a,60b} S. Malvezzi,^{60a} R. A. Manzoni,^{60a,60b} A. Martelli,^{60a,60b} A. Massironi,^{60a,60b,b} D. Menasce,^{60a}
 L. Moroni,^{60a} M. Paganoni,^{60a,60b} D. Pedrini,^{60a} S. Ragazzi,^{60a,60b} N. Redaelli,^{60a} S. Sala,^{60a}
 T. Tabarelli de Fatis,^{60a,60b} S. Buontempo,^{61a} C. A. Carrillo Montoya,^{61a,b} N. Cavallo,^{61a,y} A. De Cosa,^{61a,61b}
 O. Dogangun,^{61a,61b} F. Fabozzi,^{61a,y} A. O. M. Iorio,^{61a,b} L. Lista,^{61a} M. Merola,^{61a,61b} P. Paolucci,^{61a} P. Azzi,^{62a}
 N. Bacchetta,^{62a,b} P. Bellan,^{62a,62b} D. Bisello,^{62a,62b} A. Branca,^{62a} R. Carlin,^{62a,62b} P. Checchia,^{62a} T. Dorigo,^{62a}
 U. Dosselli,^{62a} F. Fanzago,^{62a} F. Gasparini,^{62a,62b} U. Gasparini,^{62a,62b} A. Gozzelino,^{62a} K. Kanishchev,^{62a}
 S. Lacaprara,^{62a,z} I. Lazzizzera,^{62a,62c} M. Loreti,^{62a} M. Margoni,^{62a,62b} M. Mazzucato,^{62a} A. T. Meneguzzo,^{62a,62b}
 M. Nespolo,^{62a,b} L. Perrozzi,^{62a} N. Pozzobon,^{62a,62b} P. Ronchese,^{62a,62b} F. Simonetto,^{62a,62b} E. Torassa,^{62a}
 M. Tosi,^{62a,62b,b} S. Vanini,^{62a,62b} P. Zotto,^{62a,62b} G. Zumerle,^{62a,62b} U. Berzano,^{63a} M. Gabusi,^{63a,63b} S. P. Ratti,^{63a,63b}
 C. Riccardi,^{63a,63b} P. Torre,^{63a,63b} P. Vitulo,^{63a,63b} M. Biasini,^{64a,64b} G. M. Bilei,^{64a} B. Caponeri,^{64a,64b} L. Fanò,^{64a,64b}
 P. Lariccia,^{64a,64b} A. Lucaroni,^{64a,64b,b} G. Mantovani,^{64a,64b} M. Menichelli,^{64a} A. Nappi,^{64a,64b} F. Romeo,^{64a,64b}
 A. Santocchia,^{64a,64b} S. Taroni,^{64a,64b,b} M. Valdata,^{64a,64b} P. Azzurri,^{65a,65c} G. Bagliesi,^{65a} T. Boccali,^{65a}
 G. Broccolo,^{65a,65c} R. Castaldi,^{65a} R. T. D'Agnolo,^{65a,65c} R. Dell'Orso,^{65a} F. Fiori,^{65a,65b} L. Foà,^{65a,65c} A. Giassi,^{65a}
 A. Kraan,^{65a} F. Ligabue,^{65a,65c} T. Lomtadze,^{65a} L. Martini,^{65a,aa} A. Messineo,^{65a,65b} F. Palla,^{65a} F. Palmonari,^{65a}
 A. Rizzi,^{65a} A. T. Serban,^{65a} P. Spagnolo,^{65a} R. Tenchini,^{65a} G. Tonelli,^{65a,65b,b} A. Venturi,^{65a,b} P. G. Verdini,^{65a}
 L. Barone,^{66a,66b} F. Cavallari,^{66a} D. Del Re,^{66a,66b,b} M. Diemoz,^{66a} C. Fanelli,^{66a} M. Grassi,^{66a,b} E. Longo,^{66a,66b}
 P. Meridiani,^{66a} F. Micheli,^{66a} S. Nourbakhsh,^{66a} G. Organtini,^{66a,66b} F. Pandolfi,^{66a,66b} R. Paramatti,^{66a}
 S. Rahatlou,^{66a,66b} M. Sigamani,^{66a} L. Soffi,^{66a} N. Amapane,^{67a,67b} R. Arcidiacono,^{67a,67c} S. Argiro,^{67a,67b}
 M. Arneodo,^{67a,67c} C. Biino,^{67a} C. Botta,^{67a,67b} N. Cartiglia,^{67a} R. Castello,^{67a,67b} M. Costa,^{67a,67b} N. Demaria,^{67a}
 A. Graziano,^{67a,67b} C. Mariotti,^{67a,b} S. Maselli,^{67a} E. Migliore,^{67a,67b} V. Monaco,^{67a,67b} M. Musich,^{67a}
 M. M. Obertino,^{67a,67c} N. Pastrone,^{67a} M. Pelliccioni,^{67a} A. Potenza,^{67a,67b} A. Romero,^{67a,67b} M. Ruspa,^{67a,67c}
 R. Sacchi,^{67a,67b} V. Sola,^{67a,67b} A. Solano,^{67a,67b} A. Staiano,^{67a} A. Vilela Pereira,^{67a} S. Belforte,^{68a} F. Cossutti,^{68a}
 G. Della Ricca,^{68a,68b} B. Gobbo,^{68a} M. Marone,^{68a,68b} D. Montanino,^{68a,68b,b} A. Penzo,^{68a} S. G. Heo,⁶⁹ S. K. Nam,⁶⁹
 S. Chang,⁷⁰ J. Chung,⁷⁰ D. H. Kim,⁷⁰ G. N. Kim,⁷⁰ J. E. Kim,⁷⁰ D. J. Kong,⁷⁰ H. Park,⁷⁰ S. R. Ro,⁷⁰ D. C. Son,⁷⁰
 J. Y. Kim,⁷¹ Zero J. Kim,⁷¹ S. Song,⁷¹ H. Y. Jo,⁷² S. Choi,⁷³ D. Gyun,⁷³ B. Hong,⁷³ M. Jo,⁷³ H. Kim,⁷³ T. J. Kim,⁷³
 K. S. Lee,⁷³ D. H. Moon,⁷³ S. K. Park,⁷³ E. Seo,⁷³ K. S. Sim,⁷³ M. Choi,⁷⁴ S. Kang,⁷⁴ H. Kim,⁷⁴ J. H. Kim,⁷⁴
 C. Park,⁷⁴ I. C. Park,⁷⁴ S. Park,⁷⁴ G. Ryu,⁷⁴ Y. Cho,⁷⁵ Y. Choi,⁷⁵ Y. K. Choi,⁷⁵ J. Goh,⁷⁵ M. S. Kim,⁷⁵ B. Lee,⁷⁵
 J. Lee,⁷⁵ S. Lee,⁷⁵ H. Seo,⁷⁵ I. Yu,⁷⁵ M. J. Bilinskas,⁷⁶ I. Grigelionis,⁷⁶ M. Janulis,⁷⁶ H. Castilla-Valdez,⁷⁷
 E. De La Cruz-Burelo,⁷⁷ I. Heredia-de La Cruz,⁷⁷ R. Lopez-Fernandez,⁷⁷ R. Magaña Villalba,⁷⁷
 J. Martínez-Ortega,⁷⁷ A. Sánchez-Hernández,⁷⁷ L. M. Villasenor-Cendejas,⁷⁷ S. Carrillo Moreno,⁷⁸
 F. Vazquez Valencia,⁷⁸ H. A. Salazar Ibarguen,⁷⁹ E. Casimiro Linares,⁸⁰ A. Morelos Pineda,⁸⁰ M. A. Reyes-Santos,⁸⁰
 D. Krofcheck,⁸¹ A. J. Bell,⁸² P. H. Butler,⁸² R. Doesburg,⁸² S. Reucroft,⁸² H. Silverwood,⁸² M. Ahmad,⁸³
 M. I. Asghar,⁸³ H. R. Hoorani,⁸³ S. Khalid,⁸³ W. A. Khan,⁸³ T. Khurshid,⁸³ S. Qazi,⁸³ M. A. Shah,⁸³ M. Shoaib,⁸³
 G. Brona,⁸⁴ M. Cwiok,⁸⁴ W. Dominik,⁸⁴ K. Doroba,⁸⁴ A. Kalinowski,⁸⁴ M. Konecki,⁸⁴ J. Krolikowski,⁸⁴
 H. Bialkowska,⁸⁵ B. Boimska,⁸⁵ T. Frueboes,⁸⁵ R. Gokiel,⁸⁵ M. Górski,⁸⁵ M. Kazana,⁸⁵ K. Nawrocki,⁸⁵
 K. Romanowska-Rybinska,⁸⁵ M. Szleper,⁸⁵ G. Wrochna,⁸⁵ P. Zalewski,⁸⁵ N. Almeida,⁸⁶ P. Bargassa,⁸⁶ A. David,⁸⁶
 P. Faccioli,⁸⁶ P. G. Ferreira Parracho,⁸⁶ M. Gallinaro,⁸⁶ P. Musella,⁸⁶ A. Nayak,⁸⁶ J. Pela,^{86,b} P. Q. Ribeiro,⁸⁶
 J. Seixas,⁸⁶ J. Varela,⁸⁶ P. Vischia,⁸⁶ I. Belotelov,⁸⁷ I. Golutvin,⁸⁷ N. Gorbounov,⁸⁷ I. Gramenitski,⁸⁷ A. Kamenev,⁸⁷
 V. Karjavin,⁸⁷ V. Konoplyanikov,⁸⁷ V. Korenkov,⁸⁷ G. Kozlov,⁸⁷ A. Lanev,⁸⁷ P. Moisenz,⁸⁷ V. Palichik,⁸⁷

V. Perelygin,⁸⁷ M. Savina,⁸⁷ S. Shmatov,⁸⁷ S. Vasil'ev,⁸⁷ A. Zarubin,⁸⁷ S. Evstyukhin,⁸⁸ V. Golovtsov,⁸⁸ Y. Ivanov,⁸⁸ V. Kim,⁸⁸ P. Levchenko,⁸⁸ V. Murzin,⁸⁸ V. Oreshkin,⁸⁸ I. Smirnov,⁸⁸ V. Sulimov,⁸⁸ L. Uvarov,⁸⁸ S. Vavilov,⁸⁸ A. Vorobyev,⁸⁸ An. Vorobyev,⁸⁸ Yu. Andreev,⁸⁹ A. Dermenev,⁸⁹ S. Gninenko,⁸⁹ N. Golubev,⁸⁹ M. Kirsanov,⁸⁹ N. Krasnikov,⁸⁹ V. Matveev,⁸⁹ A. Pashenkov,⁸⁹ A. Toropin,⁸⁹ S. Troitsky,⁸⁹ V. Epshteyn,⁹⁰ M. Erofeeva,⁹⁰ V. Gavrilov,⁹⁰ M. Kossov,^{90,b} A. Krokhotin,⁹⁰ N. Lychkovskaya,⁹⁰ V. Popov,⁹⁰ G. Safronov,⁹⁰ S. Semenov,⁹⁰ V. Stolin,⁹⁰ E. Vlasov,⁹⁰ A. Zhokin,⁹⁰ A. Belyaev,⁹¹ E. Boos,⁹¹ M. Dubinin,^{91,e} L. Dudko,⁹¹ A. Ershov,⁹¹ A. Gribushin,⁹¹ O. Kodolova,⁹¹ I. Lokhtin,⁹¹ A. Markina,⁹¹ S. Obraztsov,⁹¹ M. Perfilov,⁹¹ S. Petrushanko,⁹¹ L. Sarycheva,^{91,a} V. Savrin,⁹¹ A. Snigirev,⁹¹ V. Andreev,⁹² M. Azarkin,⁹² I. Dremin,⁹² M. Kirakosyan,⁹² A. Leonidov,⁹² G. Mesyats,⁹² S. V. Rusakov,⁹² A. Vinogradov,⁹² I. Azhgirey,⁹³ I. Bayshev,⁹³ S. Bitioukov,⁹³ V. Grishin,^{93,b} V. Kachanov,⁹³ D. Konstantinov,⁹³ A. Korablev,⁹³ V. Krychkine,⁹³ V. Petrov,⁹³ R. Ryutin,⁹³ A. Sobol,⁹³ L. Tourtchanovitch,⁹³ S. Troshin,⁹³ N. Tyurin,⁹³ A. Uzunian,⁹³ A. Volkov,⁹³ P. Adzic,^{94,bb} M. Djordjevic,⁹⁴ M. Ekmedzic,⁹⁴ D. Krpic,^{94,bb} J. Milosevic,⁹⁴ M. Aguilar-Benitez,⁹⁵ J. Alcaraz Maestre,⁹⁵ P. Arce,⁹⁵ C. Battilana,⁹⁵ E. Calvo,⁹⁵ M. Cerrada,⁹⁵ M. Chamizo Llatas,⁹⁵ N. Colino,⁹⁵ B. De La Cruz,⁹⁵ A. Delgado Peris,⁹⁵ C. Diez Pardos,⁹⁵ D. Domínguez Vázquez,⁹⁵ C. Fernandez Bedoya,⁹⁵ J. P. Fernández Ramos,⁹⁵ A. Ferrando,⁹⁵ J. Flix,⁹⁵ M. C. Fouz,⁹⁵ P. Garcia-Abia,⁹⁵ O. Gonzalez Lopez,⁹⁵ S. Goy Lopez,⁹⁵ J. M. Hernandez,⁹⁵ M. I. Josa,⁹⁵ G. Merino,⁹⁵ J. Puerta Pelayo,⁹⁵ I. Redondo,⁹⁵ L. Romero,⁹⁵ J. Santaolalla,⁹⁵ M. S. Soares,⁹⁵ C. Willmott,⁹⁵ C. Albajar,⁹⁶ G. Codispoti,⁹⁶ J. F. de Trocóniz,⁹⁶ J. Cuevas,⁹⁷ J. Fernandez Menendez,⁹⁷ S. Folgueras,⁹⁷ I. Gonzalez Caballero,⁹⁷ L. Lloret Iglesias,⁹⁷ J. Piedra Gomez,^{97,cc} J. M. Vizan Garcia,⁹⁷ J. A. Brochero Cifuentes,⁹⁸ I. J. Cabrillo,⁹⁸ A. Calderon,⁹⁸ S. H. Chuang,⁹⁸ J. Duarte Campderros,⁹⁸ M. Felcini,^{98,dd} M. Fernandez,⁹⁸ G. Gomez,⁹⁸ J. Gonzalez Sanchez,⁹⁸ C. Jorda,⁹⁸ P. Lobelle Pardo,⁹⁸ A. Lopez Virto,⁹⁸ J. Marco,⁹⁸ R. Marco,⁹⁸ C. Martinez Rivero,⁹⁸ F. Matorras,⁹⁸ F. J. Munoz Sanchez,⁹⁸ T. Rodrigo,⁹⁸ A. Y. Rodríguez-Marrero,⁹⁸ A. Ruiz-Jimeno,⁹⁸ L. Scodellaro,⁹⁸ M. Sobron Sanudo,⁹⁸ I. Vila,⁹⁸ R. Vilar Cortabitarte,⁹⁸ D. Abbaneo,⁹⁹ E. Auffray,⁹⁹ G. Auzinger,⁹⁹ P. Baillon,⁹⁹ A. H. Ball,⁹⁹ D. Barney,⁹⁹ C. Bernet,^{99,f} W. Bialas,⁹⁹ G. Bianchi,⁹⁹ P. Bloch,⁹⁹ A. Bocci,⁹⁹ H. Breuker,⁹⁹ K. Bunkowski,⁹⁹ T. Camporesi,⁹⁹ G. Cerminara,⁹⁹ T. Christiansen,⁹⁹ J. A. Coarasa Perez,⁹⁹ B. Curé,⁹⁹ D. D'Enterria,⁹⁹ A. De Roeck,⁹⁹ S. Di Guida,⁹⁹ M. Dobson,⁹⁹ N. Dupont-Sagorin,⁹⁹ A. Elliott-Peisert,⁹⁹ B. Frisch,⁹⁹ W. Funk,⁹⁹ A. Gaddi,⁹⁹ G. Georgiou,⁹⁹ H. Gerwig,⁹⁹ M. Giffels,⁹⁹ D. Gigi,⁹⁹ K. Gill,⁹⁹ D. Giordano,⁹⁹ M. Giunta,⁹⁹ F. Glege,⁹⁹ R. Gomez-Reino Garrido,⁹⁹ P. Govoni,⁹⁹ S. Gowdy,⁹⁹ R. Guida,⁹⁹ L. Guiducci,⁹⁹ M. Hansen,⁹⁹ P. Harris,⁹⁹ C. Hartl,⁹⁹ J. Harvey,⁹⁹ B. Hegner,⁹⁹ A. Hinzmann,⁹⁹ H. F. Hoffmann,⁹⁹ V. Innocente,⁹⁹ P. Janot,⁹⁹ K. Kaadze,⁹⁹ E. Karavakis,⁹⁹ K. Kousouris,⁹⁹ P. Lecoq,⁹⁹ P. Lenzi,⁹⁹ C. Lourenço,⁹⁹ T. Mäki,⁹⁹ M. Malberti,⁹⁹ L. Malgeri,⁹⁹ M. Mannelli,⁹⁹ L. Masetti,⁹⁹ G. Mavromanolakis,⁹⁹ F. Meijers,⁹⁹ S. Mersi,⁹⁹ E. Meschi,⁹⁹ R. Moser,⁹⁹ M. U. Mozer,⁹⁹ M. Mulders,⁹⁹ E. Nesvold,⁹⁹ M. Nguyen,⁹⁹ T. Orimoto,⁹⁹ L. Orsini,⁹⁹ E. Palencia Cortezon,⁹⁹ E. Perez,⁹⁹ A. Petrilli,⁹⁹ A. Pfeiffer,⁹⁹ M. Pierini,⁹⁹ M. Pimiä,⁹⁹ D. Piparo,⁹⁹ G. Polese,⁹⁹ L. Quertenmont,⁹⁹ A. Racz,⁹⁹ W. Reece,⁹⁹ J. Rodrigues Antunes,⁹⁹ G. Rolandi,^{99,ee} T. Rommerskirchen,⁹⁹ C. Rovelli,^{99,ff} M. Rovere,⁹⁹ H. Sakulin,⁹⁹ F. Santanastasio,⁹⁹ C. Schäfer,⁹⁹ C. Schwick,⁹⁹ I. Segoni,⁹⁹ A. Sharma,⁹⁹ P. Siegrist,⁹⁹ P. Silva,⁹⁹ M. Simon,⁹⁹ P. Sphicas,^{99,gg} D. Spiga,⁹⁹ M. Spiropulu,^{99,e} M. Stoye,⁹⁹ A. Tsiros,⁹⁹ G. I. Veres,^{99,q} P. Vichoudis,⁹⁹ H. K. Wöhri,⁹⁹ S. D. Worm,^{99,hh} W. D. Zeuner,⁹⁹ W. Bertl,¹⁰⁰ K. Deiters,¹⁰⁰ W. Erdmann,¹⁰⁰ K. Gabathuler,¹⁰⁰ R. Horisberger,¹⁰⁰ Q. Ingram,¹⁰⁰ H. C. Kaestli,¹⁰⁰ S. König,¹⁰⁰ D. Kotlinski,¹⁰⁰ U. Langenegger,¹⁰⁰ F. Meier,¹⁰⁰ D. Renker,¹⁰⁰ T. Rohe,¹⁰⁰ J. Sibille,^{100,ii} L. Bäni,¹⁰¹ P. Bortignon,¹⁰¹ M. A. Buchmann,¹⁰¹ B. Casal,¹⁰¹ N. Chanon,¹⁰¹ Z. Chen,¹⁰¹ A. Deisher,¹⁰¹ G. Dissertori,¹⁰¹ M. Dittmar,¹⁰¹ M. Dünser,¹⁰¹ J. Eugster,¹⁰¹ K. Freudenreich,¹⁰¹ C. Grab,¹⁰¹ P. Lecomte,¹⁰¹ W. Lustermann,¹⁰¹ P. Martinez Ruiz del Arbol,¹⁰¹ N. Mohr,¹⁰¹ F. Moortgat,¹⁰¹ C. Nägeli,^{101,ji} P. Nef,¹⁰¹ F. Nessi-Tedaldi,¹⁰¹ L. Pape,¹⁰¹ F. Pauss,¹⁰¹ M. Peruzzi,¹⁰¹ F. J. Ronga,¹⁰¹ M. Rossini,¹⁰¹ L. Sala,¹⁰¹ A. K. Sanchez,¹⁰¹ M.-C. Sawley,¹⁰¹ A. Starodumov,^{101,kk} B. Stieger,¹⁰¹ M. Takahashi,¹⁰¹ L. Tauscher,^{101,a} A. Thea,¹⁰¹ K. Theofilatos,¹⁰¹ D. Treille,¹⁰¹ C. Urscheler,¹⁰¹ R. Wallny,¹⁰¹ H. A. Weber,¹⁰¹ L. Wehrli,¹⁰¹ J. Weng,¹⁰¹ E. Aguilo,¹⁰² C. Amsler,¹⁰² V. Chiochia,¹⁰² S. De Visscher,¹⁰² C. Favaro,¹⁰² M. Ivoa Rikova,¹⁰² B. Millan Mejias,¹⁰² P. Otiougova,¹⁰² P. Robmann,¹⁰² H. Snoek,¹⁰² M. Verzetti,¹⁰² Y. H. Chang,¹⁰³ K. H. Chen,¹⁰³ C. M. Kuo,¹⁰³ S. W. Li,¹⁰³ W. Lin,¹⁰³ Z. K. Liu,¹⁰³ Y. J. Lu,¹⁰³ D. Mekterovic,¹⁰³ R. Volpe,¹⁰³ S. S. Yu,¹⁰³ P. Bartalini,¹⁰⁴ P. Chang,¹⁰⁴ Y. H. Chang,¹⁰⁴ Y. W. Chang,¹⁰⁴ Y. Chao,¹⁰⁴ K. F. Chen,¹⁰⁴ C. Dietz,¹⁰⁴ U. Grundler,¹⁰⁴ W.-S. Hou,¹⁰⁴ Y. Hsiung,¹⁰⁴ K. Y. Kao,¹⁰⁴ Y. J. Lei,¹⁰⁴ R.-S. Lu,¹⁰⁴ D. Majumder,¹⁰⁴ E. Petrakou,¹⁰⁴ X. Shi,¹⁰⁴ J. G. Shiu,¹⁰⁴ Y. M. Tzeng,¹⁰⁴ M. Wang,¹⁰⁴ A. Adiguzel,¹⁰⁵ M. N. Bakirci,^{105,ll} S. Cerci,^{105,mm} C. Dozen,¹⁰⁵ I. Dumanoglu,¹⁰⁵ E. Eskut,¹⁰⁵ S. Girgis,¹⁰⁵ G. Gokbulut,¹⁰⁵ I. Hos,¹⁰⁵ E. E. Kagal,¹⁰⁵ G. Karapinar,¹⁰⁵ A. Kayis Topaksu,¹⁰⁵ G. Onengut,¹⁰⁵ K. Ozdemir,¹⁰⁵ S. Ozturk,^{105,nn} A. Polatoz,¹⁰⁵

K. Sogut,^{105,oo} D. Sunar Cerci,^{105,mm} B. Tali,^{105,mm} H. Topakli,^{105,li} D. Uzun,¹⁰⁵ L. N. Vergili,¹⁰⁵ M. Vergili,¹⁰⁵ I. V. Akin,¹⁰⁶ T. Aliev,¹⁰⁶ B. Bilin,¹⁰⁶ S. Bilmis,¹⁰⁶ M. Deniz,¹⁰⁶ H. Gamsizkan,¹⁰⁶ A. M. Guler,¹⁰⁶ K. Ocalan,¹⁰⁶ A. Ozpineci,¹⁰⁶ M. Serin,¹⁰⁶ R. Sever,¹⁰⁶ U. E. Surat,¹⁰⁶ M. Yalvac,¹⁰⁶ E. Yildirim,¹⁰⁶ M. Zeyrek,¹⁰⁶ M. Deliomeroğlu,¹⁰⁷ E. Gülmez,¹⁰⁷ B. Isildak,¹⁰⁷ M. Kaya,^{107,pp} O. Kaya,^{107,pp} S. Ozkorucuklu,^{107,qq} N. Sonmez,^{107,rr} L. Levchuk,¹⁰⁸ F. Bostock,¹⁰⁹ J. J. Brooke,¹⁰⁹ E. Clement,¹⁰⁹ D. Cussans,¹⁰⁹ H. Flacher,¹⁰⁹ R. Frazier,¹⁰⁹ J. Goldstein,¹⁰⁹ M. Grimes,¹⁰⁹ G. P. Heath,¹⁰⁹ H. F. Heath,¹⁰⁹ L. Kreczko,¹⁰⁹ S. Metson,¹⁰⁹ D. M. Newbold,^{109,hh} K. Nirunpong,¹⁰⁹ A. Poll,¹⁰⁹ S. Senkin,¹⁰⁹ V. J. Smith,¹⁰⁹ T. Williams,¹⁰⁹ L. Basso,^{110,ss} K. W. Bell,¹¹⁰ A. Belyaev,^{110,ss} C. Brew,¹¹⁰ R. M. Brown,¹¹⁰ D. J. A. Cockerill,¹¹⁰ J. A. Coughlan,¹¹⁰ K. Harder,¹¹⁰ S. Harper,¹¹⁰ J. Jackson,¹¹⁰ B. W. Kennedy,¹¹⁰ E. Olaiya,¹¹⁰ D. Petyt,¹¹⁰ B. C. Radburn-Smith,¹¹⁰ C. H. Shepherd-Themistocleous,¹¹⁰ I. R. Tomalin,¹¹⁰ W. J. Womersley,¹¹⁰ R. Bainbridge,¹¹¹ G. Ball,¹¹¹ R. Beuselinck,¹¹¹ O. Buchmuller,¹¹¹ D. Colling,¹¹¹ N. Cripps,¹¹¹ M. Cutajar,¹¹¹ P. Dauncey,¹¹¹ G. Davies,¹¹¹ M. Della Negra,¹¹¹ W. Ferguson,¹¹¹ J. Fulcher,¹¹¹ D. Futyan,¹¹¹ A. Gilbert,¹¹¹ A. Guneratne Bryer,¹¹¹ G. Hall,¹¹¹ Z. Hatherell,¹¹¹ J. Hays,¹¹¹ G. Iles,¹¹¹ M. Jarvis,¹¹¹ G. Karapostoli,¹¹¹ L. Lyons,¹¹¹ A.-M. Magnan,¹¹¹ J. Marrouche,¹¹¹ B. Mathias,¹¹¹ R. Nandi,¹¹¹ J. Nash,¹¹¹ A. Nikitenko,^{111,kk} A. Papageorgiou,¹¹¹ M. Pesaresi,¹¹¹ K. Petridis,¹¹¹ M. Pioppi,^{111,u} D. M. Raymond,¹¹¹ S. Rogerson,¹¹¹ N. Rompotis,¹¹¹ A. Rose,¹¹¹ M. J. Ryan,¹¹¹ C. Seez,¹¹¹ A. Sparrow,¹¹¹ A. Tapper,¹¹¹ S. Tourneur,¹¹¹ M. Vazquez Acosta,¹¹¹ T. Virdee,¹¹¹ S. Wakefield,¹¹¹ N. Wardle,¹¹¹ D. Wardrope,¹¹¹ T. Whyntie,¹¹¹ M. Barrett,¹¹² M. Chadwick,¹¹² J. E. Cole,¹¹² P. R. Hobson,¹¹² A. Khan,¹¹² P. Kyberd,¹¹² D. Leslie,¹¹² W. Martin,¹¹² I. D. Reid,¹¹² P. Symonds,¹¹² L. Teodorescu,¹¹² M. Turner,¹¹² K. Hatakeyama,¹¹³ H. Liu,¹¹³ T. Scarborough,¹¹³ C. Henderson,¹¹⁴ A. Avetisyan,¹¹⁵ T. Bose,¹¹⁵ E. Carrera Jarrin,¹¹⁵ C. Fantasia,¹¹⁵ A. Heister,¹¹⁵ J. St. John,¹¹⁵ P. Lawson,¹¹⁵ D. Lazic,¹¹⁵ J. Rohlf,¹¹⁵ D. Sperka,¹¹⁵ L. Sulak,¹¹⁵ S. Bhattacharya,¹¹⁶ D. Cutts,¹¹⁶ A. Ferapontov,¹¹⁶ U. Heintz,¹¹⁶ S. Jabeen,¹¹⁶ G. Kukartsev,¹¹⁶ G. Landsberg,¹¹⁶ M. Luk,¹¹⁶ M. Narain,¹¹⁶ D. Nguyen,¹¹⁶ M. Segala,¹¹⁶ T. Sinthuprasith,¹¹⁶ T. Speer,¹¹⁶ K. V. Tsang,¹¹⁶ R. Breedon,¹¹⁷ G. Breto,¹¹⁷ M. Calderon De La Barca Sanchez,¹¹⁷ M. Caulfield,¹¹⁷ S. Chauhan,¹¹⁷ M. Chertok,¹¹⁷ J. Conway,¹¹⁷ R. Conway,¹¹⁷ P. T. Cox,¹¹⁷ J. Dolen,¹¹⁷ R. Erbacher,¹¹⁷ M. Gardner,¹¹⁷ R. Houtz,¹¹⁷ W. Ko,¹¹⁷ A. Kopecky,¹¹⁷ R. Lander,¹¹⁷ O. Mall,¹¹⁷ T. Miceli,¹¹⁷ R. Nelson,¹¹⁷ D. Pellett,¹¹⁷ J. Robles,¹¹⁷ B. Rutherford,¹¹⁷ M. Searle,¹¹⁷ J. Smith,¹¹⁷ M. Squires,¹¹⁷ M. Tripathi,¹¹⁷ R. Vasquez Sierra,¹¹⁷ V. Andreev,¹¹⁸ K. Arisaka,¹¹⁸ D. Cline,¹¹⁸ R. Cousins,¹¹⁸ J. Duris,¹¹⁸ S. Erhan,¹¹⁸ P. Everaerts,¹¹⁸ C. Farrell,¹¹⁸ J. Hauser,¹¹⁸ M. Ignatenko,¹¹⁸ C. Jarvis,¹¹⁸ C. Plager,¹¹⁸ G. Rakness,¹¹⁸ P. Schlein,^{118,a} J. Tucker,¹¹⁸ V. Valuev,¹¹⁸ M. Weber,¹¹⁸ J. Babb,¹¹⁹ R. Clare,¹¹⁹ J. Ellison,¹¹⁹ J. W. Gary,¹¹⁹ F. Giordano,¹¹⁹ G. Hanson,¹¹⁹ G. Y. Jeng,¹¹⁹ H. Liu,¹¹⁹ O. R. Long,¹¹⁹ A. Luthra,¹¹⁹ H. Nguyen,¹¹⁹ S. Paramesvaran,¹¹⁹ J. Sturdy,¹¹⁹ S. Sumowidagdo,¹¹⁹ R. Wilken,¹¹⁹ S. Wimpenny,¹¹⁹ W. Andrews,¹²⁰ J. G. Branson,¹²⁰ G. B. Cerati,¹²⁰ S. Cittolin,¹²⁰ D. Evans,¹²⁰ F. Golf,¹²⁰ A. Holzner,¹²⁰ R. Kelley,¹²⁰ M. Lebourgeois,¹²⁰ J. Letts,¹²⁰ I. Macneill,¹²⁰ B. Manganò,¹²⁰ S. Padhi,¹²⁰ C. Palmer,¹²⁰ G. Petrucciani,¹²⁰ H. Pi,¹²⁰ M. Pieri,¹²⁰ R. Ranieri,¹²⁰ M. Sani,¹²⁰ I. Sfiligoi,¹²⁰ V. Sharma,¹²⁰ S. Simon,¹²⁰ E. Sudano,¹²⁰ M. Tadel,¹²⁰ Y. Tu,¹²⁰ A. Vartak,¹²⁰ S. Wasserbaech,^{120,uu} F. Würthwein,¹²⁰ A. Yagil,¹²⁰ J. Yoo,¹²⁰ D. Barge,¹²¹ R. Bellan,¹²¹ C. Campagnari,¹²¹ M. D'Alfonso,¹²¹ T. Danielson,¹²¹ K. Flowers,¹²¹ P. Geffert,¹²¹ J. Incandela,¹²¹ C. Justus,¹²¹ P. Kalavase,¹²¹ S. A. Koay,¹²¹ D. Kovalskyi,^{121,b} V. Krutelyov,¹²¹ S. Lowette,¹²¹ N. Mccoll,¹²¹ V. Pavlunin,¹²¹ F. Rebassoo,¹²¹ J. Ribnik,¹²¹ J. Richman,¹²¹ R. Rossin,¹²¹ D. Stuart,¹²¹ W. To,¹²¹ J. R. Vlimant,¹²¹ C. West,¹²¹ A. Apresyan,¹²² A. Bornheim,¹²² J. Bunn,¹²² Y. Chen,¹²² E. Di Marco,¹²² J. Duarte,¹²² M. Gataullin,¹²² Y. Ma,¹²² A. Mott,¹²² H. B. Newman,¹²² C. Rogan,¹²² V. Timciuc,¹²² P. Traczyk,¹²² J. Veverka,¹²² R. Wilkinson,¹²² Y. Yang,¹²² R. Y. Zhu,¹²² B. Akgun,¹²³ R. Carroll,¹²³ T. Ferguson,¹²³ Y. Iiyama,¹²³ D. W. Jang,¹²³ S. Y. Jun,¹²³ Y. F. Liu,¹²³ M. Paulini,¹²³ J. Russ,¹²³ H. Vogel,¹²³ I. Vorobiev,¹²³ J. P. Cumalat,¹²⁴ M. E. Dinardo,¹²⁴ B. R. Drell,¹²⁴ C. J. Edelmaier,¹²⁴ W. T. Ford,¹²⁴ A. Gaz,¹²⁴ B. Heyburn,¹²⁴ E. Luiggi Lopez,¹²⁴ U. Nauenberg,¹²⁴ J. G. Smith,¹²⁴ K. Stenson,¹²⁴ K. A. Ulmer,¹²⁴ S. R. Wagner,¹²⁴ S. L. Zang,¹²⁴ L. Agostino,¹²⁵ J. Alexander,¹²⁵ A. Chatterjee,¹²⁵ N. Eggert,¹²⁵ L. K. Gibbons,¹²⁵ B. Heltsley,¹²⁵ W. Hopkins,¹²⁵ A. Khukhunaishvili,¹²⁵ B. Kreis,¹²⁵ N. Mirman,¹²⁵ G. Nicolas Kaufman,¹²⁵ J. R. Patterson,¹²⁵ A. Ryd,¹²⁵ E. Salvati,¹²⁵ W. Sun,¹²⁵ W. D. Teo,¹²⁵ J. Thom,¹²⁵ J. Thompson,¹²⁵ J. Vaughan,¹²⁵ Y. Weng,¹²⁵ L. Winstrom,¹²⁵ P. Wittich,¹²⁵ A. Biselli,¹²⁶ D. Winn,¹²⁶ S. Abdullin,¹²⁷ M. Albrow,¹²⁷ J. Anderson,¹²⁷ G. Apollinari,¹²⁷ M. Atac,¹²⁷ J. A. Bakken,¹²⁷ L. A. T. Bauerdick,¹²⁷ A. Beretvas,¹²⁷ J. Berryhill,¹²⁷ P. C. Bhat,¹²⁷ I. Bloch,¹²⁷ K. Burkett,¹²⁷ J. N. Butler,¹²⁷ V. Chetluru,¹²⁷ H. W. K. Cheung,¹²⁷ F. Chlebana,¹²⁷ S. Cihangir,¹²⁷ W. Cooper,¹²⁷ D. P. Eartly,¹²⁷ V. D. Elvira,¹²⁷ S. Esen,¹²⁷ I. Fisk,¹²⁷ J. Freeman,¹²⁷ Y. Gao,¹²⁷ E. Gottschalk,¹²⁷ D. Green,¹²⁷ O. Gutsche,¹²⁷ J. Hanlon,¹²⁷ R. M. Harris,¹²⁷ J. Hirschauer,¹²⁷ B. Hooperman,¹²⁷ H. Jensen,¹²⁷ S. Jindariani,¹²⁷ M. Johnson,¹²⁷ U. Joshi,¹²⁷ B. Klima,¹²⁷ S. Kunori,¹²⁷ S. Kwan,¹²⁷

C. Leonidopoulos,¹²⁷ D. Lincoln,¹²⁷ R. Lipton,¹²⁷ J. Lykken,¹²⁷ K. Maeshima,¹²⁷ J. M. Marraffino,¹²⁷
 S. Maruyama,¹²⁷ D. Mason,¹²⁷ P. McBride,¹²⁷ T. Miao,¹²⁷ K. Mishra,¹²⁷ S. Mrenna,¹²⁷ Y. Musienko,^{127, vv}
 C. Newman-Holmes,¹²⁷ V. O'Dell,¹²⁷ J. Pivarski,¹²⁷ R. Pordes,¹²⁷ O. Prokofyev,¹²⁷ T. Schwarz,¹²⁷
 E. Sexton-Kennedy,¹²⁷ S. Sharma,¹²⁷ W. J. Spalding,¹²⁷ L. Spiegel,¹²⁷ P. Tan,¹²⁷ L. Taylor,¹²⁷ S. Tkaczyk,¹²⁷
 L. Uplegger,¹²⁷ E. W. Vaandering,¹²⁷ R. Vidal,¹²⁷ J. Whitmore,¹²⁷ W. Wu,¹²⁷ F. Yang,¹²⁷ F. Yumiceva,¹²⁷
 J. C. Yun,¹²⁷ D. Acosta,¹²⁸ P. Avery,¹²⁸ D. Bourilkov,¹²⁸ M. Chen,¹²⁸ S. Das,¹²⁸ M. De Gruttola,¹²⁸
 G. P. Di Giovanni,¹²⁸ D. Dobur,¹²⁸ A. Drozdetskiy,¹²⁸ R. D. Field,¹²⁸ M. Fisher,¹²⁸ Y. Fu,¹²⁸ I. K. Furic,¹²⁸
 J. Gartner,¹²⁸ S. Goldberg,¹²⁸ J. Hugon,¹²⁸ B. Kim,¹²⁸ J. Konigsberg,¹²⁸ A. Korytov,¹²⁸ A. Kropivnitskaya,¹²⁸
 T. Kypreos,¹²⁸ J. F. Low,¹²⁸ K. Matchev,¹²⁸ P. Milenovic,^{128, ww} G. Mitselmakher,¹²⁸ L. Muniz,¹²⁸ R. Remington,¹²⁸
 A. Rinkevicius,¹²⁸ M. Schmitt,¹²⁸ B. Scurlock,¹²⁸ P. Sellers,¹²⁸ N. Skhirtladze,¹²⁸ M. Snowball,¹²⁸ D. Wang,¹²⁸
 J. Yelton,¹²⁸ M. Zakaria,¹²⁸ V. Gaultney,¹²⁹ L. M. Lebolo,¹²⁹ S. Linn,¹²⁹ P. Markowitz,¹²⁹ G. Martinez,¹²⁹
 J. L. Rodriguez,¹²⁹ T. Adams,¹³⁰ A. Askew,¹³⁰ J. Bochenek,¹³⁰ J. Chen,¹³⁰ B. Diamond,¹³⁰ S. V. Gleyzer,¹³⁰
 J. Haas,¹³⁰ S. Hagopian,¹³⁰ V. Hagopian,¹³⁰ M. Jenkins,¹³⁰ K. F. Johnson,¹³⁰ H. Prosper,¹³⁰ S. Sekmen,¹³⁰
 V. Veeraraghavan,¹³⁰ M. Weinberg,¹³⁰ M. M. Baarmand,¹³¹ B. Dorney,¹³¹ M. Hohmann,¹³¹ H. Kalakhety,¹³¹
 I. Vodopyanov,¹³¹ M. R. Adams,¹³² I. M. Anghel,¹³² L. Apanasevich,¹³² Y. Bai,¹³² V. E. Bazterra,¹³² R. R. Betts,¹³²
 J. Callner,¹³² R. Cavanaugh,¹³² C. Dragoiu,¹³² L. Gauthier,¹³² C. E. Gerber,¹³² D. J. Hofman,¹³² S. Khalatyan,¹³²
 G. J. Kunde,^{132, xx} F. Lacroix,¹³² M. Malek,¹³² C. O'Brien,¹³² C. Silkworth,¹³² C. Silvestre,¹³² D. Strom,¹³²
 N. Varelas,¹³² U. Akgun,¹³³ E. A. Albayrak,¹³³ B. Bilki,^{133, yy} W. Clarida,¹³³ F. Duru,¹³³ S. Griffiths,¹³³ C. K. Lae,¹³³
 E. McCliment,¹³³ J.-P. Merlo,¹³³ H. Mermerkaya,^{133, zz} A. Mestvirishvili,¹³³ A. Moeller,¹³³ J. Nachtman,¹³³
 C. R. Newsom,¹³³ E. Norbeck,¹³³ J. Olson,¹³³ Y. Onel,¹³³ F. Ozok,¹³³ S. Sen,¹³³ E. Tiras,¹³³ J. Wetzel,¹³³ T. Yetkin,¹³³
 K. Yi,¹³³ B. A. Barnett,¹³⁴ B. Blumenfeld,¹³⁴ S. Bolognesi,¹³⁴ A. Bonato,¹³⁴ D. Fehling,¹³⁴ G. Giurgiu,¹³⁴
 A. V. Gritsan,¹³⁴ Z. J. Guo,¹³⁴ G. Hu,¹³⁴ P. Maksimovic,¹³⁴ S. Rappoccio,¹³⁴ M. Swartz,¹³⁴ N. V. Tran,¹³⁴
 A. Whitbeck,¹³⁴ P. Baringer,¹³⁵ A. Bean,¹³⁵ G. Benelli,¹³⁵ O. Grachov,¹³⁵ R. P. Kenny Iii,¹³⁵ M. Murray,¹³⁵
 D. Noonan,¹³⁵ S. Sanders,¹³⁵ R. Stringer,¹³⁵ G. Tinti,¹³⁵ J. S. Wood,¹³⁵ V. Zhukova,¹³⁵ A. F. Barfuss,¹³⁶ T. Bolton,¹³⁶
 I. Chakaberia,¹³⁶ A. Ivanov,¹³⁶ S. Khalil,¹³⁶ M. Makouski,¹³⁶ Y. Maravin,¹³⁶ S. Shrestha,¹³⁶ I. Svintradze,¹³⁶
 J. Gronberg,¹³⁷ D. Lange,¹³⁷ D. Wright,¹³⁷ A. Baden,¹³⁸ M. Boutemur,¹³⁸ B. Calvert,¹³⁸ S. C. Eno,¹³⁸
 J. A. Gomez,¹³⁸ N. J. Hadley,¹³⁸ R. G. Kellogg,¹³⁸ M. Kirn,¹³⁸ T. Kolberg,¹³⁸ Y. Lu,¹³⁸ M. Marionneau,¹³⁸
 A. C. Mignerey,¹³⁸ A. Peterman,¹³⁸ K. Rossato,¹³⁸ P. Rumerio,¹³⁸ A. Skuja,¹³⁸ J. Temple,¹³⁸ M. B. Tonjes,¹³⁸
 S. C. Tonwar,¹³⁸ E. Twedt,¹³⁸ B. Alver,¹³⁹ G. Bauer,¹³⁹ J. Bendavid,¹³⁹ W. Busza,¹³⁹ E. Butz,¹³⁹ I. A. Cali,¹³⁹
 M. Chan,¹³⁹ V. Dutta,¹³⁹ G. Gomez Ceballos,¹³⁹ M. Goncharov,¹³⁹ K. A. Hahn,¹³⁹ Y. Kim,¹³⁹ M. Klute,¹³⁹
 Y.-J. Lee,¹³⁹ W. Li,¹³⁹ P. D. Luckey,¹³⁹ T. Ma,¹³⁹ S. Nahn,¹³⁹ C. Paus,¹³⁹ D. Ralph,¹³⁹ C. Roland,¹³⁹ G. Roland,¹³⁹
 M. Rudolph,¹³⁹ G. S. F. Stephans,¹³⁹ F. Stöckli,¹³⁹ K. Sumorok,¹³⁹ K. Sung,¹³⁹ D. Velicanu,¹³⁹ E. A. Wenger,¹³⁹
 R. Wolf,¹³⁹ B. Wyslouch,¹³⁹ S. Xie,¹³⁹ M. Yang,¹³⁹ Y. Yilmaz,¹³⁹ A. S. Yoon,¹³⁹ M. Zanetti,¹³⁹ S. I. Cooper,¹⁴⁰
 P. Cushman,¹⁴⁰ B. Dahmes,¹⁴⁰ A. De Benedetti,¹⁴⁰ G. Franzoni,¹⁴⁰ A. Gude,¹⁴⁰ J. Haupt,¹⁴⁰ S. C. Kao,¹⁴⁰
 K. Klapoetke,¹⁴⁰ Y. Kubota,¹⁴⁰ J. Mans,¹⁴⁰ N. Pastika,¹⁴⁰ V. Rekovic,¹⁴⁰ R. Rusack,¹⁴⁰ M. Sasseville,¹⁴⁰
 A. Singovsky,¹⁴⁰ N. Tambe,¹⁴⁰ J. Turkewitz,¹⁴⁰ L. M. Cremaldi,¹⁴¹ R. Godang,¹⁴¹ R. Kroeger,¹⁴¹ L. Perera,¹⁴¹
 R. Rahmat,¹⁴¹ D. A. Sanders,¹⁴¹ D. Summers,¹⁴¹ E. Avdeeva,¹⁴² K. Bloom,¹⁴² S. Bose,¹⁴² J. Butt,¹⁴² D. R. Claes,¹⁴²
 A. Dominguez,¹⁴² M. Eads,¹⁴² P. Jindal,¹⁴² J. Keller,¹⁴² I. Kravchenko,¹⁴² J. Lazo-Flores,¹⁴² H. Malbouisson,¹⁴²
 S. Malik,¹⁴² G. R. Snow,¹⁴² U. Baur,¹⁴³ A. Godshalk,¹⁴³ I. Iashvili,¹⁴³ S. Jain,¹⁴³ A. Kharchilava,¹⁴³ A. Kumar,¹⁴³
 S. P. Shipkowski,¹⁴³ K. Smith,¹⁴³ Z. Wan,¹⁴³ G. Alverson,¹⁴⁴ E. Barberis,¹⁴⁴ D. Baumgartel,¹⁴⁴ M. Chasco,¹⁴⁴
 D. Trocino,¹⁴⁴ D. Wood,¹⁴⁴ J. Zhang,¹⁴⁴ A. Anastassov,¹⁴⁵ A. Kubik,¹⁴⁵ N. Mucia,¹⁴⁵ N. Odell,¹⁴⁵
 R. A. Ofierzynski,¹⁴⁵ B. Pollack,¹⁴⁵ A. Pozdnyakov,¹⁴⁵ M. Schmitt,¹⁴⁵ S. Stoynev,¹⁴⁵ M. Velasco,¹⁴⁵ S. Won,¹⁴⁵
 L. Antonelli,¹⁴⁶ D. Berry,¹⁴⁶ A. Brinkerhoff,¹⁴⁶ M. Hildreth,¹⁴⁶ C. Jessop,¹⁴⁶ D. J. Karmgard,¹⁴⁶ J. Kolb,¹⁴⁶
 K. Lannon,¹⁴⁶ W. Luo,¹⁴⁶ S. Lynch,¹⁴⁶ N. Marinelli,¹⁴⁶ D. M. Morse,¹⁴⁶ T. Pearson,¹⁴⁶ R. Ruchti,¹⁴⁶ J. Slaunwhite,¹⁴⁶
 N. Valls,¹⁴⁶ M. Wayne,¹⁴⁶ M. Wolf,¹⁴⁶ J. Ziegler,¹⁴⁶ B. Bylsma,¹⁴⁷ L. S. Durkin,¹⁴⁷ C. Hill,¹⁴⁷ P. Killewald,¹⁴⁷
 K. Kotov,¹⁴⁷ T. Y. Ling,¹⁴⁷ D. Puigh,¹⁴⁷ M. Rodenburg,¹⁴⁷ C. Vuosalo,¹⁴⁷ G. Williams,¹⁴⁷ N. Adam,¹⁴⁸ E. Berry,¹⁴⁸
 P. Elmer,¹⁴⁸ D. Gerbaudo,¹⁴⁸ V. Halyo,¹⁴⁸ P. Hebda,¹⁴⁸ J. Hegeman,¹⁴⁸ A. Hunt,¹⁴⁸ E. Laird,¹⁴⁸ D. Lopes Pegna,¹⁴⁸
 P. Lujan,¹⁴⁸ D. Marlow,¹⁴⁸ T. Medvedeva,¹⁴⁸ M. Mooney,¹⁴⁸ J. Olsen,¹⁴⁸ P. Piroué,¹⁴⁸ X. Quan,¹⁴⁸ A. Raval,¹⁴⁸
 H. Saka,¹⁴⁸ D. Stickland,¹⁴⁸ C. Tully,¹⁴⁸ J. S. Werner,¹⁴⁸ A. Zuranski,¹⁴⁸ J. G. Acosta,¹⁴⁹ X. T. Huang,¹⁴⁹ A. Lopez,¹⁴⁹
 H. Mendez,¹⁴⁹ S. Oliveros,¹⁴⁹ J. E. Ramirez Vargas,¹⁴⁹ A. Zatserklyaniy,¹⁴⁹ E. Alagoz,¹⁵⁰ V. E. Barnes,¹⁵⁰
 D. Benedetti,¹⁵⁰ G. Bolla,¹⁵⁰ D. Bortoletto,¹⁵⁰ M. De Mattia,¹⁵⁰ A. Everett,¹⁵⁰ L. Gutay,¹⁵⁰ Z. Hu,¹⁵⁰ M. Jones,¹⁵⁰

O. Koybasi,¹⁵⁰ M. Kress,¹⁵⁰ A. T. Laasanen,¹⁵⁰ N. Leonardo,¹⁵⁰ V. Maroussov,¹⁵⁰ P. Merkel,¹⁵⁰ D. H. Miller,¹⁵⁰ N. Neumeister,¹⁵⁰ I. Shipsey,¹⁵⁰ D. Silvers,¹⁵⁰ A. Svyatkovskiy,¹⁵⁰ M. Vidal Marono,¹⁵⁰ H. D. Yoo,¹⁵⁰ J. Zablocki,¹⁵⁰ Y. Zheng,¹⁵⁰ S. Guragain,¹⁵¹ N. Parashar,¹⁵¹ A. Adair,¹⁵² C. Boulahouache,¹⁵² V. Cuplov,¹⁵² K. M. Ecklund,¹⁵² F. J. M. Geurts,¹⁵² B. P. Padley,¹⁵² R. Redjimi,¹⁵² J. Roberts,¹⁵² J. Zabel,¹⁵² B. Betchart,¹⁵³ A. Bodek,¹⁵³ Y. S. Chung,¹⁵³ R. Covarelli,¹⁵³ P. de Barbaro,¹⁵³ R. Demina,¹⁵³ Y. Eshaq,¹⁵³ A. Garcia-Bellido,¹⁵³ P. Goldenzweig,¹⁵³ Y. Gotra,¹⁵³ J. Han,¹⁵³ A. Harel,¹⁵³ D. C. Miner,¹⁵³ G. Petrillo,¹⁵³ W. Sakumoto,¹⁵³ D. Vishnevskiy,¹⁵³ M. Zielinski,¹⁵³ A. Bhatti,¹⁵⁴ R. Ciesielski,¹⁵⁴ L. Demortier,¹⁵⁴ K. Goulianos,¹⁵⁴ G. Lungu,¹⁵⁴ S. Malik,¹⁵⁴ C. Mesropian,¹⁵⁴ S. Arora,¹⁵⁵ O. Atramentov,¹⁵⁵ A. Barker,¹⁵⁵ J. P. Chou,¹⁵⁵ C. Contreras-Campana,¹⁵⁵ E. Contreras-Campana,¹⁵⁵ D. Duggan,¹⁵⁵ D. Ferencek,¹⁵⁵ Y. Gershtein,¹⁵⁵ R. Gray,¹⁵⁵ E. Halkiadakis,¹⁵⁵ D. Hidas,¹⁵⁵ D. Hits,¹⁵⁵ A. Lath,¹⁵⁵ S. Panwalkar,¹⁵⁵ M. Park,¹⁵⁵ R. Patel,¹⁵⁵ A. Richards,¹⁵⁵ K. Rose,¹⁵⁵ S. Salur,¹⁵⁵ S. Schnetzer,¹⁵⁵ C. Seitz,¹⁵⁵ S. Somalwar,¹⁵⁵ R. Stone,¹⁵⁵ S. Thomas,¹⁵⁵ G. Cerizza,¹⁵⁶ M. Hollingsworth,¹⁵⁶ S. Spanier,¹⁵⁶ Z. C. Yang,¹⁵⁶ A. York,¹⁵⁶ R. Eusebi,¹⁵⁷ W. Flanagan,¹⁵⁷ J. Gilmore,¹⁵⁷ T. Kamon,^{157,aaa} V. Khotilovich,¹⁵⁷ R. Montalvo,¹⁵⁷ I. Osipenkov,¹⁵⁷ Y. Pakhotin,¹⁵⁷ A. Perloff,¹⁵⁷ J. Roe,¹⁵⁷ A. Safonov,¹⁵⁷ T. Sakuma,¹⁵⁷ S. Sengupta,¹⁵⁷ I. Suarez,¹⁵⁷ A. Tatarinov,¹⁵⁷ D. Toback,¹⁵⁷ N. Akchurin,¹⁵⁸ C. Bardak,¹⁵⁸ J. Damgov,¹⁵⁸ P. R. Duderø,¹⁵⁸ C. Jeong,¹⁵⁸ K. Kovitanggoon,¹⁵⁸ S. W. Lee,¹⁵⁸ T. Libeiro,¹⁵⁸ P. Mane,¹⁵⁸ Y. Roh,¹⁵⁸ A. Sill,¹⁵⁸ I. Volobouev,¹⁵⁸ R. Wigmans,¹⁵⁸ E. Appelt,¹⁵⁹ E. Brownson,¹⁵⁹ D. Engh,¹⁵⁹ C. Florez,¹⁵⁹ W. Gabella,¹⁵⁹ A. Gurrola,¹⁵⁹ M. Issah,¹⁵⁹ W. Johns,¹⁵⁹ P. Kurt,¹⁵⁹ C. Maguire,¹⁵⁹ A. Melo,¹⁵⁹ P. Sheldon,¹⁵⁹ B. Snook,¹⁵⁹ S. Tuo,¹⁵⁹ J. Velkovska,¹⁵⁹ M. W. Arenton,¹⁶⁰ M. Balazs,¹⁶⁰ S. Boutle,¹⁶⁰ S. Conetti,¹⁶⁰ B. Cox,¹⁶⁰ B. Francis,¹⁶⁰ S. Goadhouse,¹⁶⁰ J. Goodell,¹⁶⁰ R. Hirosky,¹⁶⁰ A. Ledovskoy,¹⁶⁰ C. Lin,¹⁶⁰ C. Neu,¹⁶⁰ J. Wood,¹⁶⁰ R. Yohay,¹⁶⁰ S. Gollapinni,¹⁶¹ R. Harr,¹⁶¹ P. E. Karchin,¹⁶¹ C. Kottachchi Kankanamge Don,¹⁶¹ P. Lamichhane,¹⁶¹ M. Mattson,¹⁶¹ C. Milstène,¹⁶¹ A. Sakharov,¹⁶¹ M. Anderson,¹⁶² M. Bachtis,¹⁶² D. Belknap,¹⁶² J. N. Bellinger,¹⁶² J. Bernardini,¹⁶² L. Borrello,¹⁶² D. Carlsmith,¹⁶² M. Cepeda,¹⁶² S. Dasu,¹⁶² J. Efron,¹⁶² E. Friis,¹⁶² L. Gray,¹⁶² K. S. Grogg,¹⁶² M. Grothe,¹⁶² R. Hall-Wilton,¹⁶² M. Herndon,¹⁶² A. Hervé,¹⁶² P. Klabbers,¹⁶² J. Klukas,¹⁶² A. Lanaro,¹⁶² C. Lazaridis,¹⁶² J. Leonard,¹⁶² R. Loveless,¹⁶² A. Mohapatra,¹⁶² I. Ojalvo,¹⁶² G. A. Pierro,¹⁶² I. Ross,¹⁶² A. Savin,¹⁶² W. H. Smith,¹⁶² and J. Swanson¹⁶²

(CMS Collaboration)

¹*Yerevan Physics Institute, Yerevan, Armenia*²*Institut für Hochenergiephysik der OeAW, Wien, Austria*³*National Centre for Particle and High Energy Physics, Minsk, Belarus*⁴*Universiteit Antwerpen, Antwerpen, Belgium*⁵*Vrije Universiteit Brussel, Brussel, Belgium*⁶*Université Libre de Bruxelles, Bruxelles, Belgium*⁷*Ghent University, Ghent, Belgium*⁸*Université Catholique de Louvain, Louvain-la-Neuve, Belgium*⁹*Université de Mons, Mons, Belgium*¹⁰*Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil*¹¹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*¹²*Instituto de Fisica Teorica, Universidade Estadual Paulista, Sao Paulo, Brazil*¹³*Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria*¹⁴*University of Sofia, Sofia, Bulgaria*¹⁵*Institute of High Energy Physics, Beijing, China*¹⁶*State Key Lab. of Nucl. Phys. and Tech., Peking University, Beijing, China*¹⁷*Universidad de Los Andes, Bogota, Colombia*¹⁸*Technical University of Split, Split, Croatia*¹⁹*University of Split, Split, Croatia*²⁰*Institute Rudjer Boskovic, Zagreb, Croatia*²¹*University of Cyprus, Nicosia, Cyprus*²²*Charles University, Prague, Czech Republic*²³*Academy of Scientific Research and Technology of the Arab Republic of Egypt,**Egyptian Network of High Energy Physics, Cairo, Egypt*²⁴*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*²⁵*Department of Physics, University of Helsinki, Helsinki, Finland*²⁶*Helsinki Institute of Physics, Helsinki, Finland*

- ²⁷Lappeenranta University of Technology, Lappeenranta, Finland
- ²⁸Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France
- ²⁹DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France
- ³⁰Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France
- ³¹Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France
- ³²Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ³³Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France
- ³⁴Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia
- ³⁵RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany
- ³⁶RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany
- ³⁷RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany
- ³⁸Deutsches Elektronen-Synchrotron, Hamburg, Germany
- ³⁹University of Hamburg, Hamburg, Germany
- ⁴⁰Institut für Experimentelle Kernphysik, Karlsruhe, Germany
- ⁴¹Institute of Nuclear Physics "Demokritos", Aghia Paraskevi, Greece
- ⁴²University of Athens, Athens, Greece
- ⁴³University of Ioánnina, Ioánnina, Greece
- ⁴⁴KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary
- ⁴⁵Institute of Nuclear Research ATOMKI, Debrecen, Hungary
- ⁴⁶University of Debrecen, Debrecen, Hungary
- ⁴⁷Panjab University, Chandigarh, India
- ⁴⁸University of Delhi, Delhi, India
- ⁴⁹Saha Institute of Nuclear Physics, Kolkata, India
- ⁵⁰Bhabha Atomic Research Centre, Mumbai, India
- ⁵¹Tata Institute of Fundamental Research - EHEP, Mumbai, India
- ⁵²Tata Institute of Fundamental Research - HECR, Mumbai, India
- ⁵³Institute for Research in Fundamental Sciences (IPM), Tehran, Iran
- ^{54a}INFN Sezione di Bari, Bari, Italy
- ^{54b}Università di Bari, Bari, Italy
- ^{54c}Politecnico di Bari, Bari, Italy
- ^{55a}INFN Sezione di Bologna, Bologna, Italy
- ^{55b}Università di Bologna, Bologna, Italy
- ^{56a}INFN Sezione di Catania, Catania, Italy
- ^{56b}Università di Catania, Catania, Italy
- ^{57a}INFN Sezione di Firenze, Firenze, Italy
- ^{57b}Università di Firenze, Firenze, Italy
- ⁵⁸INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁵⁹INFN Sezione di Genova, Genova, Italy
- ^{60a}INFN Sezione di Milano-Bicocca, Milano, Italy
- ^{60b}Università di Milano-Bicocca, Milano, Italy
- ^{61a}INFN Sezione di Napoli, Napoli, Italy
- ^{61b}Università di Napoli "Federico II", Napoli, Italy
- ^{62a}INFN Sezione di Padova, Padova, Italy
- ^{62b}Università di Padova, Padova, Italy
- ^{62c}Università di Trento (Trento), Padova, Italy
- ^{63a}INFN Sezione di Pavia, Pavia, Italy
- ^{63b}Università di Pavia, Pavia, Italy
- ^{64a}INFN Sezione di Perugia, Perugia, Italy
- ^{64b}Università di Perugia, Perugia, Italy
- ^{65a}INFN Sezione di Pisa, Pisa, Italy
- ^{65b}Università di Pisa, Pisa, Italy
- ^{65c}Scuola Normale Superiore di Pisa, Pisa, Italy
- ^{66a}INFN Sezione di Roma, Roma, Italy
- ^{66b}Università di Roma "La Sapienza", Roma, Italy
- ^{67a}INFN Sezione di Torino, Torino, Italy
- ^{67b}Università di Torino, Torino, Italy
- ^{67c}Università del Piemonte Orientale (Novara), Torino, Italy
- ^{68a}INFN Sezione di Trieste, Trieste, Italy
- ^{68b}Università di Trieste, Trieste, Italy
- ⁶⁹Kangwon National University, Chunchon, Korea

- ⁷⁰Kyungpook National University, Daegu, Korea
- ⁷¹Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea
- ⁷²Konkuk University, Seoul, Korea
- ⁷³Korea University, Seoul, Korea
- ⁷⁴University of Seoul, Seoul, Korea
- ⁷⁵Sungkyunkwan University, Suwon, Korea
- ⁷⁶Vilnius University, Vilnius, Lithuania
- ⁷⁷Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico
- ⁷⁸Universidad Iberoamericana, Mexico City, Mexico
- ⁷⁹Benemerita Universidad Autonoma de Puebla, Puebla, Mexico
- ⁸⁰Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico
- ⁸¹University of Auckland, Auckland, New Zealand
- ⁸²University of Canterbury, Christchurch, New Zealand
- ⁸³National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan
- ⁸⁴Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland
- ⁸⁵Soltan Institute for Nuclear Studies, Warsaw, Poland
- ⁸⁶Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal
- ⁸⁷Joint Institute for Nuclear Research, Dubna, Russia
- ⁸⁸Petersburg Nuclear Physics Institute, Gatchina (St Petersburg), Russia
- ⁸⁹Institute for Nuclear Research, Moscow, Russia
- ⁹⁰Institute for Theoretical and Experimental Physics, Moscow, Russia
- ⁹¹Moscow State University, Moscow, Russia
- ⁹²P.N. Lebedev Physical Institute, Moscow, Russia
- ⁹³State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia
- ⁹⁴University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia
- ⁹⁵Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
- ⁹⁶Universidad Autónoma de Madrid, Madrid, Spain
- ⁹⁷Universidad de Oviedo, Oviedo, Spain
- ⁹⁸Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain
- ⁹⁹CERN, European Organization for Nuclear Research, Geneva, Switzerland
- ¹⁰⁰Paul Scherrer Institut, Villigen, Switzerland
- ¹⁰¹Institute for Particle Physics, ETH Zurich, Zurich, Switzerland
- ¹⁰²Universität Zürich, Zurich, Switzerland
- ¹⁰³National Central University, Chung-Li, Taiwan
- ¹⁰⁴National Taiwan University (NTU), Taipei, Taiwan
- ¹⁰⁵Cukurova University, Adana, Turkey
- ¹⁰⁶Middle East Technical University, Physics Department, Ankara, Turkey
- ¹⁰⁷Bogazici University, Istanbul, Turkey
- ¹⁰⁸National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine
- ¹⁰⁹University of Bristol, Bristol, United Kingdom
- ¹¹⁰Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹¹¹Imperial College, London, United Kingdom
- ¹¹²Brunel University, Uxbridge, United Kingdom
- ¹¹³Baylor University, Waco, Texas, USA
- ¹¹⁴The University of Alabama, Tuscaloosa, Alabama, USA
- ¹¹⁵Boston University, Boston, Massachusetts, USA
- ¹¹⁶Brown University, Providence, Rhode Island, USA
- ¹¹⁷University of California, Davis, Davis, California, USA
- ¹¹⁸University of California, Los Angeles, Los Angeles, California, USA
- ¹¹⁹University of California, Riverside, Riverside, California, USA
- ¹²⁰University of California, San Diego, La Jolla, California, USA
- ¹²¹University of California, Santa Barbara, Santa Barbara, California, USA
- ¹²²California Institute of Technology, Pasadena, California, USA
- ¹²³Carnegie Mellon University, Pittsburgh, Pennsylvania, USA
- ¹²⁴University of Colorado at Boulder, Boulder, Colorado, USA
- ¹²⁵Cornell University, Ithaca, New York, USA
- ¹²⁶Fairfield University, Fairfield, Connecticut, USA
- ¹²⁷Fermi National Accelerator Laboratory, Batavia, Illinois, USA
- ¹²⁸University of Florida, Gainesville, Florida, USA
- ¹²⁹Florida International University, Miami, Florida, USA
- ¹³⁰Florida State University, Tallahassee, Florida, USA

- ¹³¹Florida Institute of Technology, Melbourne, Florida, USA
¹³²University of Illinois at Chicago (UIC), Chicago, Illinois, USA
¹³³The University of Iowa, Iowa City, Iowa, USA
¹³⁴Johns Hopkins University, Baltimore, Maryland, USA
¹³⁵The University of Kansas, Lawrence, Kansas, USA
¹³⁶Kansas State University, Manhattan, Kansas, USA
¹³⁷Lawrence Livermore National Laboratory, Livermore, California, USA
¹³⁸University of Maryland, College Park, Maryland, USA
¹³⁹Massachusetts Institute of Technology, Cambridge, Massachusetts, USA
¹⁴⁰University of Minnesota, Minneapolis, Minnesota, USA
¹⁴¹University of Mississippi, University, Mississippi, USA
¹⁴²University of Nebraska-Lincoln, Lincoln, Nebraska, USA
¹⁴³State University of New York at Buffalo, Buffalo, New York, USA
¹⁴⁴Northeastern University, Boston, Massachusetts, USA
¹⁴⁵Northwestern University, Evanston, Illinois, USA
¹⁴⁶University of Notre Dame, Notre Dame, Indiana, USA
¹⁴⁷The Ohio State University, Columbus, Ohio, USA
¹⁴⁸Princeton University, Princeton, New Jersey, USA
¹⁴⁹University of Puerto Rico, Mayaguez, Puerto Rico, USA
¹⁵⁰Purdue University, West Lafayette, Indiana, USA
¹⁵¹Purdue University Calumet, Hammond, Indiana, USA
¹⁵²Rice University, Houston, Texas, USA
¹⁵³University of Rochester, Rochester, New York, USA
¹⁵⁴The Rockefeller University, New York, New York, USA
¹⁵⁵Rutgers, the State University of New Jersey, Piscataway, New Jersey, USA
¹⁵⁶University of Tennessee, Knoxville, Tennessee, USA
¹⁵⁷Texas A&M University, College Station, Texas, USA
¹⁵⁸Texas Tech University, Lubbock, Texas, USA
¹⁵⁹Vanderbilt University, Nashville, Tennessee, USA
¹⁶⁰University of Virginia, Charlottesville, Virginia, USA
¹⁶¹Wayne State University, Detroit, Michigan, USA
¹⁶²University of Wisconsin, Madison, Wisconsin, USA

^aDeceased.

^bAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland

^cAlso at National Institute of Chemical Physics and Biophysics, Tallinn, Estonia

^dAlso at Universidade Federal do ABC, Santo Andre, Brazil

^eAlso at California Institute of Technology, Pasadena, California, USA

^fAlso at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France

^gAlso at Suez Canal University, Suez, Egypt

^hAlso at Cairo University, Cairo, Egypt

ⁱAlso at British University, Cairo, Egypt

^jAlso at Fayoum University, El-Fayoum, Egypt

^kAlso at Ain Shams University, Cairo, Egypt

^lAlso at Soltan Institute for Nuclear Studies, Warsaw, Poland

^mAlso at Université de Haute-Alsace, Mulhouse, France

ⁿAlso at Moscow State University, Moscow, Russia

^oAlso at Brandenburg University of Technology, Cottbus, Germany

^pAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary

^qAlso at Eötvös Loránd University, Budapest, Hungary

^rAlso at Tata Institute of Fundamental Research - HECR, Mumbai, India

^sAlso at University of Visva-Bharati, Santiniketan, India

^tAlso at Sharif University of Technology, Tehran, Iran

^uAlso at Isfahan University of Technology, Isfahan, Iran

^vAlso at Shiraz University, Shiraz, Iran

^wAlso at Plasma Physics Research Center, Science and Research Branch, Islamic Azad University, Teheran, Iran

^xAlso at Facoltà Ingegneria Università di Roma, Roma, Italy

^yAlso at Università della Basilicata, Potenza, Italy

- ^zAlso at Laboratori Nazionali di Legnaro dell' INFN, Legnaro, Italy
- ^{aa}Also at Università degli studi di Siena, Siena, Italy
- ^{bb}Also at Faculty of Physics of University of Belgrade, Belgrade, Serbia
- ^{cc}Also at University of Florida, Gainesville, Florida, USA
- ^{dd}Also at University of California, Los Angeles, Los Angeles, California, USA
- ^{ee}Also at Scuola Normale e Sezione dell' INFN, Pisa, Italy
- ^{ff}Also at INFN Sezione di Roma, Università di Roma "La Sapienza", Roma, Italy
- ^{gg}Also at University of Athens, Athens, Greece
- ^{hh}Also at Rutherford Appleton Laboratory, Didcot, United Kingdom
- ⁱⁱAlso at The University of Kansas, Lawrence, Kansas, USA
- ^{jj}Also at Paul Scherrer Institut, Villigen, Switzerland
- ^{kk}Also at Institute for Theoretical and Experimental Physics, Moscow, Russia
- ^{ll}Also at Gaziosmanpasa University, Tokat, Turkey
- ^{mm}Also at Adiyaman University, Adiyaman, Turkey
- ⁿⁿAlso at The University of Iowa, Iowa City, Iowa, USA
- ^{oo}Also at Mersin University, Mersin, Turkey
- ^{pp}Also at Kafkas University, Kars, Turkey
- ^{qq}Also at Suleyman Demirel University, Isparta, Turkey
- ^{rr}Also at Ege University, Izmir, Turkey
- ^{ss}Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom
- ^{tt}Also at INFN Sezione di Perugia, Università di Perugia, Perugia, Italy
- ^{uu}Also at Utah Valley University, Orem, Utah, USA
- ^{vv}Also at Institute for Nuclear Research, Moscow, Russia
- ^{ww}Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia
- ^{xx}Also at Los Alamos National Laboratory, Los Alamos, New Mexico, USA
- ^{yy}Also at Argonne National Laboratory, Argonne, Illinois, USA
- ^{zz}Also at Erzincan University, Erzincan, Turkey
- ^{aaa}Also at Kyungpook National University, Daegu, Korea