

Open access • Journal Article • DOI:10.1103/PHYSREVLETT.75.4772

# Single molecule emission characteristics in near-field microscopy. — Source link 🗹

Randy X. Bian, Robert C. Dunn, X. Sunney Xie, P.T. Leung

Institutions: Pacific Northwest National Laboratory, Portland State University

Published on: 25 Dec 1995 - Physical Review Letters (American Physical Society)

Topics: Near-field scanning optical microscope, Emission spectrum and Finite-difference time-domain method

## Related papers:

- Single molecules observed by near-field scanning optical microscopy.
- Probing single molecule dynamics.
- Alterations of Single Molecule Fluorescence Lifetimes in Near-Field Optical Microscopy
- · Near-field spectroscopy of single molecules at room temperature
- Enhancement and quenching of single-molecule fluorescence.



# Portland State University PDXScholar

**Physics Faculty Publications and Presentations** 

**Physics** 

12-1-1995

# Single molecule emission characteristics in nearfield microscopy

Randy X. Bian

Robert C. Dunn

X. Sunney Xie

P.T. Leung Portland State University

Follow this and additional works at: https://pdxscholar.library.pdx.edu/phy\_fac

Part of the Physics Commons Let us know how access to this document benefits you.

# **Citation Details**

Bian, R. X., Dunn, R. C., Xie, X. S., & Leung, P. T. (1995). Single molecule emission characteristics in near-field microscopy. Physical Review Letters, 75(26), 4772-4775.

This Article is brought to you for free and open access. It has been accepted for inclusion in Physics Faculty Publications and Presentations by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: pdxscholar@pdx.edu.

## Single Molecule Emission Characteristics in Near-Field Microscopy

Randy X. Bian, Robert C. Dunn,\* and X. Sunney Xie<sup>†</sup> Pacific Northwest National Laboratory, P.O. Box 999, Richland, Washington 99352

#### P. T. Leung

Department of Physics, Portland State University, P.O. Box 751, Portland, Oregon 97207-0751

(Received 23 August 1995)

In near-field scanning optical microscopy (NSOM), the measured fluorescence lifetime of a single dye molecule can be shortened or lengthened, sensitively dependent on the relative position between the molecule and aluminum coated fiber tip. The modified lifetimes and other emission characteristics are simulated by solving Maxwell equations with the finite-difference time-domain (FDTD) method. The 2D computation reveals insight into the lifetime behaviors and provides guidance for nonperturbative spectroscopic measurements with NSOM. This new methodology is capable of predicting molecular emission properties in front of a metal/dielectric interface of arbitrary geometry.

#### PACS numbers: 78.47.+p, 07.79.Fc, 33.50.-j, 41.20.Jb

Recent advances in near-field scanning optical microscopy (NSOM) [1] make it possible to image the fluorescence from single molecules with nanometric resolution [2] and extend the single molecule spectroscopy work done at cryogenic temperature [3] to the room temperature regime. Single molecule fluorescence can be spectrally [4] and temporally resolved [5-7] with NSOM. In order to extract useful information from these experiments, however, perturbations to spectroscopic measurements induced by the aluminum coated fiber tip need to be characterized. In this paper, single molecule fluorescence lifetimes are experimentally determined and numerically computed as a function of the relative position of the molecule and the NSOM tip. In addition, spectral shifts and emission quantum yields are also computed. We present a new methodology that allows computation of the fluorescence characteristics for the specific NSOM tip




FIG. 1. Room temperature near-field fluorescence image  $(4 \ \mu m \times 4 \ \mu m)$  of single sulforhodamine 101 molecules adsorbed on a silicate glass substrate. Each peak (FWHM  $\sim 100 \ nm$ ) in the image is due to a single molecule.

4772

0031-9007/95/75(26)/4772(4)\$06.00

geometry (or any arbitrary geometry). The computational results reveal significant insight into the experimental observations and allow us to predict the proper conditions under which spectroscopic measurements with NSOM can be performed with minimal perturbations.

Figure 1 shows a 4  $\mu$ m×4  $\mu$ m near-field fluorescence image of single sulforhodamine 101 molecules adsorbed on a silicate glass substrate. The image is obtained by raster scanning the sample with respect to the NSOM tip (Fig. 2) and collecting the fluorescence passing through the substrate [5]. The transition dipoles of the single molecules are determined to be parallel to, and randomly oriented on, the substrate surface [5]. The fluorescence decays of single molecules are measured by the timecorrelated photon counting method [5–7]. Figure 3(a) shows three fluorescence decays of a molecule measured with the lateral displacements of d = 0, 30, and 60 nm at a constant tip-molecule gap of  $h \sim 5$  nm. The lifetime




FIG. 2. Schematic of the NSOM tip with an aperture diameter of 96 nm. The FDTD domain is divided into a  $300 \times 300$ grid of 1.2 nm square cells. The arrangements of the  $E_x$ ,  $E_y$ , and  $H_z$  points are shown in the zoom-in inset. A horizontal point dipole is placed at the center of the cell with the four surrounding  $H_z$  points driven sinusoidally in the simulation. Molecular emission characteristics are evaluated as a function of the lateral displacement (d) and the tip-molecule gap (h).

© 1995 The American Physical Society




FIG. 3. Fluorescence decays of a single molecule measured at three lateral displacements from the tip center  $d \sim 0$ , 30, and 60 nm. At a tip-molecule gap  $h \sim 5$  nm, the lifetime is the longest at the tip center and shortened at the tip edge. (b) The opposite trend in lifetime is seen at a larger tip-molecule gap of  $h \sim 20$  nm. The lifetime measured in the far field without the NSOM tip is 2.7 ns.

is the longest when the tip is centered above the molecule and shortens as the tip is displaced laterally. This result has been previously reported and attributed to nonradiative energy transfer from the molecule to the aluminum coating of the NSOM tip [5,6]. Interestingly, however, an opposite trend in the lifetime has recently been observed by Trautman and Macklin [8] and confirmed by us for larger tipmolecule gaps. As shown in Fig. 3(b), with a tip-molecule gap of  $h \sim 20$  nm, the lifetime is the shortest when the tip is centered above the molecule and lengthens when the tip is displaced laterally. In practice, due to the difficulty of obtaining nanometer-smooth aluminum coatings at the present time and consequently the uncertainties in controlling the actual tip-molecule gap with the shear force mechanism [9], measured lifetimes are extremely sensitive to tip morphology and often tip dependent. Theoretical understanding of the tip-molecule interactions are much needed to account for the observations.

A fluorescent molecule located a distance greater than nanometers away from a metal/dielectric interface can often be adequately treated as a damped-harmonic dipole driven by its own electric field reflected from the interface [10]:

$$\ddot{p} + \omega_0^2 p = (e^2/m) E_R - \gamma_0 \dot{p}$$
, (1)

where p(t) is the oscillating dipole moment,  $\gamma_0$  and  $\omega_0$ are the decay rate and emission frequency in the absence of the interface, respectively, and  $E_R(t)$  is the electric field reflected from the interface projected onto the dipole direction. The *e* and *m* are the electronic charge and mass, respectively. In the presence of the metal/dielectric interface, both p(t) and  $E_R(t)$  oscillate with a slightly shifted frequency  $(\omega_0 + \Delta \omega)$  and decay with a modified rate  $\gamma$ :

$$p(t) = p_0 \cos[(\omega_0 + \Delta \omega)t] e^{-\gamma t/2}, \qquad (2)$$

$$E_R(t) = E_0 \cos[(\omega_0 + \Delta \omega)t - \phi] e^{-\gamma t/2}, \quad (3)$$

where  $p_0$  and  $E_0$  are the amplitudes of p(t) and  $E_R(t)$ ,

with  $\phi$  being the phase difference between the reflected field and the oscillating dipole. The modified decay rate  $\gamma$  and the frequency shift  $\Delta \omega$  are solved by substituting Eqs. (2) and (3) into Eq. (1) and normalized to  $\gamma_0$ . In this phenomenological approach, the following expressions are obtained in SI units [11]:

$$\gamma/\gamma_0 = 1 + (6\pi q \varepsilon \varepsilon_0 / p_0 k^3) E_0 \sin\phi, \qquad (4)$$

$$\Delta \omega / \gamma_0 = -(3\pi q \varepsilon \varepsilon_0 / p_0 k^3) E_0 \cos \phi , \qquad (5)$$

where q is the intrinsic fluorescence quantum yield (in the absence of the metal/dielectric interface).  $\varepsilon$ is the dielectric constant of the medium (nonmetallic) surrounding the molecule, k is the propagation constant ( $k = \omega_0 \sqrt{\varepsilon}/c$ ) in that medium, and  $\varepsilon_0$  is the vacuum permittivity.

Hence the problem is reduced to a steady-state solution of classical electrodynamics, evaluating the amplitude  $(E_0)$  and the phase  $(\phi)$  of the reflected field at the dipole position. Chance, Prock, and Silbey (CPS) have solved Eqs. (4) and (5) for infinitely extended flat interfaces [11]. For the specific geometry of the NSOM tip, in which the "edge effect" is expected to play an important role, one has to resort to numerical solutions for  $E_0$  and  $\phi$ .

Using the finite-difference time-domain (FDTD) method [12,13], we numerically integrate the Maxwell equations,

$$\nabla \times \vec{E} + \mu_0 \frac{\partial \vec{H}}{\partial t} = 0 \text{ and } \nabla \times \vec{H} - \frac{\partial \vec{D}}{\partial t} = 0.$$
(6)

For dielectric regions,  $\tilde{D}(t) = \varepsilon \varepsilon_0 \tilde{E}(t)$ , where  $\varepsilon = 2.25$ for glass. For the aluminum regions, the frequency dependent complex susceptibility is given by the Drude model  $\chi(\omega) = \omega_p^2/(\omega^2 + i\Gamma\omega)$ , with  $\omega_p = 15.565$  eV and  $\Gamma = 0.608$  eV [14,15], respectively, and is accurate for  $\omega > 1.5$  eV. We adopt the FDTD formulation of Leubbers, Hunsberger, and Kunz [14] to evaluate  $\tilde{D}(t)$ :

$$\vec{D}(t) = \varepsilon_0 \vec{E}(t) + \varepsilon_0 \int_0^t \vec{E}(t-\tau)\chi(\tau) d\tau, \quad (7)$$

where  $\chi(\tau)$  is the Fourier transform of  $\chi(\omega)$ . The FDTD simulations were performed in two dimensions in order to reduce the computational time on an IBM RISC6000/590 computer. The 360 nm×360 nm area shown in Fig. 2 is divided into a 300×300 grid of 1.2 nm square cells. The arrangements of the  $H_z$ ,  $E_x$ , and  $E_y$  points are shown in the zoom-in inset of Fig. 2 and the Mur absorbing boundary condition [16] is applied.

Similar FDTD approaches have been used to simulate the fields exiting NSOM tips [17]. However, here we need to mimic the radiation from a point dipole in FDTD. As shown in the inset of Fig. 2, a horizontal point dipole is placed at the center of a cell. The initial condition is set by sinusoidally driving the  $H_z$  at the four nodes of the cell enclosing the dipole:  $H_z^n(i, j) \leftarrow \pm \sin(n\omega\Delta t) + H_z^n(i, j)$ , where i, j are the cell indexes and n is the time step




FIG. 4. Comparison of FDTD results with the CPS analytical solutions for the normalized lifetime  $\tau/\tau_0$  of both a parallel and perpendicular dipole as a function of distance away from a flat aluminum surface.

index. At these four nodes, for each time step, a new value of  $H_z^n(i, j)$  is calculated using the Yee algorithm [12], then summed with the driving source  $\pm \sin(n\omega\Delta t)$  before being stored in the memory [13]. The  $H_z$  at the upper two nodes are taken 180° out of phase with respect to those at the lower two nodes. The  $H_z$  amplitudes at the four nodes are proportional to the dipole moment  $p_0$ . The driving frequency is  $5 \times 10^{14}$  Hz (600 nm emission wavelength) and  $\Delta t$  is one-thousandth of an optical cycle. Steady-state solutions are reached in three optical cycles.

The reflected field  $E_R(t)$  is obtained by taking the average of the two closest  $E_x$  points to the horizontal dipole in the Fig. 2 inset (the two closest  $E_y$  points are used for a vertical dipole).  $E_R(t) = E_{tip}(t) - E_{free}(t)$ , where  $E_{tip}(t)$  and  $E_{free}(t)$  are the time series in the presence and absence of the NSOM tip and substrate, respectively. The amplitude  $E_0$  and phase  $\phi$  are obtained from  $E_R(t)$  by fast Fourier transform [14].

As a necessary check of our methodology, a comparison is made in Fig. 4 between the FDTD results and the CPS analytical solutions for normalized fluorescence lifetimes ( $\tau/\tau_0 = \gamma_0/\gamma$ ) of both a parallel and a perpendicular dipole in front of a flat aluminum surface. The good agreement between the two results confirms the validity of the 2D FDTD scheme.

The left column of Fig. 5 shows the FDTD results for a horizontal dipole. In Figs. 5(a) and 5(b),  $E_0$  and  $\phi$ are plotted as a function of the lateral displacement dfor two different tip-molecule gaps (h = 6 and 24 nm). With the assumption of an intrinsic quantum yield q = 1,  $\tau/\tau_0$  is plotted in Fig. 5(c). It is clear from Fig. 5(c) that the lifetime is a very sensitive function of the lateral displacement due to the influence from both  $E_0$ and  $\phi$ . Interestingly the computed results clearly show the reversal in lifetime behavior in going from small to large tip-molecule gaps, entirely consistent with the experimental observations.

In order to gain a physical insight into the computed lifetimes, we separate the contributions from the radiative rate  $(\gamma_r)$  and the nonradiative rate  $(\gamma_{nr} = \gamma - \gamma_r)$ . In our FDTD computation, the Poynting vector  $\vec{S} = \vec{E} \times \vec{H}$  is cycle averaged after reaching a steady state. Integrating the cycle averaged  $\vec{S}$  over a closed boundary enclosing the

molecule and the tip results in the steady-state value for the total radiated power (W) to the far field. From this a normalized radiative rate is obtained as  $\gamma_r/\gamma_0 = W_{\text{tip}}/W_{\text{free}}$ , where  $W_{\text{tip}}$  and  $W_{\text{free}}$  denote the total radiation powers in the presence and absence of the tip, respectively. It follows that the apparent emission quantum yield  $(q' = \gamma_r/\gamma)$  gives the fraction of energy released by the molecule as radiation going to the far field.

In Figs. 5(d)-5(f)  $\gamma_r/\gamma_0$ ,  $\gamma_{nr}/\gamma_0$ , and q' are shown for the horizontal dipole. Interestingly, at a small tipmolecule gap, q' is significantly reduced at the tip edges due to the increased nonradiative energy transfer rate ( $\gamma_{nr}$ ). On the other hand, for the larger gap, the




FIG. 5. FDTD results for both a horizontal dipole [left column, (a)–(g)] and a vertical dipole [right column, (h)–(n)] as a function of the lateral displacement d evaluated at tipmolecule gaps h = 6 and 24 nm. From top to bottom, the quantities simulated are the reflected field amplitude  $E_0$  and phase  $\phi$ , normalized lifetime  $\tau/\tau_0$ , normalized radiative rate  $\gamma_r/\gamma_0$  and nonradiative rate  $\gamma_{nr}/\gamma_0$ , apparent quantum yield q', and spectral shift  $\Delta \omega/\gamma_0$ .




FIG. 6. FDTD results. for normalized lifetime  $\tau/\tau_0$  and spectral shift  $\Delta \omega/\gamma_0$  as a function of tip-molecule gap *h* for a horizontal dipole centered at the NSOM tip.

fluorescence decay is dominated by the radiative rate  $(\gamma_r > \gamma_{nr})$ , which is reduced at the tip edges (opposite of  $\gamma_{nr}$ ). As a result, q' remains close to unity across the tip. These results clearly demonstrate that the origin for the reversal in lifetime behaviors observed at different tip-molecule gaps results from the competition between radiative and nonradiative mechanisms.

Fig. 5(g) shows the spectral shift  $\Delta \omega / \gamma_0$  [Eq. (5)] for the horizontal dipole. For a typical dye molecule with  $\gamma_0 \sim 3 \times 10^8 \text{ s}^{-1}$ , the frequency is redshifted by  $(1.1-1.4) \times 10^{10}$  Hz. At room temperature, this shift is negligible compared to the broad single molecule spectral width [4]. For high frequency resolution NSOM experiments done at cryogenic temperatures [18], however, the position dependent frequency shifts predicted in Fig. 5(g) can be significant [19]. Figure 6 shows the variation of  $\Delta \omega / \gamma_0$  and  $\tau / \tau_0$  as a function of *h* for a centered horizontal dipole (d = 0).

Finally, the right column of Fig. 5 [(h)–(n)] shows the FDTD results for  $E_0$ ,  $\phi$ ,  $\tau/\tau_0$ ,  $\gamma_r/\gamma_0$ ,  $\gamma_{nr}/\gamma_0$ , q', and  $\Delta\omega/\gamma_0$  of a vertical dipole. While the nonradiative ( $\gamma_{nr}$ ) rate has a similar behavior to that of the horizontal dipole, fluorescence decays are dominated by the magnitude of the radiative rates ( $\gamma_r$ ). Therefore the apparent quantum yield (q') is close to unity across the tip.

It is important to note that all the FDTD results for  $\tau/\tau_0$ ,  $\gamma_r/\gamma_0$ ,  $\gamma_{nr}/\gamma_0$ , q', and  $\Delta \omega/\gamma_0$  are independent of the dipole strength; thus they are not only applicable to single molecule experiments but also to experiments on molecular aggregates [20] and semiconductor systems [21] as long as the point dipole approximation still holds. While the 2D results reveal the physical mechanism, a more quantitative agreement with experiments requires a 3D computation and smoother aluminum coatings. We are currently working on both aspects and modeling the effects of coating morphology with the FDTD approach.

The characterization of the tip-molecule interactions provides guidance for obtaining unperturbed spectroscopic information, even with the less-than perfect NSOM tips currently available. Our results indicate that perturbations to room temperature excitation and emission spectra are negligible. While the nonradiative energy transfer can be minimized with larger tip-molecule gaps and by centering the tip above the molecule [5], a perturbation to the radiative rate can hardly be avoided. However, for many other intrinsically fast dynamical processes, such as photoinduced electron transfer reactions or exciton dynamics, population lifetimes can be measured essentially free from perturbation. [This is evident from Eq. (4), when the intrinsic quantum yield q is much less than one, then  $\gamma/\gamma_0 \sim 1$ .] The collection of unperturbed spectral and temporal information at the nanometric dimension with single molecule sensitivity opens up many exciting possibilities in a variety of disciplines.

We thank Jay Trautman of AT&T Bell Labs for communicating and discussing results with us. This research was supported by the U.S. Department of Energy (DOE). Pacific Northwest National Laboratory is operated by Battelle Memorial Institute for DOE under Contract No. DE-AC06-76L0 1830.

\*Present address: Department of Chemistry, University of Kansas, Lawrence, KS 66045.

<sup>†</sup>To whom correspondence should be addressed.

- For a review, see E. Betzig and J. K. Trautman, Science 257, 189 (1992).
- [2] E. Betzig and R. J. Chichester, Science 262, 1422 (1993).
- [3] For a review, see W.E. Moerner, Science 265, 46 (1994).
- [4] J. K. Trautman et al., Nature (London) 369, 40 (1994).
- [5] X. S. Xie and R. C. Dunn, Science 265, 361 (1994).
- [6] W.P. Ambrose et al., Science 265, 364 (1994).
- [7] R.C. Dunn et al., J. Phys. Chem. 98, 3094 (1994).
- [8] J.K. Trautman and J.J. Macklin, Chem. Phys. (to be published).
- [9] E. Betzig, P. L. Finn, and J. S. Weiner, Appl. Phys. Lett.
   60, 2484 (1992); R. Toledo-Crow *et al.*, Appl. Phys. Lett.
   60, 2957 (1992).
- [10] H. Kunh, J. Chem. Phys. 53, 101 (1970).
- [11] R.R. Chance, A. Prock, and R. Silbey, Adv. Chem. Phys. 37, 1 (1978).
- [12] K.S. Yee, IEEE Trans. Antennas Propag. 14, 302 (1966).
- [13] A. Teflove and M. E. Brodwin, IEEE Trans. Microwave Theory Tech. 23, 623 (1975).
- [14] R.J. Luebbers, F. Hunsberger, and K.S. Kunz, IEEE Trans. Antenna Propag. 39, 29 (1991).
- [15] The  $\omega_p$  and  $\Gamma$  values are derived from L. Novotny and C. Hafner, Phys. Rev. E **50**, 4094 (1994).
- [16] G. Mur, IEEE Trans. Electromagn. Compat. 23, 377 (1981).
- [17] D.A. Christensen, Ultramicroscopy 57, 189 (1995);
   J. Kann *et al.*, J. Opt. Soc. Am. A 12, 501 (1995).
- [18] W.E. Moerner *et al.*, Phys. Rev. Lett. **73**, 2764 (1994);
  E. Betzig, Opt. Lett. **20**, 237 (1995).
- [19] The room temperature dielectric constant of aluminum used in FDTD modeling is close to the value at 4 K. See *Handbook of Optical Constants of Solids*, edited by E. D. Palik (Academic Press, New York, 1985), Vol. 1, p. 394.
- [20] D. A. Higgins and P. F. Barbara, J. Phys. Chem. 99, 3 (1995); D. Birnbaum, S. Kook, and R. Kopelman, J. Phys. Chem. 97, 3091 (1993).
- [21] H.F. Hess et al., Science 264, 1740 (1994).




FIG. 1. Room temperature near-field fluorescence image (4  $\mu$ m×4  $\mu$ m) of single sulforhodamine 101 molecules adsorbed on a silicate glass substrate. Each peak (FWHM ~100 nm) in the image is due to a single molecule.