

Software Development Effort Estimation Based on a New Fuzzy Logic Model

Iman Attarzadeh and Siew Hock Ow

Abstract — Software developing has always been characterised by some metrics. In this area, one of the greatest challenges for software developers is predicting the development effort for a software system based on developer abilities, size, complexity and other metrics for the last decades. The ability to give a good estimation on software development efforts is required by the project managers. Most of the traditional techniques such as function points, regression models, COCOMO, etc, require a long-term estimation process. New paradigms as Fuzzy Logic may offer an alternative for this challenge. Many of the problems of the existing effort estimation models can be solved by incorporating Fuzzy Logic. This paper described an enhanced Fuzzy Logic model for the estimation of software development effort and proposed a new approach by applying Fuzzy Logic for software effort estimates. Results show that the value of MMRE (Mean of Magnitude of Relative Error) applying Fuzzy Logic was substantially lower than MMRE applying by other Fuzzy Logic models.

Index Terms — Software Engineering, Software Metric, Software effort estimation, Fuzzy Logic, COCOMO Model

I. INTRODUCTION

A. software DEVELOPMENT EFFORT ESTIMATION

Software metric and especially software estimation is based on measuring of software attributes which are typically related to the product, the process and the resources of software development [1]. This kind of measuring can be used as parameters in project management models [2] which provide assessments to software project managers in managing software projects to avoid problems such as cost overrun and behind the schedule.

One of the most widely researched areas of software measurement is software effort estimation. Software effort estimation models divided into two main categories: algorithmic and non-algorithmic. The most popular algorithmic estimation models include Boehm's COCOMO [3], Putnam's SLIM [4] and Albrecht's Function Point [5]. These models require as inputs, accurate estimate of certain attributes such as line of code (LOC), complexity and so on which are difficult to obtain during the early stage of a software development project. The models also have difficulty in modeling the inherent complex relationships

Iman Attarzadeh is a PhD candidate in the Department of Software Engineering, Faculty of Computer Science & Information Technology, University of Malaya, 50603 Kuala Lumpur, MALAYSIA,

Siew Hock Ow is an Associate Professor with the Department of Software Engineering, Faculty of Computer Science & Information Technology, University of Malaya, 50603 Kuala Lumpur, MALAYSIA, email:

between the contributing factors, are unable to handle categorical data as well as lack of reasoning capabilities [6]. The limitations of algorithmic models led to the exploration of the non-algorithmic techniques which are soft computing based.

These include artificial neural network, evolutionary computation, fuzzy logic models, case-based reasoning, combinational models and so on. Artificial neural network are used in effort estimation due to its ability to learn from previous data [7][8]. It is also able to model complex relationships between the dependent (effort) and independent variables (cost drivers) [7][8]. In addition, it has the ability to generalise from the training data set thus enabling it to produce acceptable result for previously unseen data. Most of the work in the application of neural network to effort estimation made use of feed-forward multi-layer Perceptron, Backpropagation algorithm and sigmoid function [7]. Selecting good models for software estimation is very critical for software engineering. In the recent years many software estimation models have been developed [4, 5, 6, 7, 8, 9].

Gray and MacDonell compared Function Point Analysis, Regression techniques, feed-forward neural network and fuzzy logic in software effort estimation. Their results showed that fuzzy logic model achieved good performance, being outperformed in terms of accuracy only by neural network model with considerably more input variables. Also they developed FULSOME (Fuzzy Logic for Software Metrics) which is a set of tools that helps in creating fuzzy model.

Fei and Lui [10] introduced the f-COCOMO model which applied fuzzy logic to the COCOMO model for software effort estimation. Since there was no comparison of the results between the f-COCOMO and other effort estimation models in their study, the estimation capability of the former is unknown. Roger [11] also proposed a fuzzy COCOMO model which adopted the fuzzy logic method to model the uncertainty of software effort drivers, but the effectiveness of the proposed model is not mentioned. Idri [7, 8] further defined a fuzzy set for the linguistic values of each effort driver with a trapezoid-shaped membership function for the fuzzy COCOMO model. The effort multipliers in the original COCOMO model were obtained from the fuzzy sets. This fuzzy COCOMO model was less sensitive to the software effort drivers as compared to the intermediate COCOMO81. In 2004, Xue and Khoshgoftaar [13] presented a fuzzy identification effort estimation modeling technique to deal with linguistic effort drivers, and automatically generated the fuzzy membership functions and rules by using the COCOMO81 database. The proposed fuzzy identification model provided significantly better effort estimates than the

original three COCOMO models, i.e., basic, intermediate, and detailed.

B. Fuzzy LOGIC APPROACH

Since fuzzy logic foundation by Lotfi Zadeh in 1965, it has been the subject of important investigations [12]. It is a mathematical tool for dealing with uncertainty and also it provides a technique to deal with imprecision and information granularity [11]. The fuzzy logic model uses the fuzzy logic concepts introduced by Lotfi Zadeh [12]. Fuzzy reasoning consists of three main components [14, 15, 16, 17]: fuzzification process, inference from fuzzy rules and defuzzification process. Fuzzification process is where the objective term is transformed into a fuzzy concept. The membership functions are applied to the actual values of variables to determine the confidence factor or membership function (MF). Fuzzification allows the input and output to be expressed in linguistic terms. Inferencing involves defuzzification of the conditions of the rules and propagation of the confidence factors of the conditions to the conclusion of the rules. A number of rules will be fired and the inference engine assigned the particular outcome with the maximum membership value from all the fired rules. Defuzzification process refers to the translation of fuzzy output into objective [18, 19, 20, 21, 22, 23].

C. Parameters' ANALYSIS

The main parameter for the evaluation of cost estimation models is the Magnitude of Relative Error (MRE) [13] which is defined as follows:

$$MRE_i = \frac{|Actual\ Effort_i - Predicted\ Effort_i|}{Actual\ Effort_i} \quad (1)$$

The MRE value is calculated for each observation i whose effort is predicted. The aggregation of MRE over multiple observations (N), can be achieved through the Mean MRE (MMRE) as follows:

$$MMRE = \frac{1}{N} \sum_{i=1}^N MRE_i \quad (2)$$

A complementary criterion is the prediction at level l , $Pred(l) = k/N$, where k is the number of observations where MRE is less than or equal to l , and N is the total number of observations. Thus, $Pred(0.20)$ gives the percentage of projects which were predicted with a MRE less or equal than 0.20. In general, the accuracy of an estimation technique is proportional to the $Pred(l)$ and inversely proportional to the MMRE [16, 18].

II. METHODOLOGY

The empirical study carried out here is based on the empirical study done by Lopez-Martin *et al* [16, 18]. They used the sets of system development projects. The development time of forty-one modules and for each module, coupling (Dhama), complexity (McCabe), and lines of code metrics were registered, all programs were written in Pascal, hence, module categories belong to procedures or functions. The development time of each of the forty-one modules were

registered including five phases: requirements understanding, algorithm design, coding, compiling and testing [16, 18].

III. RESULTS

A subset of projects, 10 projects, is selected and statistics and a brief description related to each module are depicted in Table 1 which is prepared by Lopez-Martin *et al.* [16, 18].

Table 1) Modules description and metrics, MC: McCabe Complexity, DC: Dhama Coupling, LOC: Lines of Code, DT: Development Time (minutes)

| No. | Module Description | MC | DC | LOC | DT |
|-----|--|----|-------|-----|----|
| 1 | Calculates t value | 1 | 0.25 | 4 | 13 |
| 2 | Inserts a new element in a linked list | 1 | 0.25 | 10 | 13 |
| 3 | Calculates a value according to normal distribution equation | 1 | 0.333 | 4 | 9 |
| 4 | Calculates the variance | 2 | 0.083 | 10 | 15 |
| 5 | Generates range square root | 2 | 0.111 | 23 | 15 |
| 6 | Determines both minimum and maximum values from a stored linked list | 2 | 0.125 | 9 | 15 |
| 7 | Turns each linked list value into its z value | 2 | 0.125 | 9 | 16 |
| 8 | Copies a list of values from a file to an array | 2 | 0.125 | 14 | 16 |
| 9 | Determines parity of a number | 2 | 0.167 | 7 | 16 |
| 10 | Defines segment limits | 2 | 0.167 | 8 | 18 |

Implementing a fuzzy system requires that the different categories of the different inputs be presented by fuzzy sets, which in turn is presented by membership functions. A natural membership function type that readily comes to mind is the Two-sided Gaussian membership function. A Two-sided Gaussian membership function, defined by minimum (a), maximum (c) and modal (b) values, that is $MF(a, b, c)$ where $a \leq b \leq c$. Their scalar parameters (a,b, c) are defined as follows [16, 18]:

$$\begin{aligned} MF(x) &= 0 \text{ if } x < a \\ MF(x) &= 1 \text{ if } x = b \\ MF(x) &= 0 \text{ if } x > c \end{aligned}$$

Six rules are suggested [6]:

1. If *Complexity* is low and *Size(LOC)* is small then *DT* is low
2. If *Complexity* is average and *Size(LOC)* is medium then *DT* is average
3. If *Complexity* is high and *Size(LOC)* is big then *DT* is high
4. If *Coupling* is low then *DT* is low
5. If *Coupling* is average then *DT* is average
6. If *Coupling* is high then *DT* is high

The membership function plots corresponding to Table 1 are shown in Figures 1, 2, 3 and 4.




Fig. 1) McCabe Complexity Plot (input)




Fig. 2) Dhama Coupling Plot (input)




Fig. 3) Physical Lines of Code Plot (input)




Fig. 4) Development Time Plot (output)

The calculation of MRE and MMRE are shown in Table 2.

Table 2) Calculation of MRE, MMRE

| Module | Actual DT | Fuzzy Logic | |
|--------|-----------|-------------|--------|
| | | DT' | MREi |
| 1 | 13 | 13 | 0.0000 |
| 2 | 13 | 13 | 0.0000 |
| 3 | 9 | 9.12 | 0.0160 |
| 4 | 15 | 15.8 | 0.1110 |
| 5 | 15 | 16.3 | 0.1237 |

| | | | |
|-----------------------|----|------|--------|
| 6 | 15 | 16.1 | 0.1197 |
| 7 | 16 | 16.1 | 0.0088 |
| 8 | 16 | 16.3 | 0.0313 |
| 9 | 16 | 15.8 | 0.0142 |
| 10 | 18 | 16.5 | 0.0845 |
| MMRE = 0.05092 | | | |

The result shows that the value of MMRE (Mean of Magnitude of Relative Error) applying Fuzzy Logic was substantially lower than MMRE applying by other Fuzzy Logic models.

IV. CONCLUSION

The paper suggests a new approach for estimating of software projects development time. The major difference between our work and previous works is that Two-sided Gaussian membership function in fuzzy technique is used for software development time estimation and then it's validated with gathered data. Here, the advantages of fuzzy logic and good generalisation are obtained. The main benefit of this model is its good interpretability by using the fuzzy rules and another great advantage of this research is that it can put together expert knowledge (fuzzy rules) project data into one general framework that may have a wide range of applicability in software estimation. The results showed that Two-sided Gaussian membership function is much better than other mentioned models. In order to achieve more accurate estimation, voting the estimated values of several techniques and combine their results maybe be useful.

REFERENCES

- [1] N. E. Fenton, S. L. Pfleeger, Software Metrics, A Rigorous and Practical Approach, 2nd Edition, PWS Publishing Company, Thomson Publishing, Boston, 1997.
- [2] A. R. Gray, S. G. MacDonell, "Applications of Fuzzy Logic to Software Metric Models for Development Effort Estimation". Fuzzy Information Processing Society 1997 NAFIPS' 97, Annual Meeting of the North American, 21 – 24 September 1997, pp. 394 – 399.
- [3] B. W. Boehm, Software Engineering Economics, Englewood Cliffs, NJ, Prentice Hall, 1981.
- [4] L. H. Putnam, "A general empirical solution to the macrossoftware sizing and estimating problem". IEEE Transactions on Software Engineering, SE-4(4), 1978, pp 345-361.
- [5] Attar Software. 2002. "Fuzzy Logic in Knowledge Builder", White Paper. <http://www.intellicrafters.com/fuzzy.htm>
- [6] M.O. Saliu, M. Ahmed and J. AlGhamdi. "owards adaptive soft computing based software effort prediction" Fuzzy Information, 2004. Processing NAFIPS '04. IEEE Annual Meeting of the North American Fuzzy Information Processing Society, 27-30 June 2004, Vol.1, pp. 16-21.
- [7] A. Idri, T. M. Khoshgoftaar, A. Abran. "Can neural networks be easily interpreted in software cost estimation?", IEEE Trans. Software Engineering, Vol. 2, 2002, pp. 1162 – 1167.
- [8] A. Idri,, A. Abran,, T.M. Khoshgoftaar. "Estimating software project effort by analogy based on linguistic values" in.Proceedings of the Eighth IEEE Symposium on Software Metrics, 4-7 June 2002, pp. 21 – 30.
- [9] C. J. Burgess, M. Lefley. "Can Genetic Programming improve software effort estimation? A comparative evaluation", Information and Software Technology, Vol. 43, No.14, 2001, pp. 863-873.
- [10] Fei Z, Liu X (1992) f-COCOMO: fuzzy constructive cost model in software engineering. In: IEEE international conference on fuzzy systems, pp 331-337
- [11] Roger JS (1993) ANFIS: adaptive network based fuzzy inference systems. IEEE Trans Syst Man Cybern 3(3):665-685

- [12] L. A. Zadeh. "Fuzzy Sets". Information And Control, Vol. 8, 1965, pp. 338-353.
- [13] Xu Z. and Khoshgoftaar, T. M. Identification of fuzzy models of software cost estimation. 2004
- [14] S. G. MacDonell, A. R. Gray, J. M. Calvert. "FULSOME: Fuzzy Logic for Software Metric Practitioners and Researchers" in Proceedings of the 6th International Conference on Neural Information Processing ICONIP'99, ANZIIS'99, ANNES'99 and ACNN'99, Perth, Western Australia, IEEE Computer Society Press, 1999, pp.308-313.
- [15] H. Park, S. Baek, "An empirical validation of a neural network model for software effort estimation", Expert Systems with Applications, 2007.
- [16] C. Lopez-Martin, C.Yanez-Marquez, A.Gutierrez-Tornes, "Predictive accuracy comparison of fuzzy models for software development effort of small programs, The journal of systems and software", Vol. 81, Issue 6, 2008, pp. 949-960.
- [17] M. Jorgensen, B. Faugli, T. Gruschke, "Characteristics of software engineers with optimistic prediction", Journal of Systems and Software, Vol. 80, Issue. 9, 2007, pp. 1472-1482.
- [18] C.L. Martin, J.L. Pasquier, M.C. Yanez, T.A. Gutierrez, "Software Development Effort Estimation Using Fuzzy Logic: A Case Study", IEEE Proceedings of the Sixth Mexican International Conference on Computer Science (ENC'05), 2005, pp. 113-120.
- [19] M.T. Su, T.C.Ling, K.K.Phang, C.S.Liew, P.Y.Man, "Enhanced Software Development Effort and Cost Estimation Using Fuzzy Logic Model", Malaysian Journal of Computer Science, Vol. 20, No. 2, 2007, pp. 199-207.
- [20] V. Xia, L. F. Capretz, D. Ho, "A Neuro-Fuzzy Model for Function Point Calibration", WSEAS Transactions on Information Science & Applications, Vol. 5, Issue 1, 2008, pp. 22-30.
- [21] M. W. Nisar, Yong-Ji Wang, M. Elahi and I.A Khan, "Software Development Effort Estimation Using Fuzzy Logic", Information Technology Journal, , 2009 Asian Network for Scientific Information.
- [22] Braz, M., Vergilio S. Using Fuzzy Theory for Effort Estimation of Object-Oriented Software. Proceedings of the 16th IEEE International Conference on Tools with Artificial Intelligence, ICTAI 2004
- [23] Ahmed, M. A., Omolade Saliu, M., AlGhamdi, J. Adaptive fuzzy logic-based framework for software development effort prediction. 2004