



Stochastic modeling and fair valuation of drawdown insurance



Hongzhong Zhang^{a,*}, Tim Leung^b, Olympia Hadjiliadis^c

^a Department of Statistics, Columbia University, 1255 Amsterdam Avenue, New York, NY 10027, United States

^b Department of Industrial Engineering & Operations Research, Columbia University, New York, NY 10027, United States

^c Department of Mathematics, Brooklyn College and the Graduate Center, C.U.N.Y. Brooklyn, NY 11209, United States

ARTICLE INFO

Article history:

Received March 2012

Received in revised form

October 2013

Accepted 14 October 2013

JEL classification:

C61

G01

G13

G22

Keywords:

Drawdown insurance

Early cancellation

Optimal stopping

Default risk

ABSTRACT

This paper studies the stochastic modeling of market drawdown events and the fair valuation of insurance contracts based on drawdowns. We model the asset drawdown process as the current relative distance from the historical maximum of the asset value. We first consider a vanilla insurance contract whereby the protection buyer pays a constant premium over time to insure against a drawdown of a pre-specified level. This leads to the analysis of the conditional Laplace transform of the drawdown time, which will serve as the building block for drawdown insurance with early cancellation or drawup contingency. For the cancellable drawdown insurance, we derive the investor's optimal cancellation timing in terms of a two-sided first passage time of the underlying drawdown process. Our model can also be applied to insure against a drawdown by a defaultable stock. We provide analytic formulas for the fair premium and illustrate the impact of default risk.

© 2013 Elsevier B.V. All rights reserved.

1. Introduction

The recent financial crisis has been marked with series of sharp falls in asset prices triggered by, for example, the S&P downgrade of US debt, and default speculations of European countries. Many individual and institutional investors are wary of large market drawdowns as they not only lead to portfolio losses and liquidity shocks, but also indicate potential imminent recessions. As is well known, hedge fund managers are typically compensated based on the fund's outperformance over the last record maximum, or the high-water mark (see Agarwal et al., 2009, Goetzmann et al., 2003, Grossman and Zhou, 1993, Sornette, 2003, among others). As such, drawdown events can directly affect the manager's income. Also, a major drawdown may also trigger a surge in fund redemption by investors, and lead to the manager's job termination. Hence, fund managers have strong incentive to seek insurance against drawdowns.

These market phenomena have motivated the application of drawdowns as path-dependent risk measures, as discussed in

Magdon-Ismail and Atiya (2004), Pospisil and Vecer (2010), among others. On the other hand, Vecer (2006, 2007) argues that some market-traded contracts, such as vanilla and lookback puts, "have only limited ability to insure the market drawdowns". He studies through simulation the returns of calls and puts written on the underlying asset's maximum drawdown, and discusses dynamic trading strategies to hedge against a drawdown associated with a single asset or index. The recent work Carr et al. (2011) provides non-trivial static strategies using market-traded barrier digital options to approximately synthesize a European-style digital option on a drawdown event. These observations suggest that drawdown protection can be useful for both institutional and individual investors, and there is an interest in synthesizing drawdown insurance.

In the current paper, we discuss the stochastic modeling of drawdowns and study the valuation of a number of insurance contracts against drawdown events. More precisely, the drawdown process is defined as the current relative drop of an asset value from its historical maximum. In its simplest form, the drawdown insurance involves a continuous premium payment by the investor (protection buyer) to insure a drawdown of an underlying asset value to a pre-specified level.

In order to provide the investor with more flexibility in managing the path-dependent drawdown risk, we incorporate the

* Corresponding author. Tel.: +1 2017793250; fax: +1 2128512164.

E-mail addresses: h22244@columbia.edu, h22244@stat.columbia.edu (H. Zhang), leung@ieor.columbia.edu (T. Leung), ohadjiliadis@brooklyn.cuny.edu (O. Hadjiliadis).

right to terminate the contract early. This early cancellation feature is similar to the surrender right that arises in many common insurance products such as equity-indexed annuities (see e.g. Cheung and Yang, 2005, Moore, 2009, Moore and Young, 2005). Due to the timing flexibility, the investor may stop the premium payment if he/she finds that a drawdown is unlikely to occur (e.g. when the underlying price continues to rise). In our analysis, we rigorously show that the investor's optimal cancellation timing is based on a non-trivial first passage time of the underlying drawdown process. In other words, the investor's cancellation strategy and valuation of the contract will depend not only on current value of the underlying asset, but also its distance from the historical maximum. Applying the theory of optimal stopping as well as analytical properties of drawdown processes, we derive the optimal cancellation threshold and illustrate it through numerical examples.

Moreover, we consider a related insurance contract that protects the investor from a drawdown preceding a drawup. In other words, the insurance contract expires early if a drawup event occurs prior to a drawdown. From the investor's perspective, when a drawup is realized, there is little need to insure against a drawdown. Therefore, this drawup contingency automatically stops the premium payment and is an attractive feature that will potentially reduce the cost of drawdown insurance.

Our model can also readily extended to incorporate the default risk associated with the underlying asset. To this end, we observe that a drawdown can be triggered by a continuous price movement as well as a jump-to-default event. Among other results, we provide the formulas for the fair premium of the drawdown insurance, and analyze the impact of default risk on the valuation of drawdown insurance.

In existing literature, drawdowns also arise in a number of financial applications. Pospisil and Vecer (2010) apply PDE methods to investigate the sensitivities of portfolio values and hedging strategies with respect to drawdowns and drawups. Drawdown processes have also been incorporated into trading constraints for portfolio optimization (see e.g. Grossman and Zhou, 1993, Cvitanic and Karatzas, 1995, Chekhlov et al., 2005). Meilijson (2003) discusses the role of drawdown in the exercise time for a certain look-back American put option. Several studies focus on some related concepts of drawdowns, such as maximum drawdowns (Douady et al., 2000; Magdon-Ismail and Atiya, 2004; Vecer, 2006, 2007), and speed of market crash (Zhang and Hadjiliadis, 2012). On the other hand, the statistical modeling of drawdowns and drawups is also of practical importance, and we refer to the recent studies Cãmara Leal and Mendes (2005), Johansen (2003), Rebonato and Gaspari (2006), among others.

For our valuation problems, we often work with the joint law of drawdowns and drawups. To this end, some related formulas from Hadjiliadis and Vecer (2006), Pospisil et al. (2009), Zhang and Hadjiliadis (2010), and Zhang (2013) are useful. Compared to the existing literature and our prior work, the current paper's contributions are threefold. First, we derive the fair premium for insuring a number of drawdown events, with both finite and infinite maturities, as well as new provisions like drawup contingency and early termination. In particular, the early termination option leads to the analysis of a new optimal stopping problem (see Section 3). We rigorously solve for the optimal termination strategy, which can be expressed in terms of first passage time of a drawdown process. Furthermore, we incorporate the underlying's default risk – a feature absent in other related studies on drawdown – into our analysis, and study its impact on the drawdown insurance premium.

The paper is structured as follows. In Section 2, we describe a stochastic model for drawdowns and drawups, and formulate the valuation of a vanilla drawdown insurance. In Sections 3 and

4, we study, respectively, the cancellable drawdown insurance and drawdown insurance with drawup contingency. As extension, we discuss the valuation of drawdown insurance on a defaultable stock in Section 5. Section 6 concludes the paper. We include the proofs for a number of lemmas in Appendix A.

2. Model for drawdown insurance

We fix a complete filtered probability space $(\Omega, \mathcal{F}, (\mathcal{F}_t)_{t \geq 0}, \mathbb{Q})$ satisfying the usual conditions. The risk-neutral pricing measure \mathbb{Q} is used for our valuation problems. Under the measure \mathbb{Q} , we model a risky asset S by the geometric Brownian motion

$$\frac{dS_t}{S_t} = rdt + \sigma dW_t \tag{2.1}$$

where W is a standard Brownian motion under \mathbb{Q} that generates the filtration $(\mathcal{F}_t)_{t \geq 0}$.

Let us denote \bar{S} and \underline{S} , respectively, to be the processes for the running maximum and running minimum of S . When writing the contract, the insurer may use the historical maximum \bar{s} and minimum \underline{s} recorded from a prior reference period. Consequently, at the time of contract inception, the reference maximum \bar{s} , the reference minimum \underline{s} and the stock price need not coincide. This is illustrated in Fig. 1.

The running maximum and running minimum processes associated with S follow,¹

$$\bar{S}_t = \bar{s} \vee \left(\sup_{s \in [0, t]} S_s \right), \quad \underline{S}_t = \underline{s} \wedge \left(\inf_{s \in [0, t]} S_s \right). \tag{2.2}$$

We define the stopping times

$$\begin{aligned} \varrho_D(K) &= \inf\{t \geq 0 : \bar{S}_t/S_t \geq K\} \quad \text{and} \\ \varrho_U(K) &= \inf\{t \geq 0 : S_t/\underline{S}_t \geq K\}, \end{aligned} \tag{2.3}$$

respectively as the first times that S attains a *relative drawdown* of K units and a *relative drawup* of K units. Without loss of generality, we assume that $1 \leq \bar{s}/\underline{s} < K$ so that $\varrho_D(K) \wedge \varrho_U(K) > 0$, almost surely.

To facilitate our analysis, we shall work with log-prices. Therefore, we define $X_t = \log S_t$ so that

$$X_t = x + \mu t + \sigma W_t, \tag{2.4}$$

where $x = \log S_0$ and $\mu = r - \frac{\sigma^2}{2}$. Denote by $\bar{X}_t = \log \bar{S}_t$ and $\underline{X}_t = \log \underline{S}_t$ to be, respectively, the running maximum and running minimum of the log price process. Then, the relative drawdown and drawup of S are equivalent to the absolute drawdown and drawup of the log-price X , namely,

$$\begin{aligned} \tau_D(k) &= \inf\{t \geq 0 : D_t \geq k\} \quad \text{and} \\ \tau_U(k) &= \inf\{t \geq 0 : U_t \geq k\}, \end{aligned} \tag{2.5}$$

where $k = \log K$ (see (2.3)), $D_t = \bar{X}_t - X_t$ and $U_t = X_t - \underline{X}_t$. Note that under the current model the stopping times $\tau_D(k) = \varrho_D(K)$ and $\tau_U(k) = \varrho_U(K)$, and they do not depend on x or equivalently the initial stock price.

2.1. Drawdown insurance and fair premium

We now consider an insurance contract based on a drawdown event. Specifically, the protection buyer who seeks insurance on a drawdown event of size k will pay a constant premium payment p continuously over time until the drawdown time $\tau_D(k)$. In return, the protection buyer will receive the insured amount α at time $\tau_D(k)$. Here, the values p , k and α are pre-specified at the contract inception. The contract value of this drawdown insurance is

¹ Herein, we denote $a \vee b = \max(a, b)$ and $a \wedge b = \min(a, b)$.




Fig. 1. Daily log-price of S&P Index from 07/01/2011 to 11/01/2011. For illustration, July is used as the reference period to record the historical running maximum and minimum. At the end of the reference period, the running maximum $\bar{s} = 7.21$ and the log-price $x = 7.16$, so the initial drawdown $y = 0.05$. We remark that the large drawdown in August 2011 due to the downgrade of US debt by S&P.

$$f(y; p) = \mathbb{E} \left\{ - \int_0^{\tau_D(k)} e^{-rt} p dt + \alpha e^{-r\tau_D(k)} \mid D_0 = y \right\} \quad (2.6)$$

$$= \frac{p}{r} - \left(\alpha + \frac{p}{r} \right) \xi(y), \quad (2.7)$$

where ξ is the conditional Laplace transform of $\tau_D(k)$ defined by

$$\xi(y) := \mathbb{E}\{e^{-r\tau_D(k)} \mid D_0 = y\}, \quad 0 \leq y \leq k. \quad (2.8)$$

This amounts to computing the conditional Laplace transform ξ , which admits a closed-form formula as we show next.

Proposition 2.1. *The conditional Laplace transform function $\xi(\cdot)$ is given by*

$$\begin{aligned} \xi(y) &= e^{\frac{\mu}{\sigma^2}(y-k)} \frac{\sinh(\mathcal{E}_{\mu,\sigma}^r y)}{\sinh(\mathcal{E}_{\mu,\sigma}^r k)} + e^{\frac{\mu}{\sigma^2}y} \frac{\sinh(\mathcal{E}_{\mu,\sigma}^r (k-y))}{\sinh(\mathcal{E}_{\mu,\sigma}^r k)} \\ &\times \frac{e^{-\frac{\mu}{\sigma^2}k} \mathcal{E}_{\mu,\sigma}^r}{\mathcal{E}_{\mu,\sigma}^r \cosh(\mathcal{E}_{\mu,\sigma}^r k) - \frac{\mu}{\sigma^2} \sinh(\mathcal{E}_{\mu,\sigma}^r k)}, \quad 0 \leq y \leq k \end{aligned} \quad (2.9)$$

where $\mathcal{E}_{\mu,\sigma}^r = \sqrt{\frac{2r}{\sigma^2} + \frac{\mu^2}{\sigma^4}}$.

Proof. Define the first time that the drawdown process $(D_t)_{t \geq 0}$ decreases to a level $\theta \geq 0$ by

$$\tau_D^-(\theta) := \inf\{t \geq 0 : D_t \leq \theta\}. \quad (2.10)$$

By the strong Markov property of process D at $\tau_D^-(0)$, we have that for $t \leq \tau_D(k)$,

$$\begin{aligned} \xi(D_t) &= \mathbb{E}\{e^{-r\tau_D(k)} \mid D_t\} \\ &= \mathbb{E}\{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) < \tau_D^-(0)\}} \mid D_t\} \\ &\quad + \mathbb{E}\{e^{-r\tau_D^-(0)} \mathbf{1}_{\{\tau_D(k) > \tau_D^-(0)\}} \mid D_t\} \xi(0) \\ &= e^{\frac{\mu}{\sigma^2}(D_t-k)} \frac{\sinh(\mathcal{E}_{\mu,\sigma}^r D_t)}{\sinh(\mathcal{E}_{\mu,\sigma}^r k)} \\ &\quad + e^{\frac{\mu}{\sigma^2}D_t} \frac{\sinh(\mathcal{E}_{\mu,\sigma}^r (k-D_t))}{\sinh(\mathcal{E}_{\mu,\sigma}^r k)} \xi(0). \end{aligned} \quad (2.11)$$

Therefore, the problem is reduced to finding $\xi(0)$, which is known (see Lehoczky, 1977):

$$\xi(0) = \frac{e^{-\frac{\mu}{\sigma^2}k} \mathcal{E}_{\mu,\sigma}^r}{\mathcal{E}_{\mu,\sigma}^r \cosh(\mathcal{E}_{\mu,\sigma}^r k) - \frac{\mu}{\sigma^2} \sinh(\mathcal{E}_{\mu,\sigma}^r k)}.$$

Substituting this to (2.11) yields (2.9). \square

Therefore, the contract value $f(y; p)$ in (2.6) is explicit given for any premium rate p . The fair premium P^* is found from the equation $f(y; P^*) = 0$, which yields

$$P^* = \frac{r\alpha\xi(y)}{1 - \xi(y)}. \quad (2.12)$$

Remark 2.2. Our formulation can be adapted to the case when the drawdown insurance is paid for upfront. Indeed, we can set $p = 0$ in (2.6), then the price of this contract at time zero is $f(y; 0)$. On the other hand, if the insurance premium is paid over a pre-specified period of time T' , rather than up to the random drawdown time, then the present value of the premium cash flow $\frac{p}{r}(e^{-rT'} - 1)$ will replace the first term in the expectation of (2.7). In this case, setting the contract value zero at inception, the fair premium is given by $P^*(T') := \frac{f(y; 0)r}{1 - e^{-rT'}} > 0$. In Section 4, we discuss the case where the holder will stop premium payment if a drawup event occurs prior to drawdown or maturity.

For both the insurer and protection buyer, it is useful to know how long the drawdown is expected to occur. This leads us to compute the expected time to a drawdown of size $k \geq 0$, under the physical measure \mathbb{P} . The measure \mathbb{P} is equivalent to \mathbb{Q} , whereby the drift of S is the annualized growth rate ν , not the risk-free rate r . Under measure \mathbb{P} , the log price is

$$X_t = x + \tilde{\mu}t + \sigma W_t^{\mathbb{P}}, \quad \text{with } \tilde{\mu} = \nu - \sigma^2/2,$$

where $W^{\mathbb{P}}$ is a \mathbb{P} -Brownian motion.

Proposition 2.3. *The expected time to drawdown of size k is given by*

$$\begin{aligned} \mathbb{E}_{\mathbb{P}}\{\tau_D(k) \mid D_0 = y\} &= \frac{y \cdot \rho_{\tau}(y; k) + (y-k) \cdot e^{\frac{2\tilde{\mu}}{\sigma^2}(y-k)} \rho_{\tau}(k-y; k)}{\tilde{\mu}} \\ &\quad + \rho_{\tau}(y; k) \cdot \frac{e^{\frac{2\tilde{\mu}}{\sigma^2}k} - \frac{2\tilde{\mu}}{\sigma^2}k - 1}{\left(\frac{2\tilde{\mu}}{\sigma^2}\right)^2}, \end{aligned} \quad (2.13)$$

where $\rho_{\tau}(y; k) := e^{\frac{\tilde{\mu}}{\sigma^2}y} \frac{\sinh(\frac{\tilde{\mu}}{\sigma^2}(k-y))}{\sinh(\frac{\tilde{\mu}}{\sigma^2}k)}$.

Proof. By the Markov property of the process $(X_t)_{t \geq 0}$, we know that

$$\tau_D(k) = \tau_{x+y-k} \wedge \tau_{x+y} + (\tau_D(k) \circ \theta_{\tau_{x+y}}) \cdot \mathbf{1}_{\{\tau_{x+y} < \tau_{x+y-k}\}}, \quad \mathbb{P}\text{-a.s.}$$

where $\tau_w = \inf\{t \geq 0 : X_t = w\}$, and θ is the standard Markov shift operator. If $\tilde{\mu} \neq 0$, applying the optional sampling theorem to uniformly integrable martingale $(M_t)_{t \geq 0}$ with $M_t = X_t - \tilde{\mu}t$, we obtain that

$$\begin{aligned} \mathbb{E}_{\mathbb{P}}\{\tau_{x+y-k} \wedge \tau_{x+y} \mid X_0 = x\} &= \frac{y \cdot \mathbb{P}(\tau_{x+y} < \tau_{x+y-k} \mid X_0 = x) + (y-k) \cdot \mathbb{P}(\tau_{x+y-k} < \tau_{x+y} \mid X_0 = x)}{\tilde{\mu}}. \end{aligned}$$

Moreover, using the fact that $\mathbb{P}(\tau_{x+y} < \tau_{x+y-k} \mid X_0 = x) = \rho_{\tau}(y; k)$, $\mathbb{P}(\tau_{x+y-k} < \tau_{x+y} \mid X_0 = x) = e^{\frac{2\tilde{\mu}}{\sigma^2}(y-k)} \rho_{\tau}(k-y; k)$ and Eq. (11) of Hadjilidiadis and Vecer (2006):

$$\mathbb{E}_{\mathbb{P}}\{\tau_D(k) \mid D_0 = 0\} = \frac{e^{\frac{2\tilde{\mu}}{\sigma^2}k} - \frac{2\tilde{\mu}}{\sigma^2}k - 1}{\left(\frac{2\tilde{\mu}}{\sigma^2}\right)^2},$$

we conclude the proof for $\tilde{\mu} \neq 0$. The case of $\tilde{\mu} = 0$ is obtained by taking the limit $\tilde{\mu} \rightarrow 0$. \square

3. Cancellable drawdown insurance

As is common in insurance and derivatives markets, investors may demand the option to voluntarily terminate their contracts early. Typical examples include American options and equity-indexed annuities with surrender rights. In this section, we incorporate a cancellable feature into our drawdown insurance, and investigate the optimal timing to terminate the contract.

With a cancellable drawdown insurance, the protection buyer can terminate the position by paying a constant fee c anytime prior to a pre-specified drawdown of size k . For a notional amount of α with premium rate p , the fair valuation of this contract is found from the optimal stopping problem:

$$V(y; p) = \sup_{0 \leq \tau < \infty} \mathbb{E} \left\{ - \int_0^{\tau_D(k) \wedge \tau} e^{-rt} p dt - ce^{-r\tau} \times \mathbf{1}_{\{\tau < \tau_D(k)\}} + \alpha e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau\}} \mid D_0 = y \right\} \quad (3.1)$$

for $y \in [0, k)$. The fair premium P^* makes the contract value zero at inception, i.e. $V(y; P^*) = 0$.

We observe that it is never optimal to cancel and pay the fee c at $\tau = \tau_D(k)$ since the contract expires and pays at $\tau_D(k)$. Hence, it is sufficient to consider a smaller set of stopping times $\mathcal{S} := \{\tau \in \mathbb{F} : 0 < \tau < \tau_D(k)\}$, which consists of \mathbb{F} -stopping times strictly bounded by $\tau_D(k)$. We will show in Section 3.2 that the set of candidate stopping times are in fact the drawdown stopping times $\tau = \tau_D^-(\theta)$ indexed by their respective thresholds $\theta \in (0, k)$ (see (2.10)).

3.1. Contract value decomposition

Next, we show that the cancellable drawdown insurance can be decomposed into an ordinary drawdown insurance and an American-style claim on the drawdown insurance. This provides a key insight for the explicit computation of the contract value as well as the optimal termination strategy.

Proposition 3.1. *The cancellable drawdown insurance value admits the decomposition:*

$$V(y; p) = -f(y; p) + \sup_{\tau \in \mathcal{S}} \mathbb{E} \left\{ e^{-r\tau} (f(D_\tau; p) - c) \mid D_0 = y \right\}, \quad (3.2)$$

where $f(\cdot; \cdot)$ is defined in (2.6).

Proof. Let us consider a transformation of $V(D_0; p)$. First, by rearranging of the first integral in (3.1) and using $\mathbf{1}_{\{\tau \geq \tau_D(k)\}} = \mathbf{1} - \mathbf{1}_{\{\tau < \tau_D(k)\}}$, we obtain Eq. (3.3) given in Box 1.

Note that the first term is explicitly given in (2.6) and (2.9), and it does not depend on τ . Since the second term depends on τ only through its truncated counterpart $\tau \wedge \tau_D(k) \leq \tau_D(k)$, and that $\tau = \tau_D(k)$ is suboptimal, we can in fact consider maximizing over the restricted collection of stopping times $\mathcal{S} = \{\tau \in \mathcal{F} : 0 \leq \tau < \tau_D(k)\}$. As a result, the second term simplifies to

$$G(y; p) = \sup_{\tau \in \mathcal{S}} \mathbb{E} \left\{ \int_\tau^{\tau_D(k)} e^{-rt} p dt - ce^{-r\tau} \mathbf{1}_{\{\tau < \tau_D(k)\}} - \alpha e^{-r\tau_D(k)} \mathbf{1}_{\{\tau < \tau_D(k)\}} \mid D_0 = y \right\}.$$

Then, using the fact that $\{\tau < \tau_D(k), \tau < \infty\} = \{D_\tau < k, \tau < \infty\}$, as well as the strong Markov property of X , we can write

$$G(y; p) = \sup_{\tau \in \mathcal{S}} \mathbb{E} \left\{ e^{-r\tau} \tilde{f}(D_\tau; p) \mathbf{1}_{\{\tau < \infty\}} \mid D_0 = y \right\},$$

where

$$\tilde{f}(y; p) = \mathbf{1}_{\{y < k\}} \mathbb{E} \left\{ \int_0^{\tau_D(k)} e^{-rt} p dt - \alpha e^{-r\tau_D(k)} - c \mid D_\tau = y \right\}. \quad (3.4)$$

Hence, we complete the proof by simply noting that $\tilde{f}(y; p) = f(y; p) - c$ (compare (3.4) and (2.6)). \square

Using this decomposition, we can determine the optimal cancellation strategy from the optimal stopping problem $G(y)$, which we will solve explicitly in the next subsection.

3.2. Optimal cancellation strategy

In order to determine the optimal cancellation strategy for $V(y; p)$ in (3.2), it is sufficient to solve the optimal stopping problem represented by g in (3.3) for a fixed p . To simplify notations, let us denote by $f(\cdot) = f(\cdot; p)$ and $\tilde{f}(\cdot) = \tilde{f}(\cdot; p)$. Our method of solution consists of two main steps:

1. We conjecture a candidate class of stopping times defined by $\tau := \tau_D^-(\theta) \wedge \tau_D(k) \in \mathcal{S}$, where

$$\tau_D^-(\theta) = \inf\{t \geq 0 : D_t \leq \theta\}, \quad 0 < \theta < k. \quad (3.5)$$

This leads us to look for a candidate optimal threshold $\theta^* \in (0, k)$ using the principle of *smooth pasting* (see (3.9)).

2. We rigorously verify via a martingale argument that the cancellation strategy based on the threshold θ^* is indeed optimal.

Step 1. From the properties of Laplace function $\xi(\cdot)$ (see Lemma A.2 below), we know the reward function $\tilde{f}(\cdot) := f(\cdot) - c$ in (3.2) is a decreasing concave. Therefore, if $\tilde{f}(0) \leq 0$, then the second term of (3.2) is non-positive, and it is optimal for the protection buyer to never cancel the insurance, i.e., $\tau = \infty$. Hence, in search of non-trivial optimal exercise strategies, it is sufficient to study only the case with $\tilde{f}(0) > 0$, which is equivalent to

$$p > \frac{r(c + \alpha \xi(0))}{1 - \xi(0)} \geq 0. \quad (3.6)$$

For each stopping rule conjectured in (3.5), we compute explicitly the second term of (3.2) as

$$\begin{aligned} g(y; \theta) &:= \mathbb{E} \left\{ e^{-r(\tau_D^-(\theta) \wedge \tau_D(k))} \tilde{f}(D_{\tau_D^-(\theta) \wedge \tau_D(k)}) \mid D_0 = y \right\} \\ &= \mathbb{E} \left\{ e^{-r\tau_D^-(\theta)} \mathbf{1}_{\{\tau_D^-(\theta) < \tau_D(k)\}} \tilde{f}(\theta) \mid D_0 = y \right\} \\ &\quad + \mathbb{E} \left\{ e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_D^-(\theta)\}} \tilde{f}(k) \mid D_0 = y \right\} \\ &= \begin{cases} e^{\frac{\mu}{\sigma^2}(y-\theta)} \frac{\sinh(\mathcal{E}_{\mu, \sigma}^r(k-y))}{\sinh(\mathcal{E}_{\mu, \sigma}^r(k-\theta))} \tilde{f}(\theta), & \text{if } y > \theta \\ \tilde{f}(y), & \text{if } y \leq \theta. \end{cases} \end{aligned} \quad (3.8)$$

The candidate optimal cancellation threshold $\theta^* \in (0, k)$ is found from the smooth pasting condition:

$$\frac{\partial}{\partial y} \Big|_{y=\theta} g(y; \theta) = \tilde{f}'(\theta). \quad (3.9)$$

This is equivalent to seeking the root θ^* of the equation:

$$\begin{aligned} F(\theta) &:= \left(\frac{\mu}{\sigma^2} - \mathcal{E}_{\mu, \sigma}^r \coth(\mathcal{E}_{\mu, \sigma}^r(k-\theta)) \right) \tilde{f}(\theta) - \tilde{f}'(\theta) \\ &= 0, \end{aligned} \quad (3.10)$$

$$\begin{aligned}
 V(y; p) &= \mathbb{E} \left\{ - \int_0^{\tau_D(k)} e^{-rt} p dt + \alpha e^{-r\tau_D(k)} \mid D_0 = y \right\} \\
 &\quad + \underbrace{\sup_{0 \leq \tau < \infty} \mathbb{E} \left\{ \int_{\tau_D(k) \wedge \tau}^{\tau_D(k)} e^{-rt} p dt - ce^{-r\tau} \mathbf{1}_{\{\tau < \tau_D(k)\}} - \alpha e^{-r\tau_D(k)} \mathbf{1}_{\{\tau < \tau_D(k)\}} \mid D_0 = y \right\}}_{=: G(y; p)} \\
 &= -f(y; p) + G(y; p)
 \end{aligned} \tag{3.3}$$

Box I.

where \tilde{f} and \tilde{f}' are explicit in view of (2.6) and (2.9). Next, we show that the root θ^* exists and is unique (see Appendix A.2 for the proof).

Lemma 3.2. *There exists a unique $\theta^* \in (0, k)$ satisfying the smooth pasting condition (3.9).*

Step 2. With the candidate optimal threshold θ^* from (3.9), we now verify that the candidate value function $g(y; \theta^*)$ dominates the reward function $\tilde{f}(y) = f(y) - c$. Recall that $g(y; \theta^*) = \tilde{f}(y)$ for $y \in (0, \theta^*)$.

Lemma 3.3. *The value function corresponding to the candidate optimal threshold θ^* satisfies*

$$g(y; \theta^*) > \tilde{f}(y), \quad \forall y \in (\theta^*, k).$$

We provide a proof in A.3. By the definition of $g(y; \theta^*)$ in (3.7), repeated conditioning yields that the stopped process $\{e^{-r(t \wedge \tau_D^-(\theta^*) \wedge \tau_D(k))} g(D_{t \wedge \tau_D^-(\theta^*) \wedge \tau_D(k)}; \theta^*)\}_{t \geq 0}$ is a martingale. For $y \in [0, \theta^*)$, we have

$$\begin{aligned}
 &\frac{1}{2} \sigma^2 \tilde{f}''(y) - \mu \tilde{f}'(y) - r \tilde{f}(y) \\
 &= -C \left(\frac{1}{2} \sigma^2 \xi''(y) - \mu \xi'(y) - r(\xi(y) - \xi(\theta_0)) \right) \\
 &= -Cr \xi(\theta_0) < 0,
 \end{aligned}$$

where $C = \alpha + \frac{p}{r}$. As a result, the stopped process $\{e^{-r(t \wedge \tau_D(k))} g(D_{t \wedge \tau_D(k)}; \theta^*)\}_{t \geq 0}$ is in fact a super-martingale.

To finalize the proof, we note that for $y \in (\theta^*, k)$ and any stopping time $\tau \in \mathcal{F}$,

$$\begin{aligned}
 g(y; \theta^*) &\geq \mathbb{E}\{e^{-r\tau} g(D_\tau; \theta^*) \mid D_0 = y\} \\
 &\geq \mathbb{E}\{e^{-r\tau} \tilde{f}(D_\tau) \mid D_0 = y\}.
 \end{aligned} \tag{3.11}$$

Maximizing over τ , we see that $g(y; \theta^*) \geq G(y)$. On the other hand, (3.11) becomes an equality when $\tau = \tau_D^-(\theta^*)$, which yields the reverse inequality $g(y; \theta^*) \leq G(y)$. As a result, the stopping time $\tau_D^-(\theta^*)$ is indeed the solution to the optimal stopping problem $G(y)$.

In summary, the protection buyer will continue to pay the premium over time until the drawdown process D either falls to the level θ^* in (3.9) or reaches to the level k specified by the contract, whichever comes first. In Fig. 2 (left), we illustrate the optimal cancellation level θ^* . As shown in our proof, the optimal stopping value function $g(y)$ connects smoothly with the intrinsic value $\tilde{f}(y) = f(y) - c$ at $y = \theta^*$. In Fig. 2 (right), we show that the fair premium P^* is decreasing with respect to the protection drawdown size k . This is intuitive since the drawdown time $\tau_D(k)$ is almost surely longer for a larger drawdown size k and the payment at $\tau_D(k)$ is fixed at α . The protection buyer is expected to pay over a longer period of time but at a lower premium rate.

Lastly, with the optimal cancellation strategy, we can also compute the expected time to contract termination, either as a result of a drawdown or voluntary cancellation. Precisely, we have

Proposition 3.4. *For $0 < \theta^* < y < k$, we have*

$$\begin{aligned}
 &\mathbb{E}_{\mathbb{P}}\{\tau_D^-(\theta^*) \wedge \tau_D(k) \mid D_0 = y\} \\
 &= \frac{(y - \theta^*) \rho_\tau(y - \theta^*; k - \theta^*) + (y - k) e^{\frac{2\tilde{\mu}}{\sigma^2}(y-k)} \rho_\tau(k - y; k - \theta^*)}{\tilde{\mu}},
 \end{aligned} \tag{3.12}$$

where $\rho_\tau(\cdot, \cdot)$ is defined in Proposition 2.3.

Proof. According to the optimal cancellation strategy, we have

$$\tau_D^-(\theta^*) \wedge \tau_D(k) = \tau_{x+y-\theta^*} \wedge \tau_{y-k}, \quad \mathbb{P}\text{-a.s.}$$

where $\tau_w = \inf\{t \geq 0 : X_t = w\}$. Applying the optional sampling theorem to the uniformly martingale $(M_{t \wedge \tau_{x+y-\theta^*} \wedge \tau_{y-k}})_{t \geq 0}$ with $M_t = X_t - \tilde{\mu}t$ if $\tilde{\mu} \neq 0$, or $M_t = (X_t)^2 - \sigma^2t$ if $\tilde{\mu} = 0$, we obtain the result in the (3.12). \square

Remark 3.5. In the finite maturity case, the set of candidate stopping times is changed to $\{\tau \in \mathbb{F} : 0 \leq t \leq T\}$ in (3.1). Like proposition (3.2), the contract value $V_T(y; p)$ at time zero for premium rate p still admits the decomposition

$$\begin{aligned}
 V_T(y; p) &= -f_T(0, y; p) + \sup_{0 \leq \tau \leq T} \mathbb{E}\{e^{-r\tau} (f_T(\tau, D_\tau; p) - c) \\
 &\quad \times \mathbf{1}_{\{\tau < \tau_D(k)\}} \mid D_0 = y\},
 \end{aligned}$$

where

$$f_T(t, y) = \frac{p}{r} - \left(\alpha + \frac{p}{r} \right) \xi_T(t, y),$$

and $\xi_T(t, y)$ is the conditional Laplace transform of $\tau_D(k) \wedge (T - t)$:

$$\xi_T(t, y) = \mathbb{E}\{e^{-r(\tau_D(k) \wedge (T-t))} \mid D_t = y\}, \quad 0 \leq t \leq \tau_D(k) \wedge T.$$

This problem is no longer time-homogeneous, and the fair premium can be determined by numerically solving the associated optimal stopping problem.

4. Incorporating drawup contingency

We now consider an insurance contract that provides protection from any specified drawdown with a drawup contingency. This insurance contract may expire early, whereby stopping the premium payment, if a drawup event occurs prior to drawdown or maturity. From the investor's viewpoint, the realization of a drawup implies little need to insure against a drawdown. Therefore, this drawup contingency is an attractive cost-reducing feature to the investor.

4.1. The finite-maturity case

First, we consider the case with a finite maturity T . Specifically, if a k -unit drawdown occurs prior to a drawup of the same size or the expiration date T , then the investor will receive the insured amount α and stop the premium payment thereafter. Hence, the




Fig. 2. Left panel: the optimal stopping process falls to $\theta^* = 0.05$ (at which g and \tilde{f} meets). It is optimal to cancel the insurance as soon as the drawdown process falls to $\theta^* = 0.05$ (at which g and \tilde{f} meets). The parameters are $r = 2\%$, $\sigma = 30\%$, $y = 0.1$, $k = 0.3$, $c = 0.05$, $\alpha = 1$, and p is taken to be the fair premium value $P^* = 1.5245$. At $y = 0.1$, according to the fair premium equation $V(y; P^*) = 0$, and hence $g(y; \theta^*) = f(y)$ here. Right panel: the fair premium of the cancellable drawdown insurance decreases with respect to the drawdown level k specified for the contract.

risk-neutral discounted expected payoff to the investor is given by

$$v(y, z; p) = \mathbb{E}^{y,z} \left\{ - \int_0^{\tau_D(k) \wedge \tau_U(k) \wedge T} e^{-rt} p dt + \alpha e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}} \right\}, \quad (4.1)$$

where the expectation is taken under the pricing measure $\mathbb{Q}^{y,z}(\cdot) \equiv \mathbb{Q}(\cdot \mid D_0 = y, U_0 = z)$.

The fair premium P^* is chosen such that the contract has value zero at time zero, that is,

$$v(P^*) = 0. \quad (4.2)$$

Applying (4.2) to (4.1), we obtain a formula for the fair premium:

$$P^* = \frac{r\alpha \mathbb{E}^{y,z} \{ e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}} \}}{1 - \mathbb{E}^{y,z} \{ e^{-r(\tau_D(k) \wedge \tau_U(k) \wedge T)} \}}. \quad (4.3)$$

As a result, the fair premium involves computing the expectation $\mathbb{E}^{y,z} \{ e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}} \}$ and the Laplace transform of $\tau_D(k) \wedge \tau_U(k) \wedge T$.

In order to determine the fair premium P^* in (4.3), we first write

$$L_r^T := \mathbb{E}^{y,z} \{ e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}} \} \quad (4.4)$$

$$= \int_0^T e^{-rt} \frac{\partial}{\partial t} \mathbb{Q}^{y,z}(\tau_D(k) < \tau_U(k) \wedge t) dt. \quad (4.5)$$

The special case of the probability on the right-hand side, $\mathbb{Q}^{0,0}$ is derived using results from Zhang and Hadjiiladis (2010, Eqs. (39)–(40)), namely,

$$\begin{aligned} \mathbb{Q}^{0,0}(\tau_D(k) < \tau_U(k) \wedge t) &= \frac{e^{-\frac{2\mu k}{\sigma^2} t} + \frac{2\mu k}{\sigma^2} t - 1}{\left(e^{-\frac{\mu k}{\sigma^2} t} - e^{-\frac{\mu k}{\sigma^2} t} \right)^2} - \sum_{n=1}^{\infty} \frac{2n^2 \pi^2}{C_n^2} \exp\left(-\frac{\sigma^2 C_n}{2k^2} t\right) \\ &\times \left[\left(1 - (-1)^n e^{-\frac{\mu k}{\sigma^2} t} \right) \left(1 + \frac{n^2 \pi^2 \sigma^2 t}{k^2} - \frac{4\mu^2 k^2}{\sigma^4 C_n} \right) \right. \\ &\left. + (-1)^n \frac{\mu k}{\sigma^2} e^{-\frac{\mu k}{\sigma^2} t} \right], \end{aligned} \quad (4.6)$$

where $C_n = n^2 \pi^2 + \mu^2 k^2 / \sigma^4$. Therefore, the expectation (4.5) can be computed via numerical integration. In the general case that $y \vee z > 0$, we have the following result.

Proposition 4.1. In the model (2.4), for $0 \leq y, z < k$ and $y \vee z > 0$, we have

$$\begin{aligned} \mathbb{Q}^{y,z}(\tau_D(k) \in dt, \tau_U(k) > t) &= F_y^\mu(t) dt + G_z^\mu(t) dt - G_{k-y}^\mu(t) dt, \end{aligned} \quad (4.7)$$

where

$$F_y^\mu(t) := \frac{\sigma^2}{k^2} \sum_{n=1}^{\infty} (n\pi) e^{\frac{(y-k)\mu}{\sigma^2} t} \exp\left(-\frac{\sigma^2 C_n}{2k^2} t\right) \sin \frac{n\pi(k-y)}{k}, \quad (4.8)$$

$$\begin{aligned} G_z^\mu(t) &:= \frac{\sigma^2}{k^2} \sum_{n=1}^{\infty} (n\pi) e^{-\frac{\mu z}{\sigma^2} t} \exp\left(-\frac{\sigma^2 C_n}{2k^2} t\right) \\ &\times \left\{ \frac{n^2 \pi^2 \sigma^2 t - 2k^2}{C_n k} \left(\frac{n\pi}{k} \cos \frac{n\pi z}{k} + \frac{\mu}{\sigma^2} \sin \frac{n\pi z}{k} \right) \right. \\ &+ \frac{n\pi}{C_n} \left[\frac{n\pi}{k} \left(\frac{2k^2 \mu}{C_n \sigma^2} + z \right) \sin \frac{n\pi z}{k} \right. \\ &\left. \left. + \left(1 - \frac{\mu z}{\sigma^2} - \frac{2\mu^2 k^2}{C_n \sigma^4} \right) \cos \frac{n\pi z}{k} \right] \right\}. \end{aligned} \quad (4.9)$$

Proof. We begin by differentiating both sides of (2.7) in Carr et al. (2011) with respect to maturity t to obtain that

$$\begin{aligned} \mathbb{Q}^{y,z}(\tau_D(k) \in dt, \tau_U(k) > t) &= q(t, x, y + x - k, y + x) dt \\ &+ \left(\int_{y+x-k}^{x-z} \frac{\partial}{\partial k} q(t, x, u, u+k) du \right) dt, \end{aligned} \quad (4.10)$$

where

$$q(t, x, u, u+k) dt = \mathbb{Q}^{y,z}(\tau_u \in dt, \tau_{u+k} > t)$$

with $\tau_w := \inf\{t \geq 0 : X_t = w\}$ for $w \in \{u, u+k\}$. The function q , derived in Theorem 5.1 of Anderson (1960), is given by

$$q(t, x, u, u + k) = \frac{\sigma^2}{k^2} \sum_{n=1}^{\infty} (n\pi) e^{\frac{\mu(u-x)}{\sigma^2}} \times \exp\left(-\frac{\sigma^2 C_n}{2k^2} t\right) \sin \frac{n\pi(x-u)}{k}.$$

Integration yields (4.7) and this completes the proof. \square

Similarly, we express the Laplace transform of $\tau_D(k) \wedge \tau_U(k) \wedge T$ as

$$\mathbb{E}^{y,z} \{e^{-r(\tau_D(k) \wedge \tau_U(k) \wedge T)}\} = - \int_0^T e^{-rt} \frac{\partial}{\partial t} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) > t) dt. \tag{4.11}$$

To compute this, we notice that the equivalence of the probabilities (under the reflection of the processes $(X, \bar{X}, \underline{X})$ about x):

$$\mathbb{Q}_{\mu}^{y,z}(\tau_U(k) \in dt, \tau_D(k) > t) = \mathbb{Q}_{-\mu}^{z,y}(\tau_D(k) \in dt, \tau_U(k) > t). \tag{4.12}$$

Therefore, we have

$$\begin{aligned} & - \frac{\partial}{\partial t} \mathbb{Q}_{\mu}^{y,z}(\tau_D(k) \wedge \tau_U(k) > t) dt \\ & = \mathbb{Q}_{\mu}^{y,z}(\tau_D(k) \in dt, \tau_U(k) > t) \\ & \quad + \mathbb{Q}_{\mu}^{y,z}(\tau_U(k) \in dt, \tau_D(k) > t) \\ & = F_y^{\mu}(t) dt + G_z^{\mu}(t) dt - G_{k-y}^{\mu}(t) dt + F_z^{-\mu}(t) dt \\ & \quad + G_y^{-\mu}(t) dt - G_{k-z}^{-\mu}(t) dt \end{aligned} \tag{4.13}$$

where $\mathbb{Q}_{\mu}^{y,z}$ denotes the pricing measure whereby X has drift μ . Hence, we can again compute the Laplace transform of $\tau_D(k) \wedge \tau_U(k) \wedge T$ by numerical integration, and obtain the fair premium P^* for the drawdown insurance via (4.3).

Remark 4.2. The expectation $\mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}}\}$ and the Laplace transform of $\tau_D(k) \wedge \tau_U(k) \wedge T$ are in fact linked. This is seen through (4.12):

$$\mathbb{E}^{y,z} \{e^{-r(\tau_D(k) \wedge \tau_U(k) \wedge T)}\} = L_r^T + R_r^T,$$

where L_r^T is the expectation defined in (4.4), and

$$R_r^T := \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}}\}. \tag{4.14}$$

Remark 4.3. If the protection buyer pays a periodic premium at times $t_i = i\Delta t, i = 0, \dots, n - 1$, with $\Delta t = T/n$, then the fair premium is

$$p^{(n)*} = \frac{\alpha \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}}\}}{\sum_{i=0}^{n-1} e^{-rt_i} \mathbb{Q}^{y,z} \{\tau_D(k) \wedge \tau_U(k) > t_i\}}. \tag{4.15}$$

Compared to the continuous premium case, the fair premium $p^{(n)*}$ here involves a sum of the probabilities: $\mathbb{Q}^{y,z} \{\tau_D(k) \wedge \tau_U(k) > t_i\}$, each given by (4.13) above.

4.2. Perpetual case

Now, we consider the drawdown insurance contract that will expire not at a fixed finite time T but as soon as a drawdown/drawup of size k occurs. To study this perpetual case, we take $T = \infty$ in (4.1). As the next proposition shows, we have a simple closed-form solution for the fair premium P^* , allowing for instant computation of the fair premium and amenable for sensitivity analysis.

Proposition 4.4. The perpetual drawdown insurance fair premium P^* is given by

$$P^* = \frac{r\alpha L_r^{\infty}}{1 - L_r^{\infty} - R_r^{\infty}}, \tag{4.16}$$

where

$$L_r^{\infty} = F_y^{\mu} + G_z^{\mu} - G_{k-y}^{\mu}, \quad R_r^{\infty} = F_z^{-\mu} + G_y^{-\mu} - G_{k-z}^{-\mu}, \tag{4.17}$$

with

$$\begin{aligned} F_y^{\mu} & := e^{\frac{\mu}{\sigma^2}(y-k)} \frac{\sinh(y\mathcal{E}_{\mu,\sigma}^r)}{\sinh(k\mathcal{E}_{\mu,\sigma}^r)}, \\ G_z^{\mu} & := \frac{\mathcal{E}_{\mu,\sigma}^r}{2r/\sigma^2} \\ & \quad \times \frac{e^{-\frac{\mu}{\sigma^2}z} \left(-\frac{\mu}{\sigma^2} \sinh(z\mathcal{E}_{\mu,\sigma}^r) - \mathcal{E}_{\mu,\sigma}^r \cosh(z\mathcal{E}_{\mu,\sigma}^r) \right)}{\sinh^2(k\mathcal{E}_{\mu,\sigma}^r)}. \end{aligned} \tag{4.18}$$

Proof. In the perpetual case, the fair premium is given by

$$P^* = \frac{r\alpha \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) < \tau_U(k)\}}\}}{1 - \mathbb{E}^{y,z} \{e^{-r(\tau_D(k) \wedge \tau_U(k))}\}} = \frac{r\alpha L_r^{\infty}}{1 - L_r^{\infty} - R_r^{\infty}}$$

where $L_r^{\infty} = \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) < \tau_U(k)\}}\}$ and $R_r^{\infty} = \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_U(k) < \tau_D(k)\}}\}$. To get formulas for L_r^{∞} and R_r^{∞} , we begin by multiplying both sides of (4.10) by e^{-rt} and integrate out $t \in [0, \infty)$. Then we obtain that

$$\begin{aligned} L_r^{\infty} & = \mathbb{E}^{y,z} \{e^{-r\tau_y+x-k} \mathbf{1}_{\{\tau_{y+x-k} < \tau_{y+x}\}}\} \\ & \quad + \int_{y+x-k}^{x-z} \frac{\partial}{\partial k} \mathbb{E}^{y,z} \{e^{-r\tau_u} \mathbf{1}_{\{\tau_u < \tau_{u+k}\}}\} du, \end{aligned}$$

where $\tau_w = \inf\{t \geq 0 : X_t = w\}$. Using formulas in Borodin and Salminen (1996, p. 295), we have that for $u \leq x - z < x + y \leq u + k$

$$\begin{aligned} \mathbb{E}^{y,z} \{e^{-r\tau_u} \mathbf{1}_{\{\tau_u < \tau_{u+k}\}}\} & = e^{\frac{\mu}{\sigma^2}(u-x)} \frac{\sinh((u+k-x)\mathcal{E}_{\mu,\sigma}^r)}{\sinh(k\mathcal{E}_{\mu,\sigma}^r)}, \\ \frac{\partial}{\partial k} \mathbb{E}^{y,z} \{e^{-r\tau_u} \mathbf{1}_{\{\tau_u < \tau_{u+k}\}}\} & = \mathcal{E}_{\mu,\sigma}^r e^{\frac{\mu}{\sigma^2}(u-x)} \frac{\sinh((x-u)\mathcal{E}_{\mu,\sigma}^r)}{\sinh^2(k\mathcal{E}_{\mu,\sigma}^r)}. \end{aligned}$$

An integration yields L_r^{∞} . The computation of R_r^{∞} follows from the discussion in the proof of Proposition 3.1. This completes the proof of the proposition. \square

Finally, the probability that a drawdown is realized prior to a drawup, meaning that the protection amount will be paid to the buyer before the contract expires upon drawup, is given by

Proposition 4.5. Let $y, z \geq 0$ such that $y + z < k$, then

$$\begin{aligned} \mathbb{P}(\tau_D(k) < \tau_U(k) | D_0 = y, U_0 = z) & = e^{\frac{2\tilde{\mu}}{\sigma^2}(y-k)} \rho_{\tau}(k-y; k) \\ & \quad + \frac{e^{-\frac{2\tilde{\mu}}{\sigma^2}(k-y)} + \frac{2\tilde{\mu}}{\sigma^2}(k-y-z) - e^{-\frac{2\tilde{\mu}}{\sigma^2}z}}{4 \sinh^2\left(\frac{\tilde{\mu}}{\sigma^2}k\right)}, \end{aligned} \tag{4.19}$$

where $\rho_{\tau}(\cdot; \cdot)$ is defined in Proposition 2.3.

Proof. From the proof of Proposition 4.4, we obtain that

$$\begin{aligned} \mathbb{P}(\tau_D(k) < \tau_U(k) | D_0 = y, U_0 = z) & = \lim_{r \rightarrow 0^+} (F_y^{\tilde{\mu}} + G_z^{\tilde{\mu}} - G_{k-y}^{\tilde{\mu}}) \\ & = e^{\frac{2\tilde{\mu}}{\sigma^2}(y-k)} \rho_{\tau}(k-y; k) + \lim_{r \rightarrow 0^+} (G_z^{\tilde{\mu}} - G_{k-y}^{\tilde{\mu}}). \end{aligned}$$

Finally, l'Hôpital's rule yields the last limit and (4.19). \square

In Fig. 3 (left), we see that the fair premium increases with the maturity T , which is due to the higher likelihood of the drawdown event at or before expiration. For the perpetual case, we illustrate in Fig. 3 (right) that higher volatility leads to higher fair premium. From this observation, it is expected in a volatile market drawdown insurance would become more costly.

5. Drawdown insurance on a defaultable stock

In contrast to a market index, an individual stock may experience a large drawdown through continuous downward movement or a sudden default event. Therefore, in order to insure against the drawdown of the stock, it is useful to incorporate the default risk into the stock price dynamics. To this end, we extend our analysis to a stock with reduced-form (intensity based) default risk.

Under the risk-neutral measure \mathbb{Q} , the defaultable stock price \tilde{S} evolves according to

$$d\tilde{S}_t = (r + \lambda)\tilde{S}_t dt + \sigma\tilde{S}_t dW_t - \tilde{S}_t^- dN_t, \tag{5.1}$$

$$\tilde{S}_0 = \tilde{s} > 0,$$

where λ is the constant default intensity for the single jump process $N_t = \mathbf{1}_{\{t \geq \zeta\}}$, with $\zeta \sim \exp(\lambda)$ independent of the Brownian motion W under \mathbb{Q} . At ζ , the stock price immediately drops to zero and remains there permanently, i.e. for a.e. $\omega \in \Omega$, $\tilde{S}_t(\omega) = 0, \forall t \geq \zeta(\omega)$. Similar equity models have been considered e.g. in Merton (1976) and more recently Linetsky (2006), among others.

The drawdown events are defined similarly as in (2.5) where the log-price is now given by

$$\tilde{X}_t = \begin{cases} \log \tilde{S}_0 + \left(r + \lambda - \frac{1}{2}\sigma^2\right)t + \sigma W_t, & t < \zeta \\ -\infty, & t \geq \zeta. \end{cases}$$

We follow a similar definition of the drawdown insurance contract from Section 2. One major effect of a default event is that it causes drawdown and the contract will expire immediately. In the perpetual case, the premium payment is paid until $\tau_D(k) \wedge \tau_U(k)$ if it happens before both the default time ζ and the maturity T , or until the default time ζ if $T \geq \tau_D(k) \wedge \tau_U(k) \geq \zeta$. Notice that, if no drawup or drawdown of size k happens before ζ , then the drawdown time $\tau_D(k)$ will coincide with the default time, i.e. $\tau_D(k) = \zeta$. The expected value to the buyer is given by

$$v(y, z; p) = \mathbb{E}^{y,z} \left\{ - \int_0^{\tau_D(k) \wedge \tau_U(k) \wedge \zeta \wedge T} e^{-rt} p dt + \alpha e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge \zeta \wedge T\}} \right\}. \tag{5.2}$$

Again, the stopping times $\tau_D(k)$ and $\tau_U(k)$ based on \tilde{X} do not depend on x , and therefore, the contract value v is a function of the initial drawdown y and drawup z .

Under this defaultable stock model, we obtain the following useful formula for the fair premium.

Proposition 5.1. *The fair premium for a drawdown insurance maturing at T , written on the defaultable stock in (5.1) is given by*

$$P^* = \frac{\alpha \{rL_{r+\lambda}^T + \lambda - \lambda R_{r+\lambda}^T - \lambda e^{-(r+\lambda)T} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq T)\}}{1 - L_{r+\lambda}^T - R_{r+\lambda}^T - e^{-(r+\lambda)T} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq T)}, \tag{5.3}$$

where $L_{r+\lambda}^T$ and $R_{r+\lambda}^T$ are given in (4.5) and (4.14), respectively.

Proof. As seen in (4.3), the fair premium P^* satisfies

$$P^* = \frac{r\alpha \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge \zeta \wedge T\}}\}}{1 - \mathbb{E}^{y,z} \{e^{-r(\tau_D(k) \wedge \tau_U(k) \wedge \zeta \wedge T)}\}}. \tag{5.4}$$

We first compute the expectation in the numerator.

$$\begin{aligned} & \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge \zeta \wedge T\}}\} \\ &= \int_0^T \lambda e^{-\lambda t} \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge t\}}\} dt \\ & \quad + \mathbb{E}^{y,z} \{e^{-r\tau_D(k)} \mathbf{1}_{\{\tau_D(k) \leq \tau_U(k) \wedge T\}}\} \cdot \mathbb{Q}^{y,z}(\zeta > T) \\ & \quad + \mathbb{E}^{y,z} \{e^{-r\zeta} \mathbf{1}_{\{\tau_D(k) \wedge \tau_U(k) \geq \zeta, \zeta < T\}}\} \\ &= \int_0^T e^{-(r+\lambda)s} \frac{\partial}{\partial s} \mathbb{Q}^{y,z}(\tau_D(k) \leq \tau_U(k) \wedge s) ds \\ & \quad + \int_0^T \lambda e^{-(r+\lambda)t} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq t) dt \\ &= L_{r+\lambda}^T + \frac{\lambda}{r + \lambda} \left\{ 1 - e^{-(r+\lambda)T} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq T) \right. \\ & \quad \left. + \int_0^T e^{-(r+\lambda)t} \frac{\partial}{\partial t} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq t) dt \right\} \\ &= L_{r+\lambda}^T + \frac{\lambda}{r + \lambda} \{1 - e^{-(r+\lambda)T} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq T) \\ & \quad - L_{r+\lambda}^T - R_{r+\lambda}^T\}. \tag{5.5} \end{aligned}$$

Next, the Laplace transform of $\tau_D(k) \wedge \tau_U(k) \wedge \zeta \wedge T$ is given by

$$\begin{aligned} & \mathbb{E}^{y,z} \{e^{-r(\tau_D(k) \wedge \tau_U(k) \wedge \zeta \wedge T)}\} \\ &= \mathbb{E}^{y,z} \{e^{-r(\tau_D(k) \wedge \tau_U(k))} \mathbf{1}_{\{\tau_D(k) \wedge \tau_U(k) < \zeta \wedge T\}}\} \\ & \quad + e^{-rT} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) > T, \zeta > T) \\ & \quad + \mathbb{E}^{y,z} \{e^{-r\zeta} \mathbf{1}_{\{\tau_D(k) \wedge \tau_U(k) \geq \zeta, \zeta < T\}}\} \\ &= \int_0^T e^{-(r+\lambda)s} \frac{\partial}{\partial s} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \leq s) ds \\ & \quad + e^{-(r+\lambda)T} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) > T) + \frac{\lambda}{r + \lambda} \{1 \\ & \quad - e^{-(r+\lambda)T} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq T) - L_{r+\lambda}^T - R_{r+\lambda}^T\} \\ &= L_{r+\lambda}^T + R_{r+\lambda}^T + \frac{\lambda}{r + \lambda} \{1 - L_{r+\lambda}^T - R_{r+\lambda}^T\} \\ & \quad + e^{-(r+\lambda)T} \frac{r}{r + \lambda} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq T) \\ &= \frac{\lambda}{r + \lambda} + \frac{r}{r + \lambda} \{L_{r+\lambda}^T + R_{r+\lambda}^T \\ & \quad + e^{-(r+\lambda)T} \mathbb{Q}^{y,z}(\tau_D(k) \wedge \tau_U(k) \geq T)\}. \tag{5.6} \end{aligned}$$

Rearranging (5.5) and (5.6) yields (5.3). \square


By taking $T \rightarrow \infty$ in (5.3), we obtain the fair premium for the perpetual drawdown insurance in closed form.

Proposition 5.2. *The fair premium for the perpetual drawdown insurance written on the defaultable stock in (5.1) is given by*


$$P^* = \frac{\alpha (rL_{r+\lambda}^\infty + \lambda - \lambda R_{r+\lambda}^\infty)}{1 - L_{r+\lambda}^\infty - R_{r+\lambda}^\infty}, \tag{5.7}$$

where $L_{r+\lambda}^\infty$ and $R_{r+\lambda}^\infty$ are given in (4.17).

In Fig. 4, we illustrate for the perpetual case that the fair premium is increasing with the default intensity λ and approaches $\alpha\lambda$ for high default risk. This observation, which can be formally shown by taking the limit in (5.7), is intuitive since high default risk implies that a drawdown will more likely happen and that it is most likely triggered by a default.



(a) Fair premium vs. maturity T .



(b) (Perpetual) fair premium vs. volatility σ .

Fig. 3. Left panel: the fair premium of a drawdown insurance is increasing with the maturity T . Right panel: the fair premium of a perpetual drawdown insurance also increases with volatility σ . The parameters are $r = 2\%$, $y = z = 0.1$, $\alpha = 1$, and $k = 50\%$ (left).




Fig. 4. The fair premium (solid) as a function of the default intensity λ , which dominates the straight dashed line $\alpha\lambda$. As $\lambda \rightarrow \infty$, the fair premium $P^* \rightarrow \alpha\lambda$. Parameters: $r = 2\%$, $\sigma = 30\%$, $y = z = 0.1$, $k = 0.5$, $\alpha = 1$.

6. Conclusions

We have studied the practicality of insuring against market crashes and proposed a number of tractable ways to value drawdown protection. Under the geometric Brownian motion dynamics, we provided the formulas for the fair premium for a number of insurance contracts, and examine its behavior with respect to key model parameters. In the cancellable drawdown insurance, we showed that the protection buyer would monitor the drawdown process and optimally stop the premium payment as the drawdown risk diminished. Also, we investigated the impact of default risk on drawdown and derived analytical formulas for the fair premium.

For future research, we envision that the valuation and optimal stopping problems herein can be studied under other price dynamics, especially when drawdown formulas, e.g. for Laplace transforms and hitting time distributions, are available (see Pospisil et al., 2009 for the diffusion case). Although we have focused our analysis on drawdown insurance written on a single underlying asset, it is both interesting and challenging to model drawdowns across multiple financial markets, and investigate the systemic impact of a drawdown occurred in one market. This would involve modeling the interactions among various financial markets (Eisenberg and Noe, 2001) and developing new measures of systemic risk

(Adrian and Brunnermeier, 2009). Lastly, the idea of market drawdown and the associated mathematical tools can also be useful in other areas, such as portfolio optimization problems (Grossman and Zhou, 1993; Cvitanic and Karatzas, 1995), risk management (Chekhlov et al., 2005), and signal detection (Poor and Hadjiliadis, 2008).

Acknowledgments

We are grateful to the seminar participants at Johns Hopkins University and Columbia University. We also thank INFORMS for the Best Presentation Award for this work at the 2011 Annual Meeting. Tim Leung’s work is supported by NSF grant DMS-0908295. Olympia Hadjiliadis’ work is supported by NSF grant CCF-MSC-0916452, DMS-1222526 and PSC-CUNY grant 65625-00 43. Finally, we thank the editor and anonymous referees for their useful remarks and suggestions.

Appendix. Proof of lemmas

A.1. Conditional Laplace transform of drawdown time

In order to prepare for our subsequent proofs on the cancellable drawdown insurance in Section 3, we now summarize a number properties of the conditional Laplace transform of $\tau_D(k)$ (see (2.8)).

Proposition A.1. *The conditional Laplace transform function $\xi(\cdot)$ has the following properties:*

1. $\xi(\cdot)$ is positive and increasing on $(0, k)$.
2. $\xi(\cdot)$ satisfies differential equation

$$\frac{1}{2}\sigma^2\xi''(y) - \mu\xi'(y) = r\xi(y), \tag{A.1}$$

with the Neumann condition

$$\xi'(0) = 0.$$

3. $\xi(\cdot)$ is strictly convex, i.e., $\xi''(y) > 0$ for $y \in (0, k)$.

Proof. Property (i) follows directly from the definition of $\xi(y)$ and strong Markov property. Property (ii) follows directly from differentiation of (2.9). For property (iii), the proof is as follows. If $\mu \geq 0$, then (A.1) implies that

$$\xi''(y) = \frac{2\mu}{\sigma^2}\xi'(y) + \frac{2r}{\sigma^2}\xi(y) > 0, \quad y \in (0, k).$$

If $\mu < 0$, then (2.11) and (A.1) imply that for $y \in (0, k)$,

$$\xi'(y) = \left(\mathcal{E}_{\mu,\sigma}^r + \frac{\mu}{\sigma^2} \right) \left(\xi(y) - e^{\left(\frac{\mu}{\sigma^2} - \mathcal{E}_{\mu,\sigma}^r\right)y} \xi(0) \right), \tag{A.2}$$

$$\begin{aligned} \xi''(y) &= \frac{2\mu}{\sigma^2} \xi'(y) + \frac{2r}{\sigma^2} \xi(y) \\ &= \left(\mathcal{E}_{\mu,\sigma}^r + \frac{\mu}{\sigma^2} \right)^2 \xi(y) - \frac{2\mu}{\sigma^2} \left(\mathcal{E}_{\mu,\sigma}^r + \frac{\mu}{\sigma^2} \right) \\ &\quad \times e^{\left(\frac{\mu}{\sigma^2} - \mathcal{E}_{\mu,\sigma}^r\right)y} \xi(0) > 0. \end{aligned} \tag{A.3}$$

The last inequality follows from the fact that $\mu < 0$ and $\mathcal{E}_{\mu,\sigma}^r + \frac{\mu}{\sigma^2} > 0$. Hence, strict convexity follows. \square

A.2. Proof of Lemma 3.2

In view of (3.9), we seek the root θ^* of the equation:

$$F(\theta) := \left(\frac{\mu}{\sigma^2} - \mathcal{E}_{\mu,\sigma}^r \coth(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) \right) \tilde{f}(\theta) - \tilde{f}'(\theta) = 0. \tag{A.4}$$

To this end, we compute

$$\begin{aligned} F'(\theta) &= - \frac{(\mathcal{E}_{\mu,\sigma}^r)^2}{(\sinh(\mathcal{E}_{\mu,\sigma}^r(k - \theta)))^2} \tilde{f}(\theta) \\ &\quad - \left(\mathcal{E}_{\mu,\sigma}^r \coth(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) - \frac{\mu}{\sigma^2} \right) \tilde{f}'(\theta) - \tilde{f}''(\theta). \end{aligned} \tag{A.5}$$

Since f is monotonically decreasing from $\tilde{f}(0) > 0$ to $\tilde{f}(k) = -\alpha - c < 0$, there exists a unique $\theta_0 \in (0, k)$ such that $\tilde{f}(\theta_0) = 0$. We have $F(\theta_0) = -\tilde{f}'(\theta_0) > 0$ by (A.4) and $F(0) = \left(\frac{\mu}{\sigma^2} - \mathcal{E}_{\mu,\sigma}^r \coth(\mathcal{E}_{\mu,\sigma}^r k)\right) \tilde{f}(0) < 0$, which implies that $F(\theta) = 0$ has at least one solution $\theta^* \in (0, \theta_0)$. Moreover, for $\theta \in (\theta_0, k)$, $\tilde{f}(\theta) < 0$ and hence $F(\theta) > 0$ by (A.4), there is no root in (θ_0, k) .

Next, we show the root is unique by proving that $F'(\theta) > 0$ for all $\theta \in (0, \theta_0)$. To this end, we first observe from (2.6) that \tilde{f} can be expressed as $\tilde{f}(\theta) = C(\xi(\theta_0) - \xi(\theta))$, for $\theta, \theta_0 \in (0, k)$, where $C = \left(\alpha + \frac{p}{r}\right) > 0$ and $C\xi(\theta_0) = \frac{p}{r} - c$. Putting these into (A.5), we express $F'(\theta)$ in terms ξ instead of \tilde{f} . In turn, verifying $F'(\theta) > 0$ is reduced to:

Lemma A.2.

$$\begin{aligned} \inf_{0 < \theta < \theta_0 < k} \left\{ \xi''(\theta) + \left(\mathcal{E}_{\mu,\sigma}^r \coth(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) - \frac{\mu}{\sigma^2} \right) \xi'(\theta) \right. \\ \left. + \frac{(\mathcal{E}_{\mu,\sigma}^r)^2}{(\sinh(\mathcal{E}_{\mu,\sigma}^r(k - \theta)))^2} (\xi(\theta) - \xi(\theta_0)) \right\} \geq 0, \end{aligned}$$

and the infimum is attained at $\theta = \theta_0 = k$.

Proof. We begin by using (A.1) to rewrite the statement in the lemma as

$$\begin{aligned} \inf_{0 < \theta < \theta_0 < k} \left\{ \left(\mathcal{E}_{\mu,\sigma}^r \coth(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) + \frac{\mu}{\sigma^2} \right) \xi'(\theta) \right. \\ \left. + \left((\mathcal{E}_{\mu,\sigma}^r)^2 \coth^2(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) - \frac{\mu^2}{\sigma^4} \right) \xi(\theta) \right. \\ \left. - \frac{(\mathcal{E}_{\mu,\sigma}^r)^2}{\sinh^2(\mathcal{E}_{\mu,\sigma}^r(k - \theta))} \xi(\theta_0) \right\} \geq 0. \end{aligned}$$

By the strong Markov property of process D , the function ξ satisfies a more general version of (2.11). Specifically, for $0 \leq y_1, y_2 < k$,

$$\begin{aligned} \xi(y_2) &= e^{\frac{\mu}{\sigma^2}(y_2 - k)} \frac{\sinh(\mathcal{E}_{\mu,\sigma}^r(y_2 - y_1))}{\sinh(\mathcal{E}_{\mu,\sigma}^r(k - y_1))} \\ &\quad + e^{\frac{\mu}{\sigma^2}(y_2 - y_1)} \frac{\sinh(\mathcal{E}_{\mu,\sigma}^r(k - y_2))}{\sinh(\mathcal{E}_{\mu,\sigma}^r(k - y_1))} \xi(y_1). \end{aligned} \tag{A.6}$$

Define for $y \in [0, k)$,

$$\Lambda(y) = \frac{e^{-\frac{\mu y}{\sigma^2}} \xi(y)}{\sinh(\mathcal{E}_{\mu,\sigma}^r(k - y))}. \tag{A.7}$$

Then function $\Lambda(\cdot)$ satisfies (see (A.6))

$$\begin{aligned} \Lambda(y_2) - \Lambda(y_1) &= \frac{e^{-\frac{\mu k}{\sigma^2}} \sinh(\mathcal{E}_{\mu,\sigma}^r(y_2 - y_1))}{\sinh(\mathcal{E}_{\mu,\sigma}^r(k - y_1)) \cdot \sinh(\mathcal{E}_{\mu,\sigma}^r(k - y_2))}, \\ \forall y_1, y_2 \in [0, k), \end{aligned} \tag{A.8}$$

from which we can easily obtain that

$$\Lambda'(y) = \frac{\mathcal{E}_{\mu,\sigma}^r e^{-\frac{\mu k}{\sigma^2}}}{\sinh^2(\mathcal{E}_{\mu,\sigma}^r(k - y))} > 0, \quad \forall y \in [0, k). \tag{A.9}$$

Straightforward computation shows that

$$\begin{aligned} \Lambda'(y) &= e^{-\frac{\mu y}{\sigma^2}} \frac{\left(\mathcal{E}_{\mu,\sigma}^r \coth(\mathcal{E}_{\mu,\sigma}^r(k - y)) - \frac{\mu}{\sigma^2} \right) \xi(y) + \xi'(y)}{\sinh(\mathcal{E}_{\mu,\sigma}^r(k - y))} \\ &> 0, \quad \forall y \in [0, k). \end{aligned}$$

Thus,

$$\begin{aligned} \xi'(y) &= \Lambda'(y) e^{\frac{\mu y}{\sigma^2}} \sinh(\mathcal{E}_{\mu,\sigma}^r(k - y)) \\ &\quad - \left(\mathcal{E}_{\mu,\sigma}^r \coth(\mathcal{E}_{\mu,\sigma}^r(k - y)) - \frac{\mu}{\sigma^2} \right) \xi(y). \end{aligned} \tag{A.10}$$

Using (A.10), the above inequality is equivalent to

$$\begin{aligned} \inf_{0 < \theta < \theta_0 < k} \left\{ \Lambda'(\theta) \left(e^{\frac{\mu \theta}{\sigma^2}} \left(\mathcal{E}_{\mu,\sigma}^r \cosh(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) \right. \right. \right. \\ \left. \left. \left. + \frac{\mu}{\sigma^2} \sinh(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) \right) - \mathcal{E}_{\mu,\sigma}^r e^{\frac{\mu k}{\sigma^2}} \xi(\theta_0) \right) \right\} \geq 0. \end{aligned}$$

Let us denote by

$$\begin{aligned} H(\theta, \theta_0) &= e^{\frac{\mu \theta}{\sigma^2}} \left(\mathcal{E}_{\mu,\sigma}^r \cosh(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) \right. \\ &\quad \left. + \frac{\mu}{\sigma^2} \sinh(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) \right) - \mathcal{E}_{\mu,\sigma}^r e^{\frac{\mu k}{\sigma^2}} \xi(\theta_0). \end{aligned}$$

We will show that

$$\inf_{0 < \theta < \theta_0 < k} H(\theta, \theta_0) \geq 0.$$

Notice that for $\theta \in [0, \theta_0)$,

$$\frac{\partial H}{\partial \theta} = -\frac{2r}{\sigma^2} e^{\frac{\mu \theta}{\sigma^2}} \sinh(\mathcal{E}_{\mu,\sigma}^r(k - \theta)) < 0,$$

therefore

$$\inf_{0 \leq \theta \leq \theta_0} H(\theta, \theta_0) = H(\theta_0, \theta_0).$$

Moreover,

$$\begin{aligned} \frac{\partial}{\partial \theta_0} H(\theta_0, \theta_0) &= -\frac{2r}{\sigma^2} e^{\frac{\mu \theta_0}{\sigma^2}} \sinh(\mathcal{E}_{\mu,\sigma}^r(k - \theta_0)) \\ &\quad - \mathcal{E}_{\mu,\sigma}^r e^{\frac{\mu k}{\sigma^2}} \xi'(\theta_0) < 0. \end{aligned}$$

As a result,

$$\inf_{0 \leq \theta \leq \theta_0 < k} H(\theta, \theta_0) = H(k, k) = 0.$$

This completes the proof of Lemma A.2. \square

Since our problem concerns $\theta < \theta_0 < k$, Lemma A.2 says $F'(\theta) > 0$ for $\theta \in (0, \theta_0)$, which confirms that there is at most one solution to equation $F(\theta) = 0$. This concludes the uniqueness of smooth pasting point $\theta^* \in (0, \theta_0)$.

A.3. Proof of Lemma 3.3

Proof. Let us consider

$$J(y) := g(y; \theta^*) - \tilde{f}(y) = C(\beta(y)(\xi(\theta_0) - \xi(\theta^*)) + \xi(y) - \xi(\theta_0)), \quad y \in [\theta^*, k].$$

We check its derivatives with respect to x :

$$J'(y) = C(\beta'(y)(\xi(\theta_0) - \xi(\theta^*)) + \xi'(y)), \quad (\text{A.11})$$

$$J''(y) = C(\beta''(y)(\xi(\theta_0) - \xi(\theta^*)) + \xi''(y)), \quad (\text{A.12})$$

where

$$\beta(y) = \frac{g(y; \theta^*)}{f(\theta^*)} = e^{\frac{\mu}{\sigma^2}(y-\theta^*)} \frac{\sinh(\Xi_{\mu,\sigma}^r(k-y))}{\sinh(\Xi_{\mu,\sigma}^r(k-\theta^*))}, \quad y \in (\theta^*, k). \quad (\text{A.13})$$

Using probabilistic nature of function $\beta(\cdot)$ we know that it is positive and decreasing. Therefore, if $\mu \leq 0$, we have

$$\beta''(y) = \frac{2\mu}{\sigma^2} \beta'(y) + \frac{2r}{\sigma^2} \beta(y) > 0 \Rightarrow J''(y) \geq C\xi''(y) > 0.$$

On the other hand, if $\mu > 0$, from (A.13) we have

$$\begin{aligned} \beta'(y) &= \left(\frac{\mu}{\sigma^2} - \Xi_{\mu,\sigma}^r \right) \beta(y) + \frac{\Xi_{\mu,\sigma}^r e^{\frac{\mu}{\sigma^2}(y-\theta^*) - \Xi_{\mu,\sigma}^r(k-y)}}{\sinh(\Xi_{\mu,\sigma}^r(k-\theta^*))}, \\ \beta''(y) &= \frac{2\mu}{\sigma^2} \beta'(y) + \frac{2r}{\sigma^2} \beta(y) = \left(\Xi_{\mu,\sigma}^r - \frac{\mu}{\sigma^2} \right)^2 \beta(y) + \frac{2\mu}{\sigma^2} \\ &\quad \times \frac{\Xi_{\mu,\sigma}^r e^{\frac{\mu}{\sigma^2}(y-\theta^*) - \Xi_{\mu,\sigma}^r(k-y)}}{\sinh(\Xi_{\mu,\sigma}^r(k-\theta^*))} > 0, \\ \Rightarrow J''(y) &\geq C\xi''(y) > 0. \end{aligned}$$

So in either case ($\mu \leq 0$ or $\mu > 0$), $J'(\cdot)$ is an increasing function, and

$$J'(y) > J'(\theta^*) = 0, \quad \forall y \in (\theta^*, k),$$

which implies that

$$J(y) > J(\theta^*) = 0, \quad \forall y \in (\theta^*, k).$$

This completes the proof. \square

References

- Adrian, T., Brunnermeier, M., 2009. CoVaR. Federal Reserve Bank of New York Staff Reports 348, 1–8.
- Agarwal, V., Daniel, N., Naik, N., 2009. Role of managerial incentives and discretion in hedge fund performance. *Journal of Finance* 64 (5), 2221–2256.
- Anderson, T., 1960. A modification of the sequential probability ratio test to reduce the sample size. *Annals of Mathematical Statistics* 31 (1), 165–197.
- Borodin, A., Salminen, P., 1996. *Handbook of Brownian Motion: Facts and Formulae*. Birkhauser.
- Câmara Leal, P.R., Mendes, B.V.M., 2005. Maximum drawdown: models and applications. *Journal of Alternative Investments* 7 (4), 83–91.
- Carr, P., Zhang, H., Hadjiliadis, O., 2011. Maximum drawdown insurance. *International Journal of Theoretical and Applied Finance* 14 (8), 1–36.
- Chekhlov, A., Uryasev, S., Zabarankin, M., 2005. Drawdown measure in portfolio optimization. *International Journal of Theoretical and Applied Finance* 8 (1), 13–58.
- Cheung, K., Yang, H., 2005. Optimal stopping behavior of equity-linked investment products with regime switching. *Insurance: Mathematics & Economics* 37 (3), 599–614.
- Cvitanić, J., Karatzas, I., 1995. On portfolio optimization under drawdown constraints. *IMA Lecture Notes in Mathematical Applications* 65, 77–78.
- Douady, R., Shiryaev, A., Yor, M., 2000. On probability characteristics of downfalls in a standard Brownian motion. *Theory of Probability and its Applications* 44, 29–38.
- Eisenberg, L., Noe, T.H., 2001. Systemic risk in financial systems. *Management Science* 47 (2), 236–249.
- Goetzmann, W.N., Ingersoll Jr., J.E., Ross, S.A., 2003. High-water marks and hedge fund management contracts. *Journal of Finance* 58 (4), 1685–1717.
- Grossman, S.J., Zhou, Z., 1993. Optimal investment strategies for controlling drawdowns. *Mathematical Finance* 3 (3), 241–276.
- Hadjiliadis, O., Vecer, J., 2006. Drawdowns preceding rallies in a Brownian motion model. *Quantitative Finance* 5 (5), 403–409.
- Johansen, A., 2003. Characterization of large price variations in financial markets. *Physica A: Statistical Mechanics and its Applications* 324 (1–2), 157–166.
- Lehoczky, J., 1977. Formulas for stopped diffusion processes with stopped times based on the maximum. *Annals of Probability* 5 (4), 601–607.
- Linetsky, V., 2006. Pricing equity derivatives subject to bankruptcy. *Mathematical Finance* 16 (2), 255–282.
- Magdon-Ismail, M., Atiya, A., 2004. Maximum drawdown. *Risk* 17 (10), 99–102.
- Meilijson, I., 2003. The time to a given drawdown in Brownian motion. In: *Seminaire de Probabilités, XXXVII*. pp. 94–108.
- Merton, R., 1976. Option pricing when underlying stock returns are discontinuous. *Journal of Financial Economics* 3, 125–144.
- Moore, K., 2009. Optimal surrender strategies for equity-indexed annuity investors. *Insurance: Mathematics & Economics* 44 (1), 1–18.
- Moore, K., Young, V., 2005. Optimal design of a perpetual equity-indexed annuity. *North American Actuarial Journal* 9 (1), 57–72.
- Poor, H., Hadjiliadis, O., 2008. *Quickest Detection*. Cambridge University Press.
- Pospisil, L., Vecer, J., 2010. Portfolio sensitivities to the changes in the maximum and the maximum drawdown. *Quantitative Finance* 10 (6), 617–627.
- Pospisil, L., Vecer, J., Hadjiliadis, O., 2009. Formulas for stopped diffusion processes with stopping times based on drawdowns and drawups. *Stochastic Processes and their Applications* 119 (8), 2563–2578.
- Rebonato, R., Gaspari, V., 2006. Analysis of drawdowns and drawups in the US\$ interest-rate market. *Quantitative Finance* 6 (4), 297–326.
- Sornette, D., 2003. *Why Stock Markets Crash: Critical Events in Complex Financial Systems*. Princeton University Press.
- Vecer, J., 2006. Maximum drawdown and directional trading. *Risk* 19 (12), 88–92.
- Vecer, J., 2007. Preventing portfolio losses by hedging maximum drawdown. *Wilmott* 5 (4), 1–8.
- Zhang, H., Hadjiliadis, O., 2010. Drawdowns and rallies in a finite time-horizon. *Methodology and Computing in Applied Probability* 12 (2), 293–308.
- Zhang, H., Hadjiliadis, O., 2012. Drawdowns and the speed of a market crash. *Methodology and Computing in Applied Probability* 14 (3), 739–752.
- Zhang, H., 2013. Occupation times, drawdowns, and drawups for one-dimensional regular diffusions. <http://arxiv.org/pdf/1304.8093>.