

#### Open access • Journal Article • DOI:10.1007/S00355-003-0202-5

# Strategy-Proofness versus Efficiency in Exchange Economies: General Domain Properties and Applications — Source link 🗹

Biung-Ghi Ju

Institutions: University of Kansas

Published on: 01 Aug 2003 - Social Choice and Welfare (Springer-Verlag)

**Topics:** Von Neumann–Morgenstern utility theorem, Expected utility hypothesis, Isoelastic utility and Subjective expected utility

#### Related papers:

- Inefficiency of strategy-proof allocation mechanisms in pure exchange economies
- Inefficiency of Strategy-Proof Rules for Pure Exchange Economies
- · Strategy-proofness versus efficiency on restricted domains of exchange economies
- · On informationally decentralized systems
- Efficient strategy-proof exchange and minimum consumption guarantees



## Strategy-proofness versus efficiency in exchange economies: general domain properties and applications

#### Biung-Ghi Ju\*

June 2000 (Revised July 1, 2002)

#### Abstract

We identify general domain properties that induce the non-existence of *efficient, strategy-proof,* and *non-dictatorial* rules in the 2-agent exchange economy. Applying these properties, we establish impossibility results in several restricted domains; for example, the intertemporal exchange problem (without saving technology) with preferences represented by the discounted sum of a temporal utility function, the "risk sharing problem" with risk averse expected utility preferences, the CES-preference domain, etc. None of the earlier studies applies to these examples.

**Keywords:** *Strategy-proofness*; *efficiency*; dictatorship; exchange economy; domain.

<sup>\*</sup>Department of Economics, University of Kansas, Lawrence, KS66045, USA. E-mail: bgju@ku.edu. I am grateful to Professor William Thomson for helpful comments and suggestions. I also thank seminar participants in University of Rochester, John Duggan, and François Maniquet. I thank two anonymous referees for their detailed comments, which were very helpful in revising the earlier version. All remaining errors are mine.

## 1 Introduction

In the "exchange economy", an allocation rule, or simply, a *rule*, associates with each profile of agents' preferences a *single* desirable allocation, a list of individual consumption bundles. We refer to the set of admissible preference profiles as the *domain*. We are interested in the following two basic requirements of rules. The first is *efficiency*, the requirement that no one can be made better off without anyone else being made worse off. The second is *strategy-proofness* (Gibbard, 1973, Satterthwaite, 1975), the requirement that truthful representation of one's preference always weakly dominates any admissible misrepresentation.

A number of earlier studies have shown impossibilities of satisfying the two requirements together with other standard equity criteria. In particular, in the 2agent case, Dasgupta, Hammond, and Maskin (1979), Zhou (1991a), and Schummer (1997) show that there is no *efficient* and *strategy-proof* rules satisfying the minimal equity criterion, "non-dictatorship"; a rule is *dictatorial* if there is an agent, the dictator, who always receives his best bundle.<sup>1</sup> However, their results are not fully satisfactory because they provide no implication for various interesting allocation problems in which agents' preferences are restricted for some intuitive or technical reasons.

For example, in the "intertemporal exchange problem" (without saving technology), we often consider preferences that are represented in the additively separable form by temporal utility functions and discount factors. In the "risk sharing problem", we often consider preferences that are represented in the expected utility form by strictly convex ("risk aversion") utility indices and subjective probability distributions over states. Also, in many applications, we focus on preferences that satisfy technical conditions such as "smoothness", "continuous differentiability of utility functions", "quasilinearity", etc.

Our main objective is to strengthen the impossibility result for the 2-agent exchange economy by identifying general domain properties that are sufficient for the impossibility. These properties are satisfied by the domains considered in the earlier studies by Dasgupta, Hammond, and Maskin (1979), Zhou (1991a), and Schummer (1997); our result simplifies their proofs. More importantly, our domain properties are applicable to several restricted domains such as the intertemporal exchange problem, the risk sharing problem, the domain of "CES preferences", and the domain of quasilinear, strictly convex, and smooth preferences, etc., while none of the earlier studies applies to them.

The seminal study by Hurwicz (1972) shows that in the 2-agent and 2-good

<sup>&</sup>lt;sup>1</sup>See also Hurwicz (1972), Satterthwaite and Sonnenschein (1981), Hurwicz and Walker (1990), and Barberà and Jackson (1995).

exchange economy, there exists no *efficient* and *strategy-proof* rule satisfying *individual rationality*, the requirement that everyone should be at least as well off as in his endowment. Dasgupta, Hammond, and Maskin (1979) strengthen his result by replacing *individual rationality* with *non-dictatorship*. However, their conclusion crucially relies on the admissibility of "discontinuous" preferences, while Hurwicz's result pertains to preferences satisfying the classical assumptions, "continuity", "monotonicity", and "convexity".

Zhou (1991) reinforces the impossibility result by Dasgupta, Hammond, and Maskin (1979), considering the classical domain consisting of continuous, strictly monotonic, and strictly convex preferences. When preferences are strictly monotonic, this conclusion extends to any larger domain, as he remarks. A natural question addressed by Schummer (1997) is whether the impossibility applies to smaller, yet interesting, domains. He shows that the impossibility continues to hold both in the domain of "homothetic" preferences and in the domain of "linear" preferences (preferences with linear utility functions).

The arguments used by Zhou (1991) and Schummer (1997) crucially rely on the admissibility of "kinked" preferences.<sup>2</sup> So their results do not apply, for example, to domains consisting of only *smooth* and strictly convex preferences. On the other hand, Schummer (1997) crucially relies on the homotheticity restriction. So, his result does not apply to other restricted domains, for example, the domain consisting of only *quasilinear* and strictly convex preferences. Our domain properties do not necessarily require that kinked or homothetic preferences be admissible. They are applicable not only to all the above domains but various other restricted domains as we show in the application of our main result.

Several recent authors bring out some important domain properties in different perspectives of their studies on *strategy-proofness*. In a voting model, Barberà, Sonnenschein, and Zhou (1991) identify the unique maximal domain in which a class of rules, called "voting by committees", are *strategy-proof*. The maximal domain issue is studied also by Berga and Serizawa (2000) in the 1dimensional public choice model. In a linear production model, Maniquet and Sprumont (1999) identify domain properties under which their characterization results apply.

Most of the earlier studies focus on "product domains", Cartesian products of families of individual preferences.<sup>3</sup> Product domains do not capture the interdependency, or correlation, of preferences across agents, which is common in reality. Such an interdependency arises especially when agents share identical cultural or historic background relevant to their preferences. Thus, it is standard

 $<sup>^{2}</sup>$ The only exception is the linear preference domain in Schummer (1997).

 $<sup>^3\</sup>mathrm{Or}$  "independent domains" (Moore, 1993, p 214).

in implementation theory to capture such an interdependency by considering nonproduct domains: see Moore (1993) for a broad survey of literature. Therefore, we do not restrict our attention only to product domains; our domain properties are stated for possibly, non-product domains. *Strategy-proofness* is a necessary condition for the implementability in dominant strategy equilibrium both in the product domain case and in the non-product domain case. It is also sufficient in the product domain case, while it is not in the non-product domain case.

This paper is composed of five sections. In Section 2, we introduce the model and basic concepts. In Section 3, we define general domain properties and establish our main result. In Section 4, we provide some applications. We conclude in Section 5.

## 2 The model and basic concepts

We consider *l*-good exchange economies,  $l \geq 2$ , with social endowment  $\Omega \in \mathbb{R}_{++}^l$ and two agents. Let  $N \equiv \{1, 2\}$  be the set of agents. Let  $Z \equiv \{z \in \mathbb{R}_{+}^{l,2} : \sum_N z_i = \Omega\}$  be the set of feasible allocations. Let  $Z_0 \equiv \{z_i \in \mathbb{R}_{+}^l : 0 \leq z_i \leq \Omega\}$  be the set of possible consumption bundles for each agent.<sup>4</sup> We use z, z', z'', etc. to denote allocations:  $z_i$  denotes *i*'s bundle at *z*. Notation -i refers to the agent other than *i*. Each agent has a **preference**, a complete and transitive binary relation over  $\mathbb{R}_{+}^l$ . Preferences are continuous, strictly monotonic over  $\mathbb{R}_{++}^l$ , and convex.<sup>5</sup> Let  $\mathcal{R}$  be the class of all such preferences. A preference  $R_i \in \mathcal{R}$  is strictly monotonic if for all  $z_i, z'_i \in \mathbb{R}_{+}^l, z_i \geq z'_i$  implies  $z_i P_i z'_i$ . Let  $I_i(z_i)$  be the set of all bundles indifferent to  $z_i$  under  $R_i$ .

A **domain**  $\mathcal{D}$  is a subset of  $\mathcal{R}^N$ . Let  $\mathcal{D}(R_{-i}) \equiv \{R' \in \mathcal{D} : R'_{-i} = R_{-i}\},$  $\mathcal{D}_i(R_{-i}) \equiv \{R_i : (R_i, R_{-i}) \in \mathcal{D}\}, \text{ and } \mathcal{D}_i \equiv \{R_i : \text{ for some } R_{-i}, (R_i, R_{-i}) \in \mathcal{D}\}.$ Since we keep the social endowment fixed, an **economy** can be characterized by a preference profile in  $\mathcal{D}$ . A social choice rule, or simply a **rule**, over  $\mathcal{D}$  is a function  $\varphi : \mathcal{D} \to Z$  associating with each economy a feasible allocation.

A domain  $\mathcal{D}$  is a **product domain** if for each  $i \in N$ , there exists  $\mathcal{D}_i \subseteq \mathcal{R}$  such that  $\mathcal{D} = \mathcal{D}_1 \times \mathcal{D}_2$ . We do not restrict ourselves to product domains. However, the following feature of product domain is important in our result.

<sup>&</sup>lt;sup>4</sup>We denote elements of  $Z_0$  by  $z_i, z_0, x, y$  etc. Vector inequalities,  $\leq , <, <$ , are defined as follows. Let  $x, y \in \mathbb{R}^l$ . Then  $x \leq y$  if for all  $k \in \{1, \dots, l\}, x_k \leq y_k$ . We write  $x \leq y$  if  $x \leq y$  and  $x \neq y$ . We write x < y if for all  $k \in \{1, \dots, l\}, x_k < y_k$ .

<sup>&</sup>lt;sup>5</sup>We use  $R_i$  to denote agent *i*'s preference and  $P_i$  and  $I_i$  to denote its strict and indifference relations respectively. A preference  $R_i$  is *strictly monotonic over*  $\mathbb{R}_{++}^l$  if for all  $z_i, z'_i \in \mathbb{R}_{++}^l$ ,  $z_i \geq z'_i$  implies  $z_i P_i z'_i$ , where the vector inequality  $z_i \geq z'_i$  means that each component of  $z_i$  is weakly larger than each component of  $z'_i$  and  $z_i \neq z'_i$ . It is *convex* if for all  $z_i, z'_i \in \mathbb{R}_{++}^l$  with  $z_i$  $R_i z'_i$  and all  $\lambda \in [0, 1]$ ,  $\lambda z_i + (1 - \lambda) z'_i R_i z'_i$ .

Let  $R, R' \in \mathcal{D}$ . Profile R' is a unilateral variation of R if  $R'_1 = R_1$  or  $R'_2 = R_2$ . A unilateral variation of R, R', is *0-indifference-monotonic for i* if  $I'_i(0) \supseteq I_i(0)$ .<sup>6</sup> Profile R' is reachable from R through iterative unilateral variations if there exists a finite sequence of profiles  $(R^1, \dots, R^n)$  in  $\mathcal{D}$  such that  $R^1 = R, R^n = R'$ , and for all  $k \in \{2, \dots, n\}, R^k$  is a unilateral variation of  $R^{k-1}$ . A domain  $\mathcal{D}$  is everywhere reachable from R through iterative unilateral variations that are 0-indifference-monotonic for i. Note that every product domain  $\mathcal{D}$  is everywhere for R through iterative unilateral variations that are 0-indifference-monotonic for i. Note that every product domain  $\mathcal{D}$  is everywhere reachable<sup>\*</sup>, since for all  $R, R' \in \mathcal{D}, R'$  is reachable from R through any one of two iterative unilateral variations  $(R_1, R_2) \to (R'_1, R'_2) \to (R'_1, R'_2)$ .

We next define our two main requirements of rules. Given  $R \in \mathcal{D}$ , an allocation  $z \in Z$  is *efficient for* R if there exists no  $z' \in Z$  such that for all  $i \in N, z'_i$  $R_i z_i$  and for some  $j \in N, z'_j P_j z_j$ . Let P(R) be the set, called **Pareto set**, of all efficient allocations for R. For all  $i \in N$ , let  $P_i(R) \equiv \{z_i \in \mathbb{R}^l_+ : (z_i, z_{-i}) \in Z$ for some  $z_{-i} \in \mathbb{R}^l_+\}$ . A rule  $\varphi: \mathcal{D} \to Z$  satisfies *efficiency* if for all  $R \in \mathcal{D}$ ,  $\varphi(R) \in P(R)$ .

In order to define the next requirement, consider agent  $i \in N$  with preference  $R_i$ . Let  $R_{-i}$  and  $R'_i$  be such that  $(R_i, R_{-i})$  and  $(R'_i, R_{-i}) \in \mathcal{D}$ . Consider a rule  $\varphi: \mathcal{D} \to Z$ . Let  $z \equiv \varphi(R_i, R_{-i})$  and  $z' \equiv \varphi(R'_i, R_{-i})$ . Agent *i* will have an incentive to represent his true preference as opposed to the misrepresentation with  $R'_i$  if  $z_i \ R_i \ z'_i$ . We refer to this condition as *i*'s *incentive compatibility condition associated with*  $(\mathbf{R}_i, \mathbf{R}'_i, \mathbf{z}_i)$ , where  $R_i$  is *i*'s true preference,  $R'_i$  is a misrepresentation, and  $z_i$  is the "truthful outcome". We require that incentive compatibility condition should never be violated. Formally, a rule  $\varphi: \mathcal{D} \to Z$  satisfies *strategy-proofness* if for all  $i \in N$  and all  $R, R' \in \mathcal{D}$  with  $R_{-i} = R'_{-i}, \ \varphi_i(R) \ R_i \ \varphi_i(R')$ .

We show that every *efficient* and *strategy-proof* rule has the following displeasing feature. A rule  $\varphi : \mathcal{D} \to Z$  is *dictatorial over*  $\mathcal{D}^* \subseteq \mathcal{D}$  if there exists  $i \in N$  such that for all  $R \in \mathcal{D}^*$  and all  $z \in Z$ ,  $\varphi_i(R) R_i z_i$ . The rule is *dictatorial* if it is dictatorial over the entire domain. Since preferences are strictly monotonic over  $\mathbb{R}^l_{++}$ , a rule  $\varphi$  is dictatorial over  $\mathcal{D}^*$  if and only if there exists  $i \in N$  such that for all  $R \in \mathcal{D}^*$ ,  $\varphi_i(R) = \Omega$ .

We use the following notation. For all  $R_i \in \mathcal{R}$  and all  $z_i \in \mathbb{R}^l_+$ , let  $UC(R_i, z_i) \equiv \{x \in Z_0 : x \ R_i \ z_i\}$  and  $UC^0(R_i, z_i) \equiv \{x \in Z_0 : x \ P_i \ z_i\}$  be the "(constrained) upper contour set of  $R_i$  at  $z_i$ " and the "strict upper contour set", respectively. Let  $LC(R_i, z_i) \equiv \{x \in Z_0 : z_i \ R_i \ x\}$  and  $LC^0(R_i, z_i) \equiv \{x \in Z_0 : z_i \ P_i \ x\}$  be the "lower contour set of  $R_i$  at  $z_i$ " and the "strictly lower contour set".

<sup>&</sup>lt;sup>6</sup>Two sets  $I_i(0)$  and  $I'_i(0)$  are indifference sets through 0 for  $R_i$  and  $R'_i$  respectively.

### 3 The main result

We consider domain  $\mathcal{D} \subseteq \mathcal{R}^N$  that has a subdomain  $\overline{\mathcal{D}} \subseteq \mathcal{D}$  and a reference set  $M \subseteq Z$  satisfying the following three properties. For all  $i \in N$ , let  $M_i \equiv \{z_i \in \mathbb{R}^l_+ : (z_i, z_{-i}) \in M \text{ for some } z_{-i} \in \mathbb{R}^l_+\}.$ 

The first property is that the reference set M is the Pareto set for at least one economy in  $\overline{\mathcal{D}}$  with strictly monotonic preferences.

A1, Potential efficiency: There exists  $R \in \overline{D}$  such that P(R) = M and both  $R_1$  and  $R_2$  are strictly monotonic.

The second property is that each agent can always make M be the Pareto set by announcing a preference admissible in  $\overline{\mathcal{D}}$ .

A2, Attainability: For all  $i \in N$  and all  $R_{-i} \in \mathcal{D}_{-i}$ , there exists  $R_i \in \mathcal{D}_i(R_{-i})$  such that  $P(R_i, R_{-i}) = M$ .

The third property is stated in terms of the following notions. Two incentive compatibility conditions associated with  $(R_i, R'_i, z_i)$  and  $(R'_i, R_i, z'_i)$  imply that  $z'_i \in LC(R_i, z_i) \cap UC(R'_i, z_i)$ . Therefore, given  $R_{-i}$  and the truthful outcome  $z_i$  for  $R_i$ , the set of incentive compatible outcomes for  $R'_i$  coincides with  $LC(R_i, z_i) \cap UC(R'_i, z_i)$ . Thus we call  $LC(R_i, z_i) \cap UC(R'_i, z_i)$  the *incentive compatibility* set associated with  $(\mathbf{R}_i, \mathbf{R}'_i, \mathbf{z}_i)$ . For all  $R \in \mathcal{D}$ , all  $i \in N$ , and all  $z \in P(R)$ ,  $R'_i \in \mathcal{D}(R_{-i})$  is a local transformation of  $\mathbf{R}_i$  at  $\mathbf{z}_i$  relative to  $\mathbf{R}_{-i}$  if  $z_i$  is the unique efficient bundle for  $(R'_i, R_{-i})$ , in *i*'s incentive compatibility set associated with  $(R_i, R'_i, z_i)$ , that is,  $P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$  (see Figure 1). A preference  $R_i$  of agent *i* exhibits crossly local dominance of  $\mathbf{z}'_i$  relative to  $(\mathbf{R}_{-i}, \mathbf{R}'_{-i}, \mathbf{z}_i)$  if agent *i* with  $R_i$  prefers  $z'_i$  to every allocation that is efficient for  $(R_i, R'_{-i}) \cap \{x \in Z_0 : \Omega - x \in LC(R_{-i}, z_{-i}) \cap UC(R'_{-i}, z_{-i})\} \subset LC^0(R_i, z'_i)$  (see Figure 1).

Our next property states that for any two profiles R and R' with the Pareto set M and for any two *efficient* allocations z and z', there exist an agent  $i \in N$ and his preference  $\overline{R}_i$  that is a local transformation of  $R_i$  at  $z_i$  relative to  $R_{-i}$  and exhibits crossly local dominance of  $z'_i$  relative to  $R_{-i}$ ,  $R'_{-i}$ , and  $z_i$  (see Figure 1).

A3, Transformability with crossly local dominance: For all  $R, R' \in \overline{D}$  and all  $z, z' \in M$ , if P(R) = P(R') = M and  $z \neq z'$ , then there exist  $i \in N$  and  $\overline{R}_i \in \overline{D}_i(R_{-i}) \cap \overline{D}_i(R'_{-i})$  such that (i)  $P_i(\overline{R}_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(\overline{R}_i, z_i) = \{z_i\};$ (ii)  $P_i(\overline{R}_i, R'_{-i}) \cap \{x \in Z_0 : \Omega - x \in LC(R_{-i}, z_{-i}) \cap UC(R'_{-i}, z_{-i})\} \subset LC^0(\overline{R}_i, z'_i).$ 




Figure 1: A3, Transformability with crossly local dominance.

There are domains that satisfy the above three properties and over which we do have *efficient*, *strategy-proof*, and *non-dictatorial* rules.

**Example 1** Risk sharing with an objective probability distribution and aggregate certainty: Let l be the number of states. Each state  $k = 1, \dots, l$  is realized with probability  $\pi_k$ . Each bundle  $x \in \mathbb{R}_+^l$  is a state-contingent commodity. Let  $\mathcal{R}_*$  be the family of all preferences  $R_0 \in \mathcal{R}$  that has the following "expected utility" representation: there exists a *concave* function  $u_0: \mathbb{R}_+ \to \mathbb{R}$  such that for all  $x, x' \in \mathbb{R}_+^l$ ,  $x R_0 x' \Leftrightarrow \sum_{k=1}^l \pi_k u_0(x_k) \geq \sum_{k=1}^l \pi_k u_0(x'_k)$ . Suppose aggregate certainty, that is,  $\Omega_1 = \cdots = \Omega_l$ . Let  $\overline{m}$  be the constant aggregate wealth across states.

Note that the equal division  $((\frac{\bar{m}}{2}, \cdots, \frac{\bar{m}}{2}), (\frac{\bar{m}}{2}, \cdots, \frac{\bar{m}}{2}))$  is efficient for all profiles in  $\mathcal{R}^N_*$ . Let  $\varphi^{\text{ed}} : \mathcal{R}^N_* \to Z$  be the equal division rule, that is, for all  $R \in \mathcal{R}^N_*$ ,  $\varphi^{\text{ed}}(R) \equiv ((\frac{\bar{m}}{2}, \cdots, \frac{\bar{m}}{2}), (\frac{\bar{m}}{2}, \cdots, \frac{\bar{m}}{2}))$ . Then  $\varphi^{\text{ed}}$  is efficient and strategy-proof over  $\mathcal{R}^N_*$ .

Let  $M \equiv \{z \in Z : \text{ for all } i \in N, z_{i1} = \cdots = z_{il}\}$ . We now show that  $\mathcal{R}_*^N$  and M satisfy the above three properties. A1 and A2 are trivial. Let  $R, R' \in \mathcal{R}_*^N$  be such that P(R) = P(R') = M. Let  $z, z' \in M$  and  $z \neq z'$ . Then since  $M_i$  is a monotonic path for each  $i \in N$ , without loss of generality we may assume  $z_1 < z'_1$ . Since  $z_1$  is on the 45°-line, there exists  $\overline{R}_1 \in \mathcal{R}_*$  such that  $\overline{R}_1$  is strictly convex and  $LC(R_1, z_1) \cap UC(\overline{R}_1, z_1) = \{z_1\}$ . Then (i) of A3 holds. Since  $\overline{R}_1$ 

is strictly convex,  $P_1(\bar{R}_1, R'_2) = M_1$ . Therefore,  $P_1(\bar{R}_1, R'_2) \cap \{x \in Z_0 : \Omega - x \in LC(R_2, z_2) \cap UC(R'_2, z_2)\} = \{z_1\}$ . Hence (ii) of A3 also holds.  $\Box$ 

We now introduce additional domain properties that will induce the nonexistence of rules satisfying efficiency, strategy-proofness, and non-dictatorship. The following notation is useful. Let  $R_0 \in \mathcal{R}$  and all  $z_0 \in Z_0$ . For all  $p \in \mathbb{R}_{++}^l$ , let  $H(p, z_0) \equiv \{x \in Z_0 : p \cdot x \ge p \cdot z_0\}$ . We say that p (or the hyperplane normal to p) supports  $R_0$  at  $z_0$  if  $UC(R_0, z_0) \subseteq H(p, z_0)$ . Note that since  $UC(\cdot)$  and  $H(\cdot)$  are defined as subsets of  $Z_0$ , although p supports  $R_0$  at  $z_0$ , there can be a bundle x outside  $Z_0$ , which is preferred to  $z_0$ , or  $x R_0 z_0$ , but satisfies  $p \cdot x . Let <math>\nabla R_0(z_0) \equiv \{p \in \mathbb{R}_{++}^l : UC(R_0, z_0) \subseteq H(p, z_0)\}$  be the set of all vectors supporting  $R_0$  at  $z_0$ .<sup>7</sup> For all  $R \in \mathcal{D}$  and all  $z \in Z$ , let  $\nabla R(z) \equiv \{p \in \mathbb{R}_{++}^l : UC(R_1, z_1) \subseteq H(p, z_1) \text{ and } UC(R_2, z_2) \subseteq H(p, z_2)\}$  be the set of all vectors supporting both  $R_1$  at  $z_1$  and  $R_2$  at  $z_2$ . Note that when z is efficient for R,  $\nabla R(z) \neq \emptyset$ .

A domain is **flexible** if there exist a subdomain  $\overline{D}$  and a reference set M satisfying A1, A2, A3, and the following two properties, F1 and F2. Condition F1 states that for any preference and any bundle, there is an admissible local transformation with sufficiently flat indifference curve at the bundle (see Figure 2 (a)). This property obviously implies the admissibility of local transformation.


**F1**: For all  $R \in \overline{\mathcal{D}}$ , all  $i \in N$ , all  $z \in P(R)$ , and all  $x \in \mathbb{R}^l_+$ , if for some  $p \in \nabla R(z)$ ,  $p \cdot z_i , then there exists <math>R'_i \in \overline{\mathcal{D}}_i(R_{-i})$  such that  $P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$  and  $x P'_i z_i$ .

Next condition F2 states that given an agent i and an allocation  $d \in M$ , there exists a profile  $R \in \overline{\mathcal{D}}$  whose Pareto set intersects with M only at  $(0, \Omega)$ and  $(\Omega, 0)$ , and such that whenever an efficient allocation  $z \neq d$  for R happens to have d on the hyperplane supporting R at z (see Figure 2 (b)), changing i's preference is admissible so that for the new profile  $(R'_i, R_{-i})$ , such a coincidence never happens at any efficient allocation in i's incentive compatibility set associated with  $(R_i, R'_i, z_i)$ ,  $LC(R_i, z_i) \cap UC(R'_i, z_i)$  (see Figure 2 (b)).

**F2**: For all  $i \in N$  and all  $d \in M$ , there exists  $R \in \overline{D}$  such that (i)  $P_i(R) \cap M_i = \{0, \Omega\}$  and (ii) if  $z \in P(R) \setminus \{d\}$  and  $p \cdot z_i = p \cdot d_i$  for all  $p \in \nabla R(z)$ , then there exists  $R'_i \in \overline{D}_i(R_{-i})$  such that for all  $z'_i \in P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i)$ ,  $p' \cdot z'_i \neq p' \cdot d_i$ , for some  $p' \in \nabla(R'_i, R_{-i})(z')$ .

We next provide an example of *flexible* domain and an example of "inflexibility".

<sup>&</sup>lt;sup>7</sup>When  $R_0$  has a differentiable representation  $u_0$  and  $z_0$  is an interior bundle of  $Z_0$ ,  $\nabla R_0(z_0)$  is simply the gradient of  $u_0$  at  $z_0$ , that is,  $\nabla u_0(z_0) \equiv (\partial u_0(z_0)/\partial x_1, \cdots, \partial u_0(z_0)/\partial x_l)$ .



**Figure 2:** Flexibility. (a) Figure for F1:  $P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$ and  $x P'_i z_i$ . (b) Figure for F2:  $P_i(R) \cap M_i = \{0, \Omega\}, z \in P(R) \setminus \{d\}$  and  $p \cdot z_i = p \cdot d_i$  for all  $p \in \nabla R(z)$ . Note that for all  $z'_i \in P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i), p' \cdot z'_i \neq p' \cdot d_i$ , for some  $p' \in \nabla(R'_i, R_{-i})(z')$ .

**Example 2** Homothetic preferences: Let  $\mathcal{R}_H$  be the family of all homothetic preferences that are smooth,<sup>8</sup> strictly convex, and strictly monotonic over  $\mathbb{R}_{++}^l$ . Let  $\overline{\mathcal{D}} \equiv \mathcal{R}_H^N$  and  $M \equiv \{z \in \mathbb{Z} : \text{ for some } \lambda \in [0,1], z_1 = \lambda \Omega + (1-\lambda) 0 \text{ and } z_2 = \Omega - z_1\}$ . We will show that  $\overline{\mathcal{D}}$  and M satisfy A1, A2, A3, F1, and F2; so  $\mathcal{R}_H^N$  is flexible.

For all  $R_i \in \mathcal{R}_H$ , if  $R_{-i} = R_i$ ,  $P(R_i, R_{-i}) = M$ . Hence A1 and A2 hold.

In order to show A3, let  $R, R' \in \overline{\mathcal{D}}$  and  $z, z' \in M$  be such that P(R) = P(R') = M and  $z \neq z'$ . Without loss of generality, let  $z_1 < z'_1$ . When  $z_1 = 0$ , if we let  $\overline{R}_1 = R_1$ , then (i) and (ii) of A3 hold. Now suppose  $z_1 \neq 0$ . Then let  $R_1^{\text{Leon}}$  be the Leontieff-type preference with the locus of kinks equal to  $M_1$ . Then (i) and (ii) holds with  $\overline{R}_1 = R_1^{\text{Leon}}$ . Note that  $R_1^{\text{Leon}} \notin \mathcal{R}_H$  but that  $\mathcal{R}_H$  contains a sequence of preferences, which is composed of local transformations of  $R_1$  at  $z_1$  relative to  $R_{-1}$  and, at the same time, converges to  $R_1^{\text{Leon}}$ . Therefore, there exist a local transformation of  $R_1$ ,  $\overline{R}_1$ , which is sufficiently close to  $R_1^{\text{Leon}}$  so that (i) and (ii) of A3 can be satisfied.

<sup>&</sup>lt;sup>8</sup>A preference  $R_0 \in \mathcal{R}$  is **smooth** if for all  $x \in \mathbb{R}_{++}^l$ , there is a unique  $p \in \Delta^{l-1}$  such that for all  $y \in \mathbb{R}_{+}^l$ , if  $y \ R_0 x$ , then  $p \cdot y \ge p \cdot x$ .

For all  $x \in \mathbb{R}_{++}^l$  and all  $p \in \mathbb{R}_{++}^l$ , there exists a sequence of preferences in  $\mathcal{R}_H$ , which are supported by p at x and converge to the linear preference associated with normal vector p. Therefore F1 holds. Now we only have to verify F2. We show F2 for the 2-good case. However, our argument can be easily extended to the l-good case.

Let  $i \equiv 1$  and  $d \in M$ . Let R be the preference such that  $P_1(R) = \{z_1 \in Z_0 : z_{11} = 0 \text{ or } z_{12} = \Omega_2\}$  and the slope of indifference curves of  $R_1$  over  $P_1(R)$  is bounded above by  $-\delta < 0$ . Clearly R satisfies (i) of F2. Let  $z \in P(R) \setminus \{d\}$  be such that for all  $p \in \nabla R(z)$ ,  $p \cdot z_1 = p \cdot d_1$ . Then there exists  $R'_1 \in \mathcal{R}_H$  such that the slopes of indifference curves of  $R'_1$  is bounded below by  $-\delta$ . Then clearly,  $P(R'_1, R_2) = P(R)$  and since  $P_1(R)$  is a boundary and monotonic path of the Edgeworth box,  $P_1(R'_1, R_2) \cap LC(R_1, z_1) \cap UC(R'_1, z_1) = \{z_1\}$ . Since for all  $p \in \nabla R(z)$ ,  $p \cdot z_1 = p \cdot d_1$ , and the indifference curve of  $R'_1$  through  $z_1$  is flatter at  $z_1$  than the indifference curve of  $R_1$ , there exists  $p' \in \nabla(R'_i, R_{-i})(z')$  such that  $p' \cdot z_1 \neq p' \cdot d_1$ . Therefore, (ii) of F2 also holds.  $\Box$ 

**Example 3** Linear preferences: Let  $\mathcal{R}_L$  be the family of preferences that are represented by linear utility functions. Let  $\overline{\mathcal{D}} \equiv \mathcal{R}_L^N$ . Then we show that for any reference set M,  $\overline{\mathcal{D}}$  and M do not satisfy F1. Let  $R_1 = R_2 \in \mathcal{R}_L$ . Then P(R) = Z. Let  $z \in P(R)$  be such that  $z_1 \in \mathbb{R}_{++}^L$ . Then for all  $R'_1 \in \mathcal{R}_L$ , either  $z_1 \notin P_1(R'_1, R_2)$  or  $R'_1 = R_1$ ; hence there is no local transformation of  $R_1$  at  $z_1$ relative to  $R_2(=R_1)$ .  $\Box$ 

We show in Lemma 1 that F1 and F2 imply the following more general property.

**Double transformability**: For all  $i \in N$  and all  $d \in M$ , there exists  $R \in \overline{\mathcal{D}}$ such that (i)  $P_i(R) \cap M_i = \{0, \Omega\}$  and (ii) for all  $z \in P(R)$  with  $z_i \neq d_i$ , there exists  $R'_i \in \overline{\mathcal{D}}_i(R_{-i})$  such that if  $z'_i \in P_i(R'_i, R_{-i}) \cap UC(R'_i, z_i) \cap LC(R_i, z_i)$ , then either

(ii-1) for some  $R''_i \in \bar{\mathcal{D}}_i(R_{-i})$ ,  $P_i(R''_i, R_{-i}) \cap LC(R'_i, z'_i) \cap UC(R''_i, z'_i) = \{z'_i\}$  and  $d_i P''_i z'_i$ , or (ii-2) for some  $R'_{-i} \in \bar{\mathcal{D}}_{-i}(R'_i)$ ,  $P_{-i}(R'_i, R'_{-i}) \cap LC(R_{-i}, z'_{-i}) \cap UC(R'_{-i}, z'_{-i}) = \{z'_{-i}\}$  and  $d_{-i} P'_{-i} z'_{-i}$ .

Double transformability has wider applicability. For example, as we saw in Example 3, there is no reference path M such that  $\mathcal{R}_L^N$  and M satisfy flexibility. However, our conclusion in Section 4.1 shows that there exists a reference path M such that  $\mathcal{R}_L^N$  and M satisfy double transformability.

A domain  $\mathcal{D}$  is **rich** if there exist a subdomain  $\overline{\mathcal{D}}$  and a reference set M satisfying A1, A2, A3, and double transformability.

Lemma 1: Every flexible domain is rich.

**Proof**: Let  $\mathcal{D}$  be *flexible* with respect to a subdomain  $\overline{\mathcal{D}} \subseteq \mathcal{D}$  and a reference set  $M \subseteq Z$ . Let  $i \in N$  and  $d \in M$ . By F2, there exists  $R \in \overline{\mathcal{D}}$  such that  $P_i(R) \cap M_i = \{0, \Omega\}$ . Let  $z \in P(R)$  with  $z_i \neq d_i$ . We divide into three cases.

**Case 1**: There exists  $p \in \nabla R(z)$  such that  $p \cdot z_i . Then by F1, there exists <math>R'_i \in \overline{\mathcal{D}}_i(R_{-i})$  such that  $P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$  and  $d_i P'_i z_i$ . Therefore, if we let  $R''_i \equiv R'_i$ , then (ii-1) of double transformability holds.  $\Box$ 

**Case 2**: There exists  $p \in \nabla R(z)$  such that  $p \cdot z_i > p \cdot d_i$ . By F1, there exists  $R'_i \in \overline{\mathcal{D}}_i(R_{-i})$  such that  $P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$ . Since  $p \cdot z_{-i} , then applying F1 for <math>(R'_i, R_{-i})$  and agent -i, there exists  $R'_{-i} \in \overline{\mathcal{D}}_{-i}(R'_i)$  such that  $P_i(R'_i, R'_{-i}) \cap LC(R_{-i}, z_{-i}) \cap UC(R'_{-i}, z_i) = \{z_{-i}\}$  and  $d_{-i} P'_{-i} z_{-i}$ . Therefore, if we let  $R'_i \equiv R_i$ , then (ii-2) of double transformability holds.  $\Box$ 

**Case 3:** For all  $p \in \nabla R(z)$ ,  $p \cdot z_i = p \cdot d_i$ . By F2, there exists  $R'_i \in \overline{D}_i(R_{-i})$  such that for all  $z'_i \in P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i)$ ,  $p' \cdot z'_i \neq p' \cdot d_i$ , for some  $p' \in \nabla(R'_i, R_{-i})(z')$ . If  $z'_i \in P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i)$  and  $p' \cdot z'_i < p' \cdot d_i$ , for some  $p' \in \nabla(R'_i, R_{-i})(z')$ , then by F1, there exists  $R''_i \in \overline{D}_i(R_{-i})$  such that  $P_i(R''_i, R_{-i}) \cap LC(R'_i, z_i) \cap UC(R''_i, z_i) = \{z'_i\}$  and  $d_i P''_i z'_i$ . Hence (ii-1) of double transformability holds. On the other hand, if  $z'_i \in P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i)$  and  $p' \cdot z'_i > p' \cdot d_i$ , for some  $p' \in \nabla(R'_i, R_{-i})(z')$ , then  $p' \cdot z'_{-i} < p' \cdot d_{-i}$ . Now applying F1 for  $(R'_i, R_{-i})$  and agent -i, there exists  $R'_{-i} \in \overline{D}_{-i}(R'_i)$  such that  $P_i(R'_i, R'_{-i}) \cap LC(R_{-i}, z'_{-i}) \cap UC(R'_{-i}, z'_i) = \{z'_{-i}\}$  and  $d_{-i} P'_{-i} z'_{-i}$ . Hence (ii-2) of double transformability holds.  $\Box$ 

Zhou (1991) and Schummer (1997) establish an invariance property of *efficient* and *strategy-proof* rule with respect to "Maskin monotonic" transformations of preferences.<sup>9</sup> Lemma 2 states an even stronger invariance property related with local transformation. A rule  $\varphi$  is *invariant with respect to local transformation* if for all  $R \in \mathcal{D}$  and all  $i \in N$ , if  $R'_i$  is a local transformation of  $R_i$  at  $z_i$ relative to  $R_{-i}$ , then  $\varphi(R'_i, R_{-i}) = \varphi(R)$ .

**Lemma 2:** Every efficient and strategy-proof rule is invariant with respect to local transformation.

<sup>&</sup>lt;sup>9</sup>Let  $R \in \mathcal{D}$ . Let  $z \in P(R)$ . A preference  $R'_i$  is a (strong) Maskin monotonic transformation of  $R_i$  at z if  $LC(R'_i, z_i) \supseteq LC(R_i, z_i)$  and  $LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$ . Clearly, such  $R'_i$  is a local transformation of  $R_i$  at  $z_i$  relative to  $R_{-i}$ . However, there are various local transformations that are not Maskin monotonic transformations.

**Proof**: Let  $\varphi$  be an *efficient* and *strategy-proof* rule. Let  $z \equiv \varphi(R)$ ,  $i \in N$ , and  $R'_i$  be a local transformation of  $R_i$  at  $z_i$  relative to  $R_{-i}$ , that is,  $P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$ . Let  $z' \equiv \varphi(R'_i, R_{-i})$ . By the two incentive compatibility conditions associated with  $(R_i, R'_i, z_i)$  and  $(R'_i, R_i, z'_i)$ ,  $z'_i \in LC(R_i, z_i) \cap UC(R'_i, z_i)$ . Therefore by *efficiency*,  $z'_i \in P_i(R'_i, R_{-i}) \cap LC(R_i, z_i) \cap UC(R'_i, z_i) = \{z_i\}$  and so  $z'_i = z_i$ . Hence  $\varphi(R'_i, R_{-i}) = \varphi(R)$ .

Next, we show that if the domain is *rich* with respect to a subdomain  $\mathcal{D}$  and a set M, then for a rule to be *efficient* and *strategy-proof*, it should always pick a fixed allocation for each economy in  $\overline{\mathcal{D}}$  with Pareto set M.

**Lemma 3:** Let  $\mathcal{D}$  be rich with respect to  $\overline{\mathcal{D}} \subseteq \mathcal{D}$  and  $M \subset Z$ . Let  $\varphi \colon \mathcal{D} \to Z$  be efficient and strategy-proof. Then for all  $R, R' \in \overline{\mathcal{D}}$ , if P(R) = P(R') = M, then  $\varphi(R) = \varphi(R')$ .<sup>10</sup>

**Proof:** Let  $R, R' \in \overline{\mathcal{D}}$  be such that P(R) = P(R') = M. Let  $z \equiv \varphi(R)$ and  $z' \equiv \varphi(R')$ . Suppose to the contrary  $z_1 \neq z'_1$ . By A3, there exists  $\overline{R}_1 \in \overline{\mathcal{D}}_1(R_2) \cap \overline{\mathcal{D}}_1(R'_2)$  such that (i)  $P_1(\overline{R}_1, R_2) \cap LC(R_1, z_1) \cap UC(\overline{R}_1, z_1) = \{z_1\}$  and (ii)  $P_1(\overline{R}_1, R'_2) \cap \{x \in \mathbb{R}^l_+ : \Omega - x \in LC(R_2, z_2) \cap UC(R'_2, z_2)\} \subset LC^0(\overline{R}_1, z'_1)$ . By (i) and Lemma 2,  $\varphi(\overline{R}_1, R_2) = z$ . By the incentive compatibility associated with  $(R_2, R'_2, z), \ \varphi_2(\overline{R}_1, R'_2) \in LC(R_2, z_2) \cap UC(R'_2, z_2)$ . Hence by efficiency,  $\varphi_1(\overline{R}_1, R'_2) \in P_1(\overline{R}_1, R'_2) \cap \{x \in \mathbb{R}^l_+ : \Omega - x \in LC(R_2, z_2) \cap UC(R'_2, z_2)\}$ . Therefore by (ii),  $\varphi_1(\overline{R}_1, R'_2) \in LC^0(\overline{R}_1, z'_1)$ , that is,  $\varphi_1(R'_1, R'_2) \ \overline{P}_1 \ \varphi_1(\overline{R}_1, R'_2)$ , contradicting strategy-proofness. Q.E.D.

We will show that when a rule gives one agent the whole endowment at a profile, for it to be *efficient* and *strategy-proof*, it should be dictatorial over a certain neighborhood of the initial profile.<sup>11</sup> In this sense, dictatorship at a

<sup>&</sup>lt;sup>10</sup>Lemma 3 corresponds to Step 4 of Proof of Theorem 1 by Zhou (1991) and Lemmas 2, 3, and Corollary 1 by Schummer (1997). Zhou and Schummer make use of Maskin monotonic transformation in the proofs. Particularly in Schummer (1997),  $M_i$  is the line segment between 0 and  $\Omega$ . He uses a preference which is a Maskin monotonic transformation of both  $R_i$  at  $z_i$ and  $R_i$  at  $z'_i$ , where  $z_i, z'_i \in M_i$ . This preference should be kinked as far as it is homothetic and  $R_i$  has a different supporting hyperplane at  $z_i$  from the supporting hyperplane of  $R'_i$  at  $z'_i$ . In restricted domains without kinked preferences, the proof in Schummer (1997) does not work. Our proof does not necessarily require such Maskin monotonic transformation. We only use a preference that satisfies (i) and (ii) in the above proof. Our argument is based on strong invariance property established in Lemma 2. Consequently, as we show in Example 2 and in Section 4 later, Lemma 3 applies in a number of domains without kinked preferences.

<sup>&</sup>lt;sup>11</sup>By using the term "neighborhood" of a profile R, we do not mean an "open" set containing R. It simply means a set containing R.

profile contaminates the choices made for some other profiles. For the formal description, we need the following notation.

Let  $R \in \mathcal{D}$  and  $i \in N$ . Let  $\mathcal{S}^{i}(R) \equiv \{R' \in \mathcal{D} : I'_{-i}(0) \supseteq I_{-i}(0) \text{ and there exists}$  $R''_{i} \in \mathcal{D}_{i} \text{ such that } R'_{-i} \in \mathcal{D}_{-i}(R''_{i}) \text{ and } R''_{i} \in \mathcal{D}_{i}(R_{-i})\}$ . Note that if  $R' \in \mathcal{S}^{i}(R)$ , then R' is reachable from R through the following three unilateral variations:  $(R_{i}, R_{-i}) \to (R''_{i}, R_{-i}) \to (R''_{i}, R'_{-i}) \to (R'_{i}, R'_{-i})$ , where  $R''_{i} \in \mathcal{D}_{i}$  is such that  $R'_{-i} \in \mathcal{D}_{-i}(R''_{i}) \text{ and } R''_{i} \in \mathcal{D}_{i}(R_{-i})$ . Since  $I'_{-i}(0) \supseteq I_{-i}(0)$ , all these unilateral variations are 0-indifference-monotonic for -i. Note also that if R' is a unilateral variation of R, which is 0-indifference-monotonic for -i, then  $R' \in \mathcal{S}^{i}(R)$ .

Let  $\bar{S}^i(R)$  be defined as follows: for all  $R' \in \mathcal{D}$ ,  $R' \in \bar{S}^i(R)$  if and only if there exists a finite sequence  $(R^1, \dots, R^n)$  of profiles in  $\mathcal{D}$ ,  $n \geq 2$ , such that  $R^1 \equiv R$ ,  $R^n \equiv R'$ , and  $R^2 \in S^i(R^1), \dots, R^n \in S^i(R^{n-1})$ . We call  $\bar{S}^i(R)$  the **contamination set relative to R and i**. Then every  $R' \in \bar{S}^i(R)$  is reachable from R through iterative unilateral variations that are 0-indifference-monotonic for -i, and conversely. Note that when  $\mathcal{D}$  is everywhere reachable<sup>\*</sup> and  $R_{-i}$  is strictly monotonic, every  $R' \in \mathcal{D}$  is reachable from R through iterative unilateral variations that are 0-indifference-monotonic for -i; so  $\bar{S}^i(R) = \mathcal{D}$ .

**Lemma 4:** Let  $\varphi \colon \mathcal{D} \to Z$  be efficient and strategy-proof. If there exist  $i \in N$ and  $R \in \mathcal{D}$  such that  $\varphi_i(R) = \Omega$ , then  $\varphi$  is dictatorial over  $\bar{\mathcal{S}}^i(R)$ .

**Proof:** Let  $R \in \mathcal{D}$ ,  $i \in N$ , and  $R' \in \mathcal{S}^i(R)$ . Suppose  $\varphi_i(R) = \Omega$ . We only have to show that  $\varphi_i(R') = \Omega$ . By definition of  $\mathcal{S}^i(R)$ ,  $I'_{-i}(0) \supseteq I_{-i}(0)$  and there exists  $R''_i \in \mathcal{D}_i$  such that  $R'_i \in \mathcal{D}_i(R'_{-i})$ ,  $R'_{-i} \in \mathcal{D}_{-i}(R''_i)$ , and  $R''_i \in \mathcal{D}_i(R_{-i})$ . Since  $R_i$  is strictly monotonic over  $\mathbb{R}^l_{++}$ , then by *i*'s incentive compatibility condition relative to  $(R_i, R''_i, \Omega)$ ,  $\varphi_i(R''_i, R_{-i}) = \Omega$  and so  $\varphi_{-i}(R''_i, R_{-i}) = 0$ . By -i's incentive compatibility condition relative to  $(R_{-i}, R'_{-i}, 0)$ ,  $\varphi_{-i}(R''_i, R'_{-i}) I_{-i} 0$ . Since  $I'_{-i}(0) \supseteq I_{-i}(0)$ ,  $\varphi_{-i}(R''_i, R'_{-i}) I'_{-i} 0$ . Therefore, by efficiency,  $\varphi_{-i}(R''_i, R'_{-i}) = 0$ and so  $\varphi_i(R''_i, R'_{-i}) = \Omega$ . Finally, by *i*'s incentive compatibility condition relative to  $(R''_i, R'_i, \Omega)$ ,  $\varphi_i(R'_i, R'_{-i}) = \Omega$ .

Let  $\mathcal{D}$  be rich with respect to  $\overline{\mathcal{D}} \subseteq \mathcal{D}$  and  $M \subset Z$ . Given  $(\overline{\mathcal{D}}, M)$ , we call  $\bigcup_{R \in \{R' \in \overline{\mathcal{D}}: P(R') = M\}} \overline{S}^i(R)$  i's minimal contamination set relative to  $(\overline{\mathcal{D}}, M)$ .

**Proposition 1:** Assume that domain  $\mathcal{D}$  is rich with respect to  $\overline{\mathcal{D}} \subseteq \mathcal{D}$  and  $M \subset \mathbb{R}^l_+$ . Then if a rule over  $\mathcal{D}$  is efficient and strategy-proof, then for some  $i \in N$ , the rule is dictatorial over *i*'s minimal contamination set relative to  $(\overline{\mathcal{D}}, M)$ .<sup>12</sup>

<sup>&</sup>lt;sup>12</sup>Proposition 1 corresponds to Steps 2, 5, and 6 in Proof of Theorem 1 by Zhou (1991) and Proof of Theorem 1 by Schummer (1997). Zhou and Schummer construct kinked preferences

**Proof:** Let  $\varphi: \mathcal{D} \to Z$  be efficient and strategy-proof. Let d be an allocation such that for all  $R' \in \overline{\mathcal{D}}$ , if P(R') = M, then  $\varphi(R') = d$ . By A1 and Lemma 3, d is well-defined. Let  $R \in \overline{\mathcal{D}}$  be such that P(R) = M. By Lemmas 3 and 4, we only have to show that  $d_1 \in \{0, \Omega\}$ . Suppose to the contrary that  $d_1 \notin \{0, \Omega\}$ . By double transformability, there exists  $R \in \overline{\mathcal{D}}$  such that (i)  $P_1(R) \cap M_1 = \{0, \Omega\}$ and (ii) for all  $z \in P(R)$  with  $z_1 \neq d_1$ , there exists  $R'_1 \in \overline{\mathcal{D}}_1(R_2)$  such that if  $z'_1 \in P_1(R'_1, R_2) \cap LC(R_1, z_1) \cap UC(R'_1, z_1)$ , then either

(ii-1) for some  $R_1'' \in \mathcal{D}_1(R_2)$ ,

$$P_1(R''_1, R_2) \cap LC(R'_1, z'_1) \cap UC(R''_1, z'_1) = \{z'_1\} \text{ and } d_1 P''_1 z'_1$$

(ii-2) for some  $R'_2 \in \overline{\mathcal{D}}_2(R'_1)$ ,

 $P_2(R'_1, R'_2) \cap LC(R_2, z'_2) \cap UC(R'_2, z'_2) = \{z'_2\}$  and  $d_2 P'_2 z'_2$ .

Let  $z \equiv \varphi(R)$ . Then clearly  $z \in P(R)$  and by (i),  $z_1 \neq d_1$ . Therefore by efficiency and strategy-proofness and (ii), there exists  $R'_1 \in \overline{\mathcal{D}}_1(R_2)$  such that either (ii-1) or (ii-2) holds at  $z'_1 \equiv \varphi_1(R'_1, R_2)$ . When (ii-1) holds, there exists  $R''_1 \in \mathcal{D}_1(R_2)$  such that  $d_1 P''_1 z'_1$  and  $P_1(R''_1, R_2) \cap LC(R'_1, z'_1) \cap UC(R''_1, z'_1) =$  $\{z'_1\}$ . By Lemma 2,  $\varphi(R''_1, R_2) = z'$ . By A2, there exists  $\overline{R}_1 \in \mathcal{D}_1(R_2)$  such that  $P(\overline{R}_1, R_2) = M$ . Since  $\varphi(\overline{R}_1, R_2) = d$ ,  $\varphi_1(\overline{R}_1, R_2) P''_1 \varphi_1(R''_1, R_2)$ . This contradicts strategy-proofness. When (ii-2) holds, we can derive a contradiction, using the same argument as above. Q.E.D.

When the domain satisfies *everywhere reachability*<sup>\*</sup> in addition, the minimal contamination set in Proposition 1 coincides with the entire domain.

**Theorem 1:** Given a rich and everywhere reachable<sup>\*</sup> domain, a rule is efficient and strategy-proof if and only if it is dictatorial.

**Proof:** Let  $\mathcal{D}$  be rich and everywhere reachable<sup>\*</sup>. Then there exist  $\overline{\mathcal{D}} \subseteq \mathcal{D}$  and  $M \subset \mathbb{R}^l_+$  satisfying A1, A2, A3, and double transformability. Let  $\varphi \colon \mathcal{D} \to Z$  be efficient and strategy-proof. Then by Proposition 1, there exists  $i \in N$  such that  $\varphi$  is dictatorial over *i*'s minimal contamination set relative to  $(\overline{\mathcal{D}}, M)$ . By A1, there exists  $R \in \overline{\mathcal{D}}$  such that P(R) = M and both  $R_1$  and  $R_2$  are strictly monotonic. Note that by strict monotonicity,  $I_{-i}(0) = \{0\}$  and so for all  $R' \in \mathcal{D}$ ,  $I_{-i}(0) \subseteq I'_{-i}(0)$ . Then by everywhere reachable<sup>\*</sup>, every other profile is reachable from R through iterative unilateral variations that are 0-indifference monotonic Q.E.D.

and make use of the invariance of *strategy-proof* and *efficient* rules with respect to Maskin monotonic transformations. Our proof is simpler and works well without kinked preferences. This is because our proof makes use of the stronger invariance property in Lemma 2.

Since every product domain is *everywhere reachable*<sup>\*</sup>, Theorem 1 applies to *rich* product domains.

**Remark 1**: Both richness and everywhere reachability<sup>\*</sup> are essential in Theorem 1. Example 1 shows that without richness, the impossibility does not hold. Without everywhere reachability<sup>\*</sup>, the impossibility does not hold either. The following example shows this. Let  $\mathcal{D}_a$  and  $\mathcal{D}_b$  be such that  $\mathcal{D} \equiv \mathcal{D}_a \cup \mathcal{D}_b$ . Suppose that for all  $R \in \mathcal{D}_a$  and all  $R' \in \mathcal{D}_b$ , R' is not reachable from R through iterative unilateral variations. Now let  $\varphi$  be dictatorial over  $\mathcal{D}_a$  and agent 1 be the dictator over  $\mathcal{D}_a$ . Let  $\varphi$  be dictatorial over  $\mathcal{D}_b$  and agent 2 be the dictator over  $\mathcal{D}_b$ . Then  $\varphi$  is efficient, strategy-proof, and non-dictatorial.

## 4 Applications

In this section, we apply our result in Section 3 to "intertemporal exchange problem", "risk sharing problem", and two restricted domains, the "CES domain" and the "quasilinear domain".

#### 4.1 Intertemporal exchange

Let T be the number of periods,  $T \ge 2$ . For each  $t = 1, \dots, T$ , let  $\Omega_t > 0$  be the endowment of a single consumption good at period t. Suppose that there exists no saving technology. Then an allocation  $(z_i)_N \in \mathbb{R}^{T \times N}_+$  is *feasible* if for all  $t = 1, \dots, T, \sum_i z_{it} \le \Omega_t$ .

Each agent  $i \in N$  has a preference  $R_i$  represented by a *temporal utility func*tion  $u_i: \mathbb{R}_+ \to \mathbb{R}$  and a discount factor  $\delta_i \in (0, 1)$  as follows: for all  $x, y \in \mathbb{R}_+^T$ ,

$$x R_i y \Leftrightarrow \sum_{t=1}^T \delta_i^{t-1} u_i(x_t) \ge \sum_{t=1}^T \delta_i^{t-1} u_i(y_t) .$$

Note that when the temporal utility function  $u_i$  is concave (respectively, strictly concave),  $R_i$  is convex (respectively, strictly convex). Let  $\mathcal{R}_{IE}$  be the class of all such preferences represented by concave, strictly monotonic, and continuous temporal utility functions. We refer to  $\mathcal{R}_{IE}^N$  as the intertemporal exchange domain. Let  $\mathcal{R}_{IE-s.con}$  be the class of all preferences in  $\mathcal{R}_{IE}$  with strictly concave temporal utility functions. Let  $\mathcal{R}_{IE-lin}$  be the class of preferences in  $\mathcal{R}_{IE}$  with the linear temporal utility function,  $u^{lin}(m) = m$ , for all  $m \in \mathbb{R}_+$ .

In order to show that the intertemporal exchange domain is *rich*, we make use of the following subsets of Z. Let  $P^{\perp} \equiv \{z \in Z : \text{ for some } t \in \{1, \dots, T\}, z_1 = (\Omega_1, \dots, \Omega_{t-1}, z_{1t}, 0, \dots, 0) \text{ and } z_2 = (0, \dots, 0, z_{2t}, \Omega_{t+1}, \dots, \Omega_T) \}$ . Let  $P^{\Gamma} \equiv$   $\{z \in Z: \text{ for some } t \in \{1, \dots, T\}, z_2 = (\Omega_1, \dots, \Omega_{t-1}, z_{2t}, 0, \dots, 0) \text{ and } z_1 = (0, \dots, 0, z_{1t}, \Omega_{t+1}, \dots, \Omega_T)\}.$  Note that for each  $i \in N$ , both  $P_i^{\perp}$  and  $P_i^{\ulcorner}$  are monotonic path from 0 to  $(\Omega_1, \dots, \Omega_T)$ .

**Proposition 2**: The intertemporal exchange domain  $\mathcal{R}_{\text{IE}}^N$  and the two subdomains,  $\mathcal{R}_{\text{IE-lin}}^N$  and  $\mathcal{R}_{\text{IE-s,con}}^N$ , are rich and everywhere reachable<sup>\*</sup>.<sup>13</sup>

**Proof**: Everywhere reachability<sup>\*</sup> is obvious. We only have to show that both  $\mathcal{R}_{\text{IE-lin}}^N$  and  $\mathcal{R}_{\text{IE-s.con}}^N$  are rich. In what follows, we show richness of  $\mathcal{R}_{\text{IE-lin}}^N$ . A similar argument applies for  $\mathcal{R}_{\text{IE-s.con}}^N$ .<sup>14</sup>

Throughout the proof, the linear preference with discount factor  $\delta \in (0, 1)$ is denoted by  $R_{\delta}$ . Then  $R_{\delta}$  is represented by the following utility function  $U_{\delta}$ : for all  $x \in \mathbb{R}^T_+$ ,  $U_{\delta}(x) \equiv \sum_t \delta^{t-1} x_t$ . We make use of the following claim, which states that when both agents have linear preferences, the Pareto set is equal to  $P^{\perp}$  (respectively,  $P^{\Gamma}$ ) if and only if agent 2 is more (respectively, less) patient than agent 1. We omit the proof.

**Claim 1**: For all  $\delta_1, \delta_2 \in (0, 1)$ , (i)  $P(R_{\delta_1}, R_{\delta_2}) = P^{\lrcorner} \Leftrightarrow \delta_1 < \delta_2$  and (ii)  $P(R_{\delta_1}, R_{\delta_2}) = P^{\ulcorner} \Leftrightarrow \delta_1 > \delta_2$ .

Let  $M \equiv P^{\perp}$  and  $\overline{\mathcal{D}} \equiv \mathcal{R}_{\text{lin}}^N$ . Then both A1 and A2 follow from Claim 1.

**A3**: Let  $(\delta_1, \delta_2), (\delta'_1, \delta'_2) \in (0, 1)^2$  and  $z, z' \in M$  be such that  $z \neq z'$  and  $P(R_{\delta_1}, R_{\delta_2}) = P(R_{\delta'_1}, R_{\delta'_2}) = M$ . Without loss of generality, we assume  $z_1 \leq z'_1$ . By Claim 1,  $\delta_1 < \delta_2$  and  $\delta'_1 < \delta'_2$ . There exists  $\delta^*_1 \in (0, 1)$  such that  $\delta^*_1 \leq \min\{\delta_1, \delta'_1\}$ . Then by Claim 1,  $P(R_{\delta^*_1}, R_{\delta_2}) = P^{\perp}$ . Since  $P^{\perp}$  is a monotonic path,  $P_1(R_{\delta^*_1}, R_{\delta_2}) \cap LC(R_{\delta_1}, z_1) \cap UC(R_{\delta^*_1}, z_1) = \{z_1\}$ . Also by Claim 1,  $P_1(R_{\delta^*_1}, R_{\delta'_2}) = P^{\perp}$ .

<sup>14</sup>Fix  $\rho \in (0,1)$ . Let u such that  $u(m) = -e^{-\rho m}$  for all  $m \in \mathbb{R}_+$ . Let  $\overline{\mathcal{D}}$  be the family of profiles of preferences represented by u and a discount factor  $\delta \in (0,1)$ . Then  $\overline{\mathcal{D}} \subseteq \mathcal{R}_{\text{IE-s.con}}^N$ . For each discount factor  $\delta \in (0,1)$ , let  $U_{\delta} \colon \mathbb{R}^2_+ \to \mathbb{R}$  be the utility function associated with uand  $\delta$  and let  $R_{\delta}$  be the corresponding preference. We can establish the following claim, similar to Claim 1 in Proof of Proposition 2.

Claim 1: For all  $\delta_1, \delta_2 \in (0, 1)$ , (i)  $P(R_{\delta_1}, R_{\delta_2}) = P \dashv \Leftrightarrow \frac{\delta_2}{\delta_1} \ge e^{\rho(\Omega_1 + \Omega_2)}$ ; (ii)  $P(R_{\delta_1}, R_{\delta_2}) = P^{\ulcorner} \Leftrightarrow \frac{\delta_1}{\delta_2} \ge e^{\rho(\Omega_1 + \Omega_2)}$ .

Using this claim and the same argument with a slight modification as in Proof of Proposition 2, we can show that  $\overline{\mathcal{D}}$  and  $M \equiv P^{\lrcorner}$  satisfy A1-A3 and double transformability.

<sup>&</sup>lt;sup>13</sup>In the two period case, T = 2, for each agent, there are infinitely many admissible linear preferences in  $\mathcal{R}_{\text{IE-lin}}$ . Schummer (1997) shows that in the 2-good exchange economy case, given any domain with at least four admissible linear preferences for each agent, dictatorial rules are the only *efficient* and *strategy-proof* rules. Therefore his result applies. Schummer (1997) extends this result for the 2-good case to the *l*-good case using specific preferences in which commodities are partitioned into two groups with identical marginal utilities. Such preferences are not admissible in  $\mathcal{R}_{\text{IE-lin}}^N$ , since marginal utility decreases in the rate of discount factor over periods. Therefore, when  $T \geq 3$ , Schummer's result does not apply.

*P*<sup>⊥</sup>. Hence *P*<sub>1</sub>(*R*<sub>δ<sup>\*</sup><sub>1</sub></sub>, *R*<sub>δ'<sub>2</sub></sub>) ∩ {*x* ∈ *Z*<sub>0</sub> : Ω − *x* ∈ *LC*(*R*<sub>δ<sub>2</sub></sub>, *z*<sub>2</sub>) ∩ *UC*(*R*<sub>δ'<sub>2</sub></sub>, *z*<sub>2</sub>)} = {*z*}. Since *z*<sub>1</sub> ≤ *z*'<sub>1</sub>, *z*<sub>1</sub> ∈ *LC*<sup>0</sup>(*R*<sub>δ<sup>\*</sup><sub>1</sub></sub>, *z*'<sub>1</sub>). □

**Double transformability**: Let  $d \in M$ . Let  $\delta_1 > \delta_2$ . Then  $P(R_{\delta_1}, R_{\delta_2}) = P^{r}$ and so  $P_i(R_{\delta_1}, R_{\delta_2}) \cap M_i = \{0, \Omega\}$  for each  $i \in N$ . Let  $z \in P(R_{\delta_1}, R_{\delta_2})$  be such that  $z_1 \neq d_1$ . When  $U_{\delta_1}(z_1) < U_{\delta_1}(d_1)$ , if we let  $R'_1 = R''_1 \equiv R_{\delta_1}$ , then (ii-1) of double transformability holds. When  $U_{\delta_2}(z_2) < U_{\delta_2}(d_2)$ , if we let  $R'_1 \equiv R_{\delta_1}$  and  $R'_2 \equiv R_{\delta_2}$ , then (ii-2) of double transformability holds.

Now assume  $U_{\delta_1}(z_1) \geq U_{\delta_1}(d_1)$  and  $U_{\delta_2}(z_2) \geq U_{\delta_2}(d_2)$ . Then  $d_1 \in P^{\perp} \setminus \{0, \Omega\}$ . So d is not efficient for  $(R_{\delta_1}, R_{\delta_2})$ . Hence either  $U_{\delta_1}(z_1) > U_{\delta_2}(d_1)$  or  $U_{\delta_2}(z_2) > U_{\delta_2}(d_2)$ . We consider the case  $U_{\delta_1}(z_1) > U_{\delta_2}(d_1)$  and  $U_{\delta_2}(z_2) \geq U_{\delta_2}(d_2)$  (the same argument applies in the other case). Since  $U_{\delta_2}(z_2) = \sum_t \delta_2^{t-1}(\Omega_t - z_{1t}) \geq \sum_t \delta_2^{t-1}(\Omega_t - d_{1t}) = U_{\delta_2}(d_2)$ , then  $U_{\delta_2}(z_1) \leq U_{\delta_2}(d_1)$ . Since  $U_{\delta_1}(z_1) > U_{\delta_1}(d_1)$ ,  $U_{\delta_2}(z_1) \leq U_{\delta_2}(d_1)$ , and  $\delta_1 > \delta_2$ , then there exists  $\delta'_2 \in (\delta_2, \delta_1)$  such that  $U_{\delta'_2}(z_1) > U_{\delta'_2}(d_1)$ . Then,  $U_{\delta'_2}(z_2) < U_{\delta'_2}(d_2)$ . Now let  $R'_1 \equiv R_{\delta_1}$  and  $R'_2 \equiv R_{\delta'_2}$ . Then  $P(R'_1, R'_2) = P^{\Gamma}$  and (ii-2) of double transformability holds.  $\Box$ 

**Remark 2**: Intertemporal exchange domains with bounded difference in agents' discount factors: It may be the case that both agents share a common cultural background relevant to impatience. Then it is appealing to assume that their impatience levels are not too different; that is, the difference of their discount factors is bounded by a fixed positive number. For each  $\mu > 0$ , let  $\mathcal{D}^{\mu}_{IE}$  be the family of preference profiles R in  $\mathcal{R}_{\text{IE}}^N$  such that the difference between the two discount factors  $\delta_1$  and  $\delta_2$  for  $R_1$  and  $R_2$  respectively is less than  $\mu$ , that is,  $|\delta_1 - \delta_2| < \mu$ . Similarly, we define  $\mathcal{D}^{\mu}_{\text{IE-lin}} \subseteq \mathcal{R}^{N}_{\text{IE-lin}}$  and  $\mathcal{D}^{\mu}_{\text{IE-s.con}} \subseteq \mathcal{R}^{N}_{\text{IE-s.con}}$ . The proof of Proposition 2 can be modified to show richness of the three non-product domains for each  $\mu > 0$ . To show everywhere reachability<sup>\*</sup>, let  $R, R' \in \mathcal{D}^{\mu}_{\text{IE}}$  (or  $\mathcal{D}^{\mu}_{\text{IE-lin}}$  or  $\mathcal{D}_{\text{IE-s.con}}^{\mu}$  be such that for all  $i \in N$ ,  $R_i$  and  $R'_i$  are represented by temporal utility functions  $u_i$  and  $u'_i$ , respectively, and discount factors  $\delta_i$  and  $\delta'_i$ , respectively. Since all preferences in  $\mathcal{D}^{\mu}_{\text{IE}}$  are strictly monotonic, we only have to show that R' is reachable from R through iterative unilateral variations, which can be constructed by changing discount factors first as follows  $(\delta_1, \delta_2) \to (\delta'_1, \delta_2) \to (\delta'_1, \delta'_2)$  and then changing temporal utility functions as follows  $(u_1, u_2) \rightarrow (u'_1, u_2) \rightarrow (u'_1, u'_2)$ .

#### 4.2 Risk sharing

Let S be the number of states,  $S \ge 2$ . For each  $s = 1, \dots, S$ , let  $\Omega_s > 0$  be the endowment at state s. We consider the problem of allocating these endowments prior to the realization of state. An allocation is a list of state contingent consumption bundles indexed by agents,  $z \equiv (z_i)_{i \in N} \in \mathbb{R}^{S \times N}_+$ . Each agent  $i \in N$  has a preference  $R_i$  that is represented by a subjective probability distribution, or belief,  $\pi_i \equiv (\pi_{is})_s \in \Delta^{S-1}$  and a utility index  $u_i \colon \mathbb{R}_+ \to \mathbb{R}$ in the expected utility form as follows: for all  $x, y \in \mathbb{R}^S_+$ 

$$x R_i y \Leftrightarrow \sum_{s=1}^{S} \pi_{is} u_i (x_s) \ge \sum_{s=1}^{S} \pi_{is} u_i (y_s)$$

We assume that  $\pi_i > 0$  and that  $u_i$  is strictly increasing and continuous. We further assume that  $u_i$  is concave. Let  $\mathcal{R}_{RS}$  be the family of all such expected utility preferences. We refer to  $\mathcal{R}_{RS}^N$  as the **risk sharing domain**. Preference  $R_i$  is **risk averse** if  $u_i$  is strictly concave. It is **risk neutral** if  $u_i$  is the linear function  $u^{\text{lin}}$ , that is, for all  $m \in \mathbb{R}_+$ ,  $u^{\text{lin}}(m) = m$ . Let  $\mathcal{R}_{RS-aver}$  be the family of all risk averse preferences. Let  $\mathcal{R}_{RS-neut}$  be the family of all risk neutral preferences. Note that in the risk sharing domain both belief and utility index of each agent are private information and so it differs from Example 1.<sup>15</sup>

Let  $R_0 \in \mathcal{R}_{\text{IE}}$  be the preference in Section 4.1, which is represented by a temporal convex utility function  $u_0$  and discount factor  $\delta \in (0, 1)$ . Then  $R_0$  is represented by the following utility function U: for all  $x \in \mathbb{R}^T_+$ ,  $U(x) \equiv \sum_t \delta^{t-1} u_0(x_t)$ . Therefore, when T = S,  $R_0$  coincides with the preference in  $\mathcal{R}_{\text{RS}}$  with utility index  $u_0$  and the following belief,

$$\left(\frac{1}{\sum_t \delta^{t-1}}, \frac{\delta}{\sum_t \delta^{t-1}}, \cdots, \frac{\delta^T}{\sum_t \delta^{t-1}}\right).$$

This shows that  $\mathcal{R}_{\text{IE-lin}}^N \subseteq \mathcal{R}_{\text{RS-neut}}^N \subseteq \mathcal{R}_{\text{RS}}^N$  and  $\mathcal{R}_{\text{IE-s.con}}^N \subseteq \mathcal{R}_{\text{RS-aver}}^N$ . Therefore, it follows directly from Propositions 2 that:

**Proposition 3**: The risk sharing domain  $\mathcal{R}_{RS}^N$  and two subdomains,  $\mathcal{R}_{RS-aver}^N$  and  $\mathcal{R}_{RS-neut}^N$ , are rich and everywhere reachable<sup>\*</sup>.

**Remark 3** Risk sharing domains with bounded difference in agents' beliefs: When both agents share information on the state space, their beliefs will be affected commonly. Then, agents' beliefs may not be too far from each other. For each  $\mu > 0$ , let  $\mathcal{D}_{RS}^{\mu}$  be the family of preference profiles  $(R_1, R_2) \in \mathcal{R}_{RS}^N$  such that the difference between the two beliefs  $\pi_1$  and  $\pi_2$  for  $R_1$  and  $R_2$  respectively is less than  $\mu$ , that is,  $|\pi_1 - \pi_2| < \mu$ . Similarly, we define  $\mathcal{D}_{RS-neut}^{\mu} \subseteq \mathcal{R}_{RS-neut}^N$  and  $\mathcal{D}_{RS-aver}^{\mu} \subseteq \mathcal{R}_{RS-aver}^N$ . Then as in Remark 2, these three non-product domains are rich and everywhere reachable<sup>\*</sup>.

<sup>&</sup>lt;sup>15</sup>Ju (2001) considers the case when all of agents have an identical and revealed belief or an objective distribution as in Example 1.

#### 4.3 Other restricted domains

In this section, we show that the domain of "CES preferences" is *flexible* (so, *rich*) and the domain of "quasilinear", strictly convex, and smooth preferences is *rich*.

A preference  $R_0$  is a **CES preference** if there exist  $(a_1, \dots, a_l) \in \mathbb{R}_{++}^l$  and  $\rho \in (-\infty, 1)$  such that  $R_0$  is represented by the following utility function  $u_0$ : for all  $x \in \mathbb{R}_{++}^l$ ,

$$u_0(x) \equiv \begin{cases} \left(\sum_k a_k x_k^{\rho}\right)^{1/\rho}, \text{ if } \rho \neq 0; \\ x_1^{a_1} \times \cdots \times x_k^{a_k}, \text{ if } \rho = 0, \end{cases}$$

for all  $x \in \mathbb{R}^l_+ \setminus \mathbb{R}^l_{++}$ , if  $\rho > 0$ ,  $u_0(x) \equiv (\sum_k a_k x_k^{\rho})^{1/\rho}$ ; if  $\rho \leq 0$ ,  $u_0(x) \equiv 0$ . Let  $\mathcal{R}_{CES}$  be the class of all *CES* preferences. We refer to  $\mathcal{R}_{CES}^N$  as the *CES*domain.

**Proposition 4:** The CES-domain is flexible and everywhere reachable<sup>\*</sup>.

**Proof:** Everywhere reachability<sup>\*</sup> is obvious. Let  $M \equiv \{z \in Z : z_1 \in 0, \Omega\}$ . We show that  $\mathcal{R}_{CES}^N$  and M satisfy A1, A2, A3, F1, and F2. The first four properties can be shown similarly to Example 2. We are left with F2. In what follows, we only consider the 2-good case; our argument can be extended to the *l*-good case.<sup>16</sup> We use the following property of Pareto set for homothetic preferences.

Fact 1 (Thomson, 1995): Let l = 2. When  $R_1$  and  $R_2$  are homothetic preferences in  $\mathcal{R}$ , P(R) is "doubly visible", that is, for all  $z_1, z'_1 \in \mathbb{R}^l_{++}$ , if  $z_1, z'_1 \in P_1(R)$ and  $z_{11} < z'_{11}$ , then either (a)  $z_{12}/z_{11} \ge z'_{12}/z'_{11}$  and  $z_{22}/z_{21} \ge z'_{22}/z'_{21}$  or (b)  $z_{12}/z_{11} \le z'_{12}/z'_{11}$  and  $z_{22}/z_{21} \le z'_{22}/z'_{21}$ .

Let  $i \in N$  and  $d_i \in M_i$ . Without loss of generality we set  $i \equiv 1$ . We show that for some  $R \in \mathcal{R}_{CES}^N$ , (i)  $P_1(R) \cap M_1 = \{0, \Omega\}$  and (ii) if  $z \in P(R) \setminus \{d\}$  and  $p \cdot z_1 = p \cdot d_1$  for all  $p \in \nabla R(z)$ , then there exists  $\bar{R}_1 \in \mathcal{R}_{CES}$  such that for all  $\bar{z}_1 \in P_1(\bar{R}_1, R_2) \cap LC(R_1, z_1) \cap UC(\bar{R}_1, z_1), p \cdot \bar{z}_1 \neq p \cdot d_1$  for some  $p \in \nabla(\bar{R}_1, R_2)(\bar{z})$ .

<sup>&</sup>lt;sup>16</sup>For the *l*-good case, we simply use the following relations between some special preference profiles in the *l*-good case and their counterparts in the 2-good case.

Let  $a, b \in \mathbb{R}_{++}$  and  $(c_2, \dots, c_l) \in \mathbb{R}_{++}^{l-1}$ . Let  $U_1 \colon \mathbb{R}_{+}^l \to \mathbb{R}$  and  $U_2 \colon \mathbb{R}_{+}^l \to \mathbb{R}$  be defined as follows: for all  $x \in \mathbb{R}_{+}^l$ ,  $U_1(x) \equiv (a(x_1/\Omega_1)^{\rho_1} + \sum_{k=2}^l c_k(x_k/\Omega_k)^{\rho_1})^{1/\rho_1}$ ;  $U_2(x) \equiv (b(x_1/\Omega_1)^{\rho_2} + \sum_{k=2}^l c_k(x_k/\Omega_k)^{\rho_2})^{1/\rho_2}$ . Let  $u_1 \colon \mathbb{R}_{+}^2 \to \mathbb{R}$ , and  $u_2 \colon \mathbb{R}_{+}^2 \to \mathbb{R}$  be defined as follows: for all  $(x_1, x_2) \in \mathbb{R}_{+}^2$ ,  $u_1(x_1, x_2) \equiv (a(x_1/\Omega_1)^{\rho_1} + (\sum_{k=2}^l c_k)(x_2/\Omega_2)^{\rho_1})^{1/\rho_1}$ ;  $u_2(x_1, x_2) \equiv (b(x_1/\Omega_1)^{\rho_2} + (\sum_{k=2}^l c_k)(x_2/\Omega_2)^{\rho_2})^{1/\rho_2}$ . Then for all  $x \in \mathbb{R}_{++}^l$ , (i) if  $(x, \Omega - x)$  is efficient in *l*-good economy  $(U_1, U_2, \Omega)$ , then  $\frac{x_2}{\Omega_2} = \frac{x_3}{\Omega_3} = \cdots = \frac{x_l}{\Omega_l}$  and  $((x_1, x_2), (\Omega_1 - x_1, \Omega_2 - x_2))$  is efficient in 2-good economy  $(u_1, u_2, (\Omega_1, \Omega_2))$ , then  $((x_1, x_2, \frac{\Omega_3}{\Omega_2} x_2 \cdots, \frac{\Omega_l}{\Omega_2} x_2), (\Omega_1 - x_1, \Omega_2 - x_2, \Omega_3(1 - \frac{x_2}{\Omega_2}), \cdots, \Omega_l(1 - \frac{x_2}{\Omega_2})))$  is efficient in *l*-good economy  $(U_1, U_2, \Omega)$ .

Clearly, (i) holds. If  $d_1 \in \{0, \Omega\}$ , (ii) holds vacantly.

Assume that  $d_1 \notin \{0, \Omega\}$ . Without loss of generality, let  $\Omega \equiv (1, \dots, 1)$ . Let  $u_1 \colon \mathbb{R}^l_+ \to \mathbb{R}$  and  $u_2 \colon \mathbb{R}^l_+ \to \mathbb{R}$  be defined as follows: for all  $x \in \mathbb{R}^l_+$ ,  $u_1(x) \equiv (ax_1^{\rho_1} + x_2^{\rho_1})^{1/\rho_1}$  and  $u_2(x) \equiv (bx_1^{\rho_2} + x_2^{\rho_2})^{1/\rho_2}$ , where  $\rho_1, \rho_2 \in (0, 1)$  and  $a, b \in \mathbb{R}_{++}$ . Let  $R_1$  and  $R_2$  be the two preferences represented by  $u_1$  and  $u_2$  respectively. Let  $\rho_1, \rho_2 \in (0, 1)$  and  $a, b \in \mathbb{R}_{++}$  be chosen in such a way that  $P_1(R) \cap \overline{0, \Omega} = \{0, \Omega\}, P_1(R) \setminus \{0\} \subset \mathbb{R}^l_{++}$ , and for all  $z'_1 \in P_1(R) \setminus \{0, \Omega\}, z'_1 \in \mathbb{R}^l_{++}$  and  $z'_{12}/z'_{11} > d_{12}/d_{11}$ .

Let  $z \in P(R)$  be such that  $z_1 \neq d_1$  and for all  $p' \in \nabla R(z)$ ,  $p' \cdot z_1 = p' \cdot d_1$ . Then clearly,  $z_1 \notin \{0, \Omega\}$ . Then since  $P_1(R) \setminus \{0\} \subset \mathbb{R}^l_{++}$ ,  $z_1 \in \mathbb{R}^l_{++}$  and  $z_2 \in \mathbb{R}^l_{++}$ . Let  $p \equiv \nabla u_1(z_1)$ . Since  $d_1 \in \overline{0, \Omega}$  and  $(\Omega_1, \Omega_2) = (1, 1)$ , then for all  $i \in N$ ,  $d_{i1} = d_{12}$ . Since  $p \in \mathbb{R}^l_{++}$  and  $p \cdot z_1 = p \cdot d_1$ , then  $z_1 \not\leq d_1$  and  $z_1 \not\geq d_1$ .

Let  $(\bar{x}_1, \bar{x}_2) \in \mathbb{R}^2_{++}$  be such that  $u_2(1 - \bar{x}_1, 1 - \bar{x}_2) = u_2(z_{21}, z_{22})$  and  $\bar{x}_1 < z_{11}$ (since  $z_1, z_2 \in \mathbb{R}^l_{++}$ , there exists such  $(\bar{x}_1, \bar{x}_2) \in \mathbb{R}^2_{++}$ ). Let  $(\bar{p}_1, \bar{p}_2) \in \mathbb{R}^2_{++}$  be a vector normal to  $(\bar{x}_1, \bar{x}_2), (d_{11}, d_{12})$ . Then

$$(\star) \ (\bar{p}_1, \bar{p}_2) \cdot (\bar{x}_1, \bar{x}_2) = (\bar{p}_1, \bar{p}_2) \cdot (d_{11}, d_{12}) < (\bar{p}_1, \bar{p}_2) \cdot (z_{11}, z_{12}).$$

Then there exists a CES function  $\bar{u}$  such that  $\bar{u}_1(\bar{x}_1, \bar{x}_2) = \bar{u}_1(z_{11}, z_{12})$  and  $\nabla \bar{u}_1(\bar{x}_1, \bar{x}_2) = (\bar{p}_1, \bar{p}_2)$ . Without loss of generality, we assume that  $\bar{u}_1(x_1, x_2) \equiv (\bar{a}x_1^{\bar{\rho}_1} + x_2^{\bar{\rho}_1})^{1/\bar{\rho}_1}$ , where  $\bar{a} \in \mathbb{R}_{++}$  and  $\bar{\rho}_1 \in (-\infty, 1)$ . Then  $\nabla \bar{u}_1(x) \equiv K \cdot (\bar{a}x_1^{\bar{\rho}-1}, x_2^{\bar{\rho}-1})$ , where  $K \equiv (\bar{a}x_1^{\bar{\rho}} + x_2^{\bar{\rho}})^{1/\bar{\rho}-1}$ , for all  $x \in \mathbb{R}_{++}^l$ .

By (\*),  $\nabla \bar{u}_1(\bar{x}) \cdot \bar{x} = \nabla \bar{u}_1(\bar{x}) \cdot d_1$ . By Fact 1, we can show that for all  $\bar{z}_1 \in P_1(\bar{R}_1, R_2) \cap LC(R_1, z_1) \cap UC(\bar{R}_1, z_1), \ \bar{x}_2/\bar{x}_1 > \bar{z}_{12}/\bar{z}_{11} > d_{12}/d_{11} = 1$ . Clearly,  $\nabla \bar{u}_1(\bar{x}) \cdot \bar{z}_1 > \nabla \bar{u}_1(\bar{x}) \cdot x = \nabla \bar{u}_1(\bar{x}) \cdot d_1$ . Then  $\bar{a}\bar{x}_1^{\bar{\rho}-1}\bar{z}_{11} + x_2^{\bar{\rho}-1}\bar{z}_{12} > \bar{a}\bar{x}_1^{\bar{\rho}-1}d_{11} + \bar{x}_2^{\bar{\rho}-1}d_{12}$ , that is,  $\bar{a}\bar{z}_{11} - \bar{a}d_{11} + (\frac{\bar{x}_1}{\bar{x}_2})^{1-\bar{\rho}}(\bar{z}_{12} - d_{12}) > 0$ . Since  $\bar{z}_{11} < d_{11}, \ \bar{z}_{12} > d_{12}$ . Since  $\frac{\bar{x}_1}{\bar{x}_2} < \frac{\bar{z}_{11}}{\bar{z}_{12}}, \ \bar{a}\bar{z}_{11} - \bar{a}d_{11} + (\frac{\bar{z}_{11}}{\bar{z}_{12}})^{1-\bar{\rho}}(\bar{z}_{12} - d_{12}) > 0$ . Therefore,  $\nabla \bar{u}_1(\bar{z}_1) \cdot \bar{z}_1 > \nabla \bar{u}_1(\bar{z}_1) \cdot d_1$ .

A preference  $R_0 \in \mathcal{R}$  is quasilinear with respect to numeraire good  $k \in \{1, \dots, l\}$  if for all  $x, y \in \mathbb{R}^l_+$  and all  $\alpha \in \mathbb{R}$ , whenever  $x + \alpha e_k, y + \alpha e_k \in \mathbb{R}^l_+$ , where  $e_k$  is the unit vector with zero components except at the  $k^{\text{th}}$  component,  $x \ I_0 \ y \Rightarrow (x + \alpha e_k) \ I_0 \ (y + \alpha e_k)$ . Let  $\mathcal{R}_Q$  be the family of quasilinear, strictly convex, and smooth preferences with respect to a common numeraire good. We refer to  $\mathcal{R}^N_Q$  as the quasilinear domain.

**Proposition 5:** The quasilinear domain is rich and everywhere reachable<sup>\*</sup>.

**Proof**: Everywhere reachability<sup>\*</sup> is obvious. Let  $\rho \in (0, 1)$ . For each a > 0, let  $u^a \colon \mathbb{R}^l_+ \to \mathbb{R}$  be such that: for all  $x \in \mathbb{R}^l_+$ ,  $u^a(x) \equiv a \cdot \frac{x_1}{\Omega_1} + \sum_{k=2}^l \left(\frac{x_k}{\Omega_k} + 1\right)^{\rho}$ .

Let  $\mathcal{R}_{Q,\rho}$  be the set of preferences represented by  $u^a$  for some a > 0. Let  $M^1 \equiv \{z \in \overline{Z} : z_{11} = 0 \text{ or } \frac{z_{12}}{\Omega_2} = \frac{z_{13}}{\Omega_3} = \cdots = \frac{z_{1l}}{\Omega_l} = 1\}$ , and  $M^2 \equiv \{z \in \overline{Z} : \frac{z_{11}}{\Omega_1} = 1 \text{ or } \frac{z_{12}}{\Omega_2} = \frac{z_{13}}{\Omega_3} = \cdots = \frac{z_{1l}}{\Omega_l} = 0\}$ . Let  $\overline{\mathcal{D}} \equiv \mathcal{R}_{Q,\rho}^N$  and  $M \equiv M^1$ . We show that  $\overline{\mathcal{D}}$  and M satisfy A1, A2, A3 and double transformability. It is easy to show the following claim.

**Claim 1**: Let  $R_1, R_2$  be represented by  $u^{\alpha_1}, u^{\alpha_2}$  respectively. Then for all  $i \in N$ ,

$$P(R) = M^i \Leftrightarrow a_i \le a_{-i} \cdot 2^{1-\rho}$$
.

A1 and A2 are trivial.

A3: Let  $R, R' \in \overline{\mathcal{D}}$  and  $z_i, z'_i \in M_i$  be such that P(R) = P(R') = M and  $z_i \neq z'_i$ . Without loss of generality, assume  $z_1 \leq z'_1$ . For all  $i \in N$ , let  $R_i$  be represented by  $u^{a_i}$  and  $R'_i$  by  $u^{a'_i}$ , where  $a_i, a'_i > 0$ . Then by Claim 1,  $a_1 \leq a_2 \cdot 2^{1-\rho}$  and  $a'_1 \leq a'_2 \cdot 2^{1-\rho}$ . Let  $\overline{a}_1 \equiv \min\{a_1, a'_1\}$ . Let  $\overline{R}_1$  be represented by  $u^{\overline{a}_1}$ . Then since  $\overline{a}_1 \leq a_2 \cdot 2^{1-\rho}$  and  $\overline{a}_1 \leq a'_2 \cdot 2^{1-\rho}$ , then by Claim 1,  $P(\overline{R}_1, R_2) = P(\overline{R}_1, R'_2) = M$ . Since  $M_1$  is a monotone path and all preferences are strictly monotonic,  $P_1(\overline{R}_1, R_2) \cap LC(R_1, z_1) \cap UC(\overline{R}_1, z_1) = \{z_1\}$ . Hence part (i) of A3 holds. Similarly,  $P_1(\overline{R}_1, R'_2) \cap \{x \in Z_0 : \Omega - x \in LC(R_2, z_2) \cap UC(R'_2, z_2)\} = \{z_1\}$ . Since  $z_1 \leq z'_1$  and  $\overline{R}_1$  is strictly monotonic,  $z'_1 \ \overline{P}_1 \ z_1$ . Therefore part (ii) of A3 also holds.  $\Box$ 

**Double transformability**: Let  $d_1 \in M_1$ . Let  $R \in \overline{D}$  be such that  $P(R) = M^2$ . Let  $z \in P(R)$  and  $z_1 \neq d_1$ . Then clearly,  $P_1(R) \cap M_1 = \{0, \Omega\}$ . When  $d_1 \geq z_1$ or  $d_1 \leq z_1$ , if we let  $R'_1 \equiv R_1$ , then  $P_1(R'_1, R_2) \cap LC(R_1, z_1) \cap UC(R'_1, z_1) =$  $\{z_1\}$ . Therefore when  $d_1 \geq z_1$ , by strict monotonicity of  $R_1$ , (ii-1) of double transformability is satisfied with respect to  $R''_1 \equiv R_1$ . When  $d_1 \leq z_1$ , (ii-2) of double transformability is satisfied with respect to  $R''_2 \equiv R_2$ .

Now assume that  $d_1 \not\geq z_1$  and  $d_1 \not\leq z_1$ . Then  $d_{11} < z_{11}$  and  $d_{12} > z_{12}$ . Let  $a_1, a_2 > 0$  be such that  $R_1$  is represented by  $u^{a_1}$  and  $R_2$  is represented by  $u^{a_2}$ . Then by Claim 1,  $a_2 \leq a_1 \cdot 2^{1-\rho}$ . Let  $a'_2 > (l-1) \cdot \frac{(z_{22}+1)^{\rho}-(d_{22}+1)^{\rho}}{d_{21}-z_{21}}$ . Let  $a'_1 \geq \max\{a_1, \frac{a'_2}{2^{1-\rho}}\}$ . Let  $R'_1$  be represented by  $u^{a'_1}$  and  $R'_2$  be represented by  $u^{a'_2}$ . Then since  $a'_1 \geq a_1$ ,  $a'_1 \cdot 2^{1-\rho} \geq a_2$ . Hence by Claim 1,  $P_1(R'_1, R_2) = M^2$ . Since  $M_1^2$  is a monotone path through  $z_1$  and all preferences are strictly monotonic,  $P_1(R'_1, R_2) \cap LC(R_1, z_1) \cap UC(R'_1, z_1) = \{z_1\}$ . Since  $a'_1 \geq a'_2/2^{1-\rho}$ , by Claim 1,  $P(R'_1, R'_2) = M^2$ . Since  $M_2^2$  is a monotone path through  $z_2$  and all preferences are strictly monotonic,  $P_2(R'_1, R'_2) \cap LC(R_2, z_2) \cap UC(R'_2, z_2) = \{z_2\}$ . Since  $a'_2 > (l-1) \cdot \frac{(z_{22}+1)^{\rho}-(d_{22}+1)^{\rho}}{d_{21}-z_{21}}$ ,  $d_2 P'_2 z_2$ . Therefore, (ii-2) of double transformability is satisfied.  $\Box$ 

## 5 Concluding remarks

1. In several other economic environments, a number of authors have reported the same impossibility results as in the 2-agent exchange economy. Among others are Walker (1980), Zhou (1991b), Schummer (1999), Serizawa (2000), and Le Breton and Weymark (1999). Identification of general domain properties that induce their impossibility results will be an interesting research agenda.

2. Our conclusion makes use of the strong invariance property of *efficient* and *strategy-proof* rules, which is established in Lemma 2. The same invariance property will hold in other economic environments with the addition of "non-bossiness" in more than two agents cases. Examples are exchange economies with more than two agents, classical production economies, public goods economies, etc. Application of the strong invariance property may lead to simpler proofs and extensions of the existing results, for example, by Walker (1980), Satterthwaite and Sonnenschein (1981), Serizawa (2000), and Schummer (1999).

## References

- [1] Barberà, S. and Jackson, M. (1995), "Strategy-proof exchange", *Econometrica* 63:51-87.
- [2] Barberà, S., H. Sonnenschein, and L. Zhou (1991), "Voting by committees", *Econometrica* 59(3).
- [3] Berga, D. and S. Serizawa, "Maximal domain for strategy-proof rules with one public good", *Journal of Economic Theory* **78**:157-166.
- [4] Dasgupta, P., Hammond, P., and Maskin, E. (1979), "The implementation of social choice rules", *Review of Economic Studies* **46**:153-170.
- [5] Gibbard, A. (1973), "Manipulation of voting scheme: a general result", *Econometrica* 41: 587-602.
- [6] Hurwicz, L. (1972), "On informationally decentralized systems," in McGuire and Radner (eds) *Decision and Organization*, North-Holland, Amsterdam, pp. 297-336.
- [7] Hurwicz, L. and M. Walker (1990), "On the generic non-optimality of dominant strategy allocation mechanisms", *Econometrica* **58**:683-704.
- [8] Ju, B.-G. (2001), "Strategy-proof risk sharing", University of Rochester, Mimeo.

- [9] Le Breton, M. and A. Sen (1999), "Separable preferences, strategyproofness, and decomposability", *Econometrica* **67**(3).
- [10] Le Breton, M. and J. Weymark (1999), "Strategy-proof social choice with continuous separable preferences", *Journal of Mathematical Economics* 32: 47-85.
- [11] Maniquet, F. and Y. Sprumont (1999), "Efficient strategy-proof allocation functions in linear production economies", *Economic Theory*.
- [12] Mas-Colell, A., M.D. Whinston, and J.R. Green (1995), *Microeconomic Theory*, New York: Oxford University Press.
- [13] Maskin (1999), "Nash equilibrium and welfare optimality", Review of Economic Studies 66:23-38.
- [14] Moore, J. (1993), "Implementation, contracts, and renegotiation in environments with complete information", J.-J. Laffont (ed.) Advances in Economic Theory, Cambridge: Cambridge University Press, pp.182-282.
- [15] Satterthwaite, M. (1975), "Strategy-proofness and Arrow's conditions: existence and correspondence theorems for voting procedures and social welfare functions", *Journal of Economic Theory* 10:187-217.
- [16] Satterthwaite, M. and H. Sonnenschein (1981), "Strategy-proof allocation mechanisms at differentiable points", *Review of Economic Studies*.
- [17] Schummer, J. (1997), "Strategy-proofness versus efficiency on restricted domains of exchange economies", Social Choice and Welfare 14:47-56.
- [18] Schummer, J. (1999), "Strategy-proofness versus efficiency for small domains of preferences over public goods", *Economic Theory* 13:709-722.
- [19] Serizawa, S. (2000), "Inefficiency of strategy-proof rules for pure exchange economies", Tohoku University Discussion Paper No.150.
- [20] Thomson, W. (1995), The Theory of Fair Allocation.
- [21] Walker, M. (1980), "On the nonexistence of a dominant strategy mechanism for making optimal public decisions", *Econometrica* 48:1521-1540.
- [22] Zhou, L. (1991a), "Inefficiency of strategy-proof allocation mechanisms in pure exchange economies", Social Choice and Welfare 8:247-254.
- [23] Zhou, L. (1991b), "Impossibility of strategy-proof mechanisms in economies with pure public goods", *Review of Economic Studies* 58:107-119.