

Studies on Texture Segmentation Using D-Dimensional Generalized Gaussian Distribution integrated with Hierarchical Clustering

K. Naveen Kumar

Department of IT, GIT, GITAM University, Visakhapatnam
Email: nkumarkuppili@gmail.com, naveen_it@gitam.edu

K. Srinivasa Rao

Department of Statistics, Andhra University, Visakhapatnam
Email: ksraoau@yahoo.co.in

Y.Srinivas

Department of IT, GIT, GITAM University, Visakhapatnam
Email: drysr@gitam.edu

Ch. Satyanarayana

Department of CSE, JNTUK-Kakinada, Kakinada
Email: chsatyanarayana@yahoo.com

Abstract—Texture deals with the visual properties of an image. Texture analysis plays a dominant role for image segmentation. In texture segmentation, model based methods are superior to model free methods with respect to segmentation methods. This paper addresses the application of multivariate generalized Gaussian mixture probability model for segmenting the texture of an image integrating with hierarchical clustering. Here the feature vector associated with the texture is derived through DCT coefficients of the image blocks. The model parameters are estimated using EM algorithm. The initialization of model parameters is done through hierarchical clustering algorithm and moment method of estimation. The texture segmentation algorithm is developed using component maximum likelihood under Bayesian frame. The performance of the proposed algorithm is carried through experimentation on five image textures selected randomly from the Brodatz texture database. The texture segmentation performance measures such as GCE, PRI and VOI have revealed that this method outperform over the existing methods of texture segmentation using Gaussian mixture model. This is also supported by computing confusion matrix, accuracy, specificity, sensitivity and F-measure.

Index Terms—Multivariate generalised Gaussian mixture model, texture segmentation, EM-algorithm, DCT coefficients, segmentation quality metrics.

I. INTRODUCTION

The arrangement of constituent particles of a material is referred as Texture. The texture is influenced by

spatial inter relationships between the pixels in an image. Texture usually refers the pattern in an image which includes coarseness, complexity, fineness, shape, directionality and strength [1,2]. Several segmentation methods for texture segmentation have been developed for analysing the images considering the texture surfaces [3-8]. Among these methods, model based methods using probability distribution gained lot of importance. These methods are often known as parametric texture classification methods.

Several model based texture classification methods have been developed using Gaussian distribution or Gaussian mixture distribution [9-11]. The major drawback of the texture segmentation method based on Gaussian model or Gaussian mixture models is the segmentation quality metrics still remain inferior to the standard values such as PRI close to one, GCE close to zero and VOI being low. This is due to the fact that the feature vector associated with texture of the image regions may not be meso-kurtic. To improve the efficiency of the texture segmentation algorithm, one has to consider the generalization of the Gaussian distribution for characterising the feature vector associated with the texture of the image region. With this motivation, a texture segmentation algorithm is developed and analysed using multivariate generalized Gaussian mixture model. The generalized Gaussian distribution includes several of the platy-kurtic, leptokurtic and meso-kurtic distributions. This also includes Gaussian distribution as a particular case [12]. The feature vector of the texture associated with the image is extracted through DCT coefficients using the heuristic arguments of Yu-Len Huang(2005) [13]. Assuming that the feature vector of the whole image is characterised by

the multivariate generalized Gaussian mixture model with the feature vector, the segmentation algorithm by integrating heuristic method of segmentation, hierarchical clustering [14] is developed.

The rest of the paper is organised as follows. Section 2 deals with the generalized Gaussian mixture model and its properties. Section 3 deals with extraction of the feature vector using DCT coefficients. Section 4 deals with extraction of model parameters using EM algorithm. Section 5 is concerned with initialisation of parameters with hierarchical clustering and moment method of estimation. Section 6 deals with texture segmentation under Bayesian using component mixture model. Section 7 deals with performance evaluation of proposed algorithm through experimentation on five images taken from Brodatz texture dataset [15]. Section 8 deals with comparative study of proposed algorithm with that of other model based Gaussian segmentation algorithms. Section 9 is to present the conclusions along with future scope for further research in this area.

II. MULTIVARIATE GENERALIZED GAUSSIAN MIXTURE MODEL

In texture analysis, the entire image texture is considered as a union of several repetitive patterns. In this section, we briefly discuss the probability distribution (model) used for characterizing the feature vector of the texture. After extracting the feature vector of each individual texture it can be modeled by a suitable probability distribution such that the characteristics of the feature vector should match the statistical theoretical characteristics of the distribution. The feature vector characterizing the image is to follow M-component mixture distribution. Therefore we develop and analyze the textures in an image by considering that the feature vectors representing textures follow M-component multivariate generalized Gaussian mixture distribution (MGGMM) model. The joint probability density function of the feature vector associated with each individual texture is

$$p(\vec{x}_r / \theta) = \sum_{i=1}^M w_i g_i(\vec{x}_r, \theta) \quad (1)$$

where, $\vec{x}_r = (x_{rj})$, $j=1,2,\dots,D$, is D dimensional random vector represents the feature vector. $i = 1, 2, \dots, M$ representing the groups, $r = 1, 2, \dots, T$ representing the samples. θ is a parametric set such that $\theta = (\mu, \sigma, \beta)$, w_i is the component weight such that $\sum_{i=1}^M w_i = 1$ and $g_i(\vec{x}_r, \theta)$ is the probability of i^{th} class representing by the feature vectors of the image and the D-dimensional generalized Gaussian distribution is of the form[16].

$$g(\vec{x}_r / \theta) = \prod_{j=1}^D \frac{\beta_{ij} K(\beta_{ij})}{2\sigma_{ij}} e^{\left\{ (-A(\beta_{ij})) \left| \frac{x_{ij} - \mu_{ij}}{\sigma_{ij}} \right|^{\beta_{ij}} \right\}} \quad (2)$$

where, $\mu_{ij}, \sigma_{ij}, \beta_{ij}$ are location, scale and shape parameters.

$$K(\beta) = \frac{\left[\frac{\Gamma(3/\beta)}{\Gamma(1/\beta)} \right]^{1/2}}{\Gamma(1/\beta)}$$

$$A(\beta) = \left[\frac{\Gamma(3/\beta)}{\Gamma(1/\beta)} \right]^{\beta/2}$$

with $\Gamma(\cdot)$ denoting gamma function.

Each parameter $\beta \geq 0$ controls the shape of GGD.

Expanding and rearranging the terms in (2), we get

$$g(\vec{x}_r / \theta) = \prod_{j=1}^D \frac{\beta \left[\frac{\Gamma(3/\beta)}{\Gamma(1/\beta)} \right]^{1/2}}{\Gamma(1/\beta) 2\sigma_j} e^{\left\{ - \left[\frac{\Gamma(3/\beta)}{\Gamma(1/\beta)} \right]^{\beta/2} \left| \frac{x_{ij} - \mu_{ij}}{\sigma_{ij}} \right|^{\beta} \right\}} \quad (3)$$

This implies,

$$\Rightarrow \prod_{j=1}^D \frac{1}{2 \frac{\beta}{\sigma_j} A(\beta, \sigma) \Gamma(1 + \frac{1}{\beta})} \exp \left\{ - \left| \frac{x_{ij} - \mu_{ij}}{A(\beta, \sigma)} \right|^{\beta} \right\} \quad (4)$$

When $\beta=1$, the corresponding generalized Gaussian corresponds to a Laplacian or double exponential distribution. When $\beta=2$, the corresponding generalized Gaussian corresponds to Gaussian distribution. In limiting cases, $\beta \rightarrow +\infty$, equation (4) converges to a uniform distribution in $(\mu - \sqrt{3}\sigma, \mu + \sqrt{3}\sigma)$ and when $\beta \rightarrow 0+$, the distribution becomes degenerate are in $x = \mu$




Fig.1. Generalized Gaussian pdf's for different values of shape parameter β .

The mean value of the generalized Gaussian distribution is

$$E(x_{ij}) = \frac{1}{2\Gamma(1 + \frac{1}{\beta})A(\beta, \sigma)} \int_{-\infty}^{\infty} x e^{\left\{ -\frac{|x_{ij} - \mu_{ij}|^{\beta}}{A(\beta, \sigma)} \right\}} dx = \mu_{ij} \quad (5)$$

The GGD is symmetric with respect to μ , hence the odd center moments are zero i.e., $E|x_{ij} - \mu_{ij}|^t = 0$, $t = 1, 3, 5, \dots$. The even center moments can be obtained from absolute center moments and given by

$$E|x_{ij} - \mu_{ij}|^t = \left[\frac{\sigma_{ij}^2 \Gamma\left(\frac{1}{\beta}\right)^{t/2}}{\Gamma\left(\frac{3}{\beta}\right)} \right] \frac{\Gamma\left(\frac{t+1}{\beta}\right)}{\Gamma\left(\frac{1}{\beta}\right)} \quad (6)$$

The variance is

$$\text{var}(x) = E(x - \bar{x})^2 = E(x - \mu)^2 = \sigma^2 \quad (7)$$

The model can have one covariance matrix for a generalized Gaussian density of the class. The covariance matrix Σ can be full or diagonal. In this paper, the diagonal covariance matrix is considered. This choice based on the initial experimental results. Therefore,

$$\Sigma_i = \begin{bmatrix} \sigma_{i1}^2 & . & . & . \\ . & \sigma_{i2}^2 & . & . \\ . & . & . & . \\ . & . & . & \sigma_{iD}^2 \end{bmatrix} \quad (8)$$

As a result of diagonal covariance matrix for the feature vector, the features are independent and the probability density function of the feature vector is

$$g_i(\vec{x}_r / \theta) = \prod_{j=1}^D \frac{\exp\left(-\frac{|x_{ij} - \mu_{ij}|^{\beta_{ij}}}{A(\beta_{ij}, \sigma_{ij})}\right)}{2\Gamma\left(1 + \frac{1}{\beta_{ij}}\right)A(\beta_{ij}, \sigma_{ij})} \quad (9)$$

$$= \prod_{j=1}^D f_{ij}(x_{rij}) \quad (10)$$

III. FEATURE VECTOR EXTRACTION

One of the important step in segmentation of texture of an image is extracting the features associated with the texture regions of the image. Texture is the inherent pattern perceived by the image in forming the pixel intensities. Much work had been reported in literature regarding feature vector extraction of texture images [17, 18]. Some of the important methods associated with feature vector extraction are PCA, KLT, Fourier transformations and DCT cosine transformations. Among

these, the 2D discrete cosine transformation is robust and simple for extracting the features. No serious attempt is made to utilise DCT coefficients for extracting the feature of the texture of the image even though the DCT coefficients are capable of maintaining regularity, complexity of the texture. This is possible since the DCT uses orthogonal transformation of the cosine function. The advantage is DCT can convert the texture of the image from time domain to frequency domain [19]. This motivated us to consider DCT coefficients for extracting the feature vector associated with texture of the image. To compute the feature vector associated with image texture, we divide whole image into $M \times M$ blocks. Following the heuristic arguments given by Gonzalez [20], 2D DCT coefficients in each block are computed. These coefficients are selected in a zigzag pattern up to number of 16 coefficients in each block. The 16 coefficients are considered since in many of the face recognition algorithms, it is established that 16 coefficients provide sufficient information in the block. These 16 coefficients in each block are considered as a sample feature vector and the total $N = M \times M$ blocks provide $N \times 16$ data matrix for the feature vector of the whole image.

IV. ESTIMATION OF MODEL PARAMETERS USING EM ALGORITHM

In this section, we consider estimation of model parameters using EM algorithm that maximizes the likelihood function of the model [21]. The sample observations (DCT Coefficients) $(\vec{x}_1, \vec{x}_2, \dots, \vec{x}_r)$ are drawn from image texture which is characterized by the joint probability density function

$$p(\vec{x}_r / \theta) = \sum_{i=1}^M w_i g_i(\vec{x}_r, \theta)$$

where, $g_i(\vec{x}_r, \theta)$ is given in the above equation (9).

The likelihood function is

$$L(\theta) = \prod_{r=1}^T \left[\sum_{i=1}^M w_i g_i(\vec{x}_r, \theta) \right]$$

$$= \prod_{r=1}^T \sum_{i=1}^M w_i \left[\prod_{j=1}^D \frac{\exp\left(-\frac{|x_{ij} - \mu_{ij}|^{\beta_{ij}}}{A(\beta_{ij}, \sigma_{ij})}\right)}{2\Gamma\left(1 + \frac{1}{\beta_{ij}}\right)A(\beta_{ij}, \sigma_{ij})} \right] \quad (11)$$

This implies,

$$\log L(\theta) = \log \prod_{r=1}^T \left[\sum_{i=1}^M w_i g_i(\vec{x}_r, \theta) \right]$$

$$= \sum_{r=1}^T \log \left[\sum_{i=1}^M w_i \prod_{j=1}^D \frac{\exp \left(-\frac{|x_{ij} - \mu_{ij}|^{\beta_{ij}}}{A(\beta_{ij}, \sigma_{ij})} \right)}{2\Gamma \left(1 + \frac{1}{\beta_{ij}} \right) A(\beta_{ij}, \sigma_{ij})} \right] \quad (12)$$

To find the refined estimates of parameters w_i, μ_{ij} and σ_{ij} for $i=1,2,3,\dots,M$; $j=1,2,\dots,D$.

we maximize the expected value likelihood or log likelihood function. The shape parameter β_{ij} is estimated using the procedure given by Shaoquan YU (2012) [22].

To estimate w_i, μ_{ij} and σ_{ij} , we use the EM algorithm which consists of two steps namely, Expectation (E) Step and Maximization (M) Step. The first step of EM algorithm is to estimate initial parameters w_i, μ_{ij} and σ_{ij} from a given texture image data.

E-Step:

Given the estimates, $\theta^{(l)} = (\mu_{ij}^{(l)}, \sigma_{ij}^{(l)})$ for $i=1,2,\dots,M$; $j=1,2,3,\dots,D$

One can estimate probability density function as

$$p(\vec{x}_r / \theta) = \sum_{i=1}^M w_i g_i(\vec{x}_r, \theta)$$

$$\begin{aligned} t_i(\vec{x}_r / \theta^{(l)}) &= p(i / x, \theta^{(l)}) \\ &= \frac{w_i g_i(\vec{x}_r, \theta^{(l)})}{p_i(\vec{x}_r, \theta^{(l)})} \\ &= \frac{w_i g_i(\vec{x}_r, \theta^{(l)})}{\sum_{i=1}^M w_i g_i(\vec{x}_r, \theta)} \end{aligned} \quad (13)$$

The expected value of $L(\theta)$ is

$$Q(\theta, \theta^{(l)}) = E_{\theta^{(l)}} \{ \log L(\theta / \vec{x}_r) \} \quad (14)$$

Following heuristic arguments of Jeff A Bilmes (1997) [23], we get

$$\begin{aligned} Q(\theta, \theta^{(l)}) &= \sum_{r=1}^T \sum_{i=1}^M \left[\log(w_i g_i(\vec{x}_r, \theta^{(l)})) \right] t_i(\vec{x}_r, \theta^{(l)}) \\ &= \sum_{r=1}^T \sum_{i=1}^M \left[\log(w_i) t_i(\vec{x}_r, \theta^{(l)}) \right] + \\ &\quad \sum_{i=1}^M \sum_{j=1}^D \log \left[\frac{\exp \left(-\frac{|x_{ij} - \mu_{ij}|^{\beta_{ij}}}{A(\beta_{ij}, \sigma_{ij})} \right)}{2\Gamma \left(1 + \frac{1}{\beta_{ij}} \right) A(\beta_{ij}, \sigma_{ij})} \right] t_i(\vec{x}_r, \theta^{(l)}) \end{aligned}$$

$$\begin{aligned} &= \sum_{r=1}^T \sum_{i=1}^M \left[\log(w_i) t_i(\vec{x}_r, \theta^{(l)}) \right] + \\ &\quad \sum_{r=1}^T \sum_{i=1}^M \sum_{j=1}^D \log \left[\frac{|x_{ij} - \mu_{ij}|^{\beta_{ij}}}{A(\beta_{ij}, \sigma_{ij})} - \log 2\Gamma \left(1 + \frac{1}{\beta_{ij}} \right) A(\beta_{ij}, \sigma_{ij}) \right] t_i(\vec{x}_r, \theta^{(l)}) \end{aligned} \quad (15)$$

M-Step:

To maximize $Q(\theta, \theta^{(l)})$, we can maximize the term containing w_i and containing $\theta^{(l)}$ independently, since they are not related.

To update the component weights w_i of the model, we maximize the likelihood function such that $\sum_{i=1}^M w_i = 1$

We construct the first order Lagrange type function as

$$L = \sum_{r=1}^T \sum_{i=1}^M \log(w_i) t_i(\vec{x}_r, \theta^{(l)}) + \gamma \left(\sum_{i=1}^M w_i^{(l)} - 1 \right) \quad (16)$$

where, γ is Lagrange multiplier and maximizing this Lagrange function with respect to w_i , we have to differentiate L with respect to w_i and equate to zero i.e.,

$\frac{\partial}{\partial w_i} [L] = 0$ implies

$$\frac{\partial}{\partial w_i} \sum_{r=1}^T \sum_{i=1}^M \log(w_i) t_i(\vec{x}_r, \theta^{(l)}) + \frac{\partial}{\partial w_i} \gamma \left(\sum_{i=1}^M w_i^{(l)} - 1 \right) = 0 \quad (17)$$

This implies,

$$\sum_{r=1}^T \left[\frac{1}{w_i} t_i(\vec{x}_r, \theta^{(l)}) - \gamma \right] = 0$$

Therefore,

$$\sum_{r=1}^T \left[t_i(\vec{x}_r, \theta^{(l)}) \right] = \gamma w_i$$

Summing $i=1, 2, 3, \dots, M$, we have

$$\sum_{i=1}^M \sum_{r=1}^T \left[t_i(\vec{x}_r, \theta^{(l)}) \right] = \gamma$$

Therefore,

$$\sum_{r=1}^T \left[t_i(\vec{x}_r, \theta^{(l)}) \right] = T w_i \quad (18)$$

Hence, updated equations for w_i is

$$w_i^{(l+1)} = \frac{1}{T} \sum_{r=1}^T \left[\frac{w_i^{(l)} \cdot g_i(\vec{x}_r, \theta^{(l)})}{\sum_{i=1}^M w_i^{(l)} \cdot g_i(\vec{x}_r, \theta^{(l)})} \right] \quad (19)$$

where $\theta^{(l)} = (\mu_{ij}^{(l)}, \sigma_{ij}^{(l)})$ are the estimates at i^{th} iteration.

Updating μ_{ij} :

For updating μ_{ij} , we consider derivative of $Q(\theta, \theta^{(l)})$ with respect to μ_{ij} for $i=1,2,\dots,M$, $j=1,2,\dots,D$ and equate to zero.

$$\frac{\partial}{\partial \mu_{ij}} Q(\theta, \theta^{(l)}) = 0 \text{ implies } \left(\sum_{r=1}^T \sum_{i=1}^M \log(w_i) t_i(\vec{x}_r, \theta^{(l)}) + \sum_{r=1}^T \sum_{i=1}^M g_i(\vec{x}_r, \theta^{(l)}) t_i(\vec{x}_r, \theta^{(l)}) \right) = 0 \quad (20)$$

This implies,

$$\frac{\partial}{\partial \mu_{ij}} \left(\sum_{r=1}^T \sum_{i=1}^M \log(w_i) t_i(\vec{x}_r, \theta^{(l)}) + \sum_{r=1}^T \sum_{i=1}^M \sum_{j=1}^D \log \left(\frac{\exp \left(-\frac{|x_{rij} - \mu_{ij}|^{\beta_{ij}}}{A(\beta_{ij}, \sigma_{ij})} \right)}{2\Gamma \left(1 + \frac{1}{\beta_{ij}} \right) A(\beta_{ij}, \sigma_{ij})} \right) t_i(\vec{x}_r, \theta^{(l)}) \right) = 0$$

Since μ_{ij} involves only one element of feature vector, mean μ_{ij} , the equation reduces to

$$\frac{\partial}{\partial \mu_{ij}} \sum_{r=1}^T \sum_{i=1}^M \left(-\log 2\Gamma \left(1 + \frac{1}{\beta_{ij}} \right) - \log A(\beta_{ij}, \sigma_{ij}) \right) t_i(\vec{x}_r, \theta^{(l)}) - \left(\frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right)^{\beta_{ij}} t_i(\vec{x}_r, \theta^{(l)}) = 0$$

This implies

$$-\sum_{r=1}^T \sum_{i=1}^M \frac{\partial}{\partial \mu_{ij}} \left| \frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right|^{\beta_{ij}} t_i(\vec{x}_r, \theta^{(l)}) = 0$$

On simplification, we get

$$\sum_{r=1}^T \beta_{ij} \text{sign} \left[\frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right]^{\beta_{ij}-1} t_i(\vec{x}_r, \theta^{(l)}) (x_{rij} - \mu_{ij})^{\beta_{ij}-1} = 0$$

This implies

$$\sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) \text{sign} \left[\frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right]^{\beta_{ij}-1} \cdot (x_{rij} - \mu_{ij})^{\beta_{ij}-1} = 0 \text{ for } \beta_{ij} \neq 1$$

Therefore,

$$\sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) \text{sign} \left[\frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right]^{\beta_{ij}-1} \left(x_{rij} - \mu_{ij}^{(l)} \right)^{\beta_{ij}-1} = \sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) \text{sign} \left[\frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right]^{\beta_{ij}-1} \left(x_{rij} - \mu_{ij}^{(l+1)} \right)^{\beta_{ij}-1} \quad (21)$$

This is a non trivial equation, explicit expression for μ_{ij} is complicated.

To update μ_{ij} , solve equation (21) by using Newton's Raphson method and obtain $\mu_{ij}^{(l+1)}$.

This $\mu_{ij}^{(l+1)}$ provides the refined estimates for μ_{ij} . For explicit estimate of μ_{ij} , consider the special cases.

Case 1: The Gaussian case, $\beta_{ij}=2$ leads

$$\sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) \cdot (x_{rij} - \mu_{ij}^{(l)}) = \sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) \cdot (x_{rij} - \mu_{ij}^{(l+1)}) \quad (22)$$

This implies,

$$\mu_{ij}^{(l+1)} = \frac{\sum_{r=1}^T (x_{rij}) w_i^{(l)} g_i(\vec{x}_r, \theta^{(l)})}{\sum_{r=1}^T w_i^{(l)} g_i(\vec{x}_r, \theta^{(l)})}$$

Case 2: consider for $\beta_{ij} \neq 1$

$$\sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) \text{sign} \left[\frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right]^{\beta_{ij}-1} \left(x_{rij} - \mu_{ij}^{(l)} \right)^{\beta_{ij}-1} = \sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) \text{sign} \left[\frac{x_{rij} - \mu_{ij}}{A(\beta_{ij}, \sigma_{ij})} \right]^{\beta_{ij}-1} \left(x_{rij} - \mu_{ij}^{(l+1)} \right)^{\beta_{ij}-1}$$

This implies,

$$\mu_{ij}^{(l+1)} = \frac{\left(\sum_{r=1}^T (x_{rij}) w_i^{(l)} g_i(\vec{x}_r, \theta^{(l)}) \right)^{\frac{1}{\beta_{ij}-1}}}{\left(\sum_{r=1}^T w_i^{(l)} g_i(\vec{x}_r, \theta^{(l)}) \right)^{\frac{1}{\beta_{ij}-1}}} \quad (23)$$

For general case: we can also develop a general approximation without using numerical method for updating $\mu_{ij}^{(l+1)}$ by adopting an axiom that of the form μ_{ij}

which must be a weighted average of data vectors with weights provided by some power of the assignment probabilities of those data vectors, notified in part by symmetry of system, and in part by pragmatism leads to

$$\mu_{ij}^{(l+1)} = \frac{\sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) A(N, \beta_{ij}) (x_{rij})}{\sum_{r=1}^T t_i(\vec{x}_r, \theta^{(l)}) A(N, \beta_{ij})} \quad (24)$$

where, $A(N, \beta_{ij})$ is some function $=1$ for $\beta_{ij}=2$ and must be equal to $\frac{1}{\beta_{ij}-1}$ for $\beta_{ij} \neq 1$, in the case of $N=2$, we have

also observed that $A(N, \beta_{ij})$ must be increasing function of β_{ij} .

Updating σ_{ij} :

For updating σ_{ij} , we consider maximization of $Q(\theta, \theta^{(l)})$ with respect to σ_{ij} for $i=1,2,\dots,M, j=1,2,\dots,D$. That is

$$\frac{\partial}{\partial \sigma_{ij}} Q(\theta, \theta^{(l)}) = 0 \text{ implies}$$

$$\frac{\partial}{\partial \sigma_{ij}} \left(\sum_{r=1}^T \sum_{i=1}^M \log(w_i) t_i(\bar{x}_r, \theta^{(l)}) + \sum_{r=1}^T \sum_{i=1}^M g_i(\bar{x}_r, \theta^{(l)}) t_i(\bar{x}_r, \theta^{(l)}) \right) = 0 \quad (25)$$

Therefore,

$$\frac{\partial}{\partial \sigma_{ij}} \left(\sum_{r=1}^T \sum_{i=1}^M \log(w_i) t_i(\bar{x}_r, \theta^{(l)}) + \sum_{r=1}^T \sum_{i=1}^M \sum_{j=1}^D \log \left(\frac{\exp \left(-\frac{|x_{rij} - \mu_{ij}|^{\beta_{ij}}}{A(\beta_{ij}, \sigma_{ij})} \right)}{2\Gamma \left(1 + \frac{1}{\beta_{ij}} \right) A(\beta_{ij}, \sigma_{ij})} \right) t_i(\bar{x}_r, \theta^{(l)}) \right) = 0$$

Since σ_{ij} involves only one element feature vector, we have

$$\sum_{r=1}^T t_i(\bar{x}_r, \theta^{(l)}) \left[\frac{\partial}{\partial \sigma_{ij}} \log \sigma_{ij} - \frac{\Gamma \left(\frac{3}{\beta_{ij}} \right)}{\Gamma \left(\frac{1}{\beta_{ij}} \right)} \cdot \frac{\partial}{\partial \sigma_{ij}} (x_{rij} - \mu_{ij})^{\frac{1}{\beta_{ij}-1}} \right] = 0$$

This implies

$$\sum_{r=1}^T t_i(\bar{x}_r, \theta^{(l)}) \left[\frac{\Gamma \left(\frac{3}{\beta_{ij}} \right)}{\Gamma \left(\frac{1}{\beta_{ij}} \right)} \cdot \frac{|x_{rij} - \mu_{ij}|^{\frac{1}{\beta_{ij}}}}{|\sigma_{ij}|^{\frac{1}{\beta_{ij}}}} - \frac{1}{\beta_{ij}} \right] = 0$$

This implies

$$\sum_{r=1}^T t_i(\bar{x}_r, \theta^{(l)}) \left[\frac{2\Gamma \left(\frac{3}{\beta_{ij}} \right)}{\Gamma \left(\frac{1}{\beta_{ij}} \right)} \cdot |x_{rij} - \mu_{ij}|^{\frac{1}{\beta_{ij}}} - \frac{2}{\beta_{ij}} |\sigma_{ij}|^{\frac{1}{\beta_{ij}}} \right] = 0$$

Therefore,

$$\sigma_{ij}^{(l+1)} = \left[\frac{\sum_{r=1}^T t_i(\bar{x}_r, \theta^{(l)}) \left(\frac{\Gamma \left(\frac{3}{\beta_{ij}} \right)}{\beta_{ij} \Gamma \left(\frac{1}{\beta_{ij}} \right)} \right) |x_{rij} - \mu_{ij}|^{\frac{1}{\beta_{ij}}}}{\sum_{r=1}^T t_i(\bar{x}_r, \theta^{(l)})} \right]^{\frac{1}{\beta_{ij}}} \quad (26)$$

V. INITIALIZATION OF MODEL PARAMETERS

The efficiency of the EM algorithm in estimating the parameters is heavily dependent on the number of groups and the initial estimates of the model parameters w_i, μ_{ij} and σ_{ij} for $i=1,2,3,\dots,M; j=1,2,\dots,D$. Usually in EM algorithm, the mixing parameter w_i and the distribution parameters μ_{ij} and σ_{ij} are given with some initial values.

A commonly used method in initialization is by drawing a random sample from the entire data. To utilize the EM-algorithm, we have to initialize the parameters which are usually considered as known apriori. The initial value of w_i can be taken as $w_i=1/M$, where M is the number of texture image regions obtained from the Hierarchical clustering algorithm. Then obtain the initial estimates of the parameters through sample moments as

$$w_i = 1/M$$

$$\sigma_{ij} = \text{S.D of } M^{\text{th}} \text{ Class}$$

$$\mu_{ij} = \frac{1}{T} \sum_{r=1}^T x_{rij}$$

Substituting these values as the initial estimates, the refined estimates of the parameters can be obtained using EM Algorithm by simultaneously solving the equations 19, 24 and 26 using MATLAB.

VI. TEXTURE SEGMENTATION ALGORITHM

Once the texture is considered, the main purpose is to identify the regions of interest. The following algorithm can be adopted for texture segmentation using multivariate generalized Gaussian mixture model.

Step 1: Obtain the feature vectors from the texture image using technique presented in feature vector extraction section.

Step 2: Divide the samples into M groups by Hierarchical clustering Algorithm.

Step 3: Find the mean vector, variance vector, μ_{ij} and σ_{ij} for each class of the multivariate data.

Step 4: Take $w_i = 1/M$, for $i=1,2,3,\dots,M$.

Step 5: Obtain the refined estimates of w_i, μ_{ij} and σ_{ij} for each class using the updated equations of the EM algorithm.

Step 6: Assign each feature vector into the corresponding j^{th} region (segment) according to the maximum likelihood of the j^{th} component L_j .

That is, Feature vector \bar{x}_t is assigned to the j^{th} region for which L_j is maximum, where,

$$L_j = \max \left\{ \prod_{j=1}^D \frac{\exp \left(- \left| \frac{x_{ij} - \mu_{ij}}{A(\rho_{ij}, \sigma_{ij})} \right|^{\beta_{ij}} \right)}{2\Gamma \left(1 + \frac{1}{\beta_{ij}} \right) A(\beta_{ij}, \sigma_{ij})} \right\} \quad (27)$$

VII. PERFORMANCE EVALUATION

To demonstrate the ability of the developed model, texture segmentation is to be performed by using the dataset of textures available in the Brodatz Texture databases. For each texture image, hierarchical algorithm is employed over the multivariate data of feature vectors to divide in to M groups. For each group, the initial estimate of the parameters w_i , μ_{ij} and σ_{ij} are obtained using heuristics clustering and moment estimators. Using these initial estimates, the refined estimates are calculated based on the updated equations obtained through EM Algorithm. With these values, texture segmentation is performed based of the assignment of the data to a particular group for the likelihood is maximum. Then the segmentation image is drawn based on the application of the developed algorithm. The performance evaluation parameters are calculated and compared with the earlier models.




Fig.2. Original and segmented texture images using proposed model with K-means and Hierarchical clustering algorithm.

The performance of the developed texture image segmentation method is studied by obtaining the image segmentation performance measures namely; Probabilistic Rand Index (PRI), the Variation of Information (VOI) and Global Consistency Error (GCE). The Rand index given by Unnikrishnan et al., (2007) counts the fraction of pairs of pixels whose labeling are consistent between the computed segmentation and the ground truth. This quantitative measure is easily extended to the Probabilistic Rand index (PRI) given by Unnikrishnan et al., (2007) [24].

The variation of information (VOI) metric given by Meila (2007) is based on relationship between a point and its cluster. It uses mutual information metric and entropy to approximate the distance between two clustering's across the lattice of possible clustering's. It measures the amount of information that is lost or gained in changing from one clustering to another [25]. The Global Consistency Error (GCE) given by Martin D. et al., (2001) measures the extent to which one

segmentation map can be viewed as a refinement of segmentation.

For a perfect match, every region in one of the segmentations must be identical to, or a refinement (i.e., a subset) of, a region in the other segmentation [26].

The image Performance measures namely, PRI, GCE, VOI are computed for all the five images with respect to the developed model, Generalized Gaussian Mixture Model Hierarchical algorithm to that of other models based on Gaussian mixture are presented in Table 1.

The results show that the segmentation performance measures of the proposed segmentation algorithm based on multivariate generalized Gaussian mixture model are close to the optimal values of PRI, GCE and VOI.

Table 1. Segmentation Performance Measures of the Textured Images

Segmentation Performance Measures				
Description	Model	PRI	GCE	VOI
Image 1	GMM-K	0.389	0.351	1.192
	GMM-H	0.428	0.311	1.181
	MGGMM-K	0.511	0.292	1.176
	MGGMM-H	0.732	0.222	1.060
Image 2	GMM-K	0.542	0.580	2.558
	GMM-H	0.558	0.565	2.480
	MGGMM-K	0.648	0.489	2.420
	MGGMM-H	0.721	0.380	1.923
Image 3	GMM-K	0.654	0.325	1.458
	GMM-H	0.685	0.321	1.355
	MGGMM-K	0.780	0.229	1.345
	MGGMM-H	0.848	0.152	1.242
Image 4	GMM-K	0.547	0.351	1.321
	GMM-H	0.558	0.345	1.315
	MGGMM-K	0.633	0.301	1.290
	MGGMM-H	0.721	0.249	1.230
Image 5	GMM-K	0.532	0.590	1.478
	GMM-H	0.569	0.575	1.425
	MGGMM-K	0.558	0.572	1.468
	MGGMM-H	0.625	0.552	1.301

VIII. COMPARATIVE STUDY

The developed algorithm performance is evaluated by comparing the algorithm with the Gaussian mixture model with K-means and Hierarchical clustering. Table 2 presents the miss classification rate of the pixels of the sample using the proposed model and Gaussian mixture model.

Table 2. Miss classification Rate of the Classifier

Model	Miss-classification Rate
GMM-K	20%
GMM-H	18%
MGGMM-K	15%
MGGMM-H	12%

From the Table 2, it is observed that the misclassification rate of the classifier with the multivariate generalized Gaussian mixture model is less when compared to that of GMM.

The accuracy of the classifier is also studied for the sample images by using confusion matrix for segmented regions and computing the metrics [27]. Table 3 shows

the values of Accuracy, Sensitivity, Specificity, Precision, Recall, F-Measure for the segmented regions in the image texture.

Table 3. Comparative study of MGGMM with Hierarchical clustering Algorithm and earlier Gaussian mixture models.

Description	Model	Accuracy	Sensitivity (TPR)	1-Specificity (FPR)	Precision	Recall	F-Measure
Image 1	GMM-K	0.71	0.72	0.32	0.68	0.72	0.70
	GMM-H	0.73	0.74	0.28	0.7	0.74	0.72
	MGGM M-K	0.75	0.75	0.21	0.72	0.75	0.73
	MGGM M-H	0.81	0.81	0.16	0.85	0.81	0.83
Image 2	GMM-K	0.62	0.69	0.28	0.68	0.69	0.68
	GMM-H	0.64	0.71	0.22	0.72	0.71	0.71
	MGGM M-K	0.69	0.73	0.19	0.76	0.73	0.74
	MGGM M-H	0.74	0.81	0.15	0.82	0.81	0.81
Image 3	GMM-K	0.79	0.72	0.34	0.69	0.72	0.70
	GMM-H	0.82	0.74	0.31	0.72	0.74	0.73
	MGGM M-K	0.86	0.79	0.26	0.75	0.79	0.77
	MGGM M-H	0.89	0.84	0.21	0.89	0.84	0.86
Image 4	GMM-K	0.81	0.71	0.33	0.65	0.71	0.68
	GMM-H	0.82	0.72	0.29	0.68	0.72	0.70
	MGGM M-K	0.84	0.76	0.27	0.72	0.76	0.74
	MGGM M-H	0.86	0.82	0.24	0.81	0.82	0.81
Image 5	GMM-K	0.58	0.68	0.38	0.59	0.68	0.68
	GMM-H	0.65	0.72	0.32	0.62	0.72	0.72
	MGGM M-K	0.62	0.70	0.34	0.61	0.70	0.71
	MGGM M-H	0.69	0.78	0.20	0.72	0.78	0.74

From Table 3, it is observed that the F-measure value for the proposed classifier is more than the earlier Gaussian mixture models. This indicates that the proposed classifier perform well than that of Gaussian mixture model.

IX. CONCLUSIONS

This paper addresses a new and novel method for segmenting the texture of an image using multivariate generalized Gaussian mixture model distribution. Here, the feature vector representing the texture of the image is derived through DCT coefficients. The texture of the whole image is characterized by a multivariate generalized Gaussian mixture distribution. The generalized Gaussian distribution includes Gaussian and Laplace distributions as particular cases and several other probability models which are platy-kurtic, leptokurtic and meso-kurtic. Hence, this method is capable of characterizing the textures of several images for which the feature vector may be one among having platy-kurtic, leptokurtic and meso-kurtic distributions in the image regions. The model parameters such as shape and scale are estimated through EM algorithm. The shape parameter is estimated using sample kurtosis for reducing the computational complexity with respect to

convergence of EM algorithm. The initial values of the model parameters are obtained by integrating hierarchical clustering with the moment method of estimation. Experimentation with five randomly taken images from Brodatz texture database supported the superior performance of the proposed algorithm over the texture segmentation algorithm based on Gaussian mixture model with respect to the segmentation performance measures such as PRI, GCE and VOI. The confusion matrix computed along with F-measure also supported the outperformance of the proposed algorithm. The texture segmentation algorithm is useful for analyzing several image textures for efficient analysis of the systems. It is possible to further extend this proposed algorithm by considering other methods of initialization of parameters such as fuzzy c means, MDL and MML. It is also possible to induce neighborhood information in extracting the feature vector which will be considered elsewhere.

REFERENCES

- [1] Amadasun M., King R., (1989), "Textural features corresponding to textural properties," IEEE Transactions on Systems, Man and Cybernetics, Vol. 19(5), pp.1264-1274.

- [2] Haralick, R.M., (1979), "Statistical and Structural Approaches to Texture," Proceedings of the IEEE Computer Society, Vol. 67, pp. 786-804.
- [3] Lu C., Chung P. and Chen C. (1997), "Unsupervised texture segmentation via wavelet Transform", IEEE Trans. on Pattern Recognition, Vol.30(5), pp.729-742.
- [4] S. Krishnamachari and R. Chellappa (1997), "Multiresolution Gauss-Markov Random field models for Texture segmentation", IEEE Trans. Image Processing, Vol.2, pp.171-179.
- [5] Kostas Haris, Serafim N. Efstratiadis, Nicos Maglaveras, and Aggelos K. Katsaggelos (1998), "Hybrid Image Segmentation Using Watersheds and Fast Region Merging", IEEE Transactions on Image Processing, Vol.7(12).
- [6] Y. Zhang, M. Brady, and S. Smith, (2001), "Segmentation of Brain MRI Images through a Hidden Markov Random Field model and EM algorithm", IEEE Trans. Med. Imaging., Vol.20(1), pp.45-57.
- [7] Vaijinath V. Bhosle, Vrushen P. Pawar (2013), "Texture Segmentation: Different Methods", International Journal of Soft Computing and Engineering, Vol.3(5), pp.69-74.
- [8] Pal S.K and Pal N.R. (1993), "A review on Image Segmentation Techniques", IEEE Trans. on Pattern Recognition, Volume 26(9), pp.1277-1294.
- [9] Haim Permuter et al. (2006), "A study of Gaussian mixture models of color and texture features for image classification and segmentation", The Journal of the Pattern Recognition Society, Vol.39, pp.695-706.
- [10] M. N. Thanh, Q.M.J.Wu (2011), "Gaussian mixture model based spatial neighbourhood relationships for pixel labeling problem", IEEE Trans. Syst. Man Cybern., Vol.99, pp.1-10.
- [11] Paul D., Mc Nicholas (2011), "On Model-Based Clustering, Classification, and Discriminant Analysis", Journal of Iranian Statistical Society, Journal of Iranian Statistical Society.
- [12] G. V. S. Raj Kumar, K. Srinivasa Rao and P. Srinivasa Rao (2011), "Image segmentation and Retrievals based on finite doubly truncated bivariate Gaussain mixture model and K-means", International Journal of Computer Applications, Volume 25(5), pp.5-13.
- [13] Yu-Len Huang (2005), "A fast method for textural analysis of DCT-based image", Journal of Information Science and Engineering, Volume 21, pp.181-194.
- [14] Srinivas Y. and Srinivasa Rao K. (2007), "Unsupervised image segmentation using finite doubly truncated Gaussian mixture model and Hierarchical clustering", Journal of Current Science, Vol.93(4), pp.507-514.
- [15] P. Brodatz, (1966) "Texture: a photographic album for artists and designers," Dover, New York, USA (<http://sipi.usc.edu/database/database.php?volume=textures>).
- [16] M.S.Allili and Nizar Bougila (2008), "Finite generalized Gaussian mixture modeling and applications to image and video foreground segmentation", Journal of Electronic Imaging, Volume 17(13), pp.05-13
- [17] C. Lu, P. Chung and C. Chen (1997), "Unsupervised Texture Segmentation via Wavelet Transform", IEEE Trans. on Pattern Recognition, Volume 30(5), pp. 729-742.
- [18] T. P. Weldon, W.E. Higgins (1996), "Design of multiple Gabor filters for texture segmentation", Proc. of Intl. Conf. on Acoustics, Speech and Signal Processing, pp.2243-2246.
- [19] Rao K.R. and Yip P. (1990), "Discrete Cosine Transform – Algorithms, Advantages, Applications", Academic press, New York, USA.
- [20] Gonzales R.C., Woods R.E., (1992), "Digital Image Processing", Addison-Wesley.
- [21] McLachlan G. and Peel D. (2000), "The EM Algorithm for Parameter Estimations", John Wiley and Sons, New York, USA.
- [22] Shaoquan YU, Anyi Zhang, Hongwei LI (2012), "A Review on estimating the Shape Parameters of Generalized Gaussian Distribution", Journal of Information Systems, Volume 8(21), pp.9055-9064.
- [23] Jeff A. Bilmes (1977), "A Gentle Tutorial of the EM Algorithm and its Application to Parameter Estimation for Gaussian Mixture and Hidden Markov Models", Intl. Computer Science Institute, Berkeley.
- [24] Unnikrishnan R., Pantofaru C., and Hernbert M. (2007), "Toward objective evaluation of image segmentation algorithms," IEEE Trans. Pattern Annl. & Mach. Intell., Vol.29(6), pp. 929-944.
- [25] M. Meila (2007), "Comparing clusterings- an information based distance", Journal of Multivariate Analysis, Vol. 98, pp. 873 - 895.
- [26] D. Martin, C. Fowlkes, D. Tal and J. Malik (2001), "A Database of Human Segmented Natural Images and its Application to Evaluating Segmentation Algorithms and Measuring Ecological Statistics", Proc. 8th Int'l Conf. Computer Vision, Vol. 2, pp. 416-423.
- [27] Powers, David M.W. (2011), "Evaluation: From Precision, Recall and F-Measure to ROC, Informedness, Markedness and Correlation", Journal of Machine Learning Technologies, Vol.2(1), pp.37-63.

Authors' Profiles



Mr. K. Naveen Kumar is presently Assistant Professor in the department of Information Technology, GIT, GITAM University, Visakhapatnam. He presented several research papers in national and international conferences/seminars and journals of good repute. He guided several students for getting their M.Tech Degrees in field of Computer Science Engineering. His current research interests include image processing and network security.



Dr. K. Srinivasa Rao is presently working as Professor, Department of Statistics, Andhra University, Visakhapatnam. He is elected chief editor of Journal of ISPS and elected Vice-President of Operation Research of India. He guided 52 students for Ph.D in Statistics, Mathematics, Computer Science, Electronics and Communications Engineering, Industrial Engineering and Operations Research. He published more than 130 research papers in National and International journals with high reputation. His research interests are Image Processing, Communication Systems, Data Mining and Stochastic models.



Dr. Y. Srinivas is currently Professor and Head in the department of Information Technology, GIT, GITAM University, Visakhapatnam. He guided more than 09 Ph.D students and published more than 102 research papers in peer reviewed Journals. His research

interests include image processing, Data mining and Speech recognition.

security. He published more than 45 research papers in international journals and guided M.Tech and Ph.D students.



Dr. Ch. Satyanarayana is currently Professor in Computer Science and Engineering Department at Jawaharlal Nehru Technological University -Kakinada. He has 17 years of experience. His area of interest is on Image processing, Database Management, Network

How to cite this paper: K. Naveen Kumar, K. Srinivasa Rao, Y.Srinivas, Ch. Satyanarayana,"Studies on Texture Segmentation Using D-Dimensional Generalized Gaussian Distribution integrated with Hierarchical Clustering", International Journal of Image, Graphics and Signal Processing(IJIGSP), Vol.8, No.3, pp.45-54, 2016.DOI: 10.5815/ijigsp.2016.03.06