

QL
588
L56s
1917
ENT

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00722 5295



S. A. Schwarz

*Supplement to Preliminary List of the Coleoptera
of the West Indies.* /

BY CHARLES W. LENG, B. S., HONORARY CURATOR OF COLEOPTERA
AND ANDREW J. MUTCHEL, ASSISTANT.

BULLETIN OF THE
AMERICAN MUSEUM OF NATURAL HISTORY.

VOL. XXXVII, ART. V, pp. 191-220.

New York, February 13, 1917.

(Continued from 3d page of cover.)

VOL. XIII. ANTHROPOLOGY (not yet completed).

**Jesup North Pacific Expedition, Vol. IX.*

PART I.—The Yukaghirs and the Yukaghirized Tungus. By Waldemar Jochelson. Pp. 1-133, pl. i-vii, 1 map, 1910. Price, \$3.40.

VOL. XIV. ANTHROPOLOGY.

**Jesup North Pacific Expedition, Vol. X.*

PART I—Kwakiutl Texts. Second Series. By Franz Boas and George Hunt. Pp. 1-269. 1906. Price, \$2.80.

PART II.—Haida Texts. By John R. Swanton. Pp. 271-802. 1900. Price, \$5.40.

MEMOIRS.

NEW SERIES, VOL. I.

PART I.—Crania of *Tyrannosaurus* and *Allosaurus*. By Henry Fairfield Osborn, pp. 1-30, pl. i-iv and text figures 1-27. 1912.

PART II.—Integument of the *Iguanodon Dinosaur Trachodon*. By Henry Fairfield Osborn. Pp. 31-54, pl. v-x, and text figures 1-13. 1912. Parts I and II are issued under one cover. Price, \$2.00.

PART III.—Craniometry of the Equidae. By Henry Fairfield Osborn. Pp. 55-100, text figures 1-17. 1912. Price, 75 cents.

PART IV.—Orthogenetic and Other Variations in Muskoxen, with a Systematic Review of the Muskox Group, Recent and Extinct. By J. A. Allen. Pp. 103-226, pl. xi-xviii, text figures 1-45, 1913. Price, \$2.50.

PART V.—The California Gray Whale (*Rhachianectes glaucus* Cope). By Roy C. Andrews. Pp. 229-287, pl. xix-xxvii, text figures 1-22. 1914. Price, \$2.00.

PART VI.—The Sei Whale (*Balaenoptera borealis* Lesson). By Roy C. Andrews and H. von W. Schulte. Pp. 289-502, pl. xxvii-lvii, 1916. Price, \$6.00.

ETHNOGRAPHICAL ALBUM.

Jesup North Pacific Expedition.

Ethnographical Album of the North Pacific Coasts of America and Asia. Part 1, pp. 1-5, pl. 1-28. August, 1900. Sold by subscription, price, \$6.00.

BULLETIN.

The matter in the 'Bulletin' consists of about 24 to 36 articles per volume, which relate about equally to Geology, Palaeontology, Mammalogy, Ornithology, Entomology, and (in former volumes) Anthropology, except Vol. XI, which is restricted to a 'Catalogue of the Types and Figured Specimens in the Palaeontological Collection of the Geological Department,' and Vols. XV, XVI, and XVIII, which relate wholly to Anthropology. Volume XXIII and the later volumes contain no anthropological matter, which is now issued separately as 'Anthropological Papers.'

Volume	I, 1881-86.....	Out of print	Volume XVIII, Part	I, 1902	Price, \$12.00
"	II, 1887-90.....	Price, \$4.75	"	"	1.50
"	III, 1890-91.....	" 4.00	"	"	.50
"	IV, 1892.....	" 4.00	"	"	2.00
"	V, 1893.....	" 4.00	XIX, 1903.....	"	6.00
"	VI, 1894.....	" 4.00	XX, 1904.....	"	5.00
"	VII, 1895.....	" 4.00	XXI, 1905.....	"	5.00
"	VIII, 1896.....	" 4.00	XXII, 1906.....	"	6.00
"	IX, 1897.....	" 4.75	XXIII, 1907.....	"	9.00
"	X, 1898.....	" 4.75	XXIV, 1908.....	"	6.00
"	XI, 1898-1901.....	" 5.00	XXV, Part I, 1908.....	"	1.50
"	XII, 1899.....	" 4.00	XXVI, 1909.....	"	6.00
"	XIII, 1900.....	" 4.00	XXVII, 1910.....	"	5.00
"	XIV, 1901.....	" 4.00	XXVIII, 1910.....	"	4.00
"	XV, 1901-1907.....	" 5.00	XXIX, 1911.....	"	4.50
"	XVI, 1902.....	" 5.00	XXX, 1911.....	"	4.00
"	XVII, Part I, 1902....	" 1.50	XXXI, 1912.....	"	4.00
"	" II,	.75	XXXII, 1913.....	"	5.50
"	" III, 1905....	Out of print	XXXIII, 1914.....	"	5.50
"	" IV, 1905....	Price, \$.75	XXXIV, 1915.....	"	5.50
"	XVII, "	V, 1907....	XXXV, 1916.....	"	6.50

ANTHROPOLOGICAL PAPERS.

Vols. I-XIX, 1908-1916.

AMERICAN MUSEUM JOURNAL

The 'Journal' is a popular record of the progress of the American Museum of Natural History, issued monthly, from October to May inclusive. Price, \$1.50 a year. Volumes I-XVI, 1900-1916.

*The Anatomy of the Common squid. By Leonard Worcester Williams. Pp. 1-87, pl. i-iii, and 16 text figures. 1909.

*Chinese Pottery of the Han Dynasty. By Berthold Laufer. Pp. 1-339, pl. i-lxxv, and 55 text figures. 1909.

For sale at the Museum.

*Published by E. J. Brill, Leiden, Holland. Not on sale at the Museum. American Agent, G. E. Stechert, 151-155 West 25th Street, New York City.

Article V.—SUPPLEMENT TO PRELIMINARY LIST OF THE COLEOPTERA OF THE WEST INDIES.

BY CHARLES W. LENG, B. S., HONORARY CURATOR OF COLEOPTERA
AND ANDREW J. MUTCHLER, ASSISTANT.

In the preface to the Preliminary List of the Coleoptera of the West Indies¹ we asked our readers to communicate any papers or manuscript notes bearing on the subject and expressed the hope of publishing later the records of the collections in this and possibly other museums. We have received a number of such communications in response to our request and have examined the material in the National Museum. To all who have thus aided us we are grateful, but particularly to Mr. E. A. Schwarz, to whose great knowledge of the subject and great patience and liberality in communicating his knowledge to us we owe much more than we can repay. In addition to the identified specimens, now added to the published records, there exists in this and other museums, a mass of unidentified material consisting largely of undescribed species of which at present no satisfactory records can be published. The additions (about 200), corrections, and notes that follow are derived either from the sources named or from the extensive West Indian material accumulated in American Museum and are in each instance credited to the proper source by an abbreviation. The explanation of such abbreviations and, concurrently, the authorities are given in the following list.

- A. M. N. H. Specimens in American Museum of Natural History collections identified by Andrew J. Mutchler.
Arrow, Gilbert J. In letter, and Ann. and Mag. Nat. Hist., 8th ser., VIII, 1911, p. 151; *ibid.*, 8th ser., XV, 1915, p. 443.
Ballou, H. A. Bull. Entom. Research, 1913; and West Indian Bulletin, XIV, 1914.
Barber, C. A. Supplement to the Leeward Islands Gazette, Jan. 25, 1894.
Barber, H. S. In letters, and Proc. Entom. Soc. Washington, XV, 1913, pp. 188–193; XVIII, 1916, pp. 113–117.
Cameron, M. Entom. Monthly Magazine, 2d ser., XLIX, (XXIV), 1913, p. 175.
Casey, Thos. L. Memoirs on the Coleoptera, VII, 1916.
Champion, G. C. Entom. Monthly Magazine, 3 ser., LI(I), 1915, p. 121; Trans. Entom. Soc. London, 1916, pp. 61–62.
Clavareau, H. Coleopterorum Catalogus, part 59, 1914.
Cockerell, T. D. A. Journal Jamaica Institute, 1891–1893.
Coquerel, Charles. Ann. Soc. Entom. France, 2d ser., VII, 1849, pp. 450–452.

¹ Bulletin American Museum of Natural History, XXXIII, Art. XXX, 1914, pp. 391–493.

- Desbordes, H. Bull. Soc. Entom. France, 1914, p. 234.
- Ehlers, W. Trans. Amer. Entom. Soc., XI, 1883, p. 36.
- Fleutiaux, Ed. In letters, and Liste des Coléoptères de la Guadeloupe par Fleutiaux et Sallé, Ann. Soc. Entom. France, 6th ser., IX, 1889, pp. 351-484; supplements by A. Raffray and A. Grouvelle: *ibid.*, LXXI, 1902, pp. 756-769; *ibid.*, LXXVII, 1908, pp. 33-64; *ibid.*, LXXI, 1912, pp. 289-312. Revision des Trixagidæ, Melasidæ et Elateridæ des Antilles, *ibid.*, LXXX, 1911-1912, pp. 235-264.
- Grieve, Symington. Proc. Roy. Phys. Soc. Edinburgh, IX, 1913-1914.
- Grouvelle, A. Bull. Soc. Entom. France, 1916, pp. 84-87.
- Gundlach, Juan. Annales de la Sociedad Espanola de Historia Natural, serie II, tomo segundo, 1894, pp. 601-658 (Fauna Puerto Rico, pp. 287-344). This work was inaccessible to us at the time the Preliminary List was written; it contains a large number of Porto Rico records. Some of the species cited have, however, never been described and are not included by us.
- Hopkins, A. D. U. S. Department of Agriculture, Office of the Secretary, Report No. 99, 1915.
- Horn, Walther. Genera Insectorum, Coleoptera, Fascicule 82, *a*, *b*, *c*.
- Jones, Thomas H. Insects Affecting Vegetable Crops in Porto Rico. Bulletin of the U. S. Department of Agriculture, No. 192, 1915.
- Kerremans, Ch. Monographie des Buprestides, I-VII, pt. 8, 1906-1914.
- Kleine, R. Berl. Ent. Zeitsch., 1908; Ent. Blätter, VI, 1910.
- Lameere, A. Coleopterorum Catalogus, pt. 52, 1913.
- Leng, C. W. and Mutchler, A. J. Bull. Amer. Mus. Nat. History, XXXV, pp. 681-698.
- Mann, W. M. Psyche, XXII, 1915, pp. 163, 164.
- Marshall, Guy A. H. Ann. and Mag. Nat. Hist., XVIII, 8th ser., 1916, pp. 450-469.
- Marshall, Rev. T. A. Trans. Entom. Soc. London, 1878, Proc. pp. 27-38.
- Mutchler, A. J. Bull. Amer. Mus. Nat. History, XXXIII, 1914, pp. 345, 346.
- Putzeys, J. Stett. Ent. Zeitung, 1878, p. 25.
- Quaintance, A. L. Proc. Entom. Soc. of Washington, XV, 1913, pp. 75-82.
- Robinson, Col. Wirt. In letters.
- Schwarz, E. A. In letters.
- Shoemaker, Ernest. A series collected in St. Thomas by Clarence Shoemaker, which has been at our disposal for inspection, has furnished some records.
- Spaeth, F. Coleopterorum Catalogus, part 62, 1914.
- U. S. N. M. Specimens in the United States National Museum, identified by E. A. Schwarz; records copied by permission of Dr. Leland O. Howard, Honorary Curator, Dept. of Insects.
- Urich, F. W. Trinidad Field Nat. Club, I, 1892.
- Wickham, H. F. In letters.

The statement in the Preliminary List "total absence of the Silphidæ", requires modification. While true of *Silpha* and *Necrophorus* and of Burying Beetles in the sense we intended, it is not true of all Silphidæ, as that family is composed in the Henshaw Check List. There is a species of *Aglyptonotus* in the British Museum from St. Vincent and Grenada (Ent. Mont. Mag., LI, p. 121). Mr. Schwarz has collected a species of *Aglyptonotus* at Cayamas, Cuba, and the National Museum contains specimens of a *Ptomophagus* or *Choleva* from Porto Rico. These are certainties; there

is furthermore a probability that species of *Scotocryptus* or *Parabystus* will be found, as they are inquilinous on Melipone bees, which occur in the West Indies (Schwarz).

The islands of Trinidad and Tobago, which are politically part of the West Indies, are situated close to the mainland of South America, of which faunistically they become part. In Cicindelinæ the introduction of Trinidad records would require the addition of four species of the genus *Odon-tochila* (Trinidad Field Nat. Club, I, 1892, p. 109, and Walther Horn in Gen. Ins.) and, in other families, many similarly alien records. We shall, therefore, in future omit from the West Indian List species and genera occurring only in the islands above named.

In the following pages the additional records of distribution and the species to be added to our Preliminary List, the latter being indicated by asterisks, are arranged according to that List; errors which have been noticed are corrected, and various other items of interest are included. It will be noted that an atmosphere of doubt, necessarily surrounding records based on the various identifications of different authors in difficult groups, is indicated, but this cannot be dissipated until each of such groups is studied in detail.

Family I. CARABIDÆ.

Subfamily CICINDELINÆ.

The authors have published (Bull. American Mus. Nat. Hist., XXV, 1916, pp. 681–698) a Descriptive Catalogue of the West Indian Cicindelinæ which involves the separation of the records for *Tetracha sobrina* and *Cicindela suturalis* to show the distribution of their varieties, the revival of Fleutiaux and Sallé's variety *pallipes* under *argentata*, the description of a new variety of *T. sobrina* from Antigua, and of two new species of *Cicindela* from Cuba. On account of these changes and of numerous additional records, we think it advisable to publish a complete revised list of this subfamily.

Tetracha *Hope.*

Tetracha acutipennis (Dejean). Hispaniola, Cuba.

Tetracha sobrina (Dejean). St. Bartholomew?.

Tetracha sobrina var. *infuscata* (Mannerheim). Hispaniola, Porto Rico, St. Croix, St. Bartholomew.

Tetracha sobrina var. *antiguana* Leng and Mutchler. Antigua.

Tetracha carolina (Linné). Cuba.

Tetracha carolina var. *occidentalis* (Klug). Cuba, Grand Cayman.

Cicindela Linné.

Cicindela marginata Fabricius. Bahamas, Cuba.

Cicindela cardini Leng and Mutchler. Cuba.

Cicindela bœops Dejean. Cuba, Hispaniola, Porto Rico.

Cicindela olivacea Chaudoir. Cuba.

Cicindela trifasciata Fabricius. Bahamas, Cuba, Grand Cayman, Hispaniola, Porto Rico, St. Thomas, Jamaica, Barbuda, Antigua, Guadeloupe.

Cicindela suturalis Fabricius. Hispaniola, Porto Rico, St. Thomas, St. Bartholomew, Barbuda, Antigua, Guadeloupe, Martinique, Barbados, St. Vincent, Grenada.

Cicindela suturalis var. *hebraea* Klug. St. Domingo, Porto Rico, Antigua.

Cicindela suturalis var. *guadeloupensis* Fleutiaux and Sallé. Guadeloupe.

Cicindela viridicollis Dejean. Cuba.

Cicindela argentata var. *pallipes* Fleutiaux and Sallé. Guadeloupe.

Cicindela cubana Leng and Mutchler. Cuba.

Cicindela eximia Mutchler, Camaguey, Cuba (Amer. Mus. Novitates No. 106, 1924).

Subfamily CARABINÆ.

Bembidium fastidiosum (Laferte). Antigua (Putzeys).

* *Tachys picturatus* Putzeys. Antigua (Putzeys).

Tachytta autumnalis Bates. Cuba, Montserrat (U. S. N. M.).

* *Pterocharis eggersi* Ehlers. St. Thomas (Tr. Am. Ent. Soc., 1883, p. 36).

Lachnophorus leucopterus Chevrolat. Porto Rico (A. M. N. H.).

Selenophorus alternans Dejean. Porto Rico (Gundlach).

Selenophorus chalybaeus Dejean. Jamaica, Bahamas (U. S. N. M.); Antigua (Putzeys); Guadeloupe (Fleutiaux).

* *Selenophorus integer* (Fabricius). Guadeloupe (Fleutiaux).

Selenophorus discopunctatus Dejean. Haiti, Porto Rico (U. S. N. M.); Antigua (Putzeys).

Selenophorus flavilabris Dejean. Porto Rico (A. M. N. H.).

Selenophorus parumpunctatus Dejean. Porto Rico (Gundlach).

Selenophorus propinquus Putzeys. Antigua (Putzeys).

Selenophorus pyritosus Dejean. Porto Rico (Gundlach).

Selenophorus sinuatus (Gyllenhal). Antigua (Putzeys).

Putzeys (Stett. Ent. Zeit., 1878) treats *S. cuprinus* Dejean as a synonym of *S. discopunctatus* Dejean and *S. æneocupreus* Dejean as a form of *S. beauvoisi* Dejean, established on darker specimens with the sides of thorax less rounded and other details.

Gynandropus guadeloupensis Fleutiaux. Porto Rico (U. S. N. M.).

Amblygnathus vitraci Fleutiaux. Dominica (U. S. N. M.).

* *Euphorticus pubescens* var. *aeneolus* Bates. Cuba (U. S. N. M.).

Colpodes ellipticus Chaudoir. Guadeloupe (U. S. N. M.).

Stenous tibialis (Chevrolat). Porto Rico (Gundlach).

* *Panagaeus fasciatus* Say. Porto Rico (Gundlach).

* *Panagaeus thomae* Schaum. Cuba (U. S. N. M.). This has been treated as a synonym of the Mexican *quadrisignatus* but is possibly distinct.

Panagaeus quadrisignatus Chevrolat. Cuba, Porto Rico (A. M. N. H.).

Aspidoglossa vulnerata Putzeys. Cuba, Porto Rico (Gundlach).

* *Clivina bipustulata* (Fabricius). Cuba (A. M. N. H.); it is possible that this and the preceding records refer to the same insect.

Oxydrepalus rufus (Putzeys). Guadeloupe (Fleutiaux).

Stratiotes iracundus Putzeys. Dominica (A. M. N. H.).

Morio monilicornis (Latreille). Porto Rico, Culebra, Jamaica, Haiti; possibly introduced in pine lumber from the United States (Schwarz).

Coptodera festiva Dejean. Jamaica (U. S. N. M.).

Rhombodera flavipes (*pallipes* err. typ.) Leconte. Occurs also in Jamaica (U. S. N. M.).

Rhombodera bicolor Leconte which may be a variety of *flavipes* (Leconte), (compare G. H. Horn, Tran. Am. Ent. Soc., X, p. 159) and possibly not different from *atrorufa* Reiche. Porto Rico (Gundlach and Van Zwaluwenburg).

Lebia viridis Say. Dominica, Porto Rico (A. M. N. H.).

Lebia biteniata Chevrolat. Dominica, Porto Rico (U. S. N. M.).

* *Lebia elerata* (Fabricius)? Guadeloupe. The identity of the Guadeloupe insect is doubtful. See Fleutiaux, Ann. Ent. Soc. Fr., 1889, p. 361.

* *Apenes opaca* Leconte. Bahamas (Wickham).

Apenes parallela Dejean and *A. morio* (Dejean) may be synonymous.

Apenes parallela (Dejean). Bahamas (A. M. N. H.).

* *Apenes variegata* (Dejean). Antigua (Putzeys). Under this name both Van Zwaluwenburg and Gundlach record a species from Porto Rico in the genus *Cymindis*; it seems probable, however, that all the West Indies species recorded in that genus really belong to *Apenes*.

* *Zuphium americanum* Dejean. Porto Rico (Gundlach, A. M. N. H.).

Brachinus gilvipes Mannerheim. Porto Rico (Gundlach).

Galerita beauvoisi Chaudoir. Barbados (Cockerell).

* *Casnonia insignis* (Chaudoir). Porto Rico (Gundlach).

Calosoma alternans Fabricius. St. Croix (U. S. N. M.); St. Vincent, Barbuda (W. I. Bull.).

The American species, * *C. calidum* (Fabricius) is also credited to Porto Rico by Van Zwaluwenburg, but the identification may be subject to revision.

Family III. DYTISCIDÆ.

Megadytes fraternalis Sharp. Porto Rico (Gundlach, U. S. N. M.).

Megadytes giganteus (Castelnau). Porto Rico (Gundlach and Van Zwaluwenburg). The Cuban species may not be identical; it is labelled *l'herminieri* in U. S. N. M. Coll.

Eunectes occidentalis White is a synonym of *E. sticticus* (Linné); also the citation on p. 398 of *Eretes sticticus* (Linné) for the Guadeloupe species is an error, there being but one species involved. The author of *E. occidentalis* appears to be Erichson.

Thermonectes marginellatus (Aubé). Porto Rico (Gundlach).

Thermonectes circumscriptus (Latrelle). Porto Rico (Gundlach); St. Thomas (U. S. N. M.).

Rhantus calidus (Fabricius). Haiti (A. M. N. H.).

Copelatus posticatus (Fabricius). Porto Rico (Gundlach); Haiti, St. Vincent (U. S. N. M.).

Copelatus angustatus Chevrolat. Porto Rico (Gundlach).

* *Celina grossula* Leconte. Cuba (U. S. N. M.).

Laccophilus americanus Aubé (= *proximus*) Porto Rico (Gundlach).

Pachydrus obniger (Chevrolat). Porto Rico (Gundlach).

Family IV. GYRINIDÆ.

Diuctes longimanus (Olivier). Porto Rico (Gundlach); Jamaica (U. S. N. M.).

Diuctes metallicus Aubé. Porto Rico (Gundlach); Guadeloupe (Fleutiaux); Jamaica (U. S. N. M.).

Gyrius rugifer Regimbart. (?) Dominica (A. M. N. H.).

Family V. HYDROPHILIDÆ.

Hydrochus pallipes Chevrolat. Porto Rico (Gundlach).

* *Hydrochus rugosus* Mulsant. Cuba (A. M. N. H.).

Derallus rufus Sharp. Cuba (A. M. N. H.).

Stethoxus intermedius (Jacquelain Duval). Culebra (U. S. N. M.).

According to Mr. F. Wintersteiner, who has studied our collections of Hydrophilidae, the West Indian species *intermedius* (Duval) is not identical with the Central American species *ater* (Olivier).

Stethoxus insularis (Castelnau). Porto Rico, St. Kitts (U. S. N. M.).

Hydrophilus tenebrioides (Jacquelin Duval). Martinique (U. S. N. M.); Porto Rico (Gundlach).

Tropisternus chalybeus Castelnau. Cuba, Montserrat, Porto Rico (various).

Tropisternus lateralis (Fabricius). St. Thomas, Jamaica, Porto Rico, St. Kitts, Culebra (various).

Tropisternus collaris (Fabricius). Culebra (U. S. N. M.); Porto Rico (Gundlach).

* *Tropisternus ovalis* Castelnau. Cuba (A. M. N. H.).

* *Philhydrus nebulosus* (Say). Porto Rico (A. M. N. H.).

* *Philhydrus ochracea* Melsheimer (?) Porto Rico (A. M. N. H.).

Philhydrus melanocephalus (Olivier). Porto Rico (Gundlach).

Separate the genera *Dactylosternum* to *Pelosoma* as Family Sphaeridiidæ.

Family Va. SPHÆRIDIIDÆ.

Dactylosternum abdominale (Fabricius). Cuba, Montserrat, Barbados (U. S. N. M.).

Dactylosternum flavicorne (Mulsant). Porto Rico (Gundlach); Haiti (U. S. N. M.).

* *Dactylosternum adrectum* Horn. Porto Rico (A. M. N. H.).

The authority for *D. subdepressum* should be corrected to Castelnau.

Phænonotum estriatum Say. Dominica, Jamaica, Cuba (A. M. N. H.).

* *Phænotypus palmarum* (Schwarz). Dominica (A. M. N. H.).

* *Oosternum costatum* Sharp. Cuba, Porto Rico (U. S. N. M. and A. M. N. H.).

Cercyon nigriceps (Marsham). Jamaica (A. M. N. H.).

* *Cercyon variegatum* Sharp. Dominica (A. M. N. H.).

* *Cercyon quisquilius* (Linné). Jamaica (A. M. N. H.).

The identifications of the American Museum material of Hydrophilidæ and Sphaeridiidæ were made by Mr. F. Wintersteiner.

Family VII. PSELAPHIDÆ.

The genus *Ephimia* Reitter appears in Deutsche Ent. Zeit., XXVII, p. 34, as *Ephymlia*.

* *Fustiger haytiana* Mann. Haiti (Mann). Psyche, Vol. XXII, 1915, pp. 163, 164.

Family VIII. STAPHYLINIDÆ.

- * *Lispinus claviger* Cameron. St. Vincent (Cameron).
- * *Lispinus impar* Cameron. St. Vincent (Cameron).
- Lispinus insularis* Fauvel. Guadeloupe (Fleutiaux).
- * *Thoracophorus guadalupensis* Cameron. Grenada, Haiti (Cameron).
- Troglodocus aridus* Jacquelain Duval. Porto Rico (Gundlach).
- Troglodocus smithi*. The author of this species should be Cameron.
- Oxytelus insignitus* Gravenhorst. Jamaica (A. M. N. H.).
- * *Thinobius miricornis* Cameron. St. Vincent, Grenada (Cameron).
- * *Holotrochus smithi* Cameron. St. Vincent (Cameron).
- * *Osorius faureli* Cameron. Haiti (Cameron).
- * *Pinophilus vermisiformis* Cameron. Mustique (Cameron).
- * *Pinophilus latipes* Gravenhorst. Porto Rico (Gundlach).
- * *Palamius insularis* Cameron. Jamaica (Cameron).
- * *Palamius coriaceus* Cameron. Jamaica, Haiti (Cameron).
- * *Paderus thoracicus* Erichson. Martinique (Marshall).
- * *Stilicopsis circumflexus* Cameron. Mustique (Cameron).
- * *Stilicopsis auripilis* Cameron. Grenada (Cameron).
- * *Stamnoderus bernhaueri* Cameron. Jamaica (Cameron).
- * *Stamnoderus dissimilis* Cameron. Jamaica (Cameron).
- * *Stamnoderus apicalis* Cameron. Jamaica (Cameron).
- * *Stamnoderus varians* Cameron. Grenada, St. Vincent (Cameron).
- * *Musicoderus uigrococruleus* Cameron. Jamaica (Cameron).
- * *Megalops larviventris* Cameron. Grenada (Cameron).
- * *Megalops humeralis* Cameron. Grenada (Cameron).
- * *Megalops smithii* Cameron. St. Vincent (Cameron).
- * *Stenus (Mesostcaus) lucens* Cameron. Grenada (Cameron).
- * *Monista personata* Cameron. Grenada (Cameron).
- * *Echiaster waterhousii* Cameron. Grenada (Cameron).
- * *Echiaster bupthalmus* Cameron. Mustique, Grenadines, St. Vincent (Cameron).
- * *Echiaster sharpi* Cameron. Jamaica (Cameron).
- * *Echiaster distinctus* Cameron. Jamaica (Cameron).
- * *Echiaster impressicollis* Cameron. Grenada (Cameron).
- * *Stilicus jucundus* Cameron. St. Vincent (Cameron).
- * *Stilicus agnatus* Cameron. Grenada (Cameron).
- * *Stilicus insularis* Cameron. Jamaica (Cameron).
- * *Stilicus cupreus* Cameron. Jamaica (Cameron).
- * *Ophiomedon anthracinus* Cameron. St. Vincent (Cameron).

Oligota hypocryptina Bernhauer
 " *albidoconus* " { Guadeloupe } Estuaries
 " *minutissima* " { } Tiedskifts and others 1918, 1923
 " *testaceomimica* " { } St. Thomas
 " *rhopalocera* " { }

* *Medon cingulatus* Cameron. St. Vincent, Grenada (Cameron).

* *Aderocharis conifer* Cameron. St. Vincent (Cameron).

* *Aderocharis obscurior* Cameron. Grenada (Cameron).

Strike out *Sciocharis bakeri* and *Sciocharella pertenuis* duplicated on same page in *Thinocharis*. Also add near *Scopæus* and *Lathrobium*, the new genus **Micranops* Cameron, and new species *brunneus* Cameron. Jamaica (Cameron).

* *Thinocharis fuscina* Cameron. Grenada (Cameron).

* *Thinocharis smithi* Cameron. Grenada (Cameron).

Lithocharis ochracea (Gravenhorst). Porto Rico (Gundlach).

* *Scopæus marginatus* Cameron. Jamaica (Cameron).

* *Scopæus simplicicollis* Cameron. St. Vincent, Grenada (Cameron).

* *Scopæus antennalis* Cameron. Haiti (Cameron).

* *Scopæus umbra* Sharp. Grenada, Haiti, Jamaica (Cameron).

* *Scopæus angusticollis* Cameron. Grenada (Cameron).

* *Scopæus auripilis* Cameron. St. Vincent, Grenada (Cameron).

Belonuchus gagates Erichson. Jamaica (A. M. N. H.).

Cilea pulchellus (Erichson). Jamaica (Cockerell).

The genus *Coproporus* is possibly not distinct from *Erhomus* (Schwarz).

Family IX. PTILIIDÆ.

Under *Throscidium* change the author of *invisible* to read (Nietner).

Family XI. PHALACRIDÆ.

* *Litolibrus princeps* (Schwarz). Cuba (U. S. N. M.).

* *Acylomus quadrispinosus* Casey. Cuba (Casey).

* *Acylomus detractus* Casey. Cuba (Casey).

* *Acylomus cubiensis* Casey. Cuba (Casey).

Family XII. CORYLOPHIDÆ.

Sacium instabile Matthews. Cuba (U. S. N. M.).

Family XIII. COCCINELLIDÆ.

Megilla maculata (DeGeer). Cuba (A. M. N. H.); Martinique (U. S. N. M.); Guadeloupe (Fleutiaux).

The record of *Hippodamia 13-punctata* (Linné) from the Antilles is questioned by Mr. Schwarz; the species being distinctly northern and its occurrence almost impossible unless introduced. In the same category may be placed the recent records of **H. convergens* Guérin, Porto Rico (Van Zwaluwenburg); and **Coccinella 9-notata* Herbst, Cuba (A. M. N. H.).

Psyllobora nana Mulsant. Haiti (A. M. N. H.); Porto Rico (Gundlach).

Psyllobora lineola (Fabricius). Porto Rico (Gundlach); Jamaica (Cockerell).

Cyclonedra sanguinea (Linné). Barbados (Cockerell); Antigua (Marshall).

Chilocorus cacti (Linné). Cuba (A. M. N. H.).

Cladis nitidula (Fabricius). St. Lucie (U. S. N. M.).

Exochomus uva Mulsant. Dominica (A. M. N. H.); Martinique (Marshall); Guadeloupe (Fleutiaux).

The name of the genus at the foot of page 410 should read *Thalassa*.

Hyperaspis connectens (Schönherr). St. Kitts (U. S. N. M.).

Hyperaspis apicalis Weise. Haiti (A. M. N. H.).

Scymnus ochroderus var. **cyanipennis* Mulsant. Antigua (Cockerell).

Scymnus thoracicus (Fabricius). Porto Rico (Gundlach); Guadeloupe (Fleutiaux).

Scymnus loewii Mulsant. Antigua, Montserrat (U. S. N. M.).

The spelling of the specific name under *Cryptolæmus* should be *montrouzieri*.

Family XV. EROTYLIDÆ.

Ægithus claricornis (Linné). Dominica (U. S. N. M.).

Brachysphænus marginatus (Olivier). Dominica (A. M. N. H.).

The position of the genus *Diplocelus* is doubtful and it may have to be removed from Erotylidæ.

Family XVI. COLYDIIDÆ.

Euxestus piciceps Gorham is the same as *E. minor* (Sharp), see Champion Trans. Ent. Soc. Lond. 1913, p. 79, and *E. erithacus* (Chevrolat) is probably not more than a variety of *E. parki* Wollaston.

Philothermus puberulus Schwarz. Montserrat (U. S. N. M.).

* *Nematidium mustela* Pascoe. Cuba (U. S. N. M.).

Auloniuin bidentatum (Fabricius). Guadeloupe (Fleutiaux, A. M. N. H.).

The genus *Botrodus* Casey belongs probably to Murmidiiæ; the same applies to the genus *Lapethus* Casey (Grouvelle, Ann. Soc. Ent. France, 1912, pp. 297, 298). The genera *Stylulus* and *Cryptzoon* are misplaced, but there is some doubt as to their family position.

Synchita laticollis (Leconte). Montserrat, Cuba (U. S. N. M.).

Synchita granulata Say. Haiti, Cuba (U. S. N. M.). This and the preceding species probably belong to *Acolobicus*.

* *Acolobicus lineaticollis* (Horn). Cuba (U. S. N. M.).

* *Ditoma carinata* (LeConte). Haiti, Cuba (U. S. N. M.).

* *Lobogestoria gibbicollis* Reitter. Cuba (U. S. N. M.).

Family XVII. MONOCERIDÆ.

There is a question as to whether the genus *Monædus* was described by Horn or Leconte. The description of the type species appears in a paper by Horn but Leconte's authorship of the species is clearly indicated by Horn's statement that Dr. Leconte communicated the description. The author of the genus, nevertheless, appears to be Horn and our citation should be corrected.

* *Monædus guttatus* Leconte. Cuba (Champion).

Adimerus dubius Sharp is a synonym of *Monadus guttatus* LeConte. (Champion, Trans. Ent. Soc. Lond., 1913, p. 73.).

Monædus lecontei Fleutiaux. Montserrat (U. S. N. M.).

Family XIX. CUCUJIDÆ.

* *Hemipeplus marginipennis* Leconte. Cuba (U. S. N. M.).

Inopeplus præusta Chevrolat. Cuba (U. S. N. M.).

* *Telephanus strictus* Grouvelle. Jamaica (Grouvelle). *Bull. S. E. Fr.* 1916, n. 84

* *Telephanus cibratus* Grouvelle. Jamaica (Grouvelle). "

Læmophlæus pusillus (Schönherr). Porto Rico (U. S. N. M.).

* *Læmophlæus iteratus* Sharp. St. Vincent, Grenada (U. S.

* *Læmophlæus adustus* LeConte. Porto Rico (Gundlach).

Silvanus surinamensis (Linné). Porto Rico (Van Zwaluwe).

* *Silvanus rectus* (?) Leconte. Cuba (U. S. N. M.).

Ahasverus advena (Waltl). Porto Rico (Gundlach).

Nausibius dentatus (Marsham). Porto Rico (Gundlach); Haiti (A. M. N. H.). This species is treated as a synonym of *N. clavicornis* Kugelann by Casey (Trans. Am. Ent. Soc., XI, p. 74), Sharp (Biologia Cent. Am., Coleop. II., pt. 1, p. 556) and Blatchley (Beetles of Indiana, p. 564).

Lathropus costatus Grouvelle. Cuba (U. S. N. M.) is probably identical with the American species.

Family XX. CRYPTOPHAGIDÆ.

Subfamily CRYPTOPHAGINÆ.

Loberus testaceus Reitter. (?) Porto Rico, Haiti (U. S. N. M.).

* *Tomarus acutus* Reitter. Cuba (U. S. N. M.). Possibly identical with a species described from Florida.

Family XXI. TRITOMIDÆ.

Typhaea semirufa Chevrolat. Porto Rico (Gundlach).

Berginus bahamicus Casey. Cuba (U. S. N. M.).

The genus *Berginus* should be removed to Lyctidæ, according to some authors.

Litargus balteatus Leconte. Montserrat, Cuba (U. S. N. M.).

Family XXII. DERMESTIDÆ.

* *Dermestes caninus* Germar. Jamaica (Cockerell).

Dermestes carnivorus Fabricius. Porto Rico (Gundlach).

Dermestes vulpinus Fabricius. Porto Rico (Gundlach).

Globicornis fulvipes Guerin. Porto Rico (Gundlach).

Trogoderma insulare Chevrolat. Porto Rico (Gundlach).

* *Cryptorhopalum scutellare* Arrow. Mustique (Arrow).

Family XXIII. HISTERIDÆ.

* *Acritus atomulus* Marseul. Cuba (U. S. N. M.).

Acritus analis Leconte. Porto Rico (Gundlach).

Carcinops troglodytes (Paykull). Porto Rico (Gundlach).

Epierus waterhousei Marseul. Porto Rico.

* *Epierus cubensis* Casey. Cuba (Casey).

The species cited as *Paromalus parallelus* Leconte may be *P. laterirectus* Marseul.

* *Isolomalus nanulus* Casey. Cuba (Casey).

* *Abræus dufaui* Desbordes. Guadeloupe (Bull. Soc. Ent. Fr. 1914, p. 234).

Atholus confinis (Erichson). Porto Rico (U. S. N. M.).

Omalodes ruficlaris Marseul. Haiti (U. S. N. M.).

Omalodes klugi Marseul. Porto Rico (Gundlach).

Lioderma interruptum (Marseul). Porto Rico (Gundlach).

Lioderma quadridentatum (Fabricius). Cuba (U. S. N. M.).

Family XXIV. NITIDULIDÆ.

* *Smicriips hypocoroides* (Reitter). Cuba, Bahamas (U. S. N. M.).

Paralindria partita Olliff. Montserrat (U. S. N. M.). The citation of the species as *bipartita* by Fleutiaux and Salle, was followed by us in the Preliminary List.

Lobiopa insularis (Castelnau). Porto Rico (Gundlach).

Stelidota geminata (Say). Porto Rico (Gundlach).

Stelidota ruderata Erichson. Porto Rico (Gundlach).

Haptoncus luteolus (Erichson). Porto Rico (Gundlach). Cosmopolitan, in stores.

Conotelus conicus (Fabricius). Jamaica, Montserrat (U. S. N. M.); Porto Rico (Gundlach).

Brachypeplus mutilatus Erichson. Guadeloupe (Fleutiaux).

Macrostola lutea Murray. Montserrat (Hubbard, Insect Life, VII, pp. 340-345).

* *Platychora lebasi* Erichson. Cuba (U. S. N. M.).

Carpophilus hemipterus (Linné). Haiti (A. M. N. H.); Porto Rico (Van Zwaluwenburg).

Carpophilus dimidiatus (Fabricius). Porto Rico (Van Zwaluwenburg).

Carpophilus dimidiatus var. *mutilatus* Erichson. Vieques, Montserrat (U. S. N. M.).

Carpophilus (Colopterus) amputatus (Erichson). Bahamas (U. S. N. M.).

Carpophilus (Colopterus) truncatus (Randall). Cuba.

Rhizophagus keydeni should be *heydeni*.

Family XXV. LATHRIDIIDÆ.

* *Coluocera maderæ* (Wollaston). Haiti (Mann), *Cienfuegos, Cuba, W. M. Mann*. *Lobogestoria* Reitter should be transferred to Colydiidæ. (Schaeffer, Proc. Ent. Soc. Washington, VIII, 1906, p. 141.)

* *Melanophthalma distinguenda* (Comolli). Cuba (U. S. N. M.). Cosmopolitan.

* *Corticaria ferruginea* Motschulsky. Cuba (U. S. N. M.). Cosmopolitan. *Holoparaneurus Kurzei Aude*, *Saint Domingo & Martinique*. See Below. Ann. Soc. Ent. Belg., 1895, vol. 39, p. 81.

Family XXVII. TEMNOCHILIDÆ.

The authority for *Nemosoma* should be Latreille not Reitter.

* *Temnochila hubbardi* Leveillé. Cuba (U. S. N. M.).

Tenebroides transversicollis (Jacquelin Duval). Porto Rico (Gundlach).

Family XXIX. BYRRHIDÆ.

Chelonarium punctatum Fabricius. Porto Rico (Gundlach). The position of the genus *Chelonarium* is uncertain; its species live on bushes, not on the ground like the Byrrhidæ. It is treated as a separate family by Brues and Melander, and is placed in the subfamily Chelonarinæ under Byrrhidæ by Sharp (Biol. Cent. Amer., II, pt. 1, 1902, pp. 684-696); Plate XX referred to in the text was, apparently, never published.

Family XXXII. HELODIDÆ.

Mr. Schwarz has verbally called attention to the differences shown by Peyerimhoff, between the larvæ of Helodidæ, Cyphonidæ and Dascillidæ.

Family XXXVI. ELATERIDÆ.

Adelocera subcostata Candèze. Antigua (Marshall).

Hemirhipus fascicularis (Fabricius). Haiti (A. M. N. H.).

Chalcolepidius obscurus Castelnau. Montserrat, Dominica (U. S. N. M.).

* *Chalcolepidius validus* Candèze. Dominica (U. S. N. M.).

The authority for *Ischiadontus oblitus* should be Candèze.

Dicrepidius ilegans should be *elegans*.

Dicrepidius notus should be *ignotus*.

Monocrepidius bifoveatus (Beauvois). Bahamas, Haiti (U. S. N. M.).

All the species listed as *Conoderus* should be listed as *Monocrepidius*.

Æolus elegans (Fabricius). Porto Rico (Gundlach).

* *Megapenthes sturmii* (Germar). Cuba (U. S. N. M.).

The authority for *Anchastus rufescens* should be Candèze.

For *Pyrophorus ongipennis* read *P. longipennis*.

* *Eaphes decoloratus* (Say). Antigua (Marshall).

Glyphonyx quadraticollis Champion. Cuba (A. M. N. H.).

Family XXXVII. TRIXAGIDÆ.

Drapetes tunicatus Bonvouloir. Haiti (U. S. N. M.).

Family XXXVIII. BUPRESTIDÆ.

According to Kerremans' Monograph, the following changes should be made:

Polycesta thomæ Chevrolat is a synonym of *P. porcata* (Fabricius); *P. angulosa* Jacquelain Duval is a synonym of *P. excavata* Blanchard; *Acmaeodera contigua* Kerremans is a synonym of *A. flavomarginata* (Gray); *Halecia aureomicans* (Nonfried) and *Hilarotes chalcoptera* (Jacquelain Duval) are both synonyms of *Halecia nitidicollis* (Castelnau); *Gyascutus carolinensis* Horn belongs in *Hippomelas*.

The identity of *Psiloptera aurifera* (spelled in error *aurifer*) and *aurata* is questionable.

* *Pelecopselaphus strictus* (Linné). Antilles (Kerremans).

Polycesta porcata (Fabricius). St. Thomas (Kerremans).

Acmaeodera cruenta (Olivier). Haiti (Kerremans).

Buprestis decora Fabricius. Porto Rico (Gundlach).

Buprestis lineata Fabricius. Porto Rico (Gundlach).

These and other species of *Buprestis* are probably not native but commercially introduced in timber. See also Fleutiaux (Ann. Soc. Ent. Fr., 1889, p. 405) for similar Guadeloupe records.

Melanophila notata (Laporte and Gory). Bahamas (A. M. N. H.).

Chrysobothris lepida Castelnau and Gory. Porto Rico (Gundlach).

Chrysobothris tranquebarica (Gmelin). Porto Rico (Gundlach).

* *Chrysobothris denticulata* Castelnau and Gory. San Domingo, introduced.

Families XXXIX-XLI. LYCIDÆ, LAMPYRIDÆ AND
TELEPHORIDÆ.

A descriptive catalogue, in which the numerous changes will be included, is in preparation.

Family XLII. MALACHIIDÆ.

The spelling of the family name requires correction, as above.

Family XLIII. CLERIDÆ.

Thanoclerus should read *Thaneroclerus* and the locality Guadeloupe should be inserted for *T. girodi* Chevrolat; Fleutiaux (Ann. Soc. Ent. Fr., 1889, p. 417) records *T. buqueti* (Lefebvre) with *T. girodi* as a synonym, but *buqueti* being East Indian (Schenckling in Gen. Ins.) *girodi* is probably the the Guadeloupe species.

Family XLIV. PTINIDÆ.

Gibbium psylloides Czempinski. Montserrat (U. S. N. M.). This is a cosmopolitan insect—as are many of the family.

Ptinus niveicollis Boieldieu. Cuba (U. S. N. M.).

Lasioderma serricorne (Fabricius). Cuba (U. S. N. M.); Porto Rico (Van Zwaluwenburg).

Champion's paper, in Trans. Entom. Soc. Lond., 1913, makes some changes in this family: *Ozognathus* is not Antillean and the species referred thereto may be a *Cryptorama*; *Petalium pulicarium* (Gorham) is a synonym of *P. antillarum* (Pic); *Mirosternus laevis* Gorham belongs to *Eupactus* Leconte; *Priotoma brevis?* Gorham is *P. insularis* Champion.

Xylographus belongs in Cioidæ.

Calymmaderus bibliothecarum (Poey). Porto Rico (Gundlach).

Atractocerus Palisot (not Latreille) belongs in Lymexylonidæ.

Atractocerus brasiliensis (Laporte and Serville) of which *A. antillarum* Vitrac (Insecta, III, 1913, p. 168) is treated as a synonym by Schenckling (Coleopterorum Catalogus, pt. 64, 1915). Jamaica (Cockerell).

Family XLV. BOSTRYCHIDÆ.

Lyctus should be separated as family Lyctidae which includes also
 * *Minthea rugicollis* Walker (*Lyctopholis foveicollis* Reitter), St. Domingo
 (U. S. Tech. Ser. 20, part 3, 1911, p. 138).

The genus *Xylopertha* should be expunged; the species *sextuberculata* is *Zylomeira torquata* (Fabricius); the species *minutus* is cosmopolitan and belongs in *Dinoderus*.

Heterarthron gonagra (Fabricius). Jamaica, Dominica (U. S. N. M.).

* *Heterarthron plicatus* (Leconte). Cuba, Jamaica (U. S. N. M.).

Rhizopertha pusilla (Fabricius). Porto Rico (A. M. N. H.). Cosmopolitan species or introduced from the United States in timber.

* *Sinoxylon floridanum* Horn. Antigua, Jamaica (U. S. N. M.). Cosmopolitan species or introduced from the United States in timber.

Apate francisca Fabricius. Porto Rico (Van Zwaluwenburg).

* *Apate terebrans* (Pallas). Jamaica (reared from *Anacardium occidentale*).

Family XLVI. CIOIDÆ.

Ennearthron delicatulum Jacquelain Duval. Porto Rico (Gundlach).

Strike out *Ceratocis*, transferring the species to *Ceracis*.

Ceracis(*Bostriacus*) *furcatus* Bosc, 1791, Jamasca (see Bull Soc. E. France, 1917, p. 192).

Family XLVIII. PASSALIDÆ.

Passalus tlascala Percheron is a *Neleus*.

It is doubtful that *Passalus unicornis* (Serville) occurs in Cuba or Guadeloupe.

Passalus interruptus (Linné). Martinique (Marshall).

Family XLIX. SCARABÆIDÆ.

Chæridium insulare Chevrolat. Montserrat (U. S. N. M.).

* *Canthidium melanocephalum* (Olivier). According to Olivier (Ent., I, 3, pp. 173, 174,) the type of this species was described from Guadeloupe but von Harold, in Coleopterologische Hefte, I, pp. 29–30, gives Brazil as the locality for the species and more recent authors have followed the latter record, excepting Fleutiaux and Sallé, who very likely followed Olivier, as they had no specimens of this species to verify the records.

Aphodius granarius (Linné). Jamaica (A. M. N. H.).

Aphodius granarius var. undescribed. Porto Rico, Cuba, Martinique (U. S. N. M.).

* *Atænius figurator* Harold. Cuba (U. S. N. M.).

Atænius gracilis (Melsheimer). Jamaica (A. M. N. H.).

Atænius imbricatus (Melsheimer). Haiti, Porto Rico (A. M. N. H.).

Atænius rhyticephalus (Chevrolat). Porto Rico (Gundlach).

Atænius stercorator (Fabricius). Porto Rico (U. S. N. M.).

Atænius terminalis (Chevrolat). Haiti, St. Thomas (U. S. N. M.).

Athyreus tridentatus MacLeay var. *castaneus* (Guerin). Bahamas (A. M. N. H.).

Trox suberosus Fabricius. Porto Rico (Gundlach).

Clæotus rufopiceus Arrow. Dominica (A. M. N. H.).

Phyllophaga (*Lachnostenra*) *patruelis* (Chevrolat). St. Kitts (W. I. Bull.).

* *Anomala undulata* Melsheimer. Jamaica (Cockerell).

Macraspis tristis Castelnau. Dominica (A. M. N. H.).

Cyclocephala notata (Illiger). Jamaica (A. M. N. H.).

Cyclocephala tridentata (Fabricius). Dominica (U. S. N. M.).

Rutela formosa Burmeister. Bahamas (A. M. N. H.).

Leucothyreus vicentiae Arrow. St. Lucie (U. S. N. M.).

Dyscinetus barbatus (Fabricius). Porto Rico (Gundlach, Van Zwaluwenburg).

Dyscinetus trachypygus (Burmeister). Porto Rico (Van Zwaluwenburg).

Dyscinetus picipes (Burmeister). Porto Rico (various).

Ligyrus cordatus (Fabricius). Guadeloupe (Fleutiaux).

Ligyrus juvenus (Fabricius). Cuba (A. M. N. H.).

* *Ligyrus fossulatus* Latreille. (= *fossor* Latr.?) Porto Rico (Gundlach).

Strategus antæus (Fabricius) is an error for *sypax* (Fabricius); *S. juli-anus* Burmeister is possibly also an error in determination of the species from Grenada (Schwarz).

Strategus tricornis (Verrill) is a synonym of *vulcanus* (Fabricius). (Arrow).

Dynastes argentata, *D. lagaii* and *D. vulcan* Verrill are synonyms of *D. hercules* (Linné). (Arrow.)

It may be well to repeat that species described from Trinidad, of which there are several in Scarabæidæ, are not included because that island is really South American in respect of fauna.

Family L. CERAMBYCIDÆ.

Parandra lærvis Latreille. Jamaica (Waterhouse, Trans. Ent. Soc. Lond. 1878, p. 303).

Mallodon spinibarbis (Linné). Dominica (A. M. N. H.).

Nothopleurus maxillosus (Drury). Porto Rico (Gundlach). The "Barbados" record for this species should be Barbuda.

Stenodontes exsertus (Olivier). Mona (Lameere).

Prosternodes cinnamipennis (Chevrolat). Bahamas (A. M. N. H.).

M. Lameere's work in Coleopterorum Catalogus makes *Dendroblaptus* and *Callomegas* subgenera of *Callipogan*, *Prosternodes dominicensis* Gahan a *Derancistrus*, *Solenoptera* a subgenus of *Derancistrus*, *Orthosoma brunneum* a *Derobrachus*.

Methia punctata Leconte. Porto Rico (Gundlach).

* *Criocephalus cubensis* Mutchler. Cuba (A. M. N. H.).

The spelling of *Achryson surinam* should be *surinamum*. Marshall calls the specimens found in Antigua var. *pallens* (Fabricius).

Chlorida festiva (Linné). Montserrat, Haiti (U. S. N. M.).

Eburia decemmaculata (Fabricius). Dominica (U. S. N. M.).

Elaphidion glabratum (Fabricius). St. Lucie, Dominica, Antigua (W. I. Bull.); Bahamas (A. M. N. H.).

Elaphidion irroratum (Linné). Porto Rico (Gundlach); St. Kitts (Balogu).

Elaphidion nanum (Fabricius). Porto Rico (Gundlach); Bahamas (A. M. N. H.).

Elaphidion signaticolle Chevrolat. Bahamas (A. M. N. H.).

Elaphidion tomentosum Chevrolat. Montserrat, Porto Rico (U. S. N. M.).

* *Heterachthes ebenus* Newman. Cuba (U. S. N. M.).

Cylindera flava (Fabricius). Porto Rico, Bahamas (A. M. N. H.).

Cylindera puberula (Fleutiaux & Salle). Haiti, Bahamas, Jamaica (A. M. N. H.).

Merostenus attenuatus (Chevrolat). Porto Rico (Gundlach).

* *Plectromerus dentipes* (Olivier). Cuba (U. S. N. M.).

Pentomacrus fasciatus Gahan. Cuba (A. M. N. H.).

The generic position of the species assigned to *Stizocera* requires investigation, they may belong to *Peribœum*; also those assigned to *Heterachthes* may belong to *Compsa*.

Callichroma elegans (Olivier). Dominica (U. S. N. M.).

Euryseclis suturalis (Olivier). Bahamas (A. M. N. H.).

Trachyderes succinctus (Linné). St. Thomas (A. M. N. H.); Martinique (Marshall).

Taeniotes scalaris (Fabricius). Martinique (Marshall).

Adetus therminieri Fleutiaux. Montserrat (U. S. N. M.).

Oncideres amputator (Fabricius). Jamaica (U. S. N. M.).

* *Batocera rubus* (Linné). Barbados (Quaintance); St. Croix (U. S. N. M.); introduced from China.

Steirastoma depressum (Linné). Jamaica (Cockerell); Martinique (U. S. N. M.); a serious pest on *Cacao* (Quaintance).

Lagochirus araneiformis (Linné). Porto Rico (Gundlach).

Leptostylus argentatus (Jacquelin Duval). Haiti (A. M. N. H.).

Leptostylus præmorsus (Fabricius). Dominica, St. Lucie (W. I. Bull.), Antigua (Marshall).

Leptostylus, the species credited to Dejean or Dejean Cat., make Gahan the authority (see Trans. Ent. Soc. London, 1895, pp. 135, 136).

Lepturges guadeloupensis Fleutiaux and Salle. Cuba (U. S. N. M.).

* *Onychocerus scorpio* (Fabricius). Grenada (U. S. N. M.) received from H. A. Ballou.

* *Monohammus titillator* (Fabricius). Cuba, Porto Rico (Gundlach); perhaps introduced from the United States.

Family LI. CHRYSOMELIDÆ.

Lcma confusa Chevrolat. Jamaica (U. S. N. M.).

Lema dorsalis Olivier. Haiti (U. S. N. M.).

* *Lema intermedia* Suffrian.¹⁸⁶⁶ Cuba, Haiti (U. S. N. M.).

* *Cryptocephalus squalens* Suffrian. Cuba, Bahamas (U. S. N. M.).

Cryptocephalus viridipennis Suffrian. Jamaica, Porto Rico (A. M. N. H.).

* *Eumolpus imperialis* Baly. Martinique (Clavareau, Coleopterorum Catalogus).

* *Glyptoscelis aeneipennis* Baly. Grenada (U. S. N. M.).

* *Glyptoscelis hobsoni* (Curtis). Cuba (Clavareau, Coleopterorum Catalogus). See *Cat. d'Amérique*, vol. 10, p. 97. ^{insect.}

* *Metachroma terminalis* Horn. Cuba (A. M. N. H.).

Numerous changes are made by Clavareau in the Coleopterorum Catalogus, pt. 59: *Noda fusca* is placed in *Glyptoscelis*; *N. luteicornis* is placed in *Colaspis*; *Colaspis suffrani* Weise is proposed for *C. nigricornis*; *Chalco-phana furvida* is placed in *Colaspis*, all other species of *Chalco-phana* in *Phanæta*; *Heteraspis nana* is placed in *Glyptoscelis*; *Metachroma cubæcola* Clavareau is proposed for *M. puncticollis*; *M. suffrani* Clavareau is pro-

posed for *M. suturalis*; *Myochrous brevicornis* is placed in *Glyptoscelis*; *M. denticollis* is not cited as West Indian.

Colaspis ebasi should read *Colaspis lebasi*.

The following species recorded from the West Indies, in many instances on excellent authority, are cited by Clavareau, in Coleopterorum Catalogus, pt. 59, only from the following localities but probably without the intention of discrediting the published records of West Indian occurrence: *Rhabdoptera picipes* (Olivier), Massachusetts to Dakota to Carolina; *Colaspis fastidiosa* (Lefevre), Colombia, Venezuela, Panama; *C. obscura* Fabricius, South America; *C. lebasi* Lefevre, Columbia, Central America; *C. femoralis* Lefevre, Columbia, Panama; *Typophorus viridicyaneus* (Crotch), Virginia to Nicaragua.

Cerotoma ruficornis (Olivier). Haiti (A. M. N. H.).

* *Cerotoma trifurcata* (Forster). Porto Rico (Van Zwaluwenburg).

Luperus placidus Suffrian. Grenada, Haiti (U. S. N. M.).

Malacosoma detritum (Fabricius). Montserrat (A. M. N. H.); Dominica (U. S. N. M.).

Diabrotica bivittata (Fabricius). Haiti (A. M. N. H.); Cuba (U. S. N. M.); Porto Rico (Gundlach, Jones).

Diabrotica graminea Baly. Cuba (A. M. N. H.); Vieques, Haiti (U. S. N. M.).

Diabrotica innuba (Fabricius). Culebra (U. S. N. M.).

Diabrotica melanocephala (Fabricius). Montserrat (U. S. N. M.).

Diabrotica ochreata (Fabricius). Montserrat (U. S. N. M.).

Diabrotica pulchella (Jacquelin Duval) is a *Phyllobrotica* (Schwarz).

Strike out *Hypolampsis nigrina* Clark, St. Paul's Island being not West Indian; also *Omototus fulvopubescens* Clark, the Cuban citation being erroneous.

Edionychis cyanipennis (Fabricius). Haiti (A. M. N. H.).

Homophoeta aquinoctialis (Fabricius). St. Croix (A. M. N. H.); Jamaica, Porto Rico, Antigua, treating *albicollis* as a synonym (U. S. N. M.).

* *Haltica subaurea* Suffrian. Cuba (U. S. N. M.).

* *Haltica ignita* Illiger? Bahamas (U. S. N. M.).

Epitrix fuscata (Jacquelin Duval). Porto Rico (Gundlach).

Epitrix parvula (Fabricius). Bahamas (U. S. N. M.).

* *Epitrix cucumeris* (Harris). Porto Rico (Jones, Van Zwaluwenburg).

The identity of the Porto Rican insect with *E. cucumeris* of the United States is insisted upon by Mr. Schwarz, who made the identification.

Systema basalis Jacquelin Duval. Haiti (A. M. N. H.).

Lactica scutellaris (Olivier). Jamaica (A. M. N. H.).

Aphthona compressa (Suffrian). Haiti, Bahamas, Culebra (U. S. N. M.).

Aphthona maculipennis Jacoby. Porto Rico (U. S. N. M.).

Chætocnema apricaria (Suffrian). Jamaica, Vieques, Haiti (U. S. N. M.).

Homophyla krugi Weise. Guadeloupe (Fleutiaux).

Megistops granulatus Jacoby. Guadeloupe (U. S. N. M.).

Chalepus sanguinicollis (Linné). Vieques (U. S. N. M.); St. Thomas (A. M. N. H.).

Elytrogona bulla Boheman. Haiti (Spaeth).

Elytrogona quadrimaculata (Latrelle), change to *E. quatuordecimmaculata* (Latrelle).

Chelymorpha polysticha Boheman. Dominica (U. S. N. M.); St. Bartholomew (Spaeth).

Chelymorpha swarzi Thunberg change to *C. swartzii* Thunberg. See Schönherr, Syn. Ins., II, p. 229.

Omoplata distincta Boheman. Martinique (Spaeth).

* *Batomota rugosa* Wagener. Haiti (Mitt. Munch. Ent. Ver. V. 1881, p. 44).

* *Calaspidea grossa* (Linné). Jamaica (Spaeth).

* *Oxynodera variegata* (Linné). Antilles (Spaeth).

* *Physonota gigantea* Boheman. Antilles (Spaeth).

Strike out *Aspidomorpha bajula* Boheman, which according to Spaeth is a synonym of the East Indian *A. sanctæ crucis* (Fabricius).

A number of changes in position, etc., are proposed in Coleopterorum Catalogus, pt. 62, as follows: *Mesomphalia ænea* (Olivier) is placed in *Pseudomphalia* Spaeth; *M. exclamationis* (Linné) is placed in *Hilarocassis* Spaeth; *Chelymorpha angusticollis* Suffrian, *C. flavidollis* Boheman and *C. swartzii* Thunberg are placed in *Stoiba* Spaeth; *C. argus* (Lichtenstein) is treated as a variety of *C. cassidea* (Fabricius) and *C. polysticha* Boheman as a variety of *C. multipunctata* (Olivier). The other generic names under which Spaeth catalogues the species formerly placed in *Coptocycla* are not yet adopted by the authors.

Coptocycla bistripunctata Olivier. Antigua (U. S. N. M.). This name was probably cited in error by Fleutiaux and Sallé for *sexpunctata* Olivier.

* *Coptocycla propinqua* (Bohemian). Haiti (A. M. N. H.).

Coptocycla subsignata (Bohemian). Haiti, Porto Rico, Cuba (A. M. N. H.).

Coptocycla guttata (Olivier). Porto Rico (Van Zwaluwenburg, Jones); Cuba, Jamaica, Haiti (U. S. N. M.). (Champion, in Biologia).

* *Coptocycla guttata* var. *fuliginosa* (Olivier). Guadeloupe (Champion, in Biologia Cen. Am., Col., VI, pt. 2, pp. 194-195).

According to Champion, *l. c.*, *guttata* Boheman *ne* Olivier, 1808, and *hamulata* Boheman are synonyms of *signifera* (Herbst), but he appears to

have overlooked the discrepancy between Olivier's original publication in 1790 and his later work (*Cf.* H. S. Barber, Proc. Ent. Soc. Washington, XVIII, 1916, pp. 117-118) by which *guttata* (Olivier) is validated.

Family LII. BRUCHIDÆ.

Bruchus chinensis (Linné). Porto Rico (Van Zwaluwenburg).

**Bruchus amicus* Horn. Porto Rico (Van Zwaluwenburg).

**Bruchus sallaei* Sharp. Porto Rico (Van Zwaluwenburg).

Bruchus obtectus Say should be substituted for *B. obsoletus* Say, when that name is used for the bean weevil; add the locality Porto Rico (Van Zwaluwenburg).

Bruchus rufimanus, change author to Boheman.

Bruchus sinuatus Fähraeus (*fide* Horn) is a variety of *B. quadrimaculatus* Fabricius.

Bruchus tetricus Gyllenhal. Cuba (U. S. N. M.).

**Caryoborus nucleorum* (Fabricius). Cuba (U. S. N. M.).

Spermophagus hoffmanseggii Gyllenhal was proposed to replace *robiniae* Olivier *nec* Fabricius. It is not equivalent to *robiniae* Fabricius as we have it in the Preliminary List but to *robiniae* erroneously cited in Olivier, Ent., IV, 1795, no. 79, p. 7, pl. 1, fig. 4 *a, b*.

Family LIII. TENEBRIONIDÆ.

By a regrettable error, the records for the genus *Cælotaxis* derived from Guadalupe Island in the Pacific Ocean, were included in our Preliminary List. They should all be stricken out, as well as the record for *Conibius* on page 461.

Dacoderus dominicensis Horn. Cuba (U. S. N. M.).

**Phaleria variabilis* Quedenfeldt. Porto Rico (Gundlach).

Strike out *Rhipidandrus micrographus*, as a misidentification of *Eutomus cornutus*.

Strike out *Cherostus* as synonymous with *Eutomus* and *C. jamaicensis* as synonymous with *E. cornutus*.

Change *Eutomus sulcatus* Gorham to *Rhipidandrus sulcatus* (Gorham). Numerous references to these genera are given in two papers: Proc. Ent. Soc. Washington, XV, 1913, pp. 188-193 and XVI, 1914, pp. 175-177. A letter from H. S. Barber states that he has recently examined larvae of *Eutomus fulromaculatus* (Dury) and *E. cornutus* (Arrow) and finds that they agree closely with the larvae of *Eledona* and *Bolitotherus*.

Platydema antennatum Castelnau & Brullé. Haiti (U. S. N. M.).

Platydema apicale Castelnau & Brullé. Porto Rico (Gundlach).

* *Platydema picicorne* (Fabricius). Cuba, Haiti (U. S. N. M.).

* *Tribolium confusum* Jacquelin Duval. Porto Rico (Van Zwaluwenburg).

Tribolium ferrugineum (Fabricius). Porto Rico, Cuba (Gundlach).

Uloma retusa (Fabricius). Dominica (A. M. N. H.); Montserrat (U. S. N. M.).

* *Diaperis maculata* Olivier (*hydni* Fabricius). Porto Rico (Van Zwaluwenburg); Cuba (U. S. N. M.); Jamaica (Cockerell).

Change the authority for *Antimachus* to Gistel and the authority for *roudenii* to Fleutiaux and Sallé.

Alphitobius piceus (Olivier). Porto Rico (Gundlach).

* *Alphitobius diaperinus* (Panzer). Jamaica (Cockerell). Cosmopolitan.

* *Ulosonia biimpressa* (Latrelle). Cuba (A. M. N. H.).

Zophobas morio (Fabricius). St. Thomas (Shoemaker); Porto Rico (Gundlach, Van Zwaluwenburg); Culebra (U. S. N. M.). Evidently widely distributed in West Indies. Compare also Ann. and Mag. Nat. Hist. 8th Ser., XIII, 1914, p. 487.

Cyrtosoma lherminieri (Chevrolat). Montserrat (U. S. N. M.); Dominica (A. M. N. H.).

Pyranisia undata (Fabricius). Cuba, Haiti (U. S. N. M.).

Pyranisia tristis Castelnau. Porto Rico (Gundlach).

Change *Rhacius sulcatus* Dejean to *Rhacius sulcatulus* Champion.

Family LIV. ALLECULIDÆ.

Allecula flavipes Jacquelin Duval. Bahamas (U. S. N. M.). The reference of West Indian species to *Allecula*, which is possibly an exclusively Old World genus, is questionable in the opinion of Mr. Schwarz; as is also the identification of *Isomera sericea* Say, which should perhaps read *I. valida* Schwarz, described from Florida.

Family LVI. MONOMMIDÆ.

Hyporhagus aeneus Thomson. Cuba (U. S. N. M.). This species probably belongs to *Aspathines* Champion.

Hyporhagus marginatus (Fabricius). Bahamas (U. S. N. M.); Porto Rico (Gundlach).

Family LVII. MELANDRYIDÆ.

Definite records in this family are few. The single species mentioned in our Preliminary List may be more properly placed in Alleculidæ and, though we have information of species of *Orchesia*, *Canifa* and *Conomorphus* occurring in Cuba from Mr. Schwarz, not one of them has been described.

* *Phlaeotrya mexicana* Champion is said to occur in Dominica (Ent. Mont. Mag., 1916, p. 37).

Family LIX. CEDEMERIDÆ.

For *Nacerdes* Schmidt read *Nacerda* Stephens.

Copidita tenella Waterhouse. Haiti, Jamaica (U. S. N. M.).

Alloxacis dorsalis (Melsheimer). Cuba (A. M. N. H.).

Ananca vittata (Fabricius). Jamaica, Vieques, Cuba (U. S. N. M.).

S. Schenckling, in Coleopterorum Catalogus, part 65, makes some changes in this family by which the species *simplex* is transferred to *Copidita* and *dorsalis* to *Alloxacis*, etc.

Family LX. MORDELLIDÆ.

Mordella scutellaris Fabricius. Cuba (Gundlach).

Family LXI. PEDILIDÆ.

Change the spelling of *Macrataria* to *Macratria*.

Family LXII. ANTHICIDÆ.

* *Xylophilus (Hylophilus) hältciooides* Champion. Grenada (Champion).

* *Xylophilus (Hylophilus) atomariooides* Champion. St. Vincent (Champion).

Family LXIV. MELOIDÆ.

Change the author of *Horia maculata* from Swederer to Swederus; the author of *H. auriculata* from Dugès to Champion; the name *Cantharis* to *Epicauta*; and *Nematognatha* to *Nemognatha*. (Schwarz.)

Horia maculata Swederus. Dominica (U. S. N. M.).

Tetraonyx 4-maculatus Fabricius. Montserrat (U. S. N. M.).

Epicauta annulicornis Chevrolat. Dominica (U. S. N. M.).

Family LXV. RHIPIPHORIDÆ.

Change *Rhipidophorus* to *Rhipiphorus* and transfer *sordidum* to *Macro-siagon*. (Schwarz.)

Macrosiagon basalis (Gerstaecker). Cuba (Gundlach).

Macrosiagon discicolle (Gerstaecker). Lesser Antilles (Gundlach).

Macrosiagon sordidum v. *major* (Quedenfeldt). Cuba (Gundlach).

* *Macrosiagon crucntum* (Germar). Cuba (A. M. N. H.).

Family LXVI. CURCULIONIDÆ.

The genus *Acamptopsis* is misplaced; it should follow *Cryptorhynchus*. (Schwarz.)

Change *Propodes* to *Prepodes*.

* *Pachnæus citri* Marshall. Jamaica.

* *Pachnæus marmoratus* Marshall. Jamaica.

Neocyphus pudens (Bohemian). Montserrat (U. S. N. M.).

Diaprepes abbreviatus (Linné). St. Lucia (W. I. Bull.).

Diaprepes comma Boheman. Guadeloupe (Gundlach).

* *Diaprepes balloui* Marshall. Dominica.

* *Diaprepes famelicus barbadensis* Marshall. Barbados.

Lachnopus curvipes (Fabricius). Tortola (W. I. Bull.).

Lachnopus valgus (Fabricius). Anguilla (W. I. Bull.); Porto Rico (Gundlach).

Change *Tetrabothymus* to *Tetrabothynus*. (Schwarz.)

Anchonus suillus (Fabricius). Porto Rico (Gundlach).

* *Hypoptus insularis* Champion. Grenada, St. Vincent (Biologia C. Am. Col. IV, pt. 3, p. 302).

Change *Sternuchus* to *Sternechus*.

* *Sternechus pectoralis* Suffrian. Cuba (U. S. N. M.).

Sternechus vicinus Fleutiaux. Dominica (U. S. N. M.).

Change *Hiliplus* to *Heilipus*.

* *Heilipus elegans* Guerin. Jamaica (U. S. N. M.). (Introduced.)

Attelabus bipustulosus Jekel. Porto Rico (U. S. N. M.).

Strike out *Attelabus mutabilis* Jekel, the St. Paul locality being not West Indian; *A. foreipennis* Suffrian is also probably not West Indian.

Strike out *Ludovix* Castelnau and transfer the species *morio* Suffrian to *Erodiscus*.

Change *Botanobius* to *Botanebius*.

* *Anthonomus elegans* Leconte. Cuba (U. S. N. M.).

* *Anthonomus julichi* Dietz. Cuba (U. S. N. M.).

* *Anthonomus varipes* Jacquelin Duval. Cuba, Bahamas (U. S. N. M.).

(Injurious to egg plant, Quaintance).

* *Dereolomus albidus* Suffrian. Cuba (U. S. N. M.).

* *Analcis fulvicornis* Suffrian. Cuba (U. S. N. M.).

Polyderces zonatus change author to (Swederus) and add: Dominica (U. S. N. M.).

* *Conotrachelus coronatus* Leconte. Cuba (U. S. N. M.).

* *Conotrachelus lineola* Suffrian. Cuba (U. S. N. M.).

* *Conotrachelus presbyta* Suffrian. Cuba (U. S. N. M.).

* *Chalcodermus pupillatus*? Suffrian. Cuba (U. S. N. M.).

* *Ulosomus furo* Suffrian. Cuba (U. S. N. M.).

* *Ulosomus laticaudis* Suffrian. Cuba (U. S. N. M.).

Euscepes porcellus Boheman has been redescribed by Leconte under the name *Acalles longulus* (Champion, Biol. Cent. Am., Col., IV, pt. 4, p. 496).

Cryptorhynchus batatae Waterhouse. Porto Rico (Jones); Jamaica (U. S. N. M.); Grenada, St. Vincent, Antigua, St. Kitts, Nevis, Virgin Is. (W. I. Bull.). The larvæ of this species tunnel the sweet potato (Quaintance). It belongs to *Euscepes* and according to Faust, no true *Cryptorhynchus* occur in America except the introduced species *lapathi*.

* *Cryptorhynchus longus* (Leconte). Cuba (U. S. N. M.).

Pseudomus semicirratus Boheman. Haiti (U. S. N. M.). This genus seems to be peculiar to the West Indies, except that two or three species reach the U. S.

Styracopus phaseoli Marshall. Dominica, St. Vincent. In *genus of beans (lava)*
Macromerus lanipes (Olivier). Dominica (U. S. N. M.).

Trypetes guildini Fähraeus. Dominica (U. S. N. M.).

Peridinetus maculatus Rosenschoeld. Porto Rico (Gundlach).

Peridinetus poeyi Jacquelin Duval. Porto Rico (U. S. N. M.). In this genus there may be some species synonymous with species described from South America.

* *Eurhinus festivus* (Fabricius). Haiti, Cuba (U. S. N. M.).

Baris tabaci (Sallé). Haiti (U. S. N. M.).

Cylas formicarius (Fabricius). Porto Rico (Van Zwaluwenburg, Jones). On sweet potato.

Apion portoricanum Gerstaecker is a synonym of *subæneum* Gerstaecker (Wagner, Mem. Soc. Belg., 1912, XIX, p. 36).

Family LXVII. BRENTHIDÆ.

Trachelizus linearis Suffrian. Porto Rico (Gundlach).

Belophorus maculatus (Olivier). Cuba (U. S. N. M.).

Belophorus militaris (Olivier). Porto Rico (Gundlach).

Rhaphidorrhynchus nitidicollis Gyllenhal. Dominica (U. S. N. M.).

Brenthus anchorago (Linné). Dominica, Montserrat (U. S. N. M.).

Brenthus turbatus Boheman. Haiti (U. S. N. M.); Porto Rico (Gundlach).

Family LXVIII. COSSONIDÆ.

Rhynchophorus palmarum (Linné), Martinique; the larvæ, locally called "grou-grou," are common in dead stems of *Areca* (Marshall).

* *Dynamis politus* (Gyllenhal). St. Vincent (Biologia).

Metamasius sericeus (Olivier). St. Kitts, St. Lucie (U. S. N. M.).

Sphenophorus liratus Gyllenhal. Dominica (A. M. N. H.); Martinique (Ann. Soc. Ent. Fr., VII, p. 447).

Sphenophorus quadrisignatus Gyllenhal. Dominica (A. M. N. H.).

Sphenophorus sordidus (Germar). Dominica (A. M. N. H.).

* *Sphenophorus sacchari* Gyllenhal. St. Kitts (Barber).

Sphenophorus longicollis (Olivier) to be dropped is a native of China, Ceylon, etc. (Ann. Soc. Ent. France, 1885, p. 288).

Calandra linearis (Herbst). Dominica (A. M. N. H.).

Calandra oryzae (Linné). Haiti, Mona (A. M. N. H.); Jamaica (Cockerell).

Cossonus impressus Boheman. Mona (A. M. N. H.).

The authority for *Cossonus hamiltoni* should be Slosson, not Champion.

For *Macrorhycolus* read *Macrorhyncolus*.

Metamasius richiae Arrow - Jamaica
" mojeri Darbu - Caymas, Cuba

Family LXX. SCOLYTIDÆ.

The studies of Dr. A. D. Hopkins have made many changes necessary. The family name Scolytidæ is restored and many species names are added, though it may be that some of them are intended to represent taxonomic units, which may later be shown to constitute a smaller number of biological units. Assuming for the present that each represents a species, the following list of *Cryphalinæ* is to be substituted (*fide* Hopkins, Rept. 99) for that given in our Preliminary List.

***Hypothenemus* Westwood.**

- H. obscurus* (Ferrari). Cuba.
- H. lineatifrons* Hopkins. Cuba.
- H. sacchari* Hopkins. Nevis.
- H. parrus* Hopkins. Cuba.
- H. flavipes* Hopkins. Cuba.
- H. abdominalis* Hopkins. Cuba.
- H. brunneipennis* Hopkins. Cuba.
- H. amplipennis* Hopkins. Cuba.
- H. moschatæ* (Schaufuss). Guadeloupe.
- H. ceiba* Hopkins. Cuba.
- H. pilosus* Hopkins. Cuba.

***Stephanoderes* Eichhoff.**

- S. flavidollis* Hopkins. Cuba.
- S. elongatus* Hopkins. Cuba.
- S. unicolor* Hopkins. Cuba.
- S. subconcentralis* Hopkins. Cuba.
- S. gossypii* Hopkins. Cuba.
- S. depressus* Eichhoff. Antilles.
- S. opacifrons* Hopkins. Porto Rico.
- S. squamosus* Hopkins. Cuba.
- S. minutus* Hopkins. Cuba.
- S. nitidipennis* Hopkins. Cuba.
- S. nitidulus* Hopkins. Cuba.
- S. obliquus* Hopkins. Cuba.
- S. subopacicollis* Hopkins. Cuba.
- S. obesus* Hopkins. Cuba.
- S. setosus* (Eichhoff). Guadeloupe.
- S. cubensis* Hopkins. Cuba.

Xylocleptes Ferrari.

- X. carbonarius* Ferrari. Cuba.
X. ? limbatus (Blandford). Cuba.

Coccotrypes Eichhoff.

- C. ? robustus* (Eichhoff). Cuba.
C. thrinacis Hopkins. Isles of Pines.
C. bakeri Hopkins. Cuba.
C. anonæ Hopkins. Cuba.
C. hubbardi Hopkins. Montserrat.

Theoborus Hopkins.

- T. theobromæ* Hopkins. Dominica.

Xyleborus Eichhoff.

- X. inermis* Eichhoff. Cuba.
X. sacchari Hopkins. St. Vincent.
X. affinis Eichhoff. Cuba.
X. grenadensis Hopkins. Grenada.

In addition, the following notes are derived from various sources: Kleine treats *Hypothenemus eruditus* Westwood and *plumeriæ* as identical; he also cites *Cryphalus mucronifer* Wollaston from St. Vincent.

Xyleborus ferrugineus (Fabricius). Porto Rico (Gundlach).
Xyleborus inermis Eichhoff. Cuba (Kleine); Porto Rico (Van Zwaluwenburg).

Xyleborus grenadensis Hopkins. Porto Rico (U. S. N. M.).
Xyleborus sacchari Hopkins. Porto Rico (U. S. N. M.).
Xyleborus perforans (Wollaston). St. Kitts, Barbados, St. Vincent (Barber); Jamaica (Cockerell).

It is to be noted that where these names are not repeated in Dr. Hopkins's list it is possible that the same insect is there recorded as a new species. Until his paper on Scolytid synonymy is published such matters can not be definitely treated.

Family LXXI. ANTHRIBIDÆ.

* *Aræcerus fasciculatus* (De Geer). Jamaica (Cockerell).

PUBLICATIONS

OF THE

AMERICAN MUSEUM OF NATURAL HISTORY.

The publications of the American Museum of Natural History consists of the 'Bulletin,' in octavo, of which one volume, consisting of 400 to 800 pages and 25 to 60 plates, with numerous text figures, is published annually; the 'Memoirs,' in quarto, published in parts at irregular intervals; and 'Anthropological Papers,' uniform in size and style with the 'Bulletin.' Also an 'Ethnographical Album,' and the 'American Museum Journal.'

MEMOIRS.

Each Part of the 'Memoirs' forms a separate and complete monograph, usually with numerous plates.

VOL. I. ZOOLOGY AND PALEONTOLOGY.

PART I.— Republication of Descriptions of Lower Carboniferous Crinoidea from the Hall Collection now in the American Museum of Natural History, with Illustrations of the Original Type Specimens not heretofore Figured. By R. Z. Whitfield. Pp. 1-37, pl. i-iii, and 14 text figures. September 15, 1893. Price, \$2.00.

PART II.— Republication of Descriptions of Fossils from the Hall Collection in the American Museum of Natural History, from the report of Progress for 1861 of the Geological Survey of Wisconsin, by James Hall, with Illustrations from the Original Type Specimens not heretofore Figured. By R. P. Whitfield. Pp. 39-74, pl. iv-xii. August 10, 1895. Price, \$2.00.

PART III.— The Extinct Rhinoceroses. By Henry Fairfield Osborn. Part I. Pp. 75-164, pl. xiia-xx, and 49 text figures. April 22, 1898. Price, \$4.20.

PART IV.— A Complete Mosasaur Skeleton. By Henry Fairfield Osborn. Pp. 165-188, pl. xxi-xxiii, and 15 text figures. October 25, 1899.

PART V.— A Skeleton of Diplodocus. By Henry Fairfield Osborn. Pp. 189-214, pl. xxiv-xxviii, and 15 text figures. October 25, 1899. Price of Parts IV and V, issued under one cover, \$2.00.

PART VI.— Monograph of the Sesiidae of America, North of Mexico. By William Beutennüller. Pp. 215-352, pl. xxix-xxxvi, and 24 text figures. March, 1901. Price, \$5.00.

PART VII.— Fossil Mammals of the Tertiary of Northeastern Colorado. By W. D. Matthew. Pp. 353-448, pl. xxxvii-xxxix, and 34 text figures. Price, \$2.00.

PART VIII.— The Reptilian Subclasses Diapsida and Synapsida and the Early History of the Diapsosauria. By Henry Fairfield Osborn. Pp. 449-507, pl. xl, 2^d and 28 text figures. November, 1903. Price, \$2.00.

VOL. II. ANTHROPOLOGY.

Jesup North Pacific Expedition, Vol. I.

PART I.— Facial Paintings of the Indians of Northern British Columbia. By Franz Boas. Pp. 1-24, pl. i-iv. June 16, 1898. Price, \$2.00.

PART II.— The Mythology of the Bella Coola Indians. By Franz Boas. Pp. 25-127, pl. vii-xii. November, 1898. Price, \$2.00.

PART III.— The Archaeology of Lytton, British Columbia. By Harlan I. Smith. Pp. 129-161, pl. xiii, and 117 text figures. May, 1899. Price, \$2.00.

PART IV.— The Thompson Indians of British Columbia. By James Teit. Edited by Franz Boas. Pp. 163-392, pl. xiv-xx, and 198 text figures. April, 1900. Price, \$5.00.

PART V.— Basketry Designs of the Salish Indians. By Livingston Farrand. Pp. 393-399, pl. xxi-xxiii, and 15 text figures. April, 1900. Price, 75 cts.

PART VI.— Archaeology of the Thompson River Region. By Harlan I. Smith. Pp. 401-442, pl. xxiv-xxvi, and 51 text figures. June, 1900. Price, \$2.00.

VOL. III. ANTHROPOLOGY.

PART I.— Symbolism of the Huichol Indians. By Carl Lumholtz. Pp. 1-228, pl. i-iv, and 291 text figures. May, 1900. Price, \$5.00.

PART II.— The Basketry of the Tlingit. By George T. Emmons. Pp. 229-277, pl. v-xviii, and 73 text figures. July, 1903. Price, \$2.00. (Out of print.)

PART III.— Decorative Art of the Huichol Indians. By Carl Lumholtz. Pp. 279-327, pl. xix-xxiii, and 117 text figures. November, 1904. Price, \$1.50.

PART IV.— The Chilkat Blanket. By George T. Emmons. With Notes on the Blanket Designs, by Franz Boas. November, 1907. Price, \$2.00.

VOL. IV. ANTHROPOLOGY.

Jesup North Pacific Expedition, Vol. II.

PART I.— Traditions of the Chilcotin Indians. By Livingston Farrand. Pp. 1-54, June, 1900. Price, \$1.50.

PART II.— Cairns of British Columbia and Washington. By Harlan I. Smith and Gerard Fowke. Pp. 55-75, pl. i-v. January, 1901. Price, \$1.00.

(Continued from 4th page of cover.)

- PART III.—Traditions of the Quinault Indians. By Livingston Farrand, assisted by W. S. Kahnweiler. Pp. 77-132. January, 1902. Price, \$1.00.
PART IV.—Shell-Heaps of the Lower Fraser River. By Harlan I. Smith. Pp. 133-192, pl. vi-vii, and 60 text figures. March, 1903. Price, \$1.00.
*PART V.—The Lillooet Indians. By James Teit. Pp. 193-300, pl. viii and ix, 40 text figures. 1906. Price, \$1.80.
*PART VI.—Archaeology of the Gulf of Georgia and Puget Sound. By Harlan I. Smith. Pp. 301-442, pl. x-xii, and 98 text figures. 1907. Price, \$3.00.
*PART VII.—The Shuswap. By James Teit. Pp. 443-789, pl. xiii-xiv, and 82 text figures. 1909. Price, \$6.00.

VOL. V. ANTHROPOLOGY.

**Jesup North Pacific Expedition, Vol. III.*

- PART I.—Kwakiutl Texts. By Franz Boas and George Hunt. Pp. 1-270. January, 1902. Price, \$3.00.
PART II.—Kwakiutl Texts. By Franz Boas and George Hunt. Pp. 271-402. December, 1902. Price, \$1.50.
*PART III.—Kwakiutl Texts. By Franz Boas and George Hunt. Pp. 403-532. 1905. Price, \$1.40.

VOL. VI. ANTHROPOLOGY.

Hyde Expedition.

- The Night Chant, a Navaho Ceremony. By Washington Matthews. Pp. i-xvi, 1-332, pl. i-viii (5 colored), and 19 text figures. May, 1902. Price, \$5.00.

VOL. VII. ANTHROPOLOGY (not yet completed).

**Jesup North Pacific Expedition, Vol. IV.*

- PART I.—The Decorative Art of the Amur Tribes. By Berthold Laufer. Pp. 1-79, pl. i-xxxii, and 24 text figures. December, 1901. Price, \$3.00.

VOL. VIII. ANTHROPOLOGY.

**Jesup North Pacific Expedition, Vol. V.*

- PART I.—The Haida of Queen Charlotte Islands. By John R. Swanton. Pp. 1-300, pl. i-xxv, 4 maps, and 31 text figures. Price, \$8.00.
PART II.—The Kwakiutl of Vancouver Island. By Franz Boas. Pp. 301-522, pl. xxvii-lii, and 142 text figures. 1909. Price, \$10.00.

VOL. IX. ZOOLOGY AND PALEONTOLOGY.

- PART I.—The Osteology of *Campasaurus* Cope. By Barnum Brown. Pp. 1-26, pl. i-v, December, 1905. Price, \$2.00.
PART II.—The Phytosaursia, with Especial Reference to *Mystriosuchus* and *Rhytiodon*. By J. H. McGregor. Pp. 27-101, pl. vi-xi, and 26 text figures. February, 1906. Price, \$2.00.
PART III.—Studies on the Arthrodires. By Louis Hussakof. May, 1906. Pp. 103-154, pl. xii and xiii, and 25 text cuts. Price, \$3.00.
PART IV.—The Conard Fissure, A Pleistocene Bone Deposit in Northern Arkansas, with Description of two New Genera and twenty New Species of Mammals. By Barnum Brown. Pp. 155-208, pl. xiv-xxv, and 3 text-figures. 1907. Price, \$2.50.
PART V.—Studies on Fossil Fishes (Sharks, Chimaeroids, and Arthrodires). By Bashford Dean. Pp. 209-287, pl. xxvi-xli, and 65 text figures. February, 1909. Price, \$3.50.
PART VI.—The Carnivora and Insectivora of the Bridge Basin, Middle Eocene. By W. D. Matthew. Pp. 289-567, pl. xlii-lii, and 118 text figures. August, 1909. Price, \$5.00.

VOL. X. ANTHROPOLOGY.

**Jesup North Pacific Expedition, Vol. VI.*

- PART I.—Religion and Myths of the Koryak. By W. Jochelson. Pp. 1-382, pl. i-xiii, 1 map, and 58 text figures. 1905. Price, \$10.00.
PART II.—Material Culture and Social Organization of the Koryak. By W. Jochelson. Pp. 383-811, pl. xiv-xl, and 194 text figures. 1908. Price, \$12.00.

VOL. XI. ANTHROPOLOGY.

**Jesup North Pacific Expedition, Vol. VII.*

- PART I.—The Chuckchee: Material Culture. By W. Bogoras. Pp. 1-276, pl. i-xxxij, 1 map, and 199 text figures. 1904. Price, \$8.00.
PART II.—The Chuckchee: Religion. By W. Bogoras. Pp. 277-536, pl. xxxii-xxxiv, and 101 text figures. 1907. Price, \$4.00.
PART III.—The Chuckchee: Social Organization. By W. Bogoras. Pp. 537-733, pl. xxxv, and 1 text figure. 1909. Price, \$3.00.

VOL. XII. ANTHROPOLOGY (not yet completed).

**Jesup North Pacific Expedition, Vol. VIII.*

- PART I.—Chuckchee Mythology. By Waldemar Bogoras. Pp. 1-197, 1910. Price, \$1.25.
(Continued on 2d page of cover.)

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00722 5295