

SURFACES WITH A PARALLEL ISOPERIMETRIC SECTION

BY BANG-YEN CHEN

Communicated by Philip Hartman, November 20, 1972

This announcement is a continuation of Chen [1] (also, Yau [3]). We shall present additional theorems relating surfaces in a space form with a parallel normal section.

Let M be a surface in an m -dimensional Riemannian manifold R^m with the induced normal connection D . For a unit normal section ξ on M (that is, a unit normal vector field of M in R^m), let A_ξ be the second fundamental tensor with respect to ξ ; if we have $D\xi = 0$ identically, then ξ is called a *parallel section*; if the trace of A_ξ is constant (respectively, zero), then ξ is called an *isoperimetric section* (respectively, *minimal section*) on M ; if the determinant of A_ξ is nowhere zero, then ξ is called a *nondegenerate section*; if A_ξ vanishes identically, then ξ is called a *geodesic section*; and if A_ξ is not proportional to the identity transformation everywhere, then ξ is called a *umbilical-free section*.

THEOREM 1. *Let M be a closed surface in an m -dimensional Riemannian manifold R^m of constant sectional curvature such that the Gaussian curvature of M does not change its sign. If there exists a parallel umbilical-free isoperimetric section on M , then M is flat.*

THEOREM 2. *Let M be a closed surface of a 4-dimensional Riemannian manifold R^4 of constant sectional curvature $c \leq 0$ such that the Gaussian curvature of M does not change its sign. If there exists a parallel nondegenerate minimal section on M , then the mean curvature vector of M is parallel.*

THEOREM 3. *Let M be a surface in an m -dimensional simply-connected complete Riemannian manifold R^m of constant sectional curvature c such that the Gaussian curvature of M is constant. If there exists a parallel isoperimetric section on M , then either M is contained in a (small or great) hypersphere of R^m or M is flat.*

THEOREM 4. *Let M be a surface in a 4-dimensional simply-connected complete Riemannian manifold R^4 of constant sectional curvature $c \leq 0$ such that the Gaussian curvature of M is constant. If there exists a parallel minimal section on M , then either M is contained in a great hypersphere of R^4 or the mean curvature vector H of M is parallel and M is flat.*

AMS (MOS) subject classifications (1970). Primary 53A05, 53B25, 53C40.

Key words and phrases. Parallel, isoperimetric, minimal nondegenerate, geodesic, umbilical-free sections, mean curvature, product surface.

Copyright © American Mathematical Society 1973

The proofs of these four theorems use the theory of analytic functions.

From Theorems 2 and 4 we have immediately the following characterization theorems of standard flat tori in euclidean 4-space.

COROLLARY 1. *Let M be a closed surface in a euclidean 4-space such that the Gaussian curvature of M does not change its sign. Then M is the product surface of two plane circles if and only if there exists a parallel nondegenerate minimal section on M (Chen [2]).*

COROLLARY 2. *Let M be a surface in a euclidean 4-space such that the Gaussian curvature of M is constant. Then M is an open piece of a product surface of two plane circles if and only if there exists a nongeodesic parallel minimal section on M .*

The detailed proofs of these results will be published in the author's forthcoming book *Geometry of submanifolds* published by Marcel-Dekker Inc., New York.

REMARKS. 1. If R^m is euclidean, Theorem 1 was also obtained by B. Wegner.

2. It was pointed out by H. B. Lawson that Corollary 2 of [1] should add the following assumption " M is not minimal surface of any hypersphere of E^m ". The author would like to express his thanks to Professor Lawson.

REFERENCES

1. B.-Y. Chen, *Surfaces with parallel mean curvature vector*, Bull. Amer. Math. Soc. **78** (1972), 709–710.
2. ———, *A characterization of standard flat tori*, Proc. Amer. Math. Soc. **37** (1973), 564–567.
3. S.-T. Yau, *Submanifolds with constant mean curvature* (to appear).

DEPARTMENT OF MATHEMATICS, MICHIGAN STATE UNIVERSITY, EAST LANSING, MICHIGAN 48823