

 Open access • Journal Article • DOI:10.1108/SASBE-07-2018-0038

## **Sustainability as source of competitive advantages in mature sectors: The case of Ceramic District of Sassuolo (Italy) — [Source link](#)**

Davide Settembre Blundo,  Fernando E. García-Muiña,  Martina Pini,  Lucrezia Volpi ...+2 more authors

**Published on:** 18 Feb 2019

**Topics:** Industrial district, Sustainability, Competitive advantage, Value chain and Stakeholder analysis

Related papers:

- [Integrating sustainability assessments in manufacturing enterprises: a framework approach](#)
- [Sustainability transition in industry 4.0 and smart manufacturing with the triple-layered business model canvas](#)
- [Building a Sustainability Benchmarking Framework of Ceramic Tiles Based on Life Cycle Sustainability Assessment \(LCSA\)](#)
- [Environmental Collaboration for Sustainability in the Construction Industry: An Exploratory Study in Italy](#)
- [A PCA-based method for construction of composite sustainability indicators](#)

Share this paper:    

View more about this paper here: <https://typeset.io/papers/sustainability-as-source-of-competitive-advantages-in-mature-1v53cifyn8>

1 Article

## 2 Territorial Life Cycle Sustainability Assessment 3 (T-LCSA) of Sassuolo Industrial District (Italy)

4 Davide Settembre-Blundo<sup>1,2\*</sup>, Fernando E .García-Muiña<sup>2</sup>, Martina Pini<sup>3</sup>, Lucrezia Volpi<sup>3</sup>,  
5 Cristina Siligardi<sup>4</sup> and Anna Maria Ferrari<sup>3</sup>

6 <sup>1</sup> Gruppo Ceramiche Gresmalt, Sassuolo (Italy); davide.settembre@gresmalt.it

7 <sup>2</sup> Department of business administration (ADO), applied economics II and fundamentals of economic  
8 analysis, Rey-Juan-Carlos University, Madrid (Spain);

9 <sup>3</sup> Department of sciences and methods for engineering, University of Modena and Reggio, Emilia, Reggio  
10 Emilia (Italy);

11 <sup>4</sup> Department of engineering "Enzo Ferrari", University of Modena and Reggio, Emilia, Modena (Italy)

12 \* Correspondence: davide.settembre@gresmalt.it; Tel.: +39-0536-867-011

13

14 **Abstract:** One of the biggest challenges for European industry is to introduce sustainability principles  
15 into business models. This is particularly important in raw material and energy intensive  
16 manufacturing sectors such as the ceramic industry. The present state of knowledge lacks a  
17 comprehensive operational tool for industry to support decision-making processes geared towards  
18 sustainability. In the ceramic sector, the economic and social dimensions of the product and processes  
19 have not yet been given sufficient importance. Moreover, the traditional research on industrial  
20 districts lacks an analysis of the relations between firms and the territory with a view to sustainability.  
21 Finally, the attention of scholars in the field of economic and social sustainability, has not yet turned  
22 to the analysis of the Sassuolo district. Therefore, in this paper we define the Territorial Life Cycle  
23 Sustainability Assessment (T-LCSA), a method that can be a suitable tool to fill this gap, because  
24 through a mathematical model it is possible to obtain the information useful for decision makers to  
25 integrate the principles of sustainability both at the microeconomic level in enterprises, and at the  
26 meso-economic level for the definition of economic policies and territorial governance.  
27 Environmental and socio-economic analysis was performed from the extraction of raw materials to  
28 the packaging of the product on different product categories manufactured by the Italian ceramic  
29 industries of the Sassuolo district (northern Italy). For the first time the T-LCSA model, usually  
30 applied to unitary processes, is extended to the economic and industrial activities of the entire district,  
31 extending the prospect of investigation from the enterprise and its value chain to the integrated  
32 network of district enterprises.

33 **Keywords:** Sustainability; Territorial Life Cycle Sustainability Assessment (T-LCSA); Sassuolo  
34 Industrial District; Italian Ceramic Industry; Meso-economic level; Interpretative Method

35

### 36 1. Introduction

37 The challenge of sustainable development embraces both environmental aspects and issues of  
38 social and economic sustainability. Sustainable development means meeting the needs of present  
39 generations without jeopardizing the rights and opportunities of future generations, in accordance  
40 with principles of intra- and inter-generational equity (I would include here reference to UN Report  
41 of the World Commission on Environment and Development). The introduction of rules for  
42 safeguarding the environment and tools for monitoring company activities are important not only  
43 for protecting consumers and for defending principles of civilization but should also be seen as an

44 important opportunity for companies that are striving to produce high-quality products.  
45 Accordingly, this capacity can be considered a strategic factor with great impact on competitive  
46 advantage building. Above and beyond short-term economic expediencies, companies are historic  
47 players whose actions influence the social life of the surrounding community. In addition, such  
48 community will evaluate firms' actions and behaviors according to the impacts they may provoke.  
49 Following the Institutional Theory (North, 1990; Scott, 1995), the consequences of entrepreneurial  
50 decisions are not limited to the company itself but extend to the various spheres of social life and  
51 affect the various economic and social parties and territories which are no longer neutral places.  
52 Therefore, as long as firms' impacts do not fit norms, values or game rules of the society, companies  
53 will be poorer evaluated.

54 This paper will conceptually develop the theme of relationships and interdependencies between  
55 companies organized in industrial districts (ID) and the territories in which they operate, and  
56 empirically will determine the environmental, economic and social impact of the main products of  
57 the ceramic district of Sassuolo in Italy, using the Life Cycle Sustainability Assessment (LCSA)  
58 structure with a territorial extension that we have defined as T-LCSA, what supposes a great  
59 contribution to the current literature.

## 60 **2. Theoretical framework and research aims**

### 61 *2.1 Environment and economic activity*

62 Economic activity, like all human activity, takes place within the natural environment. The  
63 economic system and the natural environment are therefore interdependent, which determines both  
64 the way in which the economic system affects the environment and the limits that the environment  
65 places on the evolution and expansion of the economic system [1]. The environmental limits that the  
66 economic system must consider are established by the laws of thermodynamics. The first law of  
67 thermodynamics is presented first in the form of the law of the conservation of matter: matter can  
68 neither be increased nor destroyed but only transformed [2]. The material flows from the  
69 environment to the economic system are the same as the flows that return from the economic system  
70 to the environment; the economic process can only transform the material extracted from the  
71 environment to eventually return the same material to the environment in the form of waste [3].

72 The processes of transformation of matter that take place in the economic system imply the use  
73 of energy, defined as the "capacity to do work". The first law of thermodynamics states that energy,  
74 like matter, can neither be created nor destroyed; energy can only be transformed, converted from  
75 one form to another [4]. This energy conversion has an important effect, highlighted by the second  
76 law of thermodynamics. This law states that in every energetic transformation a part of the energy is  
77 dispersed in a form that can no longer be used to perform further work [5]. The environment is an  
78 essential resource base for the functioning of the economic system. The scarcity of resources that is  
79 the fact that they are useful and at the same time available in limited quantities compared to the  
80 request, is the condition for the talk of economic resources [6].

81 If environmental resource activity is over-exploited beyond regeneration or assimilation  
82 capacity, environmental resources tend to run out and the ability of the environment to provide its  
83 services to the economy in the future is compromised. This creates a conflict between exploitation  
84 and conservation of the environment which is economically relevant as the environment performs  
85 important economic functions not only because the flows of services it offers are exploited, but also  
86 because there is an interest in the conservation of the stocks of goods it contains [7]. When  
87 environmental exploitation goes beyond the natural capacities of regeneration and assimilation, it is  
88 an alternative use of non-environmental economic resources (such as capital and labor) that goes  
89 against the objective of conservation. In this case, the exploitation and preservation of the  
90 environment become alternative purposes of resource allocation [8].

91 The essence of the concept of sustainable development is that the exploitation of environmental  
92 resources should be contained within the limits of regeneration capacity so that the stock of these  
93 resources is not depleted. If the stock of environmental resources is to remain constant in the long

94 term, the exploitation flow of these resources must also be kept constant within the limits of their  
95 natural regeneration capacity [9]. But the only way in which the flow of use of environmental  
96 resources can remain constant in the presence of a continuous growth of the domestic gross product  
97 of an economy is that the flow of use of the environment per unit of gross domestic product is  
98 continuously reduced over time [10]. This also requires a profound structural modification of  
99 production processes. For this reason, economic growth to be sustainable must be based more and  
100 more on the material recycling [11], on a non-dissipative form of energy use and on an increasing  
101 weight of the intangible production component in the gross domestic product [12].

102 The most recent strategic documents of the European Union and the relative EU policies aim at  
103 combining competitiveness of member countries' enterprises and economies, social cohesion and  
104 sustainable development [13]. Further intergovernmental programmes promote the same strategic  
105 objectives of economic, social and environmental sustainability [14]. These documents identify local  
106 authorities, businesses and civil society as the actors responsible for implementing the strategic  
107 objectives set, although the key role of local authorities as relevant players in the promotion and  
108 implementation of policies and governance tools for sustainable environmental, economic and social  
109 development is highlighted. About the role of companies in contributing to greater socio-economic  
110 and environmental sustainability, the European Union has recently promoted the approach and  
111 concept of Corporate Social Responsibility (CSR). This is a way of voluntary integration, beyond the  
112 legal obligations, by companies of the social and environmental implications in their commercial  
113 operations and in their relations with the various stakeholders [15]. In order to address  
114 environmental issues, adequate information and knowledge is needed to underpin the choice of the  
115 most effective actions. Moreover, knowledge must be effectively usable and meaningful. The purpose  
116 of this information should be to provide an overview of sustainability, to overcome a sectoral view  
117 of the issues and to focus as much as possible on key elements. Finally, the issues addressed should  
118 not be limited to strictly environmental issues but should also include social and economic concerns  
119 [16]. An appropriate indicator system based on the laws of thermodynamics can be used to assess the  
120 pressures that economic and social activities exert on the environment, the resulting changes in the  
121 state of the environment, the resulting impacts (e.g. on ecosystems, human health, resource  
122 availability) and the political and social responses to these impacts through improvement actions.  
123 Sustainability indicators should reflect the mutual links between the environmental, economic and  
124 social aspects of development [17]. The sustainability assessment may cover:

- 125 • territorial systems (cities, regions, states) [18], environmental components (the atmosphere,  
126 soil, water) [19] and, lastly, socio-economic components (economic sectors, population) [20];
- 127 • actions relating to development policies (in the fields of energy [21], transport [22], urban  
128 areas [23], the protection and valorization of ecosystems [24] and Cultural Heritage [25],  
129 actions aimed at social integration and cohesion).

## 130 *2.2 Environment and territory*

131 In Italy, the geographical concentration of supply chains (based on an integrated system of  
132 production, where the entire process is controlled and managed in close collaboration with the best  
133 local producers), has allowed many companies to share in the industrial risk linked to development  
134 in harmony with the local situation. The system of districts, in fact, has had the ability to create  
135 development by reducing the distortions of capitalist systems and enhancing the integration of the  
136 industrial reality with the social and environmental fabric [26]. Economic theory has long recognized  
137 that agglomeration economies are able to improve the productivity of enterprises and encourage  
138 processes of territorial concentration of productive activity in districts [27]. In the decade of the 1990s  
139 these ideas represented the starting point for numerous theoretical studies, which forcefully brought  
140 out the link between territory and economic development [28-32]. However, research has focused  
141 almost exclusively on the benefits of economic development without considering the social costs  
142 involved. Today, in economic analysis, space ceases to be considered only a source of cost for  
143 businesses, and increasingly assumes the role of a favourable (or unfavourable) environment,

144 creating "external economies" (or external diseconomies) [33]. Space becomes the meeting point  
145 between the actors of development, where forms of cooperation among enterprises are organized,  
146 where the social division of labour is decided; it is, in short, the meeting point between market forces  
147 and forms of social regulation [34].

148 Industrial districts (ID) are the structures where the interaction between territories and  
149 companies in the supply chain is best observed [35]. The analysis of the production organization of  
150 the industrial district and the factors that underlie it, allows us to shed light on new variables that  
151 acquire a significant importance in the location and investment decisions of economic operators, and  
152 that therefore influence the processes of transformation of the local economy [36]. The development  
153 process acquires definitively its character of "social process" and no longer only a technical process.  
154 The territory becomes, therefore, an active factor in the development process as it includes all those  
155 factors (historical, cultural, anthropological, environmental and social) that are at the basis of specific  
156 models of production organization, the continuous interaction between economic and social actors  
157 and, therefore, the processes of economic and social transformation [37]. However, in the analysis of  
158 industrial districts, the relationship between companies and their local context has long lacked a  
159 fundamental dimension in the logic of sustainability: that of environmental protection, that is, the  
160 link that exists between productive activities and pollution phenomena related to them. This is  
161 inconsistent with the growing importance of sustainable development principles in business  
162 strategies and public decision makers' agendas. Only recently there has been a growing interest (both  
163 theoretically and empirically) in sustainability as a driver of growth in industrial districts [38-40].  
164 Given the importance of the socio-territorial context to district businesses, it is inevitable that the  
165 issue of environmental sustainability will also become crucial from the point of view of competitive  
166 development [41]. A local district system can be seen as a network of locally concentrated enterprises  
167 whose stability derives from a dynamic yet balanced relationship with the community and the  
168 networks of interaction that characterize individual enterprises [42]. This balance is dynamic because  
169 even in local systems it is possible to highlight the presence of a life cycle whose trend follows that of  
170 the product, the greater the production specialization of a local system. This is the case of the Sassuolo  
171 ceramic district located in the provinces of Modena and Reggio Emilia in Italy, analyzed in this paper  
172 [43]. The dynamism of this balance can favour, both from a theoretical and managerial point of view,  
173 the adoption of a life-cycle methodological approach, to explain the dynamics of some of the most  
174 famous district systems and to describe the prevailing modes of interaction among economic  
175 operators [44-48]. However, the adoption of a life-cycle perspective requires that the main social  
176 actors do not limit their responsibility to the stages of the supply chain that they directly control but  
177 would constitute the prerequisite for a solid sustainability assessment, in order to identify  
178 opportunities for reducing environmental impact, industrial costs and, as a consequence, greater  
179 efficiency in the use of resources [49,50].

### 180 *2.3 Life-cycle paradigm from a territorial approach*

181 The implementation of sustainability policies requires the development of increasingly refined  
182 quantitative and qualitative tools for analyzing the environmental, economic and social impacts, the  
183 Triple Bottom Line (TBL) associated with collective and individual choices, both with more limited  
184 effects and with more complex medium and long-term implications [51]. Life Cycle Sustainability  
185 Assessment (LCSA) can be a suitable tool for this purpose, since through a mathematical model, it  
186 describes the set of business solutions that integrate into the decision-making processes supporting  
187 the development of a product (from its conception to its withdrawal from the market), both the view  
188 of the life cycle and the economic, environmental and social assessments necessary for the  
189 management of processes, with a total sharing of data related to it between the various company  
190 functions [52]. This quantitative analysis tool allows to implement the principles of sustainability in  
191 business practices through the integration of three different impact assessment tools: Environmental  
192 Life Cycle Assessment (LCA) for the environmental dimension [53]; Life Cycle Costing (LCC) for the  
193 economic dimension [54]; and Social Life Cycle Assessment (S-LCA) for the social dimension [55].



194 The integration of the three impact assessment methods is expressed in Klöpffer's conceptual formula  
195 [56]:

$$(1) \text{ LCSA} = \text{LCA} + \text{LCC} + \text{S-LCA}$$

197 The life-cycle paradigm based on the three pillars of sustainability offers a systemic perspective for  
198 decision making [57]. The strategic choice between alternative options should be made by looking at  
199 the "*pluses*" and "*minuses*" that characterize a product, process or activity "from the cradle to the  
200 grave", reconciling, as far as possible, the environmental, economic and social concerns of economic  
201 operators within the supply chain and the territory [58]. Sustainability Analysis, as a tool to monitor  
202 a production process, or an integrated supply chain and to develop and valorize a territory, is a topic  
203 that is having growing interest in the literature [59]. To this end, the LCA guidelines have recently  
204 been adapted to carry out an environmental assessment of a territory. The expectations of this  
205 framework, called "*Territorial LCA*", are in line with the European Directive (2001/42/EC) on Strategic  
206 Environmental Assessment applied to spatial planning programmes, i.e. to provide an environmental  
207 reference basis and compare spatial planning scenarios [60]. However, there is still no empirical  
208 evidence in the literature of the integration of the territorial factor into the assessment of economic  
209 and social impact, since studies are limited to the environmental dimension. Integrating the territorial  
210 dimension in the impact assessment means moving the field of observation from the microeconomic  
211 level (the company and its processes and products) to the meso-economic level, then to the entire  
212 supply chain with its flows of materials, energy resources, semi-finished and finished products [61].  
213 Meso-economic systems are dynamic, complex and open systems with dynamic elements that reflect  
214 the complexity of the ways in which macro-targets are achieved [62]. The purpose of their operation  
215 is to achieve maximum efficiency from the use of their resources and know-how. Their efficient  
216 network structure of interdependent microeconomic agents connected through a division of task,  
217 promotes the rational use of the available economic potential of the macro-system, balancing  
218 development and minimizing operational risks [63]. According to this definition, the concept of  
219 industrial district (ID) can be described as localized meso-economic systems, consisting of  
220 interconnected heterogeneous, but complementary, microeconomic agents and specific local  
221 institutions that determine the role of these agents and stimulate the innovative development of these  
222 systems [64].

#### 223 **2.4 Aim and scope**

224 This work presents an empirical study conducted with the Territorial Life Cycle Sustainability  
225 Assessment (T-LCSA) approach for the analysis at mesoeconomic level of the environmental,  
226 economic and social performance of the Sassuolo ceramic district in Italy. The research integrates the  
227 elements of an evolutionary industrial approach, the life cycle one, with economic-environmental  
228 theories, which are interested in the process of forming organizations, their growth and evolution.  
229 Based on the literature analysis, for the first time an evaluation of the economic and social impact of  
230 the Italian ceramic industry is carried out, as well as for the first time the integrated approach of  
231 Territorial LCSA is applied. In fact, there are no published studies by LCC and/or S-LCA concerning  
232 the Sassuolo ceramic district. The only known study is the sectorial Environmental Product  
233 Declaration (EPD) based on an analysis of the environmental data of Italian ceramic tile  
234 manufacturers, promoted by the Italian ceramic industry association (Confindustria Ceramica) [65].  
235 To fill this gap, we propose the following main objectives:

- 236 • Assessment of the environmental and socio-economic impacts associated with the entire  
237 production life cycle for different types of ceramic tiles located in the Sassuolo industrial  
238 district.
- 239 • Verification of the usefulness of T-LCSA as a tool to support decision-making processes from  
240 a sustainable supply chain management perspective.

### 241 3. Materials and Assumptions

242 The Sassuolo industrial district is made up of a network of 79 companies that manufacture  
243 ceramic tiles, located in ten municipalities straddling the provinces of Modena and Reggio Emilia.  
244 During 2016, ceramic companies produced about 341 million square meters, equal to 82% of Italian  
245 production, with a turnover of 5.4 billion euros [66]. Of the ceramic companies that make up the  
246 district, six have a turnover of more than 200 million euro, nine have a turnover of between 200 and  
247 100 million euro, and the rest are below 100 million euro. These data have been elaborated by  
248 consulting the financial statements of the firms of the district, filed with the local Chambers of  
249 Commerce.

250 Four main types of product are manufactured in the Sassuolo district:

- 251 • **Porous double-fired wall tiles:** the tiles are obtained by a process divided into two distinct  
252 phases: a first phase of firing of the support which is then glazed and then fired again to  
253 obtain the fusion of the glaze. Two different kilns are used. The product, mainly intended for  
254 wall coverings, is characterized by high porosity (greater than 10 wt% water absorption),  
255 brilliance of the glazes and definition of colours. This typology corresponds to 6% of the total  
256 production.
- 257 • **Porous single-fired wall tiles (or "monoporosa"):** The tiles are obtained through a technique  
258 that involves single firing of the product: both bisque and glaze are fired in a single process,  
259 only one kiln is used. The product is porous (greater than 7 wt% water absorption) with  
260 aesthetic effects of smoothness and brightness on the surface and it is suitable for indoor wall  
261 covering. This typology corresponds to 3% of the total production.
- 262 • **Glazed porcelain stoneware:** the tiles are the result of the single firing of the ceramic product  
263 that achieves a suitable vitrification state with a water absorption level lower than 0.5 wt%  
264 (frost-proof). The ceramic body is a neutral colour composition made from precious  
265 materials. The subsequent application of a top layer of glaze is added in order to obtain  
266 refined motion effect and graphic variety on the surface. Glazed porcelain stoneware floors  
267 are suitable for indoor areas thanks to their stain and chemical attack resistance, making the  
268 surface easy to clean and to maintain. This typology corresponds to 60% of the total  
269 production.
- 270 • **Unglazed porcelain stoneware:** the tiles are obtained by a single firing process at high  
271 temperatures that transforms the raw materials into very compact tiles that are resistant to  
272 frost, chemical attack, have a high mechanical resistance and hygienic. Porcelain stoneware  
273 is available in various surface finishes. This typology corresponds to 31% of the total  
274 production.

275

276 The production of ceramic tiles requires large quantities of raw materials that can be  
277 schematically divided into at least four fundamental components:

- 278 • **Clay raw materials:** clays and kaolin which give sufficient plasticity to ensure good  
279 formability.
- 280 • **Melting raw materials:** such as feldspars, which produce the glass phases necessary to  
281 promote solid-solid sintering reactions.
- 282 • **Inert raw materials:** feldspar sand and sand which have the function of balancing the  
283 composition of ceramic bodies, also containing the cost, as these are the cheapest raw  
284 materials.
- 285 • **Additives raw materials:** calcite and/or dolomite used mainly in the production of  
286 porous types of, or in smaller quantities as promoters of eutectic to facilitate the melting  
287 of feldspars into porcelain stoneware.

288 Using this classification, it is essential to refer to the composition of the ceramic bodies from  
289 which the different types of tiles are obtained. To this end, 15 industrially spray-dried powders [67]  
290 of ceramic body, corresponding to the four main product categories of the Sassuolo district, were  
291 collected from the main ceramic companies of the district. Chemical analyses were carried out on  
292 these powders to determine their composition and establish a compositional range that defines each

293 type of ceramic in a representative way (Table 1a). From the average chemical compositions, through  
 294 a reverse engineering (RE) process [68], it was possible to reconstruct the formulation of a "medium"  
 295 body, typical for each product category, using the main raw materials available on the market (Table  
 296 1b).  
 297

	POROUS		GLAZED		UNGLAZED	
	DOUBLE-FIRED	SINGLE-FIRED	PORCELAIN	PORCELAIN	PORCELAIN	PORCELAIN
SiO <sub>2</sub>	53÷57	60÷65	69÷72	65÷68		
Al <sub>2</sub> O <sub>3</sub>	13÷16	15÷18	17÷19	18÷20		
Fe <sub>2</sub> O <sub>3</sub>	0,5÷0,7	0,5÷0,7	0,6÷0,8	0,4÷0,6		
TiO <sub>2</sub>	0,5÷0,7	0,5÷0,7	0,5÷0,7	0,3÷0,6		
MgO	0÷4	0÷4	0,2÷0,4	0,2÷0,7		
CaO	5÷12	4÷6	0,2÷0,4	0,3÷1,2		
Na <sub>2</sub> O	1÷1,5	1,5÷2,5	2,5÷4,0	3,5÷4,5		
K <sub>2</sub> O	2÷3	2,5÷3,5	2,5÷3,5	2÷3,5		
LOI	11÷14	7÷10	3,3÷3,9	3÷5		

(a)

	POROUS		GLAZED		UNGLAZED	
	DOUBLE FIRED	SINGLE-FIRED	PORCELAIN	PORCELAIN	PORCELAIN	PORCELAIN
Ukrainian ball clay	24	26	24	25		
German ball Clay	17	17	18	19		
Turkish Na-Feldspar	12	20	24	30		
Italian Na,K-Feldspar			7	13		
Italian K-Feldspar	11	12	7			
Italian Feldspar Sand	16	15	20	11,5		
Italian Calcite		10				
Italian Dolomite	20			1,5		
<b>Kg/m<sup>2</sup></b>	<b>16+18</b>	<b>16+18</b>	<b>18+22</b>	<b>21+24</b>		

(b)

**Table 1:** (a) compositional intervals of the ceramic bodies analyzed (wt%); (b) ceramic body compositions for each category expressed as wt% of raw material and quantity of dough to produce 1 m<sup>2</sup> of tiles [69-72].

298 The compositions of the ceramic bodies shown in Table 1b show that in all product categories,  
 299 the import raw materials represent more than 50% of the total. This data is an indication of how  
 300 vulnerable the district and its member companies are in their production processes, due to the  
 301 criticality of the supply markets.  
 302

### 303 3.1 Definition of industrial processes

304 In order to configure a "standard" production plant that could be taken as a reference for the  
 305 various product categories, it was based on the concept that the plants for the production of ceramic  
 306 products all have the same plant characteristics, the main differences consist of the particularity of  
 307 the machinery. The possible differences between the machines can be considered irrelevant for the  
 308 analysis of aggregate average quantities as in this study. In this respect, it should be noted that the  
 309 great differences between the various product categories do not lie in the machinery used, but in the  
 310 different grinding and firing cycles and pressing loads, which have a clear impact on energy  
 311 consumption per m<sup>2</sup> of finished product. Table 2a shows the data relating to the average weight of  
 312 the various product categories and the relative loss on ignition (L.O.I) from which it was possible to  
 313 derive the firing efficiency and then determine the value of the surplus of raw material, expressed in  
 314 kg per m<sup>2</sup>, to be added to the theoretical value. During the input phase of the dough creation data on  
 315 the impact assessment software, the values in the fourth column were considered to determine the  
 316 amount of raw material to be input.  
 317  
 318

	Theoretical weight. (Kg/m <sup>2</sup> )	Loss on ignition (%)	Firing efficiency index	Real weight (Kg/m <sup>2</sup> )
POROUS DOUBLE-FIRED	16	12,15	0,878	18,21
POROUS SINGLE-FIRED	16	7,88	0,921	17,37
GLAZED PORCELAIN	21	3,52	0,964	21,77
UNGLAZED PORCELAIN	23	4,01	0,959	23,96

(a)

	Cost of electricity (€/m <sup>2</sup> )	Consumption of electrical energy (kWh/m <sup>2</sup> )	Thermal energy cost (€/m <sup>2</sup> )	Thermal energy consumption (kcal/m <sup>2</sup> )
POROUS DOUBLE-FIRED	0,29	2,64	0,40	14,642
POROUS SINGLE-FIRED	0,17	1,55	0,38	13,910
GLAZED PORCELAIN	0,30	2,73	0,58	21,232
UNGLAZED PORCELAIN	0,44	4,00	0,72	26,357

(b)

**Table 2:** (a) firing efficiency of the compositions studied and quantity of ceramic body per m<sup>2</sup> needed for production; (b) Consumption of electricity and methane gas (expressed as thermal energy) per m<sup>2</sup> of product.

### 319 3.2 Energy consumption estimation

320 For the quantification of average energy consumption, the data for 2016 was used. Table 2b  
 321 shows the cost of electricity (expressed in euro/m<sup>2</sup>) and heat for each product category. When entering  
 322 the data in the calculation software, it was decided to enter the average electricity consumption for  
 323 each m<sup>2</sup> of product; it was therefore considered appropriate to convert the unit of measurement in  
 324



325 kWh/m<sup>2</sup>. The average electricity consumption, expressed in kWh/m<sup>2</sup>, has been calculated using a  
 326 conversion factor that considers 0.11 €/kWh as the cost of electricity for users of the order of at least  
 327 20 GWh/year. The same procedure was adopted for quantifying the average thermal energy  
 328 consumption (methane gas) per m<sup>2</sup> of product. The total cost therefore amounts to 0.224 euro/Nm<sup>3</sup>  
 329 of methane gas and dividing the cost per square meter by this value, the energy consumption  
 330 expressed in Nm<sup>3</sup>/m<sup>2</sup> was obtained.

331

### 332 3.3 Air pollutant emissions

333 For the calculation of emission factors of the main pollutants present in gaseous emissions  
 334 deriving from production processes, reference was made to the data calculated based on the  
 335 measurements made by ARPAE (Regional Agency for the Environment and Energy of Emilia-  
 336 Romagna) [73]. For the bodies in which carbonates were introduced (Porous single-fired: 10% of  
 337 calcite; Porous double-fired: 20% of calcite; Unglazed porcelain stoneware: 1.5% of dolomite and  
 338 Glazed porcelain stoneware: 0.5% of calcite), CO<sub>2</sub> emissions deriving from the decarbonization  
 339 process had to be calculated. The reasoning followed to reach the CO<sub>2</sub> emission value per m<sup>2</sup> of  
 340 product is based on molar ratios and on the approximation that all the Carbon released is fully bound  
 341 to oxygen. Having calculated the Kg of calcite, CaCO<sub>3</sub>, and dolomite, CaMg(CO<sub>3</sub>)<sub>2</sub>, present in one m<sup>2</sup>  
 342 of product, and having their weights and molar ratios, CO<sub>2</sub> emissions were calculated.

343

### 344 3.4 Water consumption

345 The ceramic tile industry has a relatively high-water requirement, associated with the various  
 346 functions that water must perform (grinding of raw materials and glazes, cooling, washing of lines,  
 347 etc.). A large proportion of the incoming water is, however, destined to be re-entered into the  
 348 environment through gaseous emissions (evaporated water). While the use of water as a washing  
 349 fluid generally corresponds to the production of waste water. Based on the data collected, it was  
 350 established that average water consumption was 11 kg/m<sup>2</sup>.

351

### 352 3.5 Cost of raw materials

353 Table 3a shows the average market prices of the main raw materials used in the manufacture of  
 354 tiles, including the costs incurred for transport from the suppliers' mines to the Sassuolo district area.  
 355 Based on the compositions shown in Table 1b, the cost of each ceramic body was obtained for all the  
 356 product categories considered (Table 3b).

357

RAW MATERIAL		MARKET PRICE		
Ukrainian ball clay		70+75		
German ball Clay		45+50		
Turkish Na-Feldspar		40+45		
Italian Na,K-Feldspar		35+40		
Italian K-Feldspar		30+35		
Italian Feldspar Sand		30+35		
Italian Calcite		27+29		
Italian Dolomite		58+63		

(a)

	QUANTITY (Kg/m <sup>2</sup> )	COST (€/Kg)	COST (€/m <sup>2</sup> )
Porous double-fired	18,21	0,0445	0,81
Porous single-fired	17,37	0,0456	0,79
Glazed porcelain	21,77	0,0464	1,01
Unglazed porcelain	23,96	0,0484	1,16

(b)

**Table 3:** (a) cost of raw materials in the Sassuolo area (€/Ton.); (b) cost per kg and per m<sup>2</sup> of ceramic bodies for each product category.

358

### 359 3.6 Production costs

360 The cost analysis was based on the "value chain" developed by Porter, which disaggregates a  
 361 company according to its strategically relevant activities [74].

362

COSTS	POROUS DOUBLE-FIRED WALL TILES		POROUS SINGLE-FIRED WALL TILES		GLAZED PORCELAIN STONEWARE		UNGLAZED PORCELAIN STONEWARE	
	Raw Materials	0,96	15,6%	1,24	16,1%	1,35	19,7%	1,89
Inks & Glazes	0,85	13,8%	0,98	12,7%	0,65	9,5%	0,41	5,1%
Electrical Energy	0,17	2,8%	0,29	3,8%	0,3	4,4%	0,44	5,5%
Thermal Energy	0,38	6,2%	0,4	5,2%	0,58	8,5%	0,72	8,9%
Consumables	0,5	8,1%	0,7	9,1%	0,7	10,2%	0,84	10,4%
Packages	0,21	3,4%	0,23	3,0%	0,28	4,1%	0,34	4,2%
Production Staff	1,61	26,2%	2,02	26,2%	1,64	23,9%	1,69	21,0%
Accessories	1,13	18,4%	1,38	17,9%	0,87	12,7%	1,02	12,7%
Amortizations	0,34	5,5%	0,48	6,2%	0,48	7,0%	0,71	8,8%
<b>TOTAL</b>	<b>6,15</b>	<b>100,0%</b>	<b>7,72</b>	<b>100,0%</b>	<b>6,85</b>	<b>100,0%</b>	<b>8,06</b>	<b>100,0%</b>

**Table 4:** average production costs by product type in euro/m<sup>2</sup> and percentage on total incidence.

363

364

365

366

367

368

369

370

371

372

373

374

Two areas have been identified: one closely linked to the transformation of raw materials into finished products, valued based on costs. The other one called "staff costs" is subdivided into average commercial costs and average general, administrative and financial costs. Charged according to the functional logic of "cost centers" [75]. A survey carried out recently by Confindustria Ceramica (Association of Italian Ceramic Producers) on the dynamics of costs has involved 60 production units concentrated for 89% in the district of Sassuolo and divided into the four types of this study. Employment of the sample companies accounts for 46% of the total number of employees in the sector. Just under 45%, the weight of production. It is therefore a representative sample and the results are shown in Table 4.

375

376

377

378

379

380

381

### 3.7 Social issues

The collection of social data was carried out through the adoption of the Participatory Process [76] of social agents operating in the district. From the methodological point of view, the same procedure has been followed as that already used by the authors themselves for a study concerning the restoration of an architectural work of historical and artistic value [77]. As socioeconomic indicators relevant to ceramic production on Sassuolo District, the expectations of the main Stakeholder have been adopted.

STAKEHOLDER CATEGORIES	STAKEHOLDER SUBCATEGORIES	STAKEHOLDER DETAILS
1.Human Resources	1.1 Staff Personnel	1.1.1 Blue-collar Workers
		1.1.2 Employees
		1.1.3 Managers
		1.1.4 Top Management
2.Local Community	2.1 Local Public Institutions	2.1.1 Regional Governments
		2.1.2 Provincial Governments
		2.1.3 Municipalities
3.Society	3.1 Private Business	3.1.1 Company's Shareholders
		3.1.2 Association of Manufacturing and Service Companies
		3.1.3 Chambers of Commerce
	3.2 Public and Private Organization	3.2.1 Regulatory Authorities
		3.2.2 Research Community
		3.2.3 National and International Public Institutions
		3.2.4 Civil Society Organizations
	3.3 Environment	3.3.1 Natural Environment
		3.3.2 Future Generations
	3.4 Media	3.4.1 Newspapers
		3.4.2 Professional Magazines
		3.4.3 TV and Radio
3.4.4 Internet		
4.Consumers	4.1 Trade Channel Operators	4.1.1 Resellers
		4.1.2 Trading Partners
		4.1.3 Business Customers
4.2 Final Consumer	4.2.1 Private Customers	
	4.2.2 Consumers Associations	
5.Value Chain Actors	5.1 Suppliers	5.1.1 Large-Scale Suppliers
		5.1.2 Small-Scale- Suppliers
	5.2 Partners	5.2.1 Practitioners and Professionals
		5.3.1 Direct Competitors
		5.3.2 Indirect Competitors

**Table 5:** stakeholder mapping involved in the ceramic production of Sassuolo District (Source: our elaboration based on the SETAC/UNEP guidelines and the AA1000 standard).

382 The first step of the Participatory Approach consists of selecting stakeholders. For the  
383 operational identification of the Stakeholder we have used an adaptation of the tools contained in the  
384 guidelines of the AA1000 "Stakeholder Engagement Standard" (AA1000SES). These guidelines were  
385 published in 2015 and provide a framework for organizations to identify, respond and prioritize their  
386 sustainability challenges [78]. The AA1000 standard is a liability standard focused on ensuring the  
387 quality of social and ethical accounting, auditing and reporting [79]. In this way and in accordance  
388 with the SETAC/UNEP guidelines, we have identified the stakeholder involved in the ceramic  
389 production adopting the principles of Responsibility, Influence, Proximity, Dependency and  
390 Representation described in AA1000 standard. Table 5 shows the correspondences between the  
391 categories defined by the SETAC/UNEP guidelines and sub categories of stakeholder of Sassuolo  
392 District.

#### 393 4. Method and data processing

394 The procedure we propose for the Territorial Life Cycle Sustainability Assessment (T-LCSA),  
395 provides for the integration between the three tools of impact assessment (LCA, LCC, S-LCA), so in  
396 accordance with ISO 14040, ISO 14044 and ISO 15686 standards we will adopt the same main phases  
397 for each dimension (environment, economy and society): goal and scope, inventory analysis, impact  
398 assessment and interpretation. We will also upscale the traditional LCSA to the ceramic district,  
399 considering the territorial component by processing data relating to the management of the entire  
400 supply chain.

##### 401 402 4.1 Goal and scope definition

403 The objective of the study is to assess the environmental and socio-economic impact of ceramic  
404 production in the Sassuolo district.

##### 405 4.1.1 System Studied

406 Ceramic tiles, produced by the companies belonging to the District of Sassuolo, which extends  
407 territorially between the provinces of Modena and Reggio Emilia in Italy and includes the  
408 municipalities of Sassuolo, Fiorano Modenese, Formigine, Maranello, Castelvetro, Castellarano,  
409 Scandiano, Casalgrande, Viano and Rubiera.

##### 410 4.1.2 Function of the system

411 For this study four types of medium ceramic products were identified and adopted, representing  
412 the entire district production: porous double-fired wall tiles, porous single-fired wall tiles, glazed  
413 porcelain stoneware and unglazed porcelain stoneware. The ceramic tiles under study are intended  
414 and applied for both floor and wall coverings, installed both in internal and external environments.

##### 415 4.1.3 Functional unit

416 For the purpose of this study, the functional unit chosen, is 1m<sup>2</sup> of each of the selected product  
417 categories.

##### 418 4.1.4 System boundary

419 In accordance with previous studies on a similar ceramic product [80], the system boundaries  
420 cover the entire life cycle of the system analyzed, in accordance with the LCA methodology (cradle-  
421 to-grave). The analysis includes raw material extraction and utilization in green tile production; firing  
422 of the green tile to produce ceramic tiles; The production, maintenance and disposal of facilities as  
423 well as the environmental burdens related to the production of chemicals, additives, adhesives,  
424 packaging and other auxiliary materials are also included in the present study. Emissions into the air  
425 and water as well as the solid waste produced in each step are all considered. The transportation of  
426 the solid waste to a treatment facility is also considered. In this study, we have also adopted the  
427 spatialization of each phase of the LCA [81], considering also the flows of raw materials and their

428 impacts that come from other territories both in Italy (Tuscany, Piedmont, Sardinia) and abroad  
429 (Germany, Turkey and Ukraine).

#### 430 4.1.5 Data quality and impact assessment methodology

431 Primary data concerning the raw materials extraction processes, were provided directly by the  
432 manufacturing companies, as were primary data on production processes of inks, glazes and  
433 pigments. Where the data have been missing, the study has been completed based on information  
434 obtained from the Ecoinvent database [82] that have been used to model the back-ground processes  
435 (land use, materials production, fuel and electricity production and transports). The analysis is  
436 conducted using the SimaPro 8.0.2 software and IMPACT 2002+ evaluation method to assess the  
437 environmental impacts

#### 438 4.2 Inventory analysis

440 Life cycle inventory background data, costs including inputs and outputs in processes to  
441 produce ceramic tiles as well the emissions and social issues, have already been described in detail  
442 in paragraphs 3.

### 443 5. Results and Discussion

#### 444 5.1 LCA: Impact Assessment

445 Table 6 shows the impact evaluation results for each of the four types of ceramic products and  
446 the total expressed by Weight Factor (Pt), while in the diagram of Figure 1 the same values are shown  
447 graphically. In general, the processes produce an impact due to 19,7% to the porous double firing  
448 wall tiles, 22,2% to porous single firing wall tiles, 25,7% to glazed porcelain stoneware and 32,3% to  
449 unglazed porcelain stoneware.

450 In order to estimate the environmental damage that ceramic production has on the district, a  
451 further calculation was made by weighting the impacts with the square meters produced for each  
452 type of product considered. In this way we have passed from the level of microeconomic analysis  
453 (which refers only to the functional unit of 1 m<sup>2</sup> of ceramic tiles) to the level of meso-economic analysis  
454 which refers to the entire district. The results are shown in Figure 1a.

455


LCA						
DAMAGE CATEGORIES	IMPACT CATEGORIES	POROUS DOUBLE FIRING WALL TILES	POROUS SINGLE FIRING WALL TILES	GLAZED PORCELAIN STONEWARE	UNGLAZED PORCELAIN STONEWARE	TOTAL
HUMAN HEALTH	Carcinogenic agents	1,45E-05	1,60E-05	2,60E-05	3,50E-05	3,22E-03
	Non-carcinogenic agents	3,80E-05	4,10E-05	4,90E-05	5,70E-05	
	Respiratory inorganic	6,10E-04	7,10E-04	7,10E-04	9,10E-04	
	Respiratory organic	1,00E-06	1,20E-06	1,40E-06	1,70E-06	
ECOSYSTEM QUALITY	Ozone depletion	2,40E-07	3,00E-07	3,60E-07	4,70E-07	4,07E-04
	Aquatic ecotoxicity	6,50E-06	1,00E-05	8,30E-06	1,10E-05	
	Terrestrial ecotoxicity	6,50E-05	8,20E-05	7,70E-05	8,00E-05	
	Aquatic acidification	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
	Soil acidification	9,80E-06	1,20E-05	1,20E-05	1,40E-05	
	Land occupation	3,60E-06	4,90E-06	4,20E-06	5,30E-06	
CLIMATE CHANGE	Global warming	8,90E-04	9,50E-04	1,10E-03	1,40E-03	4,34E-03
RESOURCES	Nonrenewable energy	8,10E-04	9,20E-04	1,20E-03	1,50E-03	4,44E-03
	Mineral extraction	3,20E-06	4,80E-06	2,70E-06	3,60E-06	
	<b>TOTAL</b>	<b>2,45E-03</b>	<b>2,75E-03</b>	<b>3,19E-03</b>	<b>4,02E-03</b>	<b>1,24E-02</b>
		19,7%	22,2%	25,7%	32,3%	

**Table 6:** association between impact and damage categories according to Impact 2002+ methodology and results of the LCA analysis for each product category detailed by each impact category and expressed in Pt.

456

457 The greatest impact for all products corresponds to the category of damage to human health.  
458 The detrimental effect on human health is mainly related to the NO<sub>x</sub> (nitrogen oxide) emissions  
459 associated with transportation of raw materials from the extraction sites to the factory sites at (41,9%

460 overall). Clearly the same NO<sub>x</sub> emissions affect climate changes (24,2% in total). Figure 1b shows, in  
 461 a comparative diagram, the results of the environmental impact of the production categories for the  
 462 entire district in aggregate form.  
 463



464

## 465 5.2 LCA: Results Interpretation

466 The environmental impact analysis carried out at micro level, having as a reference 1 m<sup>2</sup> of  
 467 ceramic tiles for each product category, showed that the types with the most moderate impact are  
 468 unglazed porcelain stoneware and glazed porcelain stoneware, while no significant variations were  
 469 observed in the category of damage between the various typologies. Changing the perspective of  
 470 observation and moving on to meso level, then to the district level considering production volumes,  
 471 takes the effect of weighting volumes downwind and, of course, the product category most impacting  
 472 is glazed porcelain stoneware.

## 473 5.3 LCC: Inventory Costs

474 Likewise, to the preceding LCA, all the relevant costs have been considered, with reference to  
 475 the functional unit, for the four product categories already described above: porous double-fired wall  
 476 tiles, porous single-fired wall tiles, glazed porcelain stoneware and unglazed porcelain stoneware  
 477 (Paragraphs 3.5 and 3.6).

## 478 5.4 LCC: Costs Assessment

479 In an integrated process for the manufacturing of a product, the life cycle of costs is the sum of  
 480 the costs attributable to the individual life cycle stages [83]:

481

$$482 \text{LCC}_{\text{TOT}} = \text{Development Costs} + \text{Utilization Costs} + \text{Disposal Costs} \quad (2)$$

483

484 To adapt the above conceptual formula (2) to the specific case under study, we propose this new  
 485 empirical formula:

486

$$487 \text{LCC}_{\text{TOT}} = \text{Production Costs} + \text{Utilization Costs} + \text{Externalities} \quad (3)$$

488



<b>LIFE CYCLE COSTING</b>	<b>POROUS DOUBLE-FIRED WALL TILES</b>	<b>POROUS SINGLE-FIRED WALL TILES</b>	<b>GLAZED PORCELAIN STONEWARE</b>	<b>UNGLAZED PORCELAIN STONEWARE</b>
<b>PRODUCTION COST</b>				
Production (m <sup>2</sup> )	22.978.356	13.545.628	236.734.900	121.954.343
Production Costs (€/m <sup>2</sup> )	6,15	7,72	6,85	8,06
<b>TOTAL PRODUCTION COSTS</b>	<b>141.316.889</b>	<b>104.572.248</b>	<b>1.621.634.065</b>	<b>982.952.005</b>
<b>2.850.475.207</b>				
<b>UTILIZATION COST</b>				
Utilization Costs (€/m <sup>2</sup> )	6,56	6,85	8,99	10,01
<b>TOTAL UTILIZATION COSTS</b>	<b>150.738.015</b>	<b>92.787.552</b>	<b>2.128.010.016</b>	<b>1.220.762.973</b>
<b>3.592.298.557</b>				
<b>EXTERNALITIES</b>				
Human Health	0,11	0,13	0,15	0,17
Ecosystem Production Capacity	0,11	0,14	0,14	0,19
Abiotic Stock Resource	0,54	0,83	0,41	0,50
Biodiversity	0,0014	0,0015	0,0018	0,0023
<b>TOTAL</b>	<b>0,76</b>	<b>1,10</b>	<b>0,71</b>	<b>0,86</b>
<b>TOTAL EXTERNALITIES</b>	<b>17.443.293</b>	<b>14.896.295</b>	<b>168.293.988</b>	<b>104.824.295</b>
<b>305.457.871</b>				
<b>TOTAL PRODUCT COST €/m<sup>2</sup></b>	<b>13,47</b>	<b>15,67</b>	<b>16,55</b>	<b>18,93</b>
<b>TOTAL COSTS BY CATEGORY</b>	<b>309.498.197,60</b>	<b>212.256.095,04</b>	<b>3.917.938.069,26</b>	<b>2.308.539.272,52</b>
<b>TOTAL</b>	<b>6.748.231.634</b>			

**Table 7:** LCC calculation scheme based on inventory data and applying the empirical formula (2). Externalities are expressed in euro/m<sup>2</sup>.

489

490

491 The calculation of production and utilization (distribution, installation and use phases) costs of  
 492 the end product, were determined per m<sup>2</sup> and then projected on a "meso" scale on the basis of  
 493 production volumes by category and total for the entire district (Table 7). The LCC analysis associated  
 494 with the LCA allows translating environmental damage rates into economic damages. Every human  
 495 activity consumes environmental goods (raw materials, energy, natural resources), in our case for the  
 496 production of ceramic tiles, but in current practice, as well as in our case study, neither accounts nor  
 497 takes care of any cost for this side effect related to these processes. This condition of use of  
 498 environmental goods, not accompanied by payment for consumption, is known in economic terms  
 499 as external costs or environmental externalities [84]. In this study externalities have been calculated  
 500 using the Environmental Priority Strategies in Product Design (EPS2000) methodology, which is a  
 501 harm-oriented approach. It considers the willingness to pay to restore the changes caused by any  
 502 activity and/or process. Also in Table 7, it shows the economic valuation of externalities for each  
 503

### 503 5.5 LCC: Results Interpretation

504

505

506

507

508

509

510

511

512

513

514

515

516

### 512 5.6 S-LCA: Social Assessment

513 The S-LCA as well as the LCA and LCC methodologies have the same structure based on the  
 514 ISO 14040 framework: the same four phases though applied to social issues. Therefore, assuming the  
 515 same Goal and Scope of previous assessments, we adopted the Participatory Approach [76] of social  
 516 actors involved in the management of Cultural Heritage, in order to establish and to rank the impact  
 categories collectively. As socioeconomic indicators relevant to ceramic production in Sassuolo

517 district, the expectations of the main Stakeholder have been adopted [77]. The second step of  
 518 Participatory Approach, was carried out through interviews with main stakeholders including those  
 519 identified in the previous phase to identify their expectations with respect to the ceramic production.  
 520 The qualitative information was matched with data from the analysis of the relevant literature with  
 521 the aim to prioritize the stakeholders in the next steps. The third step has been developed through  
 522 multiple focuses of our research group, which represent different skills: scientific-technological and  
 523 socio-economic. The fourth step was taken with the organization of a meeting between the members  
 524 of our research team and the main stakeholder. The procedure of this analysis is the same as that  
 525 followed by the same authors in a previous research [77]. In the fifth step, we adopted a metric  
 526 approach to build a relationship between the expectations of stakeholder and the impact they have  
 527 ceramic tiles manufacturers. Therefore, after the mapping of the stakeholder, we have prioritized  
 528 them, in order to better design the most timely inclusion strategy. To carry out this work, the  
 529 relevance of the expectations of the stakeholder are translated into a prioritization index by means of  
 530 the criteria of power, urgency and proximity already described in the AA1000 standard [77].  
 531






Figure 2: Scenario 1. Entrepreneurial perspective: (a) mapping, (b) prioritization and (c) graphic representation of the significance of stakeholders.

532  
 533 The social research applied to this case study, raised relevant methodological questions. It has  
 534 been verified that the analyst's position is not neutral, when he observes social events to infer  
 535 conclusions, he "interprets" social phenomena based on his background (experience, knowledge and  
 536 conscience) [85]. Therefore, the research team was confronted with the intrinsic partiality of each  
 537 member when collecting, processing and analyzing social data [86]. The construction of knowledge  
 538 is therefore done through a continuous exchange of points of view, including those of the research  
 539 team, but not only. The interpretative process and the construction of reality is also influenced by the  
 540 context in which the social event occurs. Converging multiple points of view, such as stakeholder  
 541 expectations, is a way to build and describe reality. Through the interpretation of these different  
 542 points of view, the background of the researcher/analysts merges with those of other social agents,  
 543 creating a new and more complete understanding of the reality under examination [87].  
 544



**Figure 3:** Scenario 2. worker's perspective: (a) mapping, (b) prioritization and (c) graphic representation of the significance of stakeholders.

545 For this reason, the importance of Stakeholders was declined into three sets characterized by  
546 three different perspectives of observation of reality. Scenario 1, entrepreneurial perspective (Figure  
547 2); Scenario 2, worker's perspective (Figure 3) and Scenario 3 public institutions' perspective (Figure  
548 4).  
549



**Figure 4:** Scenario 3. public institutions' perspective: (a) mapping, (b) prioritization and (c) graphic representation of the significance of stakeholders.

550 Table "a" of each scenario considered (Figures: 2,3 and 4), shows how a priority interest rate (1  
551 to 10) for each criterion is assigned to a stakeholder group until a total prioritization index, obtained  
552 by the sum of the partial indexes, is determined. The deviation indicates how far the total index of  
553 the maximum prioritization value goes (30 = 10 + 10 +10). The following Table "b" (Figures: 2,3 and 4)  
554 shows the list of stakeholder groups sorted by decreasing index and the corresponding weighting  
555 factor calculated by dividing the prioritization index by the maximum prioritization value. In this  
556 way each stakeholder of Sassuolo district has an index of prioritization, that is to say of relevance. As  
557 in the previous case it is possible to design a list of the stakeholders. Also for the three scenarios  
558 considered, the radial diagram of Figure "c" (Figures: 2,3 and 4), more clearly represents the relative  
559 relevance of the different stakeholders to the maximum prioritization value (to the center of the  
560 diagram).  
561

### 562 5.7 S-LCA: Assessment Interpretation

563 By merging the different perspectives and expectations of the stakeholders of the Sassuolo  
564 ceramic district, it was possible to arrive at a new construction of the reality that has overcome the  
565 subjection of each individual economic agent or stakeholder group, as well as to reduce the problem  
566 of partiality of the members of the research team in the data collection and analysis phases. Figure 5  
567 shows the interpretative process for the three scenarios considered: entrepreneurs, workers and  
568 public institutions.  
569

Priority Group	SCENARIO 1 Entrepreneurial Perspective		SCENARIO 2 Worker's Perspective		SCENARIO 3 Public Institutions' Perspective	
	STAKEHOLDER	INDEX	STAKEHOLDER	INDEX	STAKEHOLDER	INDEX
1	Private Business	1,0	Staff Personnel	1,0	Local Public Institutions	1,0
	Trade Channel Operators	0,9	Trade Unions	0,9	Public and Private Organization	0,9
	Suppliers	0,9	Private Business	0,9		
2	Staff Personnel	0,8	Local Public Institutions	0,5	Private Business	0,8
	Final Consumer	0,8	Environment	0,4	Media	0,8
	Competitors	0,7			Environment	0,7
	Local Public Institutions	0,7			Trade Unions	0,7
3	Trade Unions	0,6	Trade Channel Operators	0,3	Staff Personnel	0,5
	Partners	0,6	Suppliers	0,3	Partners	0,4
	Environment	0,5	Competitors	0,2	Suppliers	0,3
4	Public and Private Organization	0,2	Media	0,1	Competitors	0,2
	Media	0,1	Public and Private Organization	0,1	Final Consumer	0,1
			Final Consumer	0,1	Trade Channel Operators	0,1
			Partners	0,1		

**INTERPRETATION PROCESS FOR A NEW UNDERSTANDING**

1	Private Business	1,0
2	Staff Personnel	1,0
3	Local Public Institutions	1,0
4	Trade Channel Operators	0,9
5	Suppliers	0,9
6	Trade Unions	0,9
7	Public and Private Organization	0,9
8	Final Consumer	0,8
9	Media	0,8
10	Competitors	0,7
11	Environment	0,7
12	Partners	0,6

**Figure 5:** Interpretative process of fusion of the different perspectives of entrepreneurs, workers and public institutions and construction of a new prioritization of the stakeholders of Sassuolo district.

570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580

The table above in Figure 5 represents the logic of stakeholder prioritization for each scenario. Entrepreneurs, workers and public institutions have a different construction of reality depending on the specificity of their expectations. After collecting these different visions, the research team, through a hermeneutical process [88], has carried out the fusion of the three different interpretative horizons to arrive at a new construction of reality that is represented in the table below in Figure 5 [89]. It represents a new prioritization of the stakeholders of the Sassuolo district on the basis of the perspectives of the three scenarios that have been considered. The new stakeholder list was built by combining scenarios (in columns) with priority groups (in rows) across them and listing them in descending order of priority, switching from micro to meso level. The new list of stakeholders can be the basis for defining the most appropriate strategies for engagement.

## 581 6. Conclusions

582 In this paper it was shown that the T-LCSA approach helps to incorporate the full social cost of  
583 an environmental transaction into the price of products, avoiding attributing the external costs to the  
584 community and responding to market failures. The research bridges the gap between scholars and  
585 practitioners in the field of integrating sustainability principles into business models and economic  
586 and industrial policies for the governance of territories.

587 In a theoretical perspective, the change of the analysis unit, from the enterprise (at micro level)  
588 to the district (at meso level), allows to take into account those externalities that would otherwise  
589 remain outside the "gates" of the economic actors and allows to transform them into sector  
590 internalities. The T-LCSA model also highlighted that the transport of raw materials is one of the  
591 most impacting factors, but above all it showed that it is not only a transaction cost (the transport  
592 from the mine to the factories), but also an environmental cost not exclusively attributable to the  
593 individual company, but to the entire sector. The determination of the monetary value of externalities  
594 has questioned the hypothesis of the "isotropicity" of space considered in terms of "pure distance",  
595 that is, that spatial element that must be filled in order to transport people with raw materials and  
596 finished products. Distance is not only transaction cost, but also environmental cost. Externalities

597 have the consequence of creating situations of interdependence between subjects who are not among  
598 themselves in contractual relations. This vision raises the question of managing interactions between  
599 economic agents and internalizing externalities that cannot be left exclusively to market coordination.  
600 This is a problem of governance of the system and the implementation of appropriate economic  
601 policies aimed at attributing the cost of externalities to those who have been able to use public assets  
602 for the exercise of their economic activity. The economic quantification of external costs in aggregate  
603 terms, broadens the knowledge on the factors of pressure offering private decision makers and public  
604 administrators, useful information to prepare responses and targeted interventions of economic  
605 policies. We could therefore move from the coercive logic of "forbidding" to the positive logic of  
606 "doing better", in which the environment is no longer perceived as externality, a threat to the brake  
607 and obstacle to the development of businesses, but as an opportunity to stimulate product and  
608 process innovation.

609 From a managerial perspective, this experimental research has shown how the correct use of an  
610 appropriate scientific tool (the T-LCSA model) allows to quantify the economic, environmental and  
611 social impact, using process data normally available to economic agents and otherwise not always  
612 used profitably. Empirically, the study, adopting the holistic perspective of the life cycle, showed that  
613 the transport of raw materials constitutes about 20-25 % of the environmental damage produced by  
614 the entire life cycle, for all the production categories of the Sassuolo ceramic district. However, there  
615 are not great differences between the different processes of the product categories considered, in  
616 terms of environmental impact, as a demonstration of the standardization of the production phases.  
617 The process of technological standardization has also made less relevant the reduction of transaction  
618 costs related to the territorial proximity and the outsourcing of production phases and the efficiency  
619 of learning processes that are at the basis of innovation. The effects of the industrial activities of the  
620 Sassuolo district extend beyond the traditional concept of local territory to reach beyond national  
621 borders, to the countries from which the raw materials necessary to produce ceramic tiles are sourced.  
622 The social dimension of industrial activity in the district and the related costs has led us to ask  
623 ourselves about the ways in which economic actors interact and about the model of "government" of  
624 the territory. The interpretative study of the expectations of the various stakeholders, divided into  
625 three different scenarios, would evoke the creation of a district governance that guides the efforts and  
626 investments of all companies towards cost efficiency, value innovation, market presence with an  
627 adequate policy of brand, the ability to develop and integrate into international markets.

628  
629 **Acknowledgments:** This research was funded by European Union under the LIFE Programme (LIFE16  
630 ENV/IT/000307: LIFE Force of the Future)

631 **Author Contributions:** Anna Maria Ferrari designed and coordinated the research team, Martina Pini and  
632 Lucrezia Volpi experimentally carried out the environmental impact analyses, Cristina Siligardi conducted the  
633 technological tests on ceramic materials, Fernando E. García Muiña developed the socio-economic analysis and  
634 Davide Settembre Blundo wrote the paper.

635 **Conflicts of Interest:** The authors declare no conflict of interest.

636



637 **References**

- 638 1. Anastasios Xepapadeas, A. Economic growth and the environment. In *Handbook of Environmental*  
639 *Economics*. Mäler, K.G., Vincent, J.R., Eds.; Elsevier B.V: Amsterdam, The Netherlands, 2005; Volume  
640 3, pp. 1219-1271, ISBN 978-0-444-51146-1.
- 641 2. Jia, X., Foo, D. C., Tan, R. R., & Li, Z. Sustainable development paths for resource-constrained process  
642 industries. *Resources, Conservation and Recycling*, **2017**, *119*, 1-3. [DOI](#).
- 643 3. Perrings, C. Conservation of mass and instability in a dynamic economy-environment system. *Journal*  
644 *of Environmental Economics and Management*, **1986**, *13*(3), 199-211. [DOI](#).
- 645 4. Dafermos, Y., Nikolaidi, M., & Galanis, G. A stock-flow-fund ecological macroeconomic model.  
646 *Ecological Economics*, **2017**, *131*, 191-207. [DOI](#).
- 647 5. Kharrazi, A., Kraines, S., Hoang, L., & Yarime, M. Advancing quantification methods of sustainability:  
648 A critical examination energy, exergy, ecological footprint, and ecological information-based  
649 approaches. *Ecological Indicators*, **2014**, *37*, 81-89. [DOI](#).
- 650 6. Bergstrom, J. C., & Randall, A. Natural resources, the environment, and policy. In *Resource economics:*  
651 *an economic approach to natural resource and environmental policy*, 4th Edition. Edward Elgar Publishing:  
652 Cheltenham, United Kingdom, 2016; pp. 59-74, ISBN 978-1-78471-793-3.
- 653 7. Miller, B., Soulé, M. E., & Terborgh, J. New conservation' or surrender to development? *Animal*  
654 *Conservation*, **2014**, *17*(6), 509-515. [DOI](#).
- 655 8. Neumayer, E. The human development index and sustainability—a constructive proposal. *Ecological*  
656 *Economics*, **2001**, *39*(1), 101-114. [DOI](#).
- 657 9. Holden, E., Linnerud, K., & Banister, D. The imperatives of sustainable development. *Sustainable*  
658 *Development*, **2017**, *25*(3), 213-226. [DOI](#).
- 659 10. Costanza, R., Fioramonti, L., & Kubiszewski, I. The UN Sustainable Development Goals and the  
660 dynamics of well-being. *Frontiers in Ecology and the Environment*, **2016**, *14*(2), 59-59. [DOI](#).
- 661 11. Haas, W., Krausmann, F., Wiedenhofer, D., & Heinz, M. How circular is the global economy?: An  
662 assessment of material flows, waste production, and recycling in the European Union and the world  
663 in 2005. *Journal of Industrial Ecology*, **2015**, *19*(5), 765-777. [DOI](#).
- 664 12. Baldwin, J. R., Gu, W., Macdonald, R. Intangible Capital and Productivity Growth in Canada. *The*  
665 *Canadian Productivity Review*, **2012**, No. 29, 6-41. [DOI](#).
- 666 13. Maes, J., Jacobs, S. Nature-Based Solutions for Europe's Sustainable Development. *Conservation*  
667 *Letters*, **2017**, *10*(1), 121-124. [DOI](#).
- 668 14. Hák, T., Janoušková, S., Moldan, B. Sustainable Development Goals: A need for relevant indicators.  
669 *Ecological Indicators*, **2016**, *60*, 565-573. [DOI](#).
- 670 15. Corporate Social Responsibility (CSR) - European Commission. Available online:  
671 [http://ec.europa.eu/growth/industry/corporate-social-responsibility\\_en](http://ec.europa.eu/growth/industry/corporate-social-responsibility_en) (accessed on 10 April 2018).
- 672 16. Rajeev, A., Pati, R. K., Padhi, S. S., & Govindan, K. Evolution of sustainability in supply chain  
673 management: A literature review. *Journal of Cleaner Production*, **2017**, *162*, 299-314. [DOI](#).
- 674 17. Waas, T., Hugé, J., Block, T., Wright, T., Benitez-Capistros, F., & Verbruggen, A. Sustainability  
675 assessment and indicators: Tools in a decision-making strategy for sustainable development.  
676 *Sustainability*, **2014**, *6*(9), 5512-5534. [DOI](#).
- 677 18. Mazzi, A., Toniolo, S., Catto, S., De Lorenzi, V., & Scipioni, A. The combination of an environmental  
678 management system and life cycle assessment at the territorial level. *Environmental Impact Assessment*  
679 *Review*, **2017**, *63*, 59-71. [DOI](#).
- 680 19. Peterson, E. E., Cunningham, S. A., Thomas, M., Collings, S., Bonnett, G. D., & Harch, B. An assessment  
681 framework for measuring agroecosystem health. *Ecological Indicators*, **2017**, *79*, 265-275. [DOI](#).
- 682 20. Iribarren, D., Martín-Gamboa, M., O'Mahony, T., & Dufour, J. Screening of socio-economic indicators  
683 for sustainability assessment: a combined life cycle assessment and data envelopment analysis  
684 approach. *The International Journal of Life Cycle Assessment*, **2016**, *21*(2), 202-214. [DOI](#).
- 685 21. Cosmi, C., Dvarionienė, J., Marques, I., Di Leo, S., Gecevičius, G., Gurauskienė, I., Mendes, G. & Selada,  
686 C. A holistic approach to sustainable energy development at regional level: The RENERGY self-  
687 assessment methodology. *Renewable and Sustainable Energy Reviews*, **2015**, *49*, 693-707. [DOI](#).
- 688 22. de Oliveira Cavalcanti, C., Limont, M., Dziedzic, M., & Fernandes, V. Sustainability of urban mobility  
689 projects in the Curitiba metropolitan region. *Land Use Policy*, **2017**, *60*, 395-402. [DOI](#).

- 690 23. Dizdaroglu, D. Developing micro-level urban ecosystem indicators for sustainability assessment.  
691 *Environmental Impact Assessment Review*, **2015**, *54*, 119-124. [DOI](#).
- 692 24. Moscatelli, S., Gamboni, M., Dernini, S., Capone, R., El Bilali, H., Bottalico, F., Debs, P. & Cardone, G.  
693 Exploring the socio-cultural sustainability of traditional and typical agro-food products: case study of  
694 Apulia Region, South-eastern Italy. *Journal of Food and Nutrition Research*, **2017**, *5*(1), 6-14. [DOI](#).
- 695 25. Settembre Blundo, D., Ferrari, A. M., Pini, M., Riccardi, M. P., García, J. F., & Fernández del Hoyo, A.  
696 P. The life cycle approach as an innovative methodology for the recovery and restoration of cultural  
697 heritage. *Journal of Cultural Heritage Management and Sustainable Development*, **2014**, *4*(2), 133-148. [DOI](#).
- 698 26. Camuffo, A., Grandinetti, R. Italian industrial districts as cognitive systems: are they still  
699 reproducible?. *Entrepreneurship & Regional Development*, **2011**, *23*(9-10), 815-852. [DOI](#).
- 700 27. Sunley, P., Martin, R. A. Paul Krugman's geographical economics and its implications for regional  
701 development theory: a critical assessment. In *Economy*. Martin R., Ed.; 1th Edition. Routledge: London,  
702 United Kingdom, 2017; pp. 25-58, ISBN 978-1-35115-919-7
- 703 28. Phelps, N. A. External economies, agglomeration and flexible accumulation. *Transactions of the Institute*  
704 *of British Geographers*, **1992**, 35-46. [DOI](#).
- 705 29. McCann, P. Rethinking the economics of location and agglomeration. *Urban Studies*, **1995**, *32*(3), 563-  
706 577. [DOI](#).
- 707 30. Harrison, B., Kelley, M. R., & Gant, J. Innovative firm behavior and local milieu: exploring the  
708 intersection of agglomeration, firm effects, and technological change. *Economic Geography*, **1996**, *72*(3),  
709 233-258. [DOI](#).
- 710 31. Asheim, B. R. T. Industrial districts as 'learning regions': a condition for prosperity. *European planning*  
711 *studies*, **1996**, *4*(4), 379-400. [DOI](#).
- 712 32. Ottaviano, G. I., & Puga, D. Agglomeration in the global economy: a survey of the 'new economic  
713 geography'. *The World Economy*, **1998**, *21*(6), 707-731. [DOI](#).
- 714 33. Pandit, N., Cook, G., Beaverstock, J. Economies and diseconomies of clusters. In *Unfolding Cluster*  
715 *Evolution*. Belussi, F., Hervás-Oliver, J.L., Eds.; Routledge: London, United Kingdom, 2017; pp. 23-38,  
716 ISBN 978-1-31564-871-2
- 717 34. Thrift, N., Amin, A. Neo-Marshallian nodes in global networks. In *Economy*. Martin R., Ed.; 1th  
718 Edition. Routledge: London, United Kingdom, 2017; pp. 159-175, ISBN 978-1-35115-919-7
- 719 35. De Marchi, V., Di Maria, E., & Gereffi, G. Industrial districts, clusters and global value chains: toward  
720 an integrated framework. In *Local Clusters in Global Value Chains*. De Marchi, V., Di Maria, E., Gereffi,  
721 G., Eds.; 1th Edition. Routledge: London, United Kingdom, 2017; pp. 15-132, ISBN 978-1-35172-400-5
- 722 36. Manniche, J., & Testa, S. Towards a multi-levelled social process perspective on firm innovation:  
723 integrating micro, meso and macro concepts of knowledge creation. *Industry and Innovation*, **2018**,  
724 *25*(4), 365-388. [DOI](#).
- 725 37. Biggeri M., Ferrannini A. Sustainable Human Development (SHD) at the Local Level. In *Sustainable*  
726 *Human Development*. 1th Edition. Palgrave Macmillan: London, United Kingdom, 2014; pp. 10-38, ISBN  
727 978-1-137-38029-6
- 728 38. Lin, H. P., & Hu, T. S. Knowledge interaction and spatial dynamics in industrial districts. *Sustainability*,  
729 **2017**, *9*(8), 1421. [DOI](#).
- 730 39. Arbolino, R., De Simone, L., Carlucci, F., Yigitcanlar, T., & Ioppolo, G. Towards a sustainable industrial  
731 ecology: implementation of a novel approach in the performance evaluation of Italian regions. *Journal*  
732 *of Cleaner Production*, **2018**, *178*, 220-236. [DOI](#)
- 733 40. Le Heron, R., Hayter, R. Paths of Sustainable Industrialization in the Knowledge-based Economy. In  
734 *Knowledge, Industry and Environment: Institutions and Innovation in Territorial Perspective*. 1th Edition.  
735 Routledge: London, United Kingdom, 2018; pp. 49-66, ISBN 978-1-35174-876-6
- 736 41. Daddi, T., Tessitore, S., & Frey, M. Eco-innovation and competitiveness in industrial clusters.  
737 *International Journal of Technology Management*, **2012**, *58*(1/2), 49-63. [DOI](#).
- 738 42. Hervás-Oliver, J. L., Albors-Garrigos, J., Estelles-Miguel, S., & Boronat-Moll, C. (2017). Radical  
739 innovation in Marshallian industrial districts. *Regional Studies*, **2017**, 1-10. [DOI](#).
- 740 43. Hervas-Oliver, J. L., & Davide, The case of the European ceramic tile districts in Spain and Italy. In  
741 *Local Clusters in Global Value Chains*. De Marchi, V., Di Maria, E., Gereffi, G., Eds.; 1th Edition.  
742 Routledge: London, United Kingdom, 2017; Chapter 10, ISBN 978-1-35172-400-5

- 743 44. Chesbrough, H., & Prencipe, A. Networks of innovation and modularity: a dynamic perspective.  
744 *International Journal of Technology Management*, **2008**, 42(4), 414-425. [DOI](#).
- 745 45. Martin, R., & Sunley, P. Conceptualizing cluster evolution: beyond the life cycle model?. *Regional*  
746 *Studies*, **2011**, 45(10), 1299-1318. [DOI](#).
- 747 46. Trippel, M., Grillitsch, M., Isaksen, A., & Sinozic, T. Perspectives on cluster evolution: critical review  
748 and future research issues. *European planning studies*, **2015**, 23(10), 2028-2044. [DOI](#).
- 749 47. Frenken, K., Cefis, E., & Stam, E. Industrial dynamics and clusters: a survey. *Regional Studies*, **2015**,  
750 49(1), 10-27. [DOI](#).
- 751 48. Carli, G., & Morrison, A. On the evolution of the Castel Goffredo hosiery cluster: a life cycle  
752 perspective. *European Planning Studies*, **2018**, 26(5) 915-932. [DOI](#).
- 753 49. Ceschin, F. Critical factors for implementing and diffusing sustainable product-Service systems:  
754 insights from innovation studies and companies' experiences. *Journal of Cleaner Production*, **2013**, 45, 74-  
755 88. [DOI](#).
- 756 50. Mathe, S. Integrating participatory approaches into social life cycle assessment: the SLCA participatory  
757 approach. *The International Journal of Life Cycle Assessment*, **2014**, 19(8), 1506-1514. [DOI](#).
- 758 51. Onat, N. C., Kucukvar, M., & Tatari, O. Integrating triple bottom line input-output analysis into life  
759 cycle sustainability assessment framework: the case for US buildings. *The International Journal of Life*  
760 *Cycle Assessment*, **2014**, 19(8), 1488-1505. [DOI](#).
- 761 52. Onat, N. C., Kucukvar, M., Halog, A., & Cloutier, S. Systems thinking for life cycle sustainability  
762 assessment: a review of recent developments, applications, and future perspectives. *Sustainability*,  
763 **2017**, 9(5), 706. [DOI](#).
- 764 53. Speck, R., Selke, S., Auras, R., & Fitzsimmons, J. Life cycle assessment software: Selection can impact  
765 results. *Journal of Industrial Ecology*, **2016**, 20(1), 18-28. [DOI](#).
- 766 54. Ciroth, A., Hildenbrand, J., & Steen, B. Life cycle costing. In *Sustainability Assessment of*  
767 *Renewables-Based Products: Methods and Case Studies*. Dewulf, J., De Meester, S., A.F. Alvarenga R.,  
768 Eds.; John Wiley & Sons, Ltd.: Hoboken, USA, 2016; pp.215-228. ISBN 978-1-11893-391-6
- 769 55. Petti, L., Serreli, M., & Di Cesare, S. Systematic literature review in social life cycle assessment. *The*  
770 *International Journal of Life Cycle Assessment*, **2018**, 23(3), 422-431. [DOI](#).
- 771 56. Klöpffer, W., & Grahl, B. From LCA to Sustainability Assessment. In *Life Cycle Assessment (LCA)*.  
772 Klöpffer, W., & Grahl, B., Eds. Wiley-VCH Verlag GmbH & Co. KGaA: Weinheim, Germany, 2014;  
773 pp.357-374, ISBN 978-3-52765-562-5
- 774 57. Ferreira, F., Faria, J., Azevedo, A., & Marques, A. L. Product lifecycle management in knowledge  
775 intensive collaborative environments: An application to automotive industry. *International Journal of*  
776 *Information Management*, **2017**, 37(1), 1474-1487. [DOI](#).
- 777 58. De Luca, A. I., Iofrida, N., Leskinen, P., Stillitano, T., Falcone, G., Strano, A., & Gulisano, G. Life cycle  
778 tools combined with multi-criteria and participatory methods for agricultural sustainability: Insights  
779 from a systematic and critical review. *Science of The Total Environment*, **2017**, 595, 352-370. [DOI](#).
- 780 59. Loiseau, E., Aissani, L., Le Féon, S., Laurent, F., Cerceau, J., Sala, S., & Roux, P. Territorial Life Cycle  
781 Assessment (LCA): What exactly is it about? A proposal towards using a common terminology and a  
782 research agenda. *Journal of Cleaner Production*, **2018**, 176, 474-485. [DOI](#).
- 783 60. Loiseau, E., Roux, P., Junqua, G., Maurel, P., & Bellon-Maurel, V. Implementation of an adapted LCA  
784 framework to environmental assessment of a territory: important learning points from a French  
785 Mediterranean case study. *Journal of cleaner production*, **2014**, 80, 17-29. [DOI](#).
- 786 61. Loiseau, E., Roux, P., Junqua, G., Maurel, P., & Bellon-Maurel, V. Adapting the LCA framework to  
787 environmental assessment in land planning. *The International Journal of Life Cycle Assessment*, **2013**,  
788 18(8), 1533-1548. [DOI](#).
- 789 62. Dopfer, K. The origins of meso economics. *Journal of Evolutionary Economics*, **2012**, 22(1), 133-160. [DOI](#).
- 790 63. Chorafakis G., Laget P. Meso-economic Structure, Innovation and Complexity: The Concept of  
791 Meso-economic Plexus. In *Knowledge Matters*. Carayannis E.G., Formica P. Eds.; Palgrave Macmillan:  
792 London (UK), 2008; pp. 52-86. ISBN 978-0-230-58226-2
- 793 64. Gareev, T. R. Clusters in the institutional perspective: on the theory and methodology of local  
794 socioeconomic development. *The Baltic region*, **2012**, 3(12), 4-24. [DOI](#).

- 795 65. Confindustria Ceramica. Environmental Product Declaration (EPD). 2016. Available online:  
796 <http://www.confindustriaceramica.it/site/home/eventi/documento4981.html> (accessed on 10 April  
797 2018).
- 798 66. Confindustria Ceramica. National Statistical Survey on Italian Ceramic Tile Industry, 37th edition,  
799 2016.
- 800 67. Alves, H. J., Melchiades, F. G., & Boschi, A. O. Effect of spray-dried powder granulometry on the  
801 porous microstructure of polished porcelain tile. *Journal of the European Ceramic Society*, **2010**, 30(6),  
802 1259-1265. [DOI](#).
- 803 68. Furferi, R., Ganugi, L., Giurgola, S., Governi, L., Puggelli, L., & Volpe, Y. Enhancing porcelain  
804 whiteware quality assessment by means of Reverse Engineering-based procedures. *Procedia*  
805 *Manufacturing*, **2017**, 11, 1659-1666. [DOI](#).
- 806 69. Zanelli, C., Iglesias, C., Domínguez, E., Gardini, D., Raimondo, M., Guarini, G., & Dondi, M.  
807 Mineralogical composition and particle size distribution as a key to understand the technological  
808 properties of Ukrainian ball clays. *Applied Clay Science*, **2015**, 108, 102-110. [DOI](#).
- 809 70. Petrick, K., Diedel, R., Peuker, M., Dieterle, M., Kuch, P., Kaden, R., & Emmerich, K. Character and  
810 Amount of IS Mixed-layer Minerals and Physicalchemical Parameters of Two Ceramic Clays from  
811 Westerwald, Germany: Implications for Processing Properties. *Clays and clay minerals*, **2011**, 59(1), 58-  
812 74. [DOI](#).
- 813 71. Gulsoy, O. Y., Can, N. M., Bayraktar, I., Ersayin, S., Hizal, M., & Sahin, A. I. Two stage flotation of  
814 sodium feldspar—from laboratory to industrial application. *Mineral Processing and Extractive*  
815 *Metallurgy*, **2004**, 113(3), 139-144. [DOI](#).
- 816 72. Manfredini, T., & Hanuskova, M. Natural raw materials in" Traditional" ceramic  
817 manufacturing. *Journal of the University of Chemical Technology and Metallurgy*, **2012**, 47(4), 465-470. [DOI](#).
- 818 73. ARPAE. SAD project: environmental performance indicators. Available online:  
819 [https://www.arpae.it/dettaglio\\_generale.asp?id=1056&idlivello=1781](https://www.arpae.it/dettaglio_generale.asp?id=1056&idlivello=1781) (accessed on 10 April 2018).
- 820 74. Porter, M. E. The value chain and competitive advantage. In *Understanding business*: Barnes, D., Ed.;  
821 Routledge: London, United Kingdom, 2001; pp. 50-66, ISBN 978-0-41523-862-5.
- 822 75. Niazi, A., Dai, J. S., Balabani, S., & Seneviratne, L. Product cost estimation: Technique classification  
823 and methodology review. *Journal of manufacturing science and engineering*, **2006** 128(2), 563-575. [DOI](#).
- 824 76. Mathe, S. Integrating participatory approaches into social life cycle assessment: the SLCA participatory  
825 approach. *The International Journal of Life Cycle Assessment*, **2014**, 19(8), 1506-1514. [DOI](#).
- 826 77. Settembre Blundo, D., Ferrari, A. M., del Hoyo, A. F., Riccardi, M. P., & Muiña, F. E. G. Improving  
827 sustainable cultural heritage restoration work through life cycle assessment based model. *Journal of*  
828 *Cultural Heritage*. **2018**, *In Press*. [DOI](#).
- 829 78. AA1000 Stakeholder Engagement Standard (SES). Institute of Social and Ethical Accountability:  
830 London, United Kingdom, 2015.
- 831 79. Reynolds, M., & Yuthas, K. Moral discourse and corporate social responsibility reporting. *Journal of*  
832 *Business Ethics*, **2008**, 78(1-2), 47-64. [DOI](#).
- 833 80. Pini, M., Ferrari, A. M., Gamberini, R., Neri, P., & Rimini, B. Life cycle assessment of a large, thin  
834 ceramic tile with advantageous technological properties. *The International Journal of Life Cycle*  
835 *Assessment*, **2014**, 19(9), 1567-1580. [DOI](#).
- 836 81. Loiseau, E., Aissani, L., Le Féon, S., Laurent, F., Cerceau, J., Sala, S., & Roux, P. Territorial Life Cycle  
837 Assessment (LCA): What exactly is it about? A proposal towards using a common terminology and a  
838 research agenda. *Journal of Cleaner Production*, **2018**, 176, 474-485. [DOI](#).
- 839 82. Weidema, B. P., Bauer, C., Hischier, R., Mutel, C., Nemecek, T., Reinhard, J., Vadenbo, C.O., Wernet,  
840 G. *Overview and methodology. Data quality guideline for the Ecoinvent Database version 3*. Swiss Centre for  
841 Life Cycle Inventories: Zurich, Switzerland, 2013; ID: 2389389526.
- 842 83. Sell, I., Ott, D., & Kralisch, D. Life cycle cost analysis as decision support tool in chemical process  
843 development. *ChemBioEng Reviews*, **2014**, 1(1), 50-56. [DOI](#).
- 844 84. Chava, S. Environmental externalities and cost of capital. *Management Science*, **2014**, 60(9), 2223-2247.  
845 [DOI](#).
- 846 85. Berger, R. Now I see it, now I don't: Researcher's position and reflexivity in qualitative  
847 research. *Qualitative research*, **2015**, 15(2), 219-234. [DOI](#).

- 848  
849  
850  
851  
852  
853  
854  
855  
856  
857
86. Robinson, S., & Kerr, R. Reflexive conversations: Constructing hermeneutic designs for qualitative management research. *British Journal of Management*, **2015**, *26*(4), 777-790. [DOI](#).
  87. Gerrard, B. The significance of interpretation in economics. In *Economics and Language*, Henderson, W., Ed. Routledge: London, United Kingdom, 2017; pp. 51-63 ISBN 978-1-13487-322-7.
  88. Gantt, E. E., Lindstrom, J. P., & Williams, R. N. The generality of theory and the specificity of social behavior: Contrasting experimental and hermeneutic social science. *Journal for the Theory of Social Behaviour*, **2017**, *47*(2), 130-153. [DOI](#).
  89. Stenner, R., Mitchell, T., & Palmer, S. The role of Philosophical Hermeneutics in contributing to an understanding of physiotherapy practice: a reflexive illustration. *Physiotherapy*, **2017**, *103*(3), 330-334. [DOI](#).