

Synthesis and Photophysical Characterization of Chalcogen Substituted BODIPY Dyes

Eduard Fron,[†] Eduardo Coutiño-Gonzalez,[†] Lesley Pandey,[†] Michel Sliwa,[‡] Mark Van der Auweraer,[†] Frans C. De Schryver,[†] Joice Thomas,[†] Zeyuan Dong,[†] Volker Leen,[†] Mario Smet,[†] Wim Dehaen,[†] Tom Vosch^{†}*

[†] Department of Chemistry and Institute for Nanoscale Physics and Chemistry, Katholieke Universiteit Leuven, Celestijnenlaan 200F, 3001 Heverlee, Belgium

[‡] Laboratoire de Spectrochimie Infrarouge et Raman (UMR 8516 du CNRS), Centre d'Etudes et de Recherches Lasers et Applications (FR 2416 du CNRS), Université des Sciences et Technologies de Lille, Bât C5, 59655 Villeneuve d'Ascq Cedex, France

(*)Corresponding author e-mail address: tom.vosch@chem.kuleuven.be

Supplementary Information




Figure 1 SI. ¹H and ¹³C-NMR -NMR spectra of BODIPY 2S




Figure 2 SI. ^1H , ^{13}C and ^{77}Se -NMR spectra of BODIPY 2Se




Figure 3 SI. ^1H and ^{13}C -NMR NMR spectra of BODIPY 2Te




Figure 4 SI. ^1H , ^{13}C and ^{77}Se -NMR spectra of BODIPY 1Se