


NBS

TECHNICAL NOTE

375

**Tables of Bias Functions, B_1 and B_2 , for
Variances Based on Finite Samples of
Processes with Power Law
Spectral Densities**

J. A. BARNES



**U.S. DEPARTMENT OF COMMERCE
National Bureau of Standards**

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress March 3, 1901. Today, in addition to serving as the Nation's central measurement laboratory, the Bureau is a principal focal point in the Federal Government for assuring maximum application of the physical and engineering sciences to the advancement of technology in industry and commerce. To this end the Bureau conducts research and provides central national services in three broad program areas and provides central national services in a fourth. These are: (1) basic measurements and standards, (2) materials measurements and standards, (3) technological measurements and standards, and (4) transfer of technology.

The Bureau comprises the Institute for Basic Standards, the Institute for Materials Research, the Institute for Applied Technology, and the Center for Radiation Research.

THE INSTITUTE FOR BASIC STANDARDS provides the central basis within the United States of a complete and consistent system of physical measurement, coordinates that system with the measurement systems of other nations, and furnishes essential services leading to accurate and uniform physical measurements throughout the Nation's scientific community, industry, and commerce. The Institute consists of an Office of Standard Reference Data and a group of divisions organized by the following areas of science and engineering:

Applied Mathematics—Electricity—Metrology—Mechanics—Heat—Atomic Physics—Cryogenics²—Radio Physics²—Radio Engineering²—Astrophysics²—Time and Frequency.²

THE INSTITUTE FOR MATERIALS RESEARCH conducts materials research leading to methods, standards of measurement, and data needed by industry, commerce, educational institutions, and government. The Institute also provides advisory and research services to other government agencies. The Institute consists of an Office of Standard Reference Materials and a group of divisions organized by the following areas of materials research:

Analytical Chemistry—Polymers—Metallurgy—Inorganic Materials—Physical Chemistry.

THE INSTITUTE FOR APPLIED TECHNOLOGY provides for the creation of appropriate opportunities for the use and application of technology within the Federal Government and within the civilian sector of American industry. The primary functions of the Institute may be broadly classified as programs relating to technological measurements and standards and techniques for the transfer of technology. The Institute consists of a Clearinghouse for Scientific and Technical Information,³ a Center for Computer Sciences and Technology, and a group of technical divisions and offices organized by the following fields of technology:

Building Research—Electronic Instrumentation—Technical Analysis—Product Evaluation—Invention and Innovation—Weights and Measures—Engineering Standards—Vehicle Systems Research.

THE CENTER FOR RADIATION RESEARCH engages in research, measurement, and application of radiation to the solution of Bureau mission problems and the problems of other agencies and institutions. The Center for Radiation Research consists of the following divisions:

Reactor Radiation—Linac Radiation—Applied Radiation—Nuclear Radiation.

¹ Headquarters and Laboratories at Gaithersburg, Maryland, unless otherwise noted; mailing address Washington, D. C. 20234.

² Located at Boulder, Colorado 80302.

³ Located at 5285 Port Royal Road, Springfield, Virginia 22151.

UNITED STATES DEPARTMENT OF COMMERCE
C. R. Smith, Secretary
NATIONAL BUREAU OF STANDARDS • A. V. Astin, Director



TECHNICAL NOTE 375

ISSUED JANUARY 1969

TABLES OF BIAS FUNCTIONS, B_1 AND B_2 , FOR VARIANCES
BASED ON FINITE SAMPLES OF PROCESSES WITH POWER
LAW SPECTRAL DENSITIES

J. A. BARNES

Time and Frequency Division
Institute for Basic Standards
National Bureau of Standards
Boulder, Colorado 80302

NBS Technical Notes are designed to supplement the Bureau's regular publications program. They provide a means for making available scientific data that are of transient or limited interest. Technical Notes may be listed or referred to in the open literature.

TABLE OF CONTENTS

	<u>Page</u>
ABSTRACT	v
BODY	1
The Bias Functions, B_1 and B_2	2
Figure 1, $\mu - \alpha$ Mapping	4
Examples of the Use of the Bias Functions	7
ACKNOWLEDGEMENT	8
REFERENCES	9
TABLES OF B_1 AND B_2	10
Figure 2, The Bias Function, $B_2(r, \mu)$	34

TABLES OF BIAS FUNCTIONS, B_1 AND B_2 , FOR VARIANCES
 BASED ON FINITE SAMPLES OF PROCESSES WITH POWER
 LAW SPECTRAL DENSITIES

J. A. Barnes

ABSTRACT

D. W. Allan showed that if $y(t)$ is a sample function of a random noise process with a power law spectral density (i. e. , $S_y(f) = h |f|^\alpha$), then there is generally bias to the estimated variance of y , defined as

$$\sigma_y^2(N, T, \tau) = \frac{1}{N-1} \sum_{n=1}^N (\bar{y}_n - \langle \bar{y} \rangle)^2,$$

where N is the number of samples, \bar{y}_n is the average value of $y(t)$ over the n -th interval of duration τ , T is the time between the beginnings of any two successive sample intervals, and

$$\langle \bar{y} \rangle \equiv \frac{1}{N} \sum_{n=1}^N \bar{y}_n.$$

Allan also showed that, under these conditions, the expectation value of the estimated variance is proportional to τ^μ where μ is a constant related to α , the exponent in the spectral density; i. e. ,

$$E[\sigma_y^2(N, T, \tau)] \propto \tau^\mu.$$

Based on this work one may define the two bias functions

$$B_1(N, r, \mu) \equiv \frac{E[\sigma_y^2(N, T, \tau)]}{E[\sigma_y^2(2, T, \tau)]}$$

and

$$B_2(r, \mu) \equiv \frac{E[\sigma_y^2(2, T, \tau)]}{E[\sigma_y^2(2, \tau, \tau)]}$$

where $r \equiv T/\tau$ and the B's are functions of μ through their dependence on $y(t)$.

If one has a sample variance, $\sigma_y^2(N_1, T_1, \tau_1)$, the bias functions allow one to give an unbiased estimate for $\sigma_y^2(N_2, T_2, \tau_2)$ provided the spectral type is known (i. e., μ is known).

The tables give values of $B_1(N, r, \mu)$ and $B_2(r, \mu)$ accurate to four significant figures for the following values of N, r, μ :

$\mu = -2.0$ to 2.0 in steps of 0.2 ;

$N = 4, 8, 16, 32, 64, 128, 256, 512, 1024, \infty$;

$r = 0.001, 0.003, 0.01, 0.03, 0.1, 0.2, 0.4, 0.8, 1, 1.01, 1.1,$

$2, 4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, \infty$.

Key Words: statistics, variance, spectral density, unbiased estimate

TABLES OF BIAS FUNCTIONS, B_1 AND B_2 , FOR VARIANCES
 BASED ON FINITE SAMPLES OF PROCESSES WITH POWER
 LAW SPECTRAL DENSITIES

J. A. Barnes

Consider a random variable y with mean m . The variance of y is defined as the expectation value of $(y - m)^2$, that is

$$\text{Var } y \equiv E[(y - m)^2].$$

This is defined as an average over the entire ensemble but, for an ergodic process, $y(t)$, it can alternatively be defined as an average over all time, t .

Typically, the variance of y is estimated from a finite set of experimental values according to the relation

$$(\text{Var } y)_{\text{est.}} = \frac{1}{N-1} \sum_{i=1}^N (y_i - \langle y \rangle)^2 \quad (1)$$

where $\langle y \rangle \equiv \frac{1}{N} \sum_{i=1}^N y_i$ is the mean of the y_i . The factor $\frac{1}{N-1}$ is used in order that the estimate have no bias for non-correlated y : that is, one typically wants to obtain the true variance which would be obtained as $N \rightarrow \infty$. For finite N , the estimated variance has some expected value,

$$E \left[\frac{1}{N-1} \sum_{n=1}^N (y_n - \langle y \rangle)^2 \right].$$

If the y_i are independent (actually, non-correlated is sufficient) random variables, then the expected value of this estimated variance for finite

$$B_1(N, r, \mu) \equiv \frac{E[\sigma_y^2(N, T, \tau)]}{E[\sigma_y^2(2, T, \tau)]}$$

and

$$B_2(r, \mu) \equiv \frac{E[\sigma_y^2(2, T, \tau)]}{E[\sigma_y^2(2, \tau, \tau)]}$$

where $r \equiv T/\tau$ and the B's are functions of μ through their dependence on $y(t)$.

If one has a sample variance, $\sigma_y^2(N_1, T_1, \tau_1)$, the bias functions allow one to give an unbiased estimate for $\sigma_y^2(N_2, T_2, \tau_2)$ provided the spectral type is known (i. e., μ is known).

The tables give values of $B_1(N, r, \mu)$ and $B_2(r, \mu)$ accurate to four significant figures for the following values of N, r, μ :

$\mu = -2.0$ to 2.0 in steps of 0.2 ;

$N = 4, 8, 16, 32, 64, 128, 256, 512, 1024, \infty$;

$r = 0.001, 0.003, 0.01, 0.03, 0.1, 0.2, 0.4, 0.8, 1, 1.01, 1.1,$

$2, 4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048, \infty$.

Key Words: statistics, variance, spectral density, unbiased estimate

TABLES OF BIAS FUNCTIONS, B_1 AND B_2 , FOR VARIANCES
 BASED ON FINITE SAMPLES OF PROCESSES WITH POWER
 LAW SPECTRAL DENSITIES

J. A. Barnes

Consider a random variable y with mean m . The variance of y is defined as the expectation value of $(y - m)^2$, that is

$$\text{Var } y \equiv E[(y - m)^2].$$

This is defined as an average over the entire ensemble but, for an ergodic process, $y(t)$, it can alternatively be defined as an average over all time, t .

Typically, the variance of y is estimated from a finite set of experimental values according to the relation

$$(\text{Var } y)_{\text{est.}} = \frac{1}{N-1} \sum_{i=1}^N (y_i - \langle y \rangle)^2 \quad (1)$$

where $\langle y \rangle \equiv \frac{1}{N} \sum_{i=1}^N y_i$ is the mean of the y_i . The factor $\frac{1}{N-1}$ is used in order that the estimate have no bias for non-correlated y : that is, one typically wants to obtain the true variance which would be obtained as $N \rightarrow \infty$. For finite N , the estimated variance has some expected value,

$$E \left[\frac{1}{N-1} \sum_{n=1}^N (y_n - \langle y \rangle)^2 \right].$$

If the y_i are independent (actually, non-correlated is sufficient) random variables, then the expected value of this estimated variance for finite

N is exactly equal to the true (infinite N) variance. If the y_i are correlated, however, the estimate based on (1) may indeed be biased. This fact has been recognized and discussed in some detail for the case of power law spectral densities by Allan [1].

The Bias Functions, B_1 and B_2

Following Allan [1], consider a random process $y(t)$ with continuous sample functions. We assume that $y(t)$ has a spectral density, $S_y(f)$, which obeys the law

$$S_y(f) = h |f|^\alpha, \quad f_l < |f| < f_u \quad (2)$$

where h is a constant, the limit frequencies f_l and f_u satisfy the relations

$$0 \leq f_l \ll f_u < \infty,$$

and any intervals of time, Δt , of any significance satisfy the relations

$$\frac{1}{f_u} \ll \Delta t \ll \frac{1}{f_l}.$$

In short, $y(t)$ has a power law spectral density over the entire range of significance.

Consider a measurement process which determines an average value of $y(t)$ over the interval t to $t + \tau$. That is,

$$\bar{y}(t) = \frac{1}{\tau} \int_t^{t+\tau} y(t') dt' \quad (3)$$

One, now, may determine an estimated variance from a group of N such measurements spaced every T units of time; that is,

$$\sigma_y^2(N, T, \tau) = \frac{1}{N-1} \sum_{n=1}^N \left\{ \bar{y}(t+nT) - \frac{1}{N} \sum_{k=1}^N \bar{y}(t+kT) \right\}^2, \quad (4)$$

which is called the "Allan variance" [1].

Allan [1] has shown that under these conditions,

$$E \left[\sigma_y^2(N, T, \tau) \right] \propto \tau^\mu, \quad N \text{ and } T/\tau \text{ constant,}$$

where μ is related* to α according to the mapping shown in Figure 1 (see references 1 and 2). The relation between μ and α may be given as

$$\mu = \begin{cases} -2 & \text{if } \alpha \geq 1 \\ -\alpha - 1 & \text{if } -3 < \alpha \leq 1 \\ \text{not defined} & \text{otherwise.} \end{cases}$$

This mapping involves a simple extension of Allan's work [1] to the range $0 < \mu < 2$. This extension was also mentioned in [3].

Allan [1] considered in some detail the case where $T = \tau$. This is the case of exactly adjacent sample averages--no "dead time" between measurements. Allan defined a function, $\chi(N, \mu)$, as follows

$$\chi(N, \mu) \equiv \frac{E \left[\sigma_y^2(N, \tau, \tau) \right]}{E \left[\sigma_y^2(2, \tau, \tau) \right]}, \quad (5)$$

where it is again assumed that

*It should be noted that in reference 1 the exponent, α , corresponds to the spectrum of phase fluctuations while variances are taken over average frequency fluctuations. In the present paper, α is equal to the exponent, α , in [1] plus two. Thus, in this paper, all considerations are confined to one variable, $y(t)$ (analogous to frequency in [1]) and the spectral density of y , $S(f)$. This paper does not consider the spectrum of the integral of $y(t)$.




FIG. 1 μ - α MAPPING

$$E \left[\sigma_y^2 (N, \tau, \tau) \right] \propto \tau^\mu, \quad N \text{ constant} .$$

Allan shows [1] that experimental evaluations of $\chi (N, \mu)$ may be used to infer μ and hence the spectral type by use of the mapping of Figure 1.

Since many experiments actually have dead time present, it is of value to make two different extensions of this function, $\chi (N, \mu)$. First, define $B_1 (N, r, \mu)$ by the relations

$$B_1 (N, r, \mu) \equiv \frac{E \left[\sigma_y^2 (N, T, \tau) \right]}{E \left[\sigma_y^2 (2, T, \tau) \right]} \quad (6)$$

where $r \equiv T/\tau$ and

$$E \left[\sigma_y^2 (N, T, \tau) \right] \propto \tau^\mu, \quad N \text{ and } r \text{ constant} .$$

The second function, $B_2 (r, \mu)$, is defined according to the relation

$$B_2 (r, \mu) \equiv \frac{E \left[\sigma_y^2 (2, T, \tau) \right]}{E \left[\sigma_y^2 (2, \tau, \tau) \right]} \quad (7)$$

where $r \equiv T/\tau$. In words, B_1 is the ratio of the expected variance for N samples to the expected variance for 2 samples (everything else fixed); while B_2 is the ratio of the expected variance with dead time to that of no dead time (with $N = 2$ and τ held constant). The B 's, then, reflect bias relative to $N = 2$ rather than $N = \infty$. It is apparent that $B_1 (N, r=1, \mu) \equiv \chi (N, \mu)$.

For the conditions given above and with reference to Allan [1], one may write expressions for both B_1 and B_2 , as follows:

$$B_1(N, r, \mu) = \frac{1 + \sum_{n=1}^{N-1} \frac{N-n}{N(N-1)} \left[2|nr|^{\mu+2} - |nr+1|^{\mu+2} - |nr-1|^{\mu+2} \right]}{1 + \frac{1}{2} \left[2|r|^{\mu+2} - |r+1|^{\mu+2} - |r-1|^{\mu+2} \right]}; \quad (8)$$

in particular for $r = 1$,

$$B_1(N, 1, \mu) = \frac{N(1-N^\mu)}{2(N-1)(1-2^\mu)}; \quad (9)$$

and

$$B_2(r, \mu) = \frac{1 + \frac{1}{2} \left[2|r|^{\mu+2} - |r+1|^{\mu+2} - |r-1|^{\mu+2} \right]}{2(1-2^\mu)}, \quad (10)$$

except that by definition, $B_2(1, \mu) \equiv 1$. The magnitude bars are essential on the $r-1$ term when $r < 1$, and, indeed, proper. Since Allan [1] was involved with $r \geq 1$ the magnitude bars were dropped in reference 1.

For $\mu = 0$, equations (8), (9), and (10) are indeterminate of form $0/0$ and must be evaluated by L'Hospital's rule. Special attention must also be given when expressions of the form 0^0 arise.

One may obtain the following results:

$$\begin{aligned} B_1(2, r, \mu) &\equiv 1 \\ B_1(N, r, 2) &= \frac{N(N+1)}{6} \\ B_1(N, 1, 1) &= \frac{N}{2} \\ B_1(N, r, -1) &= 1 \text{ if } r \geq 1 \\ B_1(N, r, -2) &= 1 \text{ if } r \neq 1 \text{ or } 0 \\ B_2(0, \mu) &\equiv 0 \\ B_2(1, \mu) &\equiv 1. \end{aligned}$$

$$\begin{aligned}
B_2(r, 2) &= r^2 \\
B_2(r, 1) &= \frac{1}{2} (3r - 1) \text{ if } r \geq 1 \\
B_2(r, -1) &= \begin{cases} r & \text{if } 0 \leq r \leq 1 \\ 1 & \text{if } r \geq 1 \end{cases} \\
B_2(r, -2) &= \begin{cases} 0 & \text{if } r = 0 \\ 1 & \text{if } r = 1 \\ 2/3 & \text{otherwise} \end{cases}
\end{aligned}$$

Values of the functions $B_1(N, r, \mu)$ and $B_2(r, \mu)$ are tabulated on the following pages for values of N, r, μ as shown below:

$$\begin{aligned}
\mu &= -2.0 \text{ to } 2.0 \text{ in steps of } 0.2; \\
N &= 4, 8, 16, 32, 64, 128, 256, 512, 1024, \infty; \\
r &= 0.001, 0.003, 0.01, 0.03, 0.1, 0.2, 0.4, 0.8, \\
&1, 1.01, 1.1, 2, 4, 8, 16, 32, 64, 128, 256, 512, 1024, \\
&2048, \infty.
\end{aligned}$$

Figure 2 is a graphical representation of $B_2(r, \mu)$ for $0 \leq r \leq 2$ and $-2 \leq \mu \leq 2$.

Examples of the use of the bias functions

The spectral type, that is, the value of μ , may be inferred by varying τ , the sample time $[1, 2]$. Another useful way, however, of determining the value of μ is by using $B_1(N, r, \mu)$ as follows: calculate an estimate of $E\left[\sigma_y^2(N, T, \tau)\right]$ and of $E\left[\sigma_y^2(2, T, \tau)\right]$ and hence $B_1(N, r, \mu)$; then by use of the tables the value of μ may be inferred.

Suppose one has an experimental value of $\sigma_y^2(N_1, T_1, \tau_1)$ and its spectral type is known--that is, μ is known. Suppose also that one wishes to know the variance at some other set of measurement parameters, N_2, T_2, τ_2 . An unbiased estimate of $\sigma_y^2(N_2, T_2, \tau_2)$ may be calculated by the equation:

$$E \left[\sigma_y^2 (N_2, T_2, \tau_2) \right] = \left(\frac{\tau_2}{\tau_1} \right)^\mu \left[\frac{B_1(N_2, r_2, \mu) B_2(r_2, \mu)}{B_1(N_1, r_1, \mu) B_2(r_1, \mu)} \right] E \left[\sigma_y^2 (N_1, T_1, \tau_1) \right]$$

where $r_1 = T_1/\tau_1$ and $r_2 = T_2/\tau_2$.

Obviously one might be interested in $N_2 = \infty$. In this case if $\mu \geq 0$, the expected value of $\sigma_y^2(\infty, T_2, \tau_2)$ is also infinite. This is true because,

$$\lim_{N_2 \rightarrow \infty} B_1(N_2, r_2, \mu) = \infty,$$

for $\mu \geq 0$.

Also, it should be noted that, for $\mu = 2$, $E \left[\sigma_y^2 (N, T, \tau) \right]$ is a function of f_ℓ for any $N \geq 2$, T , τ , even though $B_1(N, r, 2)$ and $B_2(r, 2)$ as determined from (8), (9), and (10) are finite and well behaved [3]. In this region, $\mu \sim 2$, the low frequency behavior is critically important.

ACKNOWLEDGEMENT

The author wishes to acknowledge the capable assistance of Mrs. Bernice Bender who wrote the computer programs for evaluating the functions and Messrs. D. W. Allan and D. J. Glaze for many helpful discussions.

REFERENCES

- 1 D. W. Allan, "Statistics of Atomic Frequency Standards," Proc. IEEE, Vol. 54, No. 2, February 1966, pp. 221-230.
- 2 R. F. C. Vessot, L. Mueller, and J. Vanier, "The Specification of Oscillator Characteristics from Measurements made in the Time Domain," Proc. IEEE, Vol. 54, No. 2, pp. 199-207, February 1966.
- 3 J. A. Barnes and D. W. Allan, "An Approach to the Prediction of Coordinated Universal Time," Frequency, Vol. 5, No. 6, November/December 1967, pp. 15-20.

TABLES OF B_1 AND B_2

The tables are photographic reproductions of the computer output. Each entry for the value of the functions, B_1 and B_2 consists of a decimal number followed by an integer which is the exponent of 10. Ten raised to this power should multiply the decimal number. Thus the table entry 2.752 + 003 could be written 2.752×10^3 or, simply 2752. Similarly, "9.869 - 001" = $9.869 \times 10^{-1} = 0.9869$.

B1 (N₀R, MU) FOR R= 0.001

N

MU	4	A.	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.333+000	1.200+001	4.533+001	1.760+002	6.931+002	2.749+003	1.092+004	4.326+004	1.690+005	∞
1.60	3.333+000	1.200+001	4.533+001	1.759+002	6.926+002	2.743+003	1.087+004	4.265+004	1.628+005	∞
1.40	3.333+000	1.200+001	4.532+001	1.758+002	6.916+002	2.734+003	1.078+004	4.187+004	1.560+005	∞
1.20	3.333+000	1.200+001	4.529+001	1.758+002	6.894+002	2.716+003	1.064+004	4.081+004	1.484+005	∞
1.00	3.332+000	1.199+001	4.520+001	1.749+002	6.847+002	2.682+003	1.041+004	3.931+004	1.392+005	∞
0.80	3.328+000	1.195+001	4.497+001	1.733+002	6.743+002	2.617+003	1.001+004	3.708+004	1.276+005	∞
0.60	3.317+000	1.186+001	4.435+001	1.695+002	6.519+002	2.491+003	9.344+003	3.373+004	1.124+005	∞
0.40	3.284+000	1.161+001	4.280+001	1.608+002	6.058+002	2.259+003	8.233+003	2.877+004	9.247+004	∞
0.20	3.200+000	1.101+001	3.943+001	1.435+002	5.220+002	1.875+003	6.563+003	2.200+004	6.786+004	∞
-0.00	3.027+000	9.877+000	3.354+001	1.157+002	3.985+002	1.355+003	4.491+003	1.429+004	4.201+004	∞
-0.20	2.761+000	8.268+000	2.585+001	8.231+001	2.624+002	8.281+002	2.558+003	7.622+003	2.120+004	3.066+005
-0.40	2.450+000	6.549+000	1.837+001	5.269+001	1.520+002	4.365+002	1.235+003	3.399+003	8.860+003	6.507+004
-0.60	2.150+000	5.053+000	1.250+001	3.172+001	8.138+001	2.089+002	5.325+002	1.335+003	3.224+003	1.592+004
-0.80	1.888+000	3.881+000	8.397+000	1.868+001	4.211+001	9.545+001	2.162+002	4.865+002	1.076+003	3.983+003
-1.00	1.667+000	3.000+000	5.667+000	1.100+001	2.167+001	4.300+001	8.567+001	1.710+002	3.417+002	1.000+003
-1.20	1.482+000	2.344+000	3.868+000	6.547+000	1.124+001	1.945+001	3.386+001	5.936+001	1.057+002	2.512+002
-1.40	1.327+000	1.854+000	2.680+000	3.959+000	5.921+000	8.924+000	1.353+001	2.068+001	3.236+001	6.310+001
-1.60	1.198+000	1.487+000	1.890+000	2.442+000	3.185+000	4.179+000	5.511+000	7.317+000	9.946+000	1.585+001
-1.80	1.091+000	1.210+000	1.360+000	1.541+000	1.757+000	2.010+000	2.306+000	2.656+000	3.106+000	3.981+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,R,MU) FOR R= 0.003

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.333+000	1.200+001	4.532+001	1.759+002	6.917+002	2.732+003	1.072+004	4.112+004	1.514+005	∞
1.60	3.333+000	1.200+001	4.530+001	1.756+002	6.892+002	2.706+003	1.046+004	3.854+004	1.311+005	∞
1.40	3.333+000	1.199+001	4.526+001	1.752+002	6.853+002	2.671+003	1.015+004	3.596+004	1.132+005	∞
1.20	3.332+000	1.198+001	4.516+001	1.744+002	6.788+002	2.620+003	9.774+003	3.330+004	9.717+004	∞
1.00	3.329+000	1.195+001	4.494+001	1.728+002	6.674+002	2.543+003	9.290+003	3.043+004	8.254+004	∞
0.80	3.321+000	1.189+001	4.446+001	1.696+002	6.473+002	2.425+003	8.645+003	2.721+004	6.875+004	∞
0.60	3.302+000	1.173+001	4.342+001	1.634+002	6.124+002	2.242+003	7.765+003	2.346+004	5.536+004	∞
0.40	3.256+000	1.138+001	4.132+001	1.519+002	5.544+002	1.967+003	6.584+003	1.907+004	4.210+004	∞
0.20	3.157+000	1.069+001	3.753+001	1.330+002	4.667+002	1.589+003	5.103+003	1.414+004	2.927+004	∞
-0.00	2.981+000	9.558+000	3.177+001	1.066+002	3.541+002	1.143+003	3.490+003	9.224+003	1.794+004	∞
-0.20	2.729+000	8.054+000	2.474+001	7.694+001	2.377+002	7.169+002	2.061+003	5.175+003	9.470+003	4.488+004
-0.40	2.435+000	6.454+000	1.790+001	5.052+001	1.425+002	3.955+002	1.058+003	2.511+003	4.330+003	1.142+004
-0.60	2.145+000	5.024+000	1.236+001	3.112+001	7.881+001	1.982+002	4.870+002	1.085+003	1.765+003	3.434+003
-0.80	1.887+000	3.876+000	8.372+000	1.857+001	4.147+001	9.363+001	2.085+002	4.326+002	6.638+002	1.066+003
-1.00	1.667+000	3.000+000	5.667+000	1.100+001	2.147+001	4.300+001	8.567+001	1.637+002	2.368+002	3.333+002
-1.20	1.482+000	2.344+000	3.870+000	6.556+000	1.128+001	1.960+001	3.451+001	6.001+001	8.168+001	1.043+002
-1.40	1.328+000	1.854+000	2.681+000	3.964+000	5.941+000	9.001+000	1.386+001	2.159+001	2.756+001	3.264+001
-1.60	1.199+000	1.487+000	1.890+000	2.443+000	3.191+000	4.205+000	5.623+000	7.711+000	9.174+000	1.021+001
-1.80	1.091+000	1.210+000	1.360+000	1.542+000	1.759+000	2.016+000	2.331+000	2.759+000	3.031+000	3.196+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

END

R1(N,P,MU) FOR R = 0.010

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.033+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.333+000	1.199+001	4.526+001	1.750+002	6.019+002	2.623+003	9.737+003	3.493+004	1.231+005	∞
1.60	3.332+000	1.198+001	4.514+001	1.738+002	6.688+002	2.493+003	8.637+003	2.793+004	8.607+004	∞
1.40	3.330+000	1.196+001	4.494+001	1.720+002	6.530+002	2.359+003	7.640+003	2.234+004	6.169+004	∞
1.20	3.327+000	1.192+001	4.461+001	1.693+002	6.330+002	2.215+003	6.717+003	1.782+004	4.383+004	∞
1.00	3.319+000	1.185+001	4.403+001	1.653+002	6.066+002	2.055+003	5.842+003	1.412+004	3.109+004	∞
0.80	3.302+000	1.170+001	4.303+001	1.590+002	5.708+002	1.869+003	4.991+003	1.104+004	2.189+004	∞
0.60	3.268+000	1.143+001	4.133+001	1.495+002	5.221+002	1.649+003	4.142+003	8.419+003	1.514+004	∞
0.40	3.203+000	1.095+001	3.857+001	1.354+002	4.572+002	1.390+003	3.247+003	6.172+003	1.014+004	∞
0.20	3.089+000	1.018+001	3.448+001	1.162+002	3.763+002	1.097+003	2.446+003	4.263+003	6.453+003	∞
-0.00	2.912+000	9.076+000	2.909+001	9.282+001	2.857+002	7.951+002	1.672+003	2.719+003	3.826+003	∞
-0.20	2.677+000	7.714+000	2.296+001	6.836+001	1.976+002	5.220+002	1.036+003	1.580+003	2.084+003	5.581+003
-0.40	2.407+000	6.279+000	1.703+001	4.655+001	1.247+002	3.106+002	5.814+002	8.357+002	1.063+003	1.715+003
-0.60	2.134+000	4.959+000	1.205+001	2.977+001	7.296+001	1.697+002	2.995+002	4.076+002	4.851+002	6.423+002
-0.80	1.884+000	3.860+000	8.303+000	1.828+001	4.041+001	8.691+001	1.443+002	1.868+002	2.137+002	2.519+002
-1.00	1.667+000	3.000+000	5.667+000	1.100+001	2.167+001	4.255+001	6.628+001	8.190+001	9.064+001	1.000+002
-1.20	1.482+000	2.346+000	3.880+000	6.598+000	1.145+001	2.026+001	2.647+001	3.486+001	3.754+001	3.980+001
-1.40	1.328+000	1.856+000	2.688+000	3.991+000	6.054+000	9.500+000	1.282+001	1.456+001	1.532+001	1.585+001
-1.60	1.199+000	1.487+000	1.893+000	2.455+000	3.239+000	4.440+000	5.505+000	6.002+000	6.198+000	6.309+000
-1.80	1.091+000	1.210+000	1.360+000	1.545+000	1.772+000	2.089+000	2.349+000	2.456+000	2.494+000	2.512+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,R,MU) FOR R= 0.030

N

MU	4	A	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.331+000	1.196+001	4.487+001	1.704+002	6.374+002	2.304+003	8.142+003	2.849+004	9.936+004	∞
1.60	3.327+000	1.191+001	4.431+001	1.650+002	5.851+002	1.930+003	6.068+003	1.866+004	5.684+004	∞
1.40	3.320+000	1.184+001	4.360+001	1.588+002	5.352+002	1.615+003	4.535+003	1.228+004	3.276+004	∞
1.20	3.309+000	1.172+001	4.267+001	1.518+002	4.867+002	1.348+003	3.392+003	8.128+003	1.903+004	∞
1.00	3.290+000	1.155+001	4.141+001	1.437+002	4.382+002	1.117+003	2.533+003	5.395+003	1.114+004	∞
0.80	3.257+000	1.128+001	3.966+001	1.339+002	3.887+002	9.152+002	1.879+003	3.580+003	6.554+003	∞
0.60	3.203+000	1.087+001	3.728+001	1.220+002	3.372+002	7.357+002	1.376+003	2.364+003	3.868+003	∞
0.40	3.118+000	1.027+001	3.412+001	1.077+002	2.845+002	5.750+002	9.868+002	1.541+003	2.277+003	∞
0.20	2.992+000	9.460+000	3.013+001	9.127+001	2.286+002	4.324+002	6.856+002	9.834+002	1.328+003	∞
-0.00	2.819+000	8.430+000	2.586+001	7.348+001	1.748+002	3.096+002	4.568+002	6.082+002	7.611+002	∞
-0.20	2.604+000	7.242+000	2.047+001	5.581+001	1.259+002	2.094+002	2.897+002	3.619+002	4.256+002	8.571+002
-0.40	2.362+000	6.005+000	1.566+001	3.993+001	8.524+001	1.335+002	1.744+002	2.066+002	2.314+002	3.099+002
-0.60	2.114+000	4.838+000	1.147+001	2.706+001	5.441+001	8.049+001	9.997+001	1.134+002	1.225+002	1.403+002
-0.80	1.878+000	3.825+000	8.141+000	1.753+001	3.304+001	4.626+001	5.499+001	6.029+001	6.341+001	6.770+001
-1.00	1.667+000	3.000+000	5.667+000	1.100+001	1.928+001	2.560+001	2.929+001	3.127+001	3.229+001	3.333+001
-1.20	1.484+000	2.355+000	3.918+000	6.768+000	1.093+001	1.378+001	1.525+001	1.595+001	1.626+001	1.651+001
-1.40	1.329+000	1.863+000	2.719+000	4.133+000	6.080+000	7.268+000	7.815+000	8.044+000	8.135+000	8.191+000
-1.60	1.199+000	1.491+000	1.910+000	2.532+000	3.341+000	3.782+000	3.963+000	4.030+000	4.053+000	4.064+000
-1.80	1.091+000	1.211+000	1.366+000	1.573+000	1.827+000	1.950+000	1.995+000	2.010+000	2.015+000	2.016+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

B1(N,P,MU) FOR R= 0.100

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.315+000	1.174+001	4.252+001	1.517+002	5.330+002	1.858+003	6.467+003	2.250+004	7.830+004	∞
1.60	3.293+000	1.147+001	3.982+001	1.309+002	4.113+002	1.263+003	3.843+003	1.166+004	3.535+004	∞
1.40	3.265+000	1.118+001	3.721+001	1.130+002	3.183+002	8.634+002	2.304+003	6.103+003	1.613+004	∞
1.20	3.230+000	1.084+001	3.463+001	9.728+001	2.470+002	5.943+002	1.394+003	3.232+003	7.453+003	∞
1.00	3.184+000	1.045+001	3.204+001	8.347+001	1.918+002	4.114+002	8.523+002	1.735+003	3.500+003	∞
0.80	3.123+000	9.989+000	2.938+001	7.118+001	1.487+002	2.862+002	5.269+002	9.466+002	1.678+003	∞
0.60	3.043+000	9.445+000	2.663+001	6.014+001	1.149+002	1.990+002	3.295+002	5.265+002	8.254+002	∞
0.40	2.940+000	8.804+000	2.376+001	5.015+001	8.816+001	1.397+002	2.084+002	2.993+002	4.194+002	∞
0.20	2.810+000	8.065+000	2.080+001	4.111+001	6.690+001	9.750+001	1.331+002	1.741+002	2.214+002	∞
-0.00	2.653+000	7.236+000	1.779+001	3.300+001	5.003+001	6.771+001	8.566+001	1.037+002	1.219+002	∞
-0.20	2.472+000	6.344+000	1.481+001	2.585+001	3.673+001	4.644+001	5.542+001	6.314+001	6.989+001	1.156+002
-0.40	2.273+000	5.430+000	1.199+001	1.971+001	2.642+001	3.177+001	3.592+001	3.910+001	4.153+001	4.922+001
-0.60	2.065+000	4.540+000	9.423+000	1.461+001	1.859+001	2.137+001	2.326+001	2.452+001	2.537+001	2.702+001
-0.80	1.840+000	3.720+000	7.204+000	1.055+001	1.281+001	1.619+001	1.502+001	1.550+001	1.577+001	1.616+001
-1.00	1.667+000	3.000+000	5.375+000	7.429+000	8.653+000	9.312+000	9.652+000	9.825+000	9.912+000	1.000+001
-1.20	1.491+000	2.396+000	3.931+000	5.125+000	5.751+000	6.046+000	6.177+000	6.235+000	6.260+000	6.278+000
-1.40	1.337+000	1.907+000	2.832+000	3.477+000	3.772+000	3.892+000	3.938+000	3.954+000	3.960+000	3.962+000
-1.60	1.205+000	1.522+000	2.021+000	2.329+000	2.449+000	2.490+000	2.502+000	2.505+000	2.505+000	2.504+000
-1.80	1.093+000	1.226+000	1.438+000	1.544+000	1.579+000	1.584+000	1.586+000	1.585+000	1.584+000	1.583+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,P,R,MU) FOR R= 0.200

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.279+000	1.131+001	3.925+001	1.358+002	4.700+002	1.629+003	5.657+003	1.967+004	6.843+004	∞
1.60	3.222+000	1.065+001	3.404+001	1.053+002	3.209+002	9.779+002	2.946+003	8.923+003	2.703+004	∞
1.40	3.162+000	1.002+001	2.955+001	8.204+001	2.208+002	5.868+002	1.552+003	4.096+003	1.081+004	∞
1.20	3.096+000	9.409+000	2.567+001	6.420+001	1.533+002	3.581+002	8.286+002	1.909+003	4.391+003	∞
1.00	3.024+000	8.811+000	2.229+001	5.044+001	1.074+002	2.215+002	4.501+002	9.072+002	1.821+003	∞
0.80	2.942+000	8.219+000	1.933+001	3.977+001	7.593+001	1.392+002	2.496+002	4.420+002	7.771+002	∞
0.60	2.849+000	7.624+000	1.671+001	3.143+001	5.424+001	8.907+001	1.420+002	2.225+002	3.445+002	∞
0.40	2.743+000	7.023+000	1.438+001	2.688+001	3.912+001	5.811+001	8.330+001	1.166+002	1.607+002	∞
0.20	2.622+000	6.414+000	1.229+001	1.969+001	2.847+001	3.870+001	5.054+001	6.421+001	7.994+001	∞
-0.00	2.487+000	5.796+000	1.042+001	1.555+001	2.088+001	2.631+001	3.180+001	3.733+001	4.288+001	∞
-0.20	2.337+000	5.175+000	8.751+000	1.224+001	1.542+001	1.825+001	2.075+001	2.295+001	2.487+001	3.793+001
-0.40	2.176+000	4.558+000	7.262+000	9.581+000	1.143+001	1.287+001	1.199+001	1.484+001	1.550+001	1.757+001
-0.60	2.008+000	3.958+000	5.949+000	7.450+000	8.447+000	9.211+000	9.492+000	1.001+001	1.023+001	1.066+001
-0.80	1.836+000	3.387+000	4.808+000	5.746+000	6.318+000	6.658+000	6.857+000	6.974+000	7.042+000	7.136+000
-1.00	1.667+000	2.857+000	3.833+000	4.395+000	4.692+000	4.845+000	4.922+000	4.961+000	4.980+000	5.000+000
-1.20	1.505+000	2.379+000	3.016+000	3.333+000	3.476+000	3.539+000	3.565+000	3.575+000	3.579+000	3.582+000
-1.40	1.355+000	1.960+000	2.346+000	2.507+000	2.568+000	2.588+000	2.594+000	2.595+000	2.595+000	2.593+000
-1.60	1.221+000	1.601+000	1.805+000	1.873+000	1.890+000	1.892+000	1.890+000	1.889+000	1.888+000	1.886+000
-1.80	1.102+000	1.300+000	1.378+000	1.390+000	1.387+000	1.382+000	1.378+000	1.376+000	1.375+000	1.374+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.186+000	1.052+001	3.540+001	1.207+002	4.152+002	1.436+003	4.984+003	1.732+004	6.026+004	∞
1.60	3.047+000	9.247+000	2.780+001	8.345+001	2.511+002	7.574+002	2.289+003	6.929+003	2.099+004	∞
1.40	2.915+000	8.151+000	2.197+001	5.825+001	1.536+002	4.046+002	1.066+003	2.810+003	7.412+003	∞
1.20	2.790+000	7.205+000	1.748+001	4.110+001	9.529+001	2.196+002	5.051+002	1.161+003	2.666+003	∞
1.00	2.670+000	6.384+000	1.401+001	2.936+001	6.011+001	1.216+002	2.447+002	4.909+002	9.832+002	∞
0.80	2.555+000	5.670+000	1.131+001	2.126+001	3.868+001	6.908+001	1.221+002	2.144+002	3.752+002	∞
0.60	2.443+000	5.046+000	9.201+000	1.563+001	2.546+001	4.045+001	6.323+001	9.780+001	1.503+002	∞
0.40	2.334+000	4.499+000	7.544+000	1.167+001	1.721+001	2.457+001	3.433+001	4.725+001	6.433+001	∞
0.20	2.227+000	4.017+000	6.232+000	8.870+000	1.196+001	1.556+001	1.973+001	2.454+001	3.009+001	∞
-0.00	2.121+000	3.589+000	5.187+000	6.856+000	8.572+000	1.032+001	1.209+001	1.387+001	1.566+001	∞
-0.20	2.015+000	3.207+000	4.346+000	5.380+000	6.330+000	7.169+000	7.913+000	8.569+000	9.144+000	1.305+001
-0.40	1.909+000	2.864+000	3.664+000	4.305+000	4.811+000	5.208+000	5.516+000	5.753+000	5.936+000	6.518+000
-0.60	1.802+000	2.555+000	3.105+000	3.489+000	3.755+000	3.937+000	4.060+000	4.144+000	4.200+000	4.313+000
-0.80	1.694+000	2.274+000	2.642+000	2.864+000	2.997+000	3.077+000	3.123+000	3.151+000	3.167+000	3.191+000
-1.00	1.583+000	2.018+000	2.254+000	2.376+000	2.438+000	2.469+000	2.484+000	2.492+000	2.496+000	2.500+000
-1.20	1.471+000	1.782+000	1.920+000	1.987+000	2.011+000	2.021+000	2.024+000	2.025+000	2.026+000	2.025+000
-1.40	1.356+000	1.565+000	1.644+000	1.670+000	1.677+000	1.678+000	1.677+000	1.676+000	1.675+000	1.674+000
-1.60	1.240+000	1.363+000	1.401+000	1.408+000	1.408+000	1.406+000	1.404+000	1.403+000	1.402+000	1.402+000
-1.80	1.121+000	1.175+000	1.188+000	1.188+000	1.186+000	1.184+000	1.183+000	1.182+000	1.182+000	1.182+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,R,MU) FOR R= 0.000

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.913+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	3.032+000	9.694+000	3.213+001	1.089+002	3.719+002	1.292+003	4.483+003	1.558+004	5.471+004	∞
1.60	2.765+000	7.876+000	2.297+001	6.806+001	2.038+002	6.135+002	1.853+003	5.608+003	1.698+004	∞
1.40	2.529+000	6.441+000	1.658+001	4.305+001	1.125+002	2.953+002	7.770+002	2.047+003	5.398+003	∞
1.20	2.319+000	5.306+000	1.210+001	2.762+001	6.317+001	1.447+002	3.319+002	7.617+002	1.749+003	∞
1.00	2.134+000	4.405+000	8.950+000	1.804+001	3.622+001	7.259+001	1.453+002	2.908+002	5.817+002	∞
0.80	1.969+000	3.688+000	6.718+000	1.203+001	2.132+001	3.753+001	6.579+001	1.150+002	2.008+002	∞
0.60	1.823+000	3.117+000	5.128+000	8.225+000	1.296+001	2.018+001	3.116+001	4.782+001	7.310+001	∞
0.40	1.693+000	2.660+000	3.986+000	5.783+000	8.193+000	1.140+001	1.567+001	2.130+001	2.876+001	∞
0.20	1.578+000	2.293+000	3.160+000	4.196+000	5.416+000	6.840+000	8.492+000	1.040+001	1.260+001	∞
-0.00	1.477+000	1.998+000	2.558+000	3.140+000	3.761+000	4.389+000	5.027+000	5.671+000	6.318+000	∞
-0.20	1.387+000	1.760+000	2.115+000	2.446+000	2.749+000	3.023+000	3.267+000	3.483+000	3.673+000	4.968+000
-0.40	1.308+000	1.568+000	1.786+000	1.966+000	2.112+000	2.229+000	2.321+000	2.392+000	2.447+000	2.624+000
-0.60	1.238+000	1.413+000	1.541+000	1.634+000	1.700+000	1.748+000	1.780+000	1.803+000	1.818+000	1.850+000
-0.80	1.177+000	1.287+000	1.357+000	1.400+000	1.427+000	1.444+000	1.454+000	1.461+000	1.464+000	1.470+000
-1.00	1.125+000	1.187+000	1.219+000	1.234+000	1.242+000	1.246+000	1.248+000	1.249+000	1.250+000	1.250+000
-1.20	1.081+000	1.109+000	1.117+000	1.118+000	1.117+000	1.116+000	1.115+000	1.114+000	1.114+000	1.113+000
-1.40	1.045+000	1.050+000	1.045+000	1.039+000	1.035+000	1.032+000	1.030+000	1.029+000	1.028+000	1.028+000
-1.60	1.017+000	1.010+000	1.000+000	9.922-001	9.872-001	9.843-001	9.827-001	9.819-001	9.814-001	9.809-001
-1.80	1.001+000	9.914-001	9.826-001	9.768-001	9.734-001	9.715-001	9.704-001	9.699-001	9.697-001	9.694-001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

∞

RI(N,P,MU) FOR R= 1.00

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.988+000	9.490+000	3.138+001	1.063+002	3.646+002	1.240+003	4.372+003	1.519+004	5.286+004	∞
1.60	2.688+000	7.555+000	2.191+001	6.479+001	1.938+002	5.833+002	1.762+003	5.331+003	1.615+004	∞
1.40	2.424+000	6.059+000	1.546+001	3.999+001	1.044+002	2.738+002	7.202+002	1.897+003	5.003+003	∞
1.20	2.198+000	4.900+000	1.104+001	2.504+001	5.717+001	1.708+002	2.999+002	6.881+002	1.580+003	∞
1.00	2.000+000	4.000+000	8.000+000	1.600+001	3.200+001	6.400+001	1.280+002	2.560+002	5.120+002	∞
0.80	1.827+000	3.299+000	5.894+000	1.045+001	1.841+001	3.230+001	5.452+001	9.872+001	1.722+002	∞
0.60	1.677+000	2.750+000	4.424+000	7.004+000	1.096+001	1.698+001	2.414+001	4.005+001	6.114+001	∞
0.40	1.544+000	2.320+000	3.391+000	4.844+000	6.801+000	9.407+000	1.287+001	1.744+001	2.350+001	∞
0.20	1.432+000	1.982+000	2.658+000	3.471+000	4.432+000	5.555+000	6.858+000	8.363+000	1.010+001	∞
0.00	1.333+000	1.714+000	2.133+000	2.581+000	3.048+000	3.520+000	4.016+000	4.509+000	5.005+000	∞
-0.20	1.247+000	1.502+000	1.754+000	1.994+000	2.216+000	2.418+000	2.599+000	2.759+000	2.900+000	3.863+000
-0.40	1.172+000	1.333+000	1.476+000	1.599+000	1.700+000	1.782+000	1.847+000	1.898+000	1.938+000	2.065+000
-0.60	1.107+000	1.197+000	1.271+000	1.327+000	1.370+000	1.401+000	1.422+000	1.438+000	1.448+000	1.470+000
-0.80	1.050+000	1.088+000	1.117+000	1.137+000	1.150+000	1.160+000	1.165+000	1.169+000	1.171+000	1.175+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.569+001	9.284+001	9.105+001	8.997+001	8.933+001	8.897+001	8.877+001	8.866+001	8.860+001	8.854+001
-1.40	9.193+001	8.700+001	8.410+001	8.245+001	8.154+001	8.105+001	8.079+001	8.065+001	8.058+001	8.051+001
-1.60	8.866+001	8.221+001	7.864+001	7.672+001	7.570+001	7.517+001	7.490+001	7.476+001	7.468+001	7.461+001
-1.80	8.581+001	7.827+001	7.431+001	7.226+001	7.122+001	7.068+001	7.042+001	7.028+001	7.021+001	7.014+001
-2.00	8.333+001	7.500+001	7.083+001	6.875+001	6.771+001	6.719+001	6.693+001	6.680+001	6.673+001	6.667+001

RI (N+R,MU) FOR R= 1.01

N

MU	N									
	4	A	16	32	64	12A	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.986+000	9.482+000	3.135+001	1.062+002	3.643+002	1.259+003	4.367+003	1.518+004	5.280+004	∞
1.60	2.685+000	7.542+000	2.187+001	6.466+001	1.934+002	5.822+002	1.758+003	5.321+003	1.611+004	∞
1.40	2.422+000	6.045+000	1.542+001	3.988+001	1.041+002	2.730+002	7.180+002	1.892+003	4.988+003	∞
1.20	2.194+000	4.885+000	1.100+001	2.497+001	5.695+001	1.303+002	2.987+002	6.854+002	1.573+003	∞
1.00	1.995+000	3.985+000	7.966+000	1.593+001	3.185+001	6.369+001	1.274+002	2.547+002	5.095+002	∞
0.80	1.822+000	3.285+000	5.864+000	1.039+001	1.830+001	3.212+001	5.619+001	9.814+001	1.712+002	∞
0.60	1.672+000	2.738+000	4.400+000	6.963+000	1.089+001	1.687+001	2.597+001	3.978+001	6.073+001	∞
0.40	1.541+000	2.309+000	3.371+000	4.814+000	6.754+000	9.340+000	1.277+001	1.731+001	2.332+001	∞
0.20	1.428+000	1.972+000	2.642+000	3.447+000	4.400+000	5.512+000	6.804+000	8.296+000	1.002+001	∞
-0.00	1.320+000	1.706+000	2.120+000	2.563+000	3.025+000	3.500+000	3.984+000	4.472+000	4.963+000	∞
-0.20	1.243+000	1.495+000	1.743+000	1.980+000	2.200+000	2.400+000	2.579+000	2.737+000	2.877+000	3.829+000
-0.40	1.168+000	1.327+000	1.468+000	1.589+000	1.689+000	1.770+000	1.835+000	1.885+000	1.924+000	2.050+000
-0.60	1.104+000	1.193+000	1.265+000	1.321+000	1.362+000	1.393+000	1.414+000	1.429+000	1.440+000	1.461+000
-0.80	1.049+000	1.085+000	1.113+000	1.133+000	1.147+000	1.155+000	1.161+000	1.165+000	1.167+000	1.170+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.599+001	9.331+001	9.160+001	9.056+001	8.995+001	8.960+001	8.940+001	8.929+001	8.924+001	8.917+001
-1.40	9.286+001	8.840+001	8.573+001	8.419+001	8.333+001	8.287+001	8.262+001	8.249+001	8.242+001	8.235+001
-1.60	9.098+001	8.566+001	8.264+001	8.098+001	8.009+001	7.963+001	7.938+001	7.926+001	7.920+001	7.913+001
-1.80	9.156+001	8.682+001	8.425+001	8.288+001	8.217+001	8.181+001	8.162+001	8.153+001	8.148+001	8.143+001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,R,MU) FOR R= 1.10

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.943+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.972+000	9.418+000	3.111+001	1.053+002	3.614+002	1.249+003	4.333+003	1.506+004	5.239+004	∞
1.60	2.660+000	7.443+000	2.154+001	6.364+001	1.904+002	5.730+002	1.731+003	5.237+003	1.586+004	∞
1.40	2.391+000	5.929+000	1.508+001	3.897+001	1.016+002	2.666+002	7.011+002	1.847+003	4.870+003	∞
1.20	2.158+000	4.766+000	1.069+001	2.422+001	5.521+001	1.263+002	2.894+002	6.640+002	1.524+003	∞
1.00	1.957+000	3.870+000	7.696+000	1.535+001	3.045+001	6.126+001	1.225+002	2.449+002	4.898+002	∞
0.80	1.783+000	3.177+000	5.637+000	9.954+000	1.750+001	3.048+001	5.365+001	9.366+001	1.634+002	∞
0.60	1.633+000	2.640+000	4.213+000	6.639+000	1.035+001	1.602+001	2.463+001	3.771+001	5.754+001	∞
0.40	1.504+000	2.223+000	3.219+000	4.575+000	6.398+000	8.828+000	1.205+001	1.632+001	2.197+001	∞
0.20	1.397+000	1.844+000	2.521+000	3.272+000	4.140+000	5.199+000	6.404+000	7.797+000	9.402+000	∞
-0.00	1.299+000	1.643+000	2.026+000	2.435+000	2.843+000	3.304+000	3.752+000	4.205+000	4.641+000	∞
-0.20	1.217+000	1.444+000	1.671+000	1.889+000	2.091+000	2.275+000	2.440+000	2.586+000	2.714+000	3.593+000
-0.40	1.147+000	1.288+000	1.416+000	1.524+000	1.617+000	1.692+000	1.751+000	1.797+000	1.832+000	1.948+000
-0.60	1.088+000	1.166+000	1.230+000	1.281+000	1.319+000	1.346+000	1.366+000	1.379+000	1.389+000	1.408+000
-0.80	1.040+000	1.072+000	1.096+000	1.114+000	1.126+000	1.134+000	1.139+000	1.142+000	1.144+000	1.147+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.696-001	9.482-001	9.341-001	9.254-001	9.201-001	9.171-001	9.154-001	9.145-001	9.140-001	9.134-001
-1.40	9.493-001	9.157-001	8.948-001	8.825-001	8.755-001	8.717-001	8.696-001	8.685-001	8.680-001	8.674-001
-1.60	9.415-001	9.048-001	8.831-001	8.709-001	8.642-001	8.607-001	8.588-001	8.578-001	8.574-001	8.569-001
-1.80	9.527-001	9.243-001	9.082-001	8.994-001	8.948-001	8.924-001	8.911-001	8.905-001	8.902-001	8.898-001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

RI(N,R,MU) FOR R = 2.00

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.908+000	9.132+000	3.006+001	1.017+002	3.487+002	1.205+003	4.179+003	1.453+004	5.053+004	∞
1.60	2.552+000	7.012+000	2.014+001	5.935+001	1.773+002	5.334+002	1.611+003	4.874+003	1.476+004	∞
1.40	2.255+000	5.439+000	1.366+001	3.512+001	9.142+001	2.395+002	6.299+002	1.659+003	4.374+003	∞
1.20	2.007+000	4.271+000	9.409+000	2.114+001	4.800+001	1.096+002	2.510+002	5.756+002	1.321+003	∞
1.00	1.800+000	3.400+000	6.600+000	1.300+001	2.580+001	5.140+001	1.026+002	2.050+002	4.098+002	∞
0.80	1.628+000	2.750+000	4.733+000	8.215+000	1.431+001	2.494+001	4.347+001	7.576+001	1.320+002	∞
0.60	1.486+000	2.264+000	3.485+000	5.371+000	8.242+000	1.247+001	1.937+001	2.955+001	4.498+001	∞
0.40	1.369+000	1.901+000	2.644+000	3.659+000	5.025+000	6.847+000	9.267+000	1.247+001	1.670+001	∞
0.20	1.273+000	1.629+000	2.075+000	2.615+000	3.256+000	4.005+000	4.876+000	5.882+000	7.042+000	∞
-0.00	1.195+000	1.427+000	1.688+000	1.971+000	2.267+000	2.573+000	2.884+000	3.198+000	3.515+000	∞
-0.20	1.133+000	1.277+000	1.425+000	1.568+000	1.702+000	1.824+000	1.934+000	2.031+000	2.117+000	2.704+000
-0.40	1.086+000	1.168+000	1.246+000	1.315+000	1.373+000	1.420+000	1.457+000	1.487+000	1.509+000	1.583+000
-0.60	1.046+000	1.090+000	1.126+000	1.156+000	1.178+000	1.195+000	1.207+000	1.215+000	1.221+000	1.233+000
-0.80	1.010+000	1.035+000	1.048+000	1.058+000	1.064+000	1.069+000	1.072+000	1.074+000	1.075+000	1.077+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.886-001	9.799-001	9.738-001	9.699-001	9.675-001	9.661-001	9.653-001	9.648-001	9.646-001	9.643-001
-1.40	9.837-001	9.719-001	9.641-001	9.593-001	9.565-001	9.550-001	9.541-001	9.537-001	9.534-001	9.532-001
-1.60	9.845-001	9.737-001	9.669-001	9.630-001	9.607-001	9.595-001	9.589-001	9.586-001	9.584-001	9.582-001
-1.80	9.901-001	9.836-001	9.796-001	9.774-001	9.761-001	9.755-001	9.752-001	9.750-001	9.749-001	9.748-001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

Q1 (N*P*MU) FOR P= 4.00

N

MI	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.879+000	9.006+000	2.960+001	1.000+002	3.431+002	1.186+003	4.112+003	1.429+004	4.972+004	∞
1.60	2.504+000	6.919+000	1.952+001	5.745+001	1.715+002	5.160+002	1.558+003	4.714+003	1.428+004	∞
1.40	2.194+000	5.219+000	1.303+001	3.340+001	8.686+001	2.275+002	5.981+002	1.575+003	4.154+003	∞
1.20	1.938+000	4.045+000	8.826+000	1.974+001	4.472+001	1.020+002	2.336+002	5.356+002	1.229+003	∞
1.00	1.727+000	3.182+000	6.091+000	1.191+001	2.355+001	4.682+001	9.336+001	1.865+002	3.726+002	∞
0.80	1.555+000	2.549+000	4.303+000	7.385+000	1.278+001	2.219+001	3.860+001	6.718+001	1.170+002	∞
0.60	1.415+000	2.032+000	3.129+000	4.748+000	7.229+000	1.101+001	1.676+001	2.550+001	3.875+001	∞
0.40	1.303+000	1.742+000	2.356+000	3.194+000	4.326+000	5.834+000	7.837+000	1.049+001	1.399+001	∞
0.20	1.214+000	1.495+000	1.848+000	2.275+000	2.783+000	3.377+000	4.067+000	4.865+000	5.784+000	∞
-0.00	1.144+000	1.318+000	1.514+000	1.724+000	1.949+000	2.179+000	2.414+000	2.651+000	2.890+000	∞
-0.20	1.092+000	1.194+000	1.298+000	1.399+000	1.494+000	1.580+000	1.658+000	1.727+000	1.788+000	2.204+000
-0.40	1.054+000	1.109+000	1.160+000	1.205+000	1.243+000	1.274+000	1.299+000	1.318+000	1.333+000	1.382+000
-0.60	1.027+000	1.053+000	1.075+000	1.093+000	1.107+000	1.117+000	1.124+000	1.129+000	1.132+000	1.140+000
-0.80	1.010+000	1.019+000	1.026+000	1.031+000	1.035+000	1.037+000	1.039+000	1.040+000	1.041+000	1.042+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.953-001	9.914-001	9.890-001	9.873-001	9.862-001	9.854-001	9.853-001	9.851-001	9.850-001	9.849-001
-1.40	9.941-001	9.898-001	9.869-001	9.851-001	9.840-001	9.834-001	9.831-001	9.829-001	9.829-001	9.828-001
-1.60	9.952-001	9.918-001	9.896-001	9.884-001	9.876-001	9.873-001	9.870-001	9.869-001	9.869-001	9.868-001
-1.80	9.974-001	9.957-001	9.946-001	9.940-001	9.936-001	9.935-001	9.934-001	9.933-001	9.933-001	9.933-001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

RI(N,R,MU) FOR R= A.00

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.870+000	8.963+000	2.945+001	9.951+001	3.413+002	1.179+003	4.090+003	1.421+004	4.945+004	∞
1.60	2.486+000	6.751+000	1.930+001	5.678+001	1.695+002	5.099+002	1.540+003	4.658+003	1.411+004	∞
1.40	2.170+000	5.135+000	1.279+001	3.274+001	8.515+001	2.230+002	5.862+002	1.544+003	4.071+003	∞
1.20	1.910+000	3.953+000	8.590+000	1.917+001	4.341+001	9.498+001	2.265+002	5.195+002	1.192+003	∞
1.00	1.696+000	3.087+000	5.870+000	1.143+001	2.257+001	4.483+001	8.935+001	1.784+002	3.565+002	∞
0.80	1.521+000	2.453+000	4.101+000	6.994+000	1.206+001	2.090+001	3.630+001	6.315+001	1.099+002	∞
0.60	1.380+000	1.991+000	2.950+000	4.433+000	6.706+000	1.017+001	1.544+001	2.345+001	3.559+001	∞
0.40	1.268+000	1.657+000	2.202+000	2.946+000	3.949+000	5.286+000	7.062+000	9.414+000	1.252+001	∞
0.20	1.181+000	1.420+000	1.720+000	2.083+000	2.514+000	3.019+000	3.406+000	4.284+000	5.066+000	∞
-0.00	1.116+000	1.255+000	1.413+000	1.584+000	1.743+000	1.949+000	2.137+000	2.328+000	2.520+000	∞
-0.20	1.069+000	1.145+000	1.223+000	1.299+000	1.371+000	1.436+000	1.494+000	1.546+000	1.592+000	1.905+000
-0.40	1.037+000	1.075+000	1.110+000	1.142+000	1.168+000	1.189+000	1.207+000	1.220+000	1.231+000	1.264+000
-0.60	1.017+000	1.033+000	1.047+000	1.058+000	1.067+000	1.073+000	1.078+000	1.081+000	1.083+000	1.088+000
-0.80	1.006+000	1.011+000	1.014+000	1.017+000	1.020+000	1.021+000	1.022+000	1.022+000	1.023+000	1.023+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	0.980+001	0.963+001	0.952+001	0.945+001	0.940+001	0.938+001	0.936+001	0.935+001	0.935+001	0.934+001
-1.40	0.978+001	0.961+001	0.950+001	0.944+001	0.940+001	0.937+001	0.936+001	0.936+001	0.935+001	0.935+001
-1.60	0.984+001	0.973+001	0.966+001	0.962+001	0.960+001	0.958+001	0.958+001	0.957+001	0.957+001	0.957+001
-1.80	0.993+001	0.988+001	0.985+001	0.983+001	0.982+001	0.981+001	0.981+001	0.981+001	0.981+001	0.981+001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

RI(N*P*MU) FOR R= 14.00

N

MU	4	8	14	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.864+000	8.949+000	2.940+001	9.934+001	3.406+002	1.177+003	4.083+003	1.419+004	4.936+004	∞
1.60	2.480+000	6.727+000	1.923+001	5.654+001	1.688+002	5.077+002	1.533+003	4.639+003	1.405+004	∞
1.40	2.161+000	5.104+000	1.270+001	3.251+001	8.450+001	2.213+002	5.817+002	1.532+003	4.039+003	∞
1.20	1.898+000	3.914+000	8.491+000	1.894+001	4.285+001	9.749+001	2.236+002	5.127+002	1.177+003	∞
1.00	1.681+000	3.043+000	5.766+000	1.121+001	2.211+001	4.389+001	8.747+001	1.746+002	3.489+002	∞
0.80	1.504+000	2.604+000	3.997+000	6.794+000	1.149+001	2.023+001	3.512+001	6.106+001	1.062+002	∞
0.60	1.360+000	1.939+000	2.848+000	4.254+000	6.409+000	9.686+000	1.469+001	2.228+001	3.379+001	∞
0.40	1.247+000	1.606+000	2.108+000	2.794+000	3.717+000	4.950+000	6.587+000	8.754+000	1.142+001	∞
0.20	1.160+000	1.372+000	1.637+000	1.958+000	2.340+000	2.787+000	3.307+000	3.907+000	4.599+000	∞
.00	1.097+000	1.214+000	1.346+000	1.489+000	1.639+000	1.794+000	1.952+000	2.112+000	2.273+000	∞
-0.20	1.054+000	1.113+000	1.174+000	1.233+000	1.289+000	1.339+000	1.385+000	1.425+000	1.461+000	1.705+000
-0.40	1.026+000	1.053+000	1.078+000	1.101+000	1.119+000	1.135+000	1.147+000	1.157+000	1.164+000	1.188+000
-0.60	1.011+000	1.021+000	1.030+000	1.037+000	1.043+000	1.047+000	1.050+000	1.052+000	1.053+000	1.056+000
-0.80	1.003+000	1.006+000	1.008+000	1.010+000	1.011+000	1.012+000	1.012+000	1.013+000	1.013+000	1.013+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.991+001	9.984+001	9.979+001	9.974+001	9.974+001	9.973+001	9.972+001	9.972+001	9.972+001	9.971+001
-1.40	9.992+001	9.985+001	9.981+001	9.979+001	9.977+001	9.976+001	9.976+001	9.976+001	9.975+001	9.975+001
-1.60	9.995+001	9.991+001	9.989+001	9.987+001	9.987+001	9.986+001	9.986+001	9.986+001	9.986+001	9.986+001
-1.80	9.998+001	9.997+001	9.996+001	9.995+001	9.995+001	9.995+001	9.995+001	9.995+001	9.995+001	9.995+001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

25

91 (N,R,MU) FOR R= 32.00

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.865+000	8.945+000	2.938+001	9.928+001	3.405+002	1.176+003	4.081+003	1.418+004	4.934+004	∞
1.60	2.478+000	6.719+000	1.420+001	5.646+001	1.685+002	5.070+002	1.531+003	4.632+003	1.403+004	∞
1.40	2.158+000	5.091+000	1.266+001	3.242+001	8.425+001	2.206+002	5.799+002	1.527+003	4.027+003	∞
1.20	1.893+000	3.898+000	8.448+000	1.883+001	4.261+001	9.714+001	2.223+002	5.097+002	1.170+003	∞
1.00	1.674+000	3.021+000	5.716+000	1.111+001	2.188+001	4.344+001	8.656+001	1.728+002	3.453+002	∞
0.80	1.494+000	2.378+000	3.940+000	6.685+000	1.149+001	1.986+001	3.447+001	5.992+001	1.042+002	∞
0.60	1.348+000	1.908+000	2.787+000	4.147+000	6.231+000	9.408+000	1.424+001	2.158+001	3.270+001	∞
0.40	1.233+000	1.572+000	2.046+000	2.693+000	3.565+000	4.729+000	6.275+000	8.320+000	1.102+001	∞
0.20	1.146+000	1.338+000	1.579+000	1.871+000	2.218+000	2.625+000	3.097+000	3.643+000	4.272+000	∞
-0.00	1.083+000	1.184+000	1.297+000	1.420+000	1.550+000	1.683+000	1.819+000	1.957+000	2.095+000	∞
-0.20	1.043+000	1.090+000	1.139+000	1.186+000	1.230+000	1.271+000	1.307+000	1.339+000	1.368+000	1.563+000
-0.40	1.019+000	1.039+000	1.057+000	1.073+000	1.087+000	1.098+000	1.107+000	1.114+000	1.119+000	1.136+000
-0.60	1.007+000	1.014+000	1.019+000	1.024+000	1.028+000	1.030+000	1.032+000	1.033+000	1.034+000	1.036+000
-0.80	1.002+000	1.003+000	1.005+000	1.006+000	1.006+000	1.007+000	1.007+000	1.007+000	1.007+000	1.008+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.996+001	9.993+001	9.991+001	9.990+001	9.989+001	9.988+001	9.988+001	9.988+001	9.988+001	9.988+001
-1.40	9.997+001	9.994+001	9.993+001	9.992+001	9.991+001	9.991+001	9.991+001	9.991+001	9.991+001	9.991+001
-1.60	9.998+001	9.997+001	9.996+001	9.995+001	9.996+001	9.995+001	9.995+001	9.995+001	9.995+001	9.995+001
-1.80	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.998+001	9.998+001	9.998+001	9.998+001	9.998+001
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

N

MU	4	R	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.865+000	8.943+000	2.938+001	9.927+001	3.404+002	1.176+003	4.080+003	1.418+004	4.933+004	∞
1.60	2.477+000	6.716+000	1.919+001	5.644+001	1.605+002	5.067+002	1.530+003	4.630+003	1.402+004	∞
1.40	2.156+000	5.087+000	1.265+001	3.238+001	8.415+001	2.204+002	5.793+002	1.526+003	4.022+003	∞
1.20	1.890+000	3.891+000	8.429+000	1.879+001	4.251+001	9.690+001	2.218+002	5.085+002	1.167+003	∞
1.00	1.670+000	3.010+000	5.691+000	1.105+001	2.177+001	4.322+001	8.611+001	1.719+002	3.435+002	∞
0.80	1.489+000	2.363+000	3.909+000	6.624+000	1.137+001	1.966+001	3.411+001	5.929+001	1.031+002	∞
0.60	1.341+000	1.889+000	2.749+000	4.080+000	6.119+000	9.229+000	1.396+001	2.114+001	3.203+001	∞
0.40	1.224+000	1.548+000	2.003+000	2.624+000	3.461+000	4.578+000	6.060+000	8.023+000	1.062+001	∞
0.20	1.135+000	1.313+000	1.536+000	1.808+000	2.129+000	2.506+000	2.944+000	3.450+000	4.033+000	∞
-0.00	1.073+000	1.161+000	1.261+000	1.369+000	1.482+000	1.600+000	1.719+000	1.840+000	1.961+000	∞
-0.20	1.035+000	1.073+000	1.112+000	1.151+000	1.187+000	1.220+000	1.249+000	1.275+000	1.298+000	1.456+000
-0.40	1.014+000	1.028+000	1.042+000	1.054+000	1.068+000	1.072+000	1.078+000	1.083+000	1.087+000	1.100+000
-0.60	1.005+000	1.009+000	1.013+000	1.016+000	1.018+000	1.020+000	1.021+000	1.022+000	1.022+000	1.024+000
-0.80	1.001+000	1.002+000	1.003+000	1.003+000	1.004+000	1.004+000	1.004+000	1.004+000	1.004+000	1.004+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.998+001	9.997+001	9.996+001	9.995+001	9.995+001	9.995+001	9.995+001	9.995+001	9.995+001	9.995+001
-1.40	9.999+001	9.998+001	9.997+001	9.997+001	9.997+001	9.997+001	9.997+001	9.996+001	9.996+001	9.996+001
-1.60	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.998+001	9.998+001	9.998+001	9.998+001
-1.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

RI(N,R,MU) FOR P= 128.00

N

MU	N									
	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.865+000	8.943+000	2.938+001	9.924+001	3.404+002	1.174+003	4.080+003	1.418+004	4.932+004	∞
1.60	2.477+000	6.715+000	1.919+001	5.643+001	1.684+002	5.067+002	1.530+003	4.629+003	1.402+004	∞
1.40	2.156+000	5.085+000	1.265+001	3.237+001	8.411+001	2.203+002	5.790+002	1.525+003	4.021+003	∞
1.20	1.489+000	3.887+000	8.421+000	1.877+001	4.246+001	9.680+001	2.215+002	5.079+002	1.166+003	∞
1.00	1.668+000	3.005+000	5.679+000	1.103+001	2.172+001	4.311+001	0.589+001	1.714+002	3.426+002	∞
0.80	1.486+000	2.354+000	3.891+000	6.589+000	1.131+001	1.955+001	3.391+001	5.893+001	1.025+002	∞
0.60	1.336+000	1.877+000	2.725+000	4.037+000	6.048+000	9.115+000	1.378+001	2.086+001	3.160+001	∞
0.40	1.217+000	1.532+000	1.973+000	2.576+000	3.388+000	4.471+000	5.909+000	7.813+000	1.033+001	∞
0.20	1.127+000	1.294+000	1.504+000	1.759+000	2.062+000	2.416+000	2.827+000	3.303+000	3.851+000	∞
-0.00	1.065+000	1.144+000	1.232+000	1.329+000	1.430+000	1.534+000	1.640+000	1.748+000	1.856+000	∞
-0.20	1.029+000	1.060+000	1.092+000	1.124+000	1.153+000	1.181+000	1.205+000	1.226+000	1.245+000	1.375+000
-0.40	1.010+000	1.021+000	1.031+000	1.040+000	1.047+000	1.053+000	1.058+000	1.062+000	1.065+000	1.074+000
-0.60	1.003+000	1.006+000	1.008+000	1.010+000	1.012+000	1.013+000	1.014+000	1.014+000	1.015+000	1.015+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	9.999+001	9.999+001	9.998+001	9.998+001	9.998+001	9.998+001	9.998+001	9.998+001	9.998+001	9.998+001
-1.40	1.000+000	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001
-1.60	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,R,MU) FOR R= 256.00

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.865+000	8.943+000	2.938+001	9.924+001	3.404+002	1.176+003	4.080+003	1.418+004	4.932+004	∞
1.60	2.477+000	6.715+000	1.919+001	5.642+001	1.684+002	5.066+002	1.530+003	4.629+003	1.402+004	∞
1.40	2.156+000	5.084+000	1.264+001	3.236+001	8.410+001	2.202+002	5.789+002	1.525+003	4.020+003	∞
1.20	1.889+000	3.886+000	8.418+000	1.874+001	4.244+001	9.675+001	2.214+002	5.077+002	1.165+003	∞
1.00	1.668+000	3.003+000	5.673+000	1.101+001	2.169+001	4.305+001	8.578+001	1.712+002	3.421+002	∞
0.80	1.484+000	2.350+000	3.881+000	6.570+000	1.127+001	1.948+001	3.380+001	5.873+001	1.022+002	∞
0.60	1.333+000	1.869+000	2.709+000	4.010+000	6.003+000	9.042+000	1.366+001	2.068+001	3.132+001	∞
0.40	1.212+000	1.520+000	1.952+000	2.541+000	3.335+000	4.394+000	5.800+000	7.662+000	1.012+001	∞
0.20	1.121+000	1.280+000	1.479+000	1.722+000	2.009+000	2.346+000	2.737+000	3.189+000	3.710+000	∞
-0.00	1.050+000	1.130+000	1.210+000	1.296+000	1.398+000	1.482+000	1.577+000	1.674+000	1.772+000	∞
-0.20	1.024+000	1.050+000	1.077+000	1.103+000	1.127+000	1.150+000	1.170+000	1.188+000	1.204+000	1.311+000
-0.40	1.008+000	1.016+000	1.023+000	1.029+000	1.035+000	1.039+000	1.043+000	1.046+000	1.048+000	1.055+000
-0.60	1.002+000	1.004+000	1.005+000	1.007+000	1.008+000	1.008+000	1.009+000	1.009+000	1.010+000	1.010+000
-0.80	1.000+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	1.000+000	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001	9.999+001
-1.40	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	9.999+001	9.999+001	9.999+001
-1.60	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,R,MU) FOR R= 512.00

N

MU	4	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.865+000	8.943+000	2.938+001	9.924+001	3.404+002	1.176+003	4.080+003	1.418+004	4.932+004	∞
1.60	2.477+000	6.714+000	1.919+001	5.642+001	1.684+002	5.066+002	1.530+003	4.628+003	1.402+004	∞
1.40	2.156+000	5.084+000	1.264+001	3.236+001	8.410+001	2.202+002	5.789+002	1.525+003	4.020+003	∞
1.20	1.889+000	3.885+000	8.416+000	1.876+001	4.263+001	9.673+001	2.214+002	5.076+002	1.165+003	∞
1.00	1.667+000	3.001+000	5.670+000	1.101+001	2.168+001	4.303+001	8.572+001	1.711+002	3.419+002	∞
0.80	1.483+000	2.347+000	3.875+000	6.558+000	1.125+001	1.945+001	3.373+001	5.862+001	1.020+002	∞
0.60	1.331+000	1.864+000	2.699+000	3.992+000	5.973+000	8.994+000	1.359+001	2.056+001	3.114+001	∞
0.40	1.209+000	1.512+000	1.936+000	2.514+000	3.296+000	4.338+000	5.721+000	7.553+000	9.973+000	∞
0.20	1.116+000	1.268+000	1.460+000	1.692+000	1.967+000	2.290+000	2.665+000	3.098+000	3.598+000	∞
-0.00	1.054+000	1.118+000	1.191+000	1.270+000	1.353+000	1.438+000	1.526+000	1.614+000	1.703+000	∞
-0.20	1.020+000	1.042+000	1.064+000	1.086+000	1.107+000	1.125+000	1.142+000	1.157+000	1.170+000	1.261+000
-0.40	1.006+000	1.012+000	1.017+000	1.022+000	1.026+000	1.030+000	1.032+000	1.034+000	1.036+000	1.041+000
-0.60	1.001+000	1.003+000	1.004+000	1.004+000	1.005+000	1.006+000	1.006+000	1.006+000	1.006+000	1.007+000
-0.80	1.000+000	1.000+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000	1.001+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.40	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.60	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N*P*MU) FOR R=I024.00

N

MU	4	8	16	32	64	128	256	512	1024	∞
0.0	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.00	2.865+000	8.943+000	2.938+001	9.924+001	3.404+002	1.176+003	4.080+003	1.418+004	4.932+004	∞
1.60	2.477+000	6.714+000	1.919+001	5.642+001	1.684+002	5.066+002	1.530+003	4.628+003	1.402+004	∞
1.40	2.156+000	5.084+000	1.264+001	3.234+001	8.409+001	2.202+002	5.789+002	1.525+003	4.020+003	∞
1.20	1.889+000	3.885+000	8.416+000	1.874+001	4.243+001	9.472+001	2.213+002	5.075+002	1.165+003	∞
1.00	1.667+000	3.001+000	5.668+000	1.100+001	2.167+001	4.301+001	8.569+001	1.711+002	3.418+002	∞
0.80	1.482+000	2.345+000	3.872+000	6.552+000	1.124+001	1.942+001	3.369+001	5.855+001	1.018+002	∞
0.60	1.330+000	1.860+000	2.693+000	3.980+000	5.953+000	8.963+000	1.354+001	2.049+001	3.102+001	∞
0.40	1.206+000	1.505+000	1.924+000	2.497+000	3.268+000	4.297+000	5.463+000	7.472+000	9.862+000	∞
0.20	1.112+000	1.259+000	1.444+000	1.668+000	1.934+000	2.245+000	2.407+000	3.025+000	3.507+000	∞
-0.00	1.049+000	1.108+000	1.175+000	1.244+000	1.324+000	1.402+000	1.483+000	1.564+000	1.645+000	∞
-0.20	1.017+000	1.035+000	1.054+000	1.073+000	1.090+000	1.106+000	1.120+000	1.132+000	1.144+000	1.220+000
-0.40	1.004+000	1.009+000	1.013+000	1.017+000	1.020+000	1.022+000	1.024+000	1.026+000	1.027+000	1.031+000
-0.60	1.001+000	1.002+000	1.002+000	1.003+000	1.003+000	1.004+000	1.004+000	1.004+000	1.004+000	1.004+000
-0.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.40	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.60	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,R,MU) FOR P=204R,00

N

MU	4	A	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005	∞
1.80	2.865+000	8.943+000	2.938+001	9.924+001	3.404+002	1.176+003	4.080+003	1.418+004	4.932+004	∞
1.60	2.477+000	6.714+000	1.919+001	5.642+001	1.684+002	5.066+002	1.530+003	4.628+003	1.402+004	∞
1.40	2.156+000	5.084+000	1.264+001	3.236+001	8.409+001	2.202+002	5.789+002	1.525+003	4.020+003	∞
1.20	1.889+000	3.885+000	8.415+000	1.875+001	4.263+001	9.672+001	2.213+002	5.075+002	1.165+003	∞
1.00	1.667+000	3.000+000	5.667+000	1.100+001	2.147+001	4.301+001	8.568+001	1.710+002	3.417+002	∞
0.80	1.482+000	2.345+000	3.870+000	6.548+000	1.123+001	1.941+001	3.367+001	5.851+001	1.018+002	∞
0.60	1.329+000	1.858+000	2.688+000	3.972+000	5.941+000	8.942+000	1.351+001	2.044+001	3.095+001	∞
0.40	1.204+000	1.501+000	1.916+000	2.483+000	3.247+000	4.266+000	5.620+000	7.412+000	9.780+000	∞
0.20	1.108+000	1.251+000	1.431+000	1.648+000	1.906+000	2.209+000	2.560+000	2.966+000	3.434+000	∞
-0.00	1.045+000	1.100+000	1.162+000	1.229+000	1.299+000	1.372+000	1.446+000	1.521+000	1.596+000	∞
-0.20	1.014+000	1.030+000	1.046+000	1.061+000	1.076+000	1.089+000	1.101+000	1.112+000	1.122+000	1.186+000
-0.40	1.003+000	1.007+000	1.010+000	1.012+000	1.015+000	1.017+000	1.018+000	1.019+000	1.020+000	1.023+000
-0.60	1.001+000	1.001+000	1.002+000	1.002+000	1.002+000	1.002+000	1.003+000	1.003+000	1.003+000	1.003+000
-0.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.40	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.60	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000

R1(N,P,MU) FOR P=∞

N

MU	8	16	32	64	128	256	512	1024	∞
2.00	3.333+000	1.200+001	4.533+001	1.760+002	6.933+002	2.752+003	1.097+004	4.378+004	1.749+005
1.80	2.865+000	8.943+000	2.938+001	9.924+001	3.404+002	1.174+003	4.080+003	1.418+004	4.932+004
1.60	2.477+000	6.714+000	1.919+001	5.642+001	1.684+002	1.530+003	4.628+003	1.402+004	∞
1.40	2.156+000	5.084+000	1.264+001	3.236+001	8.409+001	2.202+002	5.789+002	1.525+003	4.020+003
1.20	1.889+000	3.885+000	8.415+000	1.875+001	4.243+001	2.213+002	5.075+002	1.165+003	∞
1.00	1.667+000	3.000+000	5.667+000	1.100+001	2.167+001	4.300+001	8.467+001	1.710+002	3.417+002
0.80	1.482+000	2.343+000	3.867+000	6.543+000	1.123+001	1.940+001	3.364+001	5.846+001	1.017+002
0.60	1.327+000	1.854+000	2.680+000	3.958+000	5.916+000	8.903+000	1.344+001	2.034+001	3.080+001
0.40	1.198+000	1.487+000	1.890+000	2.441+000	3.184+000	4.174+000	5.489+000	7.231+000	9.533+000
0.20	1.091+000	1.210+000	1.360+000	1.541+000	1.757+000	2.009+000	2.303+000	2.642+000	3.033+000
-0.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-0.20	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-0.40	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-0.60	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-0.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.40	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.60	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.80	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-2.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000




Figure 2 THE BIAS FUNCTION, $B_2(r, \mu)$

B2 (R+MU)

MU	0.001	0.003	0.010	0.030	0.100	0.200	0.400	0.800
2.00	1.000-006	9.000-006	1.000-004	9.000-004	1.000-002	4.000-002	1.000-001	6.400-001
1.80	1.072-006	9.645-006	1.072-004	9.642-004	1.070-002	4.263-002	1.686-001	6.525-001
1.60	1.152-006	1.037-005	1.152-004	1.036-003	1.147-002	4.547-002	1.776-001	6.652-001
1.40	1.245-006	1.120-005	1.244-004	1.118-003	1.233-002	4.860-002	1.871-001	6.781-001
1.20	1.356-006	1.221-005	1.355-004	1.216-003	1.333-002	5.207-002	1.972-001	6.910-001
1.00	1.500-006	1.349-005	1.495-004	1.337-003	1.450-002	5.600-002	2.080-001	7.040-001
0.80	1.698-006	1.524-005	1.683-004	1.493-003	1.593-002	6.052-002	2.196-001	7.170-001
0.60	2.001-006	1.788-005	1.955-004	1.708-003	1.773-002	6.583-002	2.321-001	7.299-001
0.40	2.530-006	2.228-005	2.381-004	2.020-003	2.006-002	7.219-002	2.457-001	7.426-001
0.20	3.594-006	3.048-005	3.100-004	2.494-003	2.316-002	7.996-002	2.807-001	7.549-001
-0.00	6.065-006	4.745-005	4.404-004	3.250-003	2.742-002	8.962-002	2.773-001	7.667-001
-0.20	1.260-005	8.606-005	6.921-004	4.507-003	3.340-002	1.018-001	2.659-001	7.775-001
-0.40	3.174-005	1.809-004	1.204-003	6.664-003	4.195-002	1.175-001	3.168-001	7.869-001
-0.60	9.231-005	4.280-004	2.288-003	1.047-002	5.438-002	1.379-001	3.407-001	7.944-001
-0.80	2.949-004	1.101-003	4.662-003	1.735-002	7.271-002	1.646-001	3.682-001	7.992-001
-1.00	1.000-003	3.000-003	1.000-002	3.000-002	1.000-001	2.000-001	4.000-001	8.000-001
-1.20	3.525-003	8.489-003	2.225-002	5.362-002	1.410-001	2.472-001	4.371-001	7.954-001
-1.40	1.276-002	2.467-002	5.081-002	9.828-002	2.032-001	3.104-001	4.808-001	7.832-001
-1.60	4.709-002	7.306-002	1.183-001	1.836-001	2.979-001	3.956-001	5.324-001	7.606-001
-1.80	1.762-001	2.195-001	2.793-001	3.479-001	4.431-001	5.107-001	5.936-001	7.236-001
-2.00	6.667-001	6.667-001	6.667-001	6.667-001	6.667-001	6.667-001	6.667-001	6.667-001

B2 (R, MU)

MU	R							
	1.00	1.01	1.10	2.00	4.00	8.00	16.00	32.00
2.00	1.000+000	1.020+000	1.210+000	4.000+000	1.600+001	6.400+001	2.560+002	1.024+003
1.80	1.000+000	1.019+000	1.198+000	3.642+000	1.289+001	4.513+001	1.574+002	5.485+002
1.60	1.000+000	1.018+000	1.186+000	3.316+000	1.039+001	3.188+001	9.706+001	2.947+002
1.40	1.000+000	1.017+000	1.174+000	3.018+000	8.389+000	2.259+001	6.008+001	1.590+002
1.20	1.000+000	1.016+000	1.162+000	2.747+000	6.784+000	1.607+001	3.741+001	8.644+001
1.00	1.000+000	1.015+000	1.150+000	2.500+000	5.500+000	1.150+001	2.350+001	4.750+001
0.80	1.000+000	1.014+000	1.138+000	2.275+000	4.475+000	8.297+000	1.495+001	2.653+001
0.60	1.000+000	1.013+000	1.126+000	2.071+000	3.658+000	6.051+000	9.673+000	1.516+001
0.40	1.000+000	1.012+000	1.114+000	1.886+000	3.007+000	4.473+000	6.404+000	8.951+000
0.20	1.000+000	1.011+000	1.102+000	1.718+000	2.489+000	3.364+000	4.365+000	5.514+000
-0.00	1.000+000	1.010+000	1.089+000	1.566+000	2.078+000	2.581+000	3.082+000	3.582+000
-0.20	1.000+000	1.009+000	1.075+000	1.429+000	1.752+000	2.027+000	2.265+000	2.472+000
-0.40	1.000+000	1.007+000	1.060+000	1.304+000	1.494+000	1.633+000	1.738+000	1.817+000
-0.60	1.000+000	1.006+000	1.043+000	1.192+000	1.290+000	1.351+000	1.392+000	1.418+000
-0.80	1.000+000	1.004+000	1.024+000	1.091+000	1.128+000	1.148+000	1.159+000	1.166+000
-1.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
-1.20	1.000+000	9.929-001	9.693-001	9.181-001	8.990-001	8.912-001	8.879-001	8.865-001
-1.40	1.000+000	9.776-001	9.281-001	8.446-001	8.192-001	8.103-001	8.071-001	8.058-001
-1.60	1.000+000	9.429-001	8.708-001	7.787-001	7.561-001	7.494-001	7.472-001	7.465-001
-1.80	1.000+000	8.614-001	7.883-001	7.196-001	7.062-001	7.028-001	7.018-001	7.015-001
-2.00	1.000+000	6.667-001	6.667-001	6.667-001	6.667-001	6.667-001	6.667-001	6.667-001

B2 (R. MU)

MU	64.00	128.00	256.00	R	1024.00	2048.00	∞
2.00	4.096+003	1.638+004	6.554+004	2.621+005	1.049+006	4.194+006	∞
1.80	1.910+003	6.653+003	2.317+004	8.067+004	2.809+005	9.783+005	∞
1.60	8.937+002	2.710+003	8.215+003	2.490+004	7.550+004	2.288+005	∞
1.40	4.201+002	1.109+003	2.928+003	7.727+003	2.039+004	5.381+004	∞
1.20	1.991+002	4.579+002	1.052+003	2.418+003	5.555+003	1.277+004	∞
1.00	9.550+001	1.915+002	3.835+002	7.675+002	1.536+003	3.071+003	∞
0.80	4.669+001	8.179+001	1.429+002	2.493+002	4.346+002	7.570+002	∞
0.60	2.348+001	3.609+001	5.521+001	8.418+001	1.281+002	1.946+002	∞
0.40	1.231+001	1.674+001	2.260+001	3.031+001	4.050+001	5.395+001	∞
0.20	6.834+000	8.351+000	1.009+001	1.209+001	1.439+001	1.704+001	∞
-0.00	4.082+000	4.582+000	5.082+000	5.582+000	6.082+000	6.582+000	∞
-0.20	2.652+000	2.809+000	2.945+000	3.064+000	3.167+000	3.258+000	3.863+000
-0.40	1.877+000	1.923+000	1.957+000	1.983+000	2.003+000	2.018+000	2.065+000
-0.60	1.436+000	1.447+000	1.455+000	1.460+000	1.463+000	1.465+000	1.470+000
-0.80	1.170+000	1.172+000	1.173+000	1.174+000	1.174+000	1.174+000	1.175+000
.00	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000	1.000+000
1.20	8.859+001	8.856+001	8.855+001	8.854+001	8.854+001	8.854+001	8.854+001
-1.40	8.053+001	8.052+001	8.051+001	8.051+001	8.051+001	8.051+001	8.051+001
-1.60	7.462+001	7.462+001	7.461+001	7.461+001	7.461+001	7.461+001	7.461+001
-1.80	7.015+001	7.014+001	7.014+001	7.014+001	7.014+001	7.014+001	7.014+001
-2.00	6.667+001	6.667+001	6.667+001	6.667+001	6.667+001	6.667+001	6.667+001



NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH reports National Bureau of Standards research and development in physics, mathematics, chemistry, and engineering. Comprehensive scientific papers give complete details of the work, including laboratory data, experimental procedures, and theoretical and mathematical analyses. Illustrated with photographs, drawings, and charts.

Published in three sections, available separately:

● Physics and Chemistry

Papers of interest primarily to scientists working in these fields. This section covers a broad range of physical and chemical research, with major emphasis on standards of physical measurement, fundamental constants, and properties of matter. Issued six times a year. Annual subscription: Domestic, \$6.00; foreign, \$7.25*.

● Mathematical Sciences

Studies and compilations designed mainly for the mathematician and theoretical physicist. Topics in mathematical statistics, theory of experiment design, numerical analysis, theoretical physics and chemistry, logical design and programming of computers and computer systems. Short numerical tables. Issued quarterly. Annual subscription: Domestic, \$2.25; foreign, \$2.75*.

● Engineering and Instrumentation

Reporting results of interest chiefly to the engineer and the applied scientist. This section includes many of the new developments in instrumentation resulting from the Bureau's work in physical measurement, data processing, and development of test methods. It will also cover some of the work in acoustics, applied mechanics, building research, and cryogenic engineering. Issued quarterly. Annual subscription: Domestic, \$2.75; foreign, \$3.50*.

TECHNICAL NEWS BULLETIN

The best single source of information concerning the Bureau's research, developmental, cooperative and publication activities, this monthly publication is designed for the industry-oriented individual whose daily work involves intimate contact with science and technology—for engineers, chemists, physicists, research managers, product-development managers, and company executives. Annual subscription: Domestic, \$3.00; foreign, \$4.00*.

*Difference in price is due to extra cost of foreign mailing.

NONPERIODICALS

Applied Mathematics Series. Mathematical tables, manuals, and studies.

Building Science Series. Research results, test methods, and performance criteria of building materials, components, systems, and structures.

Handbooks. Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications. Proceedings of NBS conferences, bibliographies, annual reports, wall charts, pamphlets, etc.

Monographs. Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

National Standard Reference Data Series. NSRDS provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated.

Product Standards. Provide requirements for sizes, types, quality and methods for testing various industrial products. These standards are developed cooperatively with interested Government and industry groups and provide the basis for common understanding of product characteristics for both buyers and sellers. Their use is voluntary.

Technical Notes. This series consists of communications and reports (covering both other agency and NBS-sponsored work) of limited or transitory interest.

CLEARINGHOUSE

The Clearinghouse for Federal Scientific and Technical Information, operated by NBS, supplies unclassified information related to Government-generated science and technology in defense, space, atomic energy, and other national programs. For further information on Clearinghouse services, write:

Clearinghouse
U.S. Department of Commerce
Springfield, Virginia 22151

Order NBS publications from:
Superintendent of Documents
Government Printing Office
Washington, D.C. 20402

U.S. DEPARTMENT OF COMMERCE
WASHINGTON, D.C. 20230

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE

