



Deutsches
Forschungszentrum
für Künstliche
Intelligenz GmbH

**Technical
Memo**

TM-97-03

**TeleTruck:
A Holonic Fleet Management System**

Hans-Jürgen Bürckert, Klaus Fischer, Gero Vierke

December 1997

**Deutsches Forschungszentrum für Künstliche Intelligenz
GmbH**

Postfach 20 80
67608 Kaiserslautern, FRG
Tel.: + 49 (631) 205-3211
Fax: + 49 (631) 205-3210

Stuhlsatzenhausweg 3
66123 Saarbrücken, FRG
Tel.: + 49 (681) 302-5252
Fax: + 49 (681) 302-5341

TELETRUCK:
A Holonic Fleet Management System

Hans-Jürgen Bürckert, Klaus Fischer, Gero Vierke

DFKI-TM-97-03

This work has been funded by INTERREG II-programme Saarland/Lothringen/Pfalz of the European Commission.

© Deutsches Forschungszentrum für Künstliche Intelligenz 1997

This work may not be copied or reproduced in whole or part for any commercial purpose. Permission to copy in whole or part without payment of fee is granted for nonprofit educational and research purposes provided that all such whole or partial copies include the following: a notice that such copying is by permission of the Deutsche Forschungszentrum für Künstliche Intelligenz, Kaiserslautern, Federal Republic of Germany; an acknowledgement of the authors and individual contributors to the work; all applicable portions of this copyright notice. Copying, reproducing, or republishing for any other purpose shall require a licence with payment of fee to Deutsches Forschungszentrum für Künstliche Intelligenz.
ISSN 0946-0071

TELETRUCK: A Holonic Fleet Management System

Hans-Jürgen Bürkert, Klaus Fischer, Gero Vierke
German Research Center for Artificial Intelligence (DFKI GmbH)
Stuhlsatzenhausweg 3, D-66123 Saarbrücken
{hjb,kuf,vierke}@dfki.de

December 5, 1997

Abstract

In this paper we describe TELETRUCK, a multiagent dispatching system that was developed in close cooperation with a forwarding company and that is capable of handling real-world requirements like dynamics and uncertainty. The main idea underlying the TELETRUCK approach is the usage of *holonic* agents, i.e. agents composed of subagents that act in a corporated way. We describe the implementation in detail and point out the advantages of the holonic paradigm.

1 Introduction

Order dispatching in a haulage company is known as a rather complex problem that attracted researchers from operations research (OR) as well as from multiagent systems (MAS). Up to now, there are no approaches that are able to deal with all facets of real-world dispatching like dynamics and uncertainty of transportation orders. Hence, no general software solution for transportation companies is available.

Often transportation companies do not use any dispatch software at all but schedule transportation orders by hand, distribute the cargo among their vehicle fleet, and calculate the routes in an ad hoc manner only “optimised” by the experience of their stressed dispatch officers. Therefore, transportation companies have a high potential for rationalisation and optimisation. Because of this demand and its natural distribution the dispatch problem is a highly promising area for distributed AI technology.

In this paper we describe our approach taken in the TELETRUCK system. TELETRUCK is an extension of the MAS-MARS system [Fischer et al. 96], a research prototype for transportation scheduling. MAS-MARS implements an abstract, simplified version of the dispatch problem. The agents of MAS-MARS represent homogeneous trucks. They negotiate on incoming orders and optimise

the distribution and execution of these orders according to an abstract cost measure. In contrast to that the TELETRUCK system is an application prototype developed in close collaboration with a forwarding company. It schedules realistic orders using heterogeneous agents modelling different forms of vehicles. A central idea underlying the TELETRUCK approach is to model the basic physical objects (drivers, trucks, trailers, containers) of the transportation domain explicitly by basic agents. These agents have to join together and form *holonic agents* that act in a corporated way. These composed agents represent the physical transportation entities (e.g., road trains or articulated vehicles together with their drivers) which are able to execute the orders.

In the next section we discuss the application domain in more detail. Section 3 presents some basics of holonic MAS. In Section 4 we describe the modelling of the domain, the architecture of TELETRUCK, and, finally, its implementation.

2 Fleet Scheduling

The task of a dispatch officer in a forwarding company is to schedule a fleet of vehicles and their drivers such that all incoming and accepted transportation orders will be performed with minimal costs and maximal profit. The dispatch officer should guarantee as far as possible that the available transport vehicles are used with balanced loads, with minimal routes and time for the tasks at hand—of course under the constraints that all customer requirements are fulfilled optimally. The dispatch officer has to consider both the companies own vehicles and those of subcontractors and partners. The vehicle fleet may consist of trucks, road trains, and articulated vehicles of different sizes and types. Trucks and trailers may have fixed or exchangeable loading space. Containers or swap bodies may again be owned by the forwarder, his partners, or even the customers. The drivers have to be scheduled by the dispatch officer according to their free driving times (limited by their contracts or by laws). Amount and type of cargo, different types of time windows (delivery or pick up times, opening times, etc.), consignor and consignee are the features of the transportation orders that have to be taken into account by the dispatch officer.

From an abstract point of view two types of transportation settings can be distinguished: The general one where orders are to be transported between any two places is called the *pick-up-and-delivery-problem* and the restricted setting where either the cargo has to be delivered to different points from a single depot or vice versa is known as *vehicle-routing-problem*.

In an idealised form the vehicle-routing-problem is a fruitful benchmark for operation research [Desrochers et al. 92]. We adopted these benchmarks for multi-agent systems to explore the distributed problem solving capabilities of cooperative agents and to compare it with the OR solutions. It turned out that the solutions obtained by MAS can compete with the OR solutions [Fischer et al. 96]. The general idea of a MAS solution for these scheduling problems is to model each truck by an agent that has the capability to compute a route for executing a subset of the orders. By successively announcing the tasks to the truck agents via the contract net protocol, an initial solution is obtained. In general, this solution

is suboptimal. It can be improved by coordinated exchange of orders among the trucks [Bachem et al. 92, Fischer et al. 96]. In every day business of transportation companies the idealised setting of the benchmark has to be extended: New orders arrive during the execution of the orders and have to be incorporated into existing plans quickly. The information which is available may be incomplete or even wrong. The plans are not totally reliable since the time that is needed for loading a truck or driving from one customer to the next depends on factors that are not under control of the dispatch officer. Therefore, a truck can be delayed such that its plan is no longer feasible and it is necessary to replan. These uncertainties and dynamics handicap central OR algorithms which would always have to be restarted when a plan has to be modified or adapted. The MAS approach allows local improvement of tour plans and the handling of inconsistent and fuzzy knowledge. It is thus able to cope with the dynamic setting.

Nevertheless, it turned out that modelling just the vehicle as autonomous agent was not yet appropriate. In reality truck, trailer or semi-trailer, loading space, and driver form a transportation entity which is not fixed but may change during order execution: trucks meet and exchange trailers, containers are left at the customers or a truck may be temporarily staffed with two drivers. The simplifying abstraction does not allow to distinguish all these cases.

We therefore decided to represent each of these components as agents as well, which have to find their “partners” and form composed agents representing complete transportation entities that are able to handle the orders at hand. This resulted in a concept which we would like to call a *holonic MAS*.

3 Holonic MAS

The word “holon” [Koestler 89] is derived from the Greek *holos* (whole), where the suffix means particle or part. A holon is a natural or artificial structure that is stable and coherent and that consists of several holons as substructures. Koestler’s observation is that most entities (in biology as well as in sociology) exhibit a holonic structure. For example a human being consists of organs that consist of cells that can be further decomposed. The second interesting insight is that no natural structure is either ‘whole’ or ‘part’ in an absolute sense. Depending on the point of view a holon is a complex whole that consists of substructures as well as a dependent part of a larger entity.

This ideas are certainly not unfamiliar to the multiagent community since Marvin Minsky proposed in [Minsky 85] his vision of the mind as a society of agents and tried to show how human intelligence could evolve from the neuronal structures of the brain. His approach was to show how complex cognitive tasks can be decomposed into simpler ones that can then be performed by simple, non-intelligent computational structures called agents. Minsky’s main message is that the human mind consists of less intelligent structures, which in turn consist of simple parts that are not intelligent at all.

In a MAS holonic structures occur when agents not only cooperate but have to be combined in order to perform their tasks. That means autonomous agents may join others and form holons without losing their autonomy completely if they

have the “freedom” to leave the holon again and act autonomously or rearrange themselves as new holons. According to this view we call an agent holonic or a *holon* if it consists of subagents, which can decompose and rearrange themselves and which may again be holonic. The “leaves” of a holonic MAS are autonomous agents that are stable over time and cannot be decomposed further into subagents¹. We will assume one subagent of a holon to be distinguished as the representative or *head*, that will represent the holon to the rest of the agent society.

The competences of the head of a holon range from pure administrative tasks to the authority to issue directives to the other agents. The minimum task a representative must implement is the interaction with the rest of the agent society, such that the behaviour of the holon is consistent. Furthermore, the head can be equipped with the authority to allocate resources to the other agents in the holon, to plan and negotiate for the holon on the basis of its subagents’ plans and goals, or even to remove parts from the holon or to incorporate new parts.

There is no universal method to determine the head. It may be elected from the agents forming the holon; a new agent may be created just for the lifetime of the holon to represent it; or, as in our setting, special agents are designed, that coordinate the formation of holons and establish themselves as heads of these holons.

4 The Implementation

In this section we provide an overview of the TELETRUCK system. After a brief description of the domain modelling we present the system’s architecture with the different modules and their interaction. Subsequently we focus on the core of TELETRUCK, its holonic agent society, and the details of its planning procedure.

Modelling the Domain

In the transportation domain there are a number of components like driver, truck, trailer, container, and chassis which have special properties that restrict their usability, e.g. the storage capacity of a container, the possibility of loading a truck from its side or from the back, or even a driver who does not speak French and thus should not be sent to France. However, we identified four basic resources that are offered by different components and that are necessary for the execution of transportation tasks: loading space, chassis, motor component, and driving time of the driver. Some of these components occur already in different fixed combinations (trucks with chassis, trucks with chassis and loading space, trailers with loading space).

We developed an object-oriented data and process model of the domain, where each of the physically indivisible components are modelled as objects offering the services of administrating its resources.

¹Nevertheless, it is possible to find holonic structures in the sense of Koestler in the agents’ architecture [Gerber & Jung].

resources	driving			loading
components	time	motor	chassis	space
driver	X			
truck with loading space		X	X	X
truck without loading space		X	X	
truck tractor		X		
trailer			X	X
semi-trailer			X	X
chassis			X	
container/swap body				X

According to the inherent distribution of the problem we chose to go further and agentified these objects, i.e., we equipped them with local goals, plans, and the capabilities to communicate, cooperate, and form holons in a multiagent setting.² For such holonic MAS we have different ways of organising the formation and representation of the holons. The different types of component agents have to unite in order to form a transportation entity, the holon, that is able to plan and execute the transportation task for those orders it applied for. Concerning the representation of the holon at a first glance the motor component seems to be a static part during planning and execution and hence would be the natural candidate for the head of the holon. However, the motor component may be exchanged while the holon and its plan continue to exist. The same holds for each of the other components.

Since all physical components can be exchanged during the life time of a holon we decided to introduce a representative component as head of the holon that is able to coordinate the formation of the holon and its potential reconfigurations. The resources of the head are the planning and coordination capabilities.

The Systems Architecture

Figure 1 gives an overview on the modules that form the TELETRUCK system. The trucks are equipped with on-board computers that contain a communication facility and a global positioning system (GPS) that allows to determine the position of the truck. The incoming GPS information and messages from the driver are received and stored in an SQL-database. The core of the setting is the multi-agent system that contains the representation of the transportation components and is responsible for the composition of the components to vehicle holons and the planning of transportation orders. The route planning is aided by a routing module that provides the distance and driving time between any two cities on the reference map. It is left to future work to incorporate on-line traffic information to refine the statistical data of the distance system. The user interface allows for visualisation of the map and the truck positions and for interaction with the dispatch officer. It presents the configuration of the transportation entities and the computed plans and enables the dispatcher to modify them by hand.

²This did not result in lower efficiency, as the core of TELETRUCK has been implemented in Oz [Smolka 95] a modern concurrent language that allows to model hundreds of computational threads with small overhead.




Figure 1: The TELETRUCK Architecture

The Multiagent Society

The multiagent system consists of an agent for each physical component of the forwarding company. The agents administrate the resources the components supply and have their own plans and goals. In addition there are the *Plan'n'Execute Units* (PnEUs), which are equipped with planning and coordination abilities. These agents coordinate the formation of the holons, which represent the transportation entities, and plan the vehicles' routes. The PnEU represents the vehicle to the outside and is authorised to reconfigure it. Each vehicle holon that has at least one task to do is headed by a PnEU. Additionally, there is exactly one idle PnEU with an empty plan that coordinates the formation of a new holon from idle components. The whole society can be seen as a holon as well since there is a hierarchical relationship between the PnEUs and the company agent that represents the society to the user.

Holonc Planning

For the route planning and allocation of resources in the TELETRUCK system two cooperation protocols are used: Firstly, a simple resource requesting protocol that consists of a request message and an answer, and secondly, the extended contract net protocol (ECNP) [Fischer & Kuhn 93], an extension of the classic protocol that allows to distribute a task to several contractors by iteratively collecting bids. Whenever a new task becomes known the company agent announces it via ECNP to the PnEUs, which request resources from their components and decide whether the resources are sufficient to fulfil the task or not. If they are sufficient, the PnEU computes a plan, calculates its costs, and bids for the task.




Figure 2: Holonic Planning

If the resources supplied by the components that are already member of the holon are not sufficient—which is trivially the case for the idle PnEU—the task together with the list of missing resources and a set of constraints that the order or the other members of the holon induce is announced to those agents which could supply such resources. These agents calculate which of their resources they actually can supply and again announce the task and the still missing resources. This is iterated until all the needed resources are collected. The task of collecting the needed resources is not totally left to the PnEU because the components have local knowledge about how they can be combined, e.g. if a driver always drives the same truck it is local knowledge of the components and not of the PnEU.

Figure 2 shows a company agent announcing a new transportation task to two vehicle holons and the idle PnEU. The complete on the left hand side cannot incorporate any further components. Hence, the head requests for the necessary resources from its components and, if these resources are sufficient, calculates the costs for the execution of the task. The second vehicle holon could integrate one further component. In a first step, however, its head tries to plan the task using only the resources of the components, the holon already has incorporated. If the resources are not sufficient, the head tries to collect the missing resources by performing an ECNP with idle components that supply such resources. The idle PnEU, which has not yet any resources at all, first of all performs an ENCP with those idle components that offer loading space; in the example a truck and a trailer. The trailer supplies loading space and chassis, therefore, it needs a motor supplying component. Hence, it announces the task to the truck. The truck which received two different announcements for the same task—one by the trailer and one by the PnEU directly—can bid in both protocols since it can

be sure that only one of the protocols will be successful. Therefore, the truck agent looks for a driver, computes the costs for the two different announcements, and gives a bid both to the PnEU and to the trailer. Obviously, the costs for executing the task with a vehicle that consists of a driver and a truck are less than the costs of executing the same task with the same truck and driver and, in addition, a trailer. Therefore, the idle PnEU will pass the bid of the truck to the company agent. If the task is granted to the idle PnEU, the PnEU merges with the components to a vehicle holon and a new PnEU will be created for further bidding cycles. Whenever the plan of a holon is finished the components separate and the PnEU terminates.

The Optimisation

In the MAS-MARS system the *simulated trading* algorithm [Bachem et al. 92] was used to improve the suboptimal initial solution [Fischer et al. 96]. Simulated trading is a randomised algorithm that realises a market mechanism where the vehicles optimise their plans by successively selling and buying tasks. The trading goes over several rounds. Each round consists of a number of decision cycles. In each cycle the truck agents submit one offer to sell or buy a task. At the end of each round the company agent tries to match the sell and buy offers of the trucks such that the costs of the global solution decrease. This implements a kind of hill-climbing algorithm. Like in simulated annealing a derivation that decreases from round to round can be specified such that in early rounds the company agent is willing to accept a worsening of the global solution which is helpful to leave local maxima in the solution space. Nevertheless, maxima that are left are saved, such that, when the algorithm terminates before a better solution is found, the best solution hitherto is returned. Hence, simulated trading is an interruptible anytime algorithm.

In order to allow the optimisation not only of the plans but also of the combination of components we extended the simulated trading procedure. It might be the case that a good route plan is not efficient because the allocation of resources to the plan is bad, e.g. a big truck is not full while a smaller truck could need some extra capacity to improve its own plan. We divided a trading round into three phases. The first phase consists of order trading cycles as explained above; in the middle phase the holons can submit offers to exchange components. The third phase is, like the first phase, an order trading phase. After the third phase is finished the company agent matches the sell and buy and the component exchange offers. This final trading phase is needed to decide whether the exchange of components in the middle phase actually lead to an improvement of the global resource allocation.

5 Conclusion and Outlook

We have described the TELETRUCK approach to dispatch problems. Its main characteristics are that we use a multiagent approach instead of common OR techniques, that our agents rather directly reflect the physical objects of the transportation domain, and that they are holonic agents. Our approach has the

advantage that TELETRUCK is an incremental, dynamic, anytime algorithm. It is an anytime algorithm in the sense that it starts with an initial suboptimal schedule and improves the solution through every negotiation cycle. It is incremental as it includes the orders step by step and it is dynamic since it can take into account both new incoming orders and changes of former orders or the already scheduled plans during its optimisation cycles. Therefore, TELETRUCK also supports monitoring of the schedule during execution and allows for online re-planning when changes take place.

The holonic structure of our agent society has several advantages:

- The structure of the domain is mapped to the multiagent system in a natural manner. This allows us to interact with the system on three abstraction levels: the physical components, the holons that are able to act, and the system as a whole that schedules a complete fleet.
- The agents representing the components can be equipped with local goals which may be in conflict with each other or with global goals, e.g. the driver who prefers to be at home at the weekends which might conflict with the global goal to maximise profit. The explicit representation of such conflicts allows a more appropriate solution as in the central setting.
- The distributed resource control enables the agents to control the resource flow in a flexible manner by reconfiguring existing vehicles dynamically.

TELETRUCK is an open system in the sense that other modes of transport (be it by railway, ship or plane) can be taken into account easily. In the same way as different road hauliers can cooperate horizontally other carriers can be integrated together with their subagents (trains, waggons, ships etc.) modelling their modes of transport. We are currently extending our approach towards such *intermodal* transport chains.

Our general vision for the future of freight haulage in Europe involves a close interaction between the Trans-European Network (TEN) of transportation and the Trans-European Network of telecommunications, in such a way that haulage via multiple modes of transportation is supported by AI technology and Telematics. Loading units derived from transport orders are assigned to loading spaces, transport units, transport modes etc. They are hauled between different locations, possibly undergoing several transshipments. Parallel to this flow of physical objects through the transport TEN, a flow of virtual objects through the telecommunications TEN will occur. Intelligent agents accompany the loading units like virtual analogs through the telecommunication TEN and, coupled with other intelligent agents (the virtual analogs of the trucks, trains etc.), they determine an optimal path for the corresponding physical object through the transport TEN. Just as the physical loading unit may change the physical transport unit, or may be loaded or unloaded at a terminal or a loading dock, so its virtual analog may alter the virtual transport unit or may move from or to the server of the terminal or the loading dock (i.e., the virtual analog of that physical location).

Acknowledgements

Andreas Gerber, Stefan Denne, and Volker Rückel supported the implementation of TELETRUCK. The authors are indebted to CPN GmbH, Konz GmbH & Co. KG, PTV GmbH, and Simac Systems bv for their support in problem specification and for supplying electronic maps and telecommunication systems. TELETRUCK has been funded by INTERREG II-programme Saarland/Lothringen/Pfalz of the European Commission.

References

- [Bachem et al. 92] A. **Bachem**, W. **Hochstättler**, and M. **Malich**. *Simulated Trading: A New Approach For Solving Vehicle Routing Problems*. Technical Report 92.125, Mathematisches Institut der Universität zu Köln, Dezember 1992.
- [Desrochers et al. 92] M. **Desrochers**, J. **Desrosiers**, and M. **Solomon**. *A New Optimization Algorithm for the Vehicle Routing Problem with Time Windows*. *Operations Research*, 40(2), 1992.
- [Fischer & Kuhn 93] K. **Fischer** and N. **Kuhn**. *A DAI Approach to Modeling the Transportation Domain*. Research Report RR-93-25, DFKI, 1993.
- [Fischer et al. 96] K. **Fischer**, J. P. **Müller**, and M. **Pischel**. *Cooperative Transportation Scheduling: an Application Domain for DAI*. *Journal of Applied Artificial Intelligence*. Special issue on Intelligent Agents, 10(1), 1996.
- [Gerber & Jung] C. **Gerber** and C. G. **Jung**. *Holonc Structures for Bounded Optimal Agent Societies*. Research Report, DFKI. to appear.
- [Koestler 89] A. **Koestler**. *The Ghost in the Machine*. Arkana Books, 1989.
- [Minsky 85] M. **Minsky**. *The Society of Mind*. New York: Simon and Schuster, 1985.
- [Smolka 95] G. **Smolka**. *The Oz Programming Model*. In: J. van Leeuwen (ed.), *Computer Science Today*, volume 1000: Lecture Notes in Computer Science. Springer-Verlag, Berlin, 1995.

**TeleTruck:
A Holonic Fleet Management System**

Hans-Jürgen Bürckert, Klaus Fischer, Gero Vierke