Multimedia Appendix 1 Table showing clinical parameters at baseline, study period and follow-up period in the Self-Management and Recording System for Dialysis group (n=9) and the non-Self-Management and Recording System for Dialysis group (n=11).

	Baseline	Study period	Follow-up period	
SMART-D ^a group (n=9)	mean (SD)			P value
IWG ^b (%DW ^c /day)	2.2 (0.4)	2.1 (0.3)	2.1 (0.4)	.68
Serum potassium concentrations (mEq/L)	4.9 (0.6)	5.1 (0.7)	5.0 (0.5)	.07
Serum phosphorus concentrations (mg/dL)	5.4 (1.2)	5.2 (1.0)	5.2 (1.2)	.67
Non-SMART-D group (n=11)	mean (SD)			P value
IWG (%DW/day)	2.2 (0.4)	2.3 (0.5)	2.4 (0.5)	.13
Serum potassium concentrations (mEq/L)	5.1 (0.8)	5.1 (0.6)	5.1 (0.7)	.84
Serum phosphorus concentrations (mg/dL)	5.0 (1.1)	5.0 (1.3)	5.2 (1.0)	.73

^aSMART-D: Self-Management and Recording System for Dialysis.

^bIWG: interdialysis weight gain.

^cDW: dry weight.