	57 IT DOCUM	والمجمولة الأرباطي ومرجع والفصيد المحد				
Unclassified		15. RESTRICTIVE N	AARKINGS			
SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT				
DECLASSIFICATION DOWNGRADING SCHEDULE PERFORMING ORGANIZATION REPORT NUMBER(S)		Approved for public release:				
		distribution unlimited.				
		S. MONITORING ORGANIZATION REPORT NUMBER(S)				
echnical Report #89-1.						
NAME OF PERFORMING ORGANIZATION	6b OFFICE SYMBOL (If applicable)	73. NAME OF MONITORING ORGANIZATION				
Washington University		Office of Naval Research (Code 1142PT) Personnel & Training Research Programs				
DDRESS (City, State, and JP Code)	.I	75. ADDRESS (Cit	y, State, and ZIP (	Code)		
660 S. Euclid, Box 8111		800 North Qu		:		
Department of Neurology St. Louis, MD 63110		Arlington, V	VA 22217			
NAME OF FUNDING SPONSORING Bb. OFFICE SYMBO		1		ENTIFICATION NUM	ABER	
ORGANIZATION	(If applicable)	N00014-86-K0289				
ADDRESS (City, State, and ZIP Code)		10. SOURCE OF FUNDING NUMBERS				
		PROGRAM ELEMENT NO.	PROJECT	TASK	ACCESSION NO	
		61153N	RR04206	RR04206-0A		
TYPE OF SEPORT	COVERED	14. DATE OF REP	ORT (Year, Month,	Day) IS PAGE	COUNT	
Michael I. Posner and Stever a. TYPE OF REPORT Technical SUPPLEMENTARY NOTATION COSATI CODES FIELD GROUP SUB-GROUP 05 10 1	COVERED 1/88 TO 6/30/8	Continue on rever	28, 1989	25		
Technical FROM 7/2   SUPPLEMENTARY NOTATION COSATI CODES   FIELD GROUP SUB-GROUP   05 10 1	COVERED (1/88 TO 6/30/8 18 SUBJECT TERMS TO MA CONTROL BY SUCCE TO AS CONT	(Continue on rever (Continue on rever b human perfo 390], yet eve a preliminary lopments in m inson, 1980) ave revealed	28, 1989 The if necessary and ormance extern in a few year form a func- ieuroscience have opened a system of	nds back to rs ago, it we (Hillyard & the study o anatomical (conscious)	the ould omy Picton, f higher areas	
Michael I. Posner and Stever a. TYPE OF REPORT Technical SUPPLEMENTARY NOTATION COSATI CODES FIELD GROUP SUB-GROUP 05 10 LABSTRACT Continue on reverse if necessa The concept of attentic start of experimental psycho not have been possible to on of the human attentional sys 4987; Raichle, 1983; Wurtz, cognition to physiological a that appear to be basic to processing.	COVERED (1/88 TO 6/30/8 (1/88 TO 6/30/8 (1/88 TO 6/30/8 (1/88 TO 6/30/8 (1/88 TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS	(Compose on rever (Compose on rever b) human perfo (390), yet eve a preliminary (composed), yet eve (composed), yet eve (compose	28, 1989 France extern n a few year form a func- have opened a system of a for focal security Cassif- fied	nds back to rs ago, it with ctional anati- (Hillyard & the study of anatomical (conscious)	the ould omy Ficton, f higher	
Michael I. Posner and Stever TYPE OF REPORT Technical SUPPLEMENTARY NOTATION COSATI CODES FIELD   GROUP   SUB-GROUP 05   10   LastRACT (Continue on reverse if necessa The concept of attentic start of experimental psycho not have been possible to on of the human attentional sys 1987; Raichle, 1983; Wurtz, cognition to physiological a that appear to be basic to processing.	COVERED (1/88 TO 6/30/8 (1/88 TO 6/30/8 (1/88 TO 6/30/8 (1/88 TO 6/30/8 (1/88 TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS TO 6/30/8 TERMS	(Compose on rever (Compose on rever b) human perfo (390), yet eve a preliminary (composed), yet eve (composed), yet eve (compose	28, 1989 The if necessary and ormance extern in a few year form a func- have opened a system of a for focal	nds back to rs ago, it with ctional anati- (Hillyard & the study of anatomical (conscious)	the ould omy Picton, f higher areas	

.

(Submitted to the Annals of Neuroscience, 1989)

The Attention System of the Human Brain

**ONR Technical Report #89-1** 

Michael I. Posner Department of Psychology University of Oregon Eugene, OR 97403

and

Steven E. Petersen Department of Neurology and Neurological Surgery Washington University School of Medicine 660 S. Euclid, Box 8111 St. Louis, MO 63110

Accesa	ion For
N915	GRA&I
DITIC I	17.B 🔲
Unam	
Justif	ication
Ву	
Distr	ibution/
Avai	lability Codes
	Avail and/or
Dist	Special
	1
	1 [
A-1	

# INTRODUCTION

5

The concept of attention as central to human performance extends back to the start of experimental psychology, (James, 1890), yet even a few years ago, it would not have been possible to outline in even a preliminary form a functional anatomy of the human attentional system. New developments in neuroscience (Hillyard & Picton, 1987; Raichle, 1983; Wurtz, Goldberg & Robinson, 1980) have opened the study of higher cognition to physiological analysis, and have revealed a system of anatomical areas that appear to be basic to the selection of information for focal (conscious) processing.

The importance of attention is its unique role in connecting the mental level of description of processes used in cognitive science with the anatomical level common in neuroscience. Sperry (1986) describes the central role that mental concepts play in understanding brain function as follows:

"control from below upward is retained but is claimed to not furnish the whole story. The full explanation requires that one take into account new, previously nonexistent, emergent properties, including the mental, that interact causally at their own higher level and also exert causal control from above downward." (p. 609)

If there is hope of exploring causal control of brain systems by mental states, it must lie through an understanding of how voluntary control is exerted over more automatic brain systems. We argue that this can be approached through understanding the human attentional system at the levels of both cognitive operations and of neuronal activity.

As is the case for sensory and motor systems of the brain, our knowledge of the anatomy of attention is incomplete. Nevertheless, we can now begin to identify some principles of organization that allow attention to function as a unified system for the control of mental processing. Although many of our points are still speculative and controversial, we believe they constitute a basis for more detailed studies of attention from a cognitive-neuroscience viewpoint. Perhaps even more important for furthering future studies, multiple methods of mental chronometry, brain lesions, electrophysiology, and several types of neuroimaging have converged on common findings.

Three fundamental findings are basic to this chapter. First, the attention system of the brain is anatomically separate from the data processing systems that

perform operations on specific inputs even when attention is oriented elsewhere. In this sense, the attention system is like other sensory and motor systems. It interacts with other parts of the brain, but maintains its own identity. Second, attention is carried out by a network of anatomical areas. It is neither the property of a single center, nor is it a general function of the brain operating as a whole (Mesulam, 1981; Rizzolatti, Gentilucci & Matelli, 1985). Third, the areas involved in attention carry out different functions, and these specific computations can be specified in cognitive terms (Posner, Petersen, Fox & Raichle, 1988).

To illustrate these principles, it is important to divide the attention system into subsystems that perform different but interrelated functions. In this chapter, we consider three major functions that have been prominent in cognitive accounts of attention (Posner & Boies, 1971): (1) orienting to sensory events; (2) detecting signals for focal (conscious) processing, and (3) the maintenance of a vigilant or alert state.

For each of these subsystems, we adopt an approach that organizes the known information around a particular example. For orienting, we use visual locations as the model, because of the large amount of work done with this system. For detecting, we focus on reporting the presence of a target event. We think this system is a general one that is important for detection of information from sensory processing systems as well as information stored in memory. However the extant data concern primarily the detection of visual locations and processing of auditory and visual words. For alerting, we discuss situations in which one is required to prepare for processing of high priority target events (Posner, 1978).

For the subsystems of orienting, detecting and alerting, we review the known anatomy, the operations performed, and the relationship of attention to data processing systems (e.g. visual word forms, semantic memory) upon which that attentional subsystem is thought to operate. Thus for orienting, we review the visual attention system in relationship to the data processing systems of the ventral occipital lobe. For detecting, we examine an anterior attention system in relationship to networks that subserve semantic associations. For alerting, we examine arousal systems in relationship to the selective aspects of attention. Insofar as possible, we draw together evidence from a wide variety of methods, rather than arguing for the primacy of a particular method.

ORIENTING Visual Locations : 2 Visual orienting is usually defined in terms of the foveation of a stimulus (overt). Foveating a stimulus improves efficiency of processing targets in terms of acuity, but it is also possible to change the priority given a stimulus by attending to its location covertly without any change in eye or head position (Posner, 1988).

If a person or monkey attends to a location, events occurring at that location are responded to more rapidly (Eriksen & Hoffman, 1972; Posner, 1988), give rise to enhanced scalp electrical activity (Mangoun & Hillyard, 1987), and can be reported at a lower threshold (Bashinski & Bachrach, 1980; Downing, 1988). This improvement in efficiency is found within the first 150 millisec after an event occurs at the attended location. Similarly, if people are asked to move their eyes to a target, an improvement in efficiency at the target location begins well before the eyes move (Remington, 1980). This covert shift of attention appears to function as a way of guiding the eye to an appropriate area of the visual field (Fischer & Breitmeyer, 1987; Posner & Cohen, 1984).

The sensory responses of neurons in several areas of the brain have been shown to have a greater discharge rate when a monkey attends to the location of the stimulus, than when the monkey attends to some other spatial location. Three areas particularly identified with this enhancement effect are the posterior parietal lobe (Mountcastle, 1978; Wurtz, Goldberg & Robinson, 1980), the lateral pulvinar nucleus of the postereolateral thalamus (Petersen, Robinson & Morris, 1987) and the superior colliculus. Similar effects in the parietal cortex have been shown in normal humans using positron emission tomography (Petersen, Fox & Raichle, 1988).

While brain injuries to any of these three areas in human subjects will cause a reduction in the ability to shift attention covertly (Posner, 1988), each area seems to produce a somewhat different type of deficit. Damage to the posterior parietal lobe has its greatest effect on the ability to disengage from an attentional focus to a target located in a direction opposite to the side of the lesion (Posner, 1988).

Patients with a progressive deterioration in the superior colliculus and/or surrounding areas also show a deficit in the ability to shift attention. In this case, the shift is slowed whether or not attention is first engaged elsewhere. This finding suggests that a computation involved in moving attention to the target is impaired. Patients with this damage also return to former target locations as readily as to fresh locations that have not recently been attended. Normal subjects and patients with parietal and other cortical lesions have a reduced probability of returning attention to already examined locations (Posner, 1988; Posner & Cohen, 1984). These two deficits appear to be those most closely tied to the mechanisms involved with saccadic eye movements.

Patients with lesions of the thalamus and monkeys with chemical injections into the lateral pulvinar also show difficulty in covert orienting (Petersen, Robinson & Morris, 1987; Posner, 1988). This difficulty appears to be in engaging attention on a target on the side opposite the lesion so as to avoid being distracted by events at other locations. A study of patients with unilateral thalamic lesions showed slowing of responses to a cued target on the side opposite the lesion even when the subject had plenty of time to orient there. This contrasted with the results found with parietal and midbrain lesions, where responses are nearly normal on both sides once attention has been cued to that location. Alert monkeys with chemical lesions of this area made faster than normal responses when cued to the side opposite the lesion and given a target on the side of the lesion, as though the contralateral cue was not effective in engaging their attention (Petersen, Robinson & Morris, 1987). They were also worse than normal when given a target on the side opposite the lesion, irrespective of the side of the cue. It appears difficult for thalamic lesioned animals to respond to a contralateral target when another competing event is also present in the ipsilateral field (R. Desimone, personal communication). Data from normal human subjects required to filter out irrelevancies, showed selective metabolic increases in the pulvinar contralateral to the field required to do the filtering (LaBerge & Buchsbaum, 1988). Thalamic lesions appear to give problems in engaging the target location in a way that allows responding to be fully selective.

These findings make two important points. First, they confirm the idea that anatomical areas carry out quite specific cognitive operations. Second, they suggest a hypothesis about the circuitry involved in covert visual attention shifts to spatial locations. The parietal lobe first disengages attention from its present focus, then the midbrain area acts to move the index of attention to the area of the target and the pulvinar is involved in reading out data from the indexed locations. Further studies of alert monkeys should provide ways of testing and modifying this hypothesis.

# Hemispheric Differences

The most accepted form of cognitive localization, resulting from studies of split brain patients (Gazzaniga, 1970), is the view that the two hemispheres perform different functions. Unfortunately, in the absence of methods to study more detailed localization, the literature has tended to divide cognition into various dichotomies assigning one to each hemisphere. As we develop a better understanding of how cognitive systems (e.g. attention) are localized, hemispheric dominance may be treated in a more differentiated manner.

Just as we can attend to locations in visual space, it is also possible to concentrate attention on a narrow area or to spread it over a wider area (Eriksen & Yeh, 1985). To study this issue, Navon (1978) formed large letters out of smaller ones. It has been found in many studies that one can concentrate attention on either the small or large letters and that the attended stimulus controls the output even though the unattended letter still influences performance. The use of small and large letters as a method of directing local and global attention turns out to be related to allocation of visual channels to different spatial frequencies. Shulman & Wilson (1987) showed that when attending to the large letters, subjects are relatively more accurate in the perception of probe grating of low spatial frequency and this reverses when attending to the small letters.

There is evidence from the study of patients that the right hemisphere is biased toward global processing (low spatial frequencies) and the left for local processing (high spatial frequencies) (Robertson & Delis, 1986; Sergent, 1987). Right hemisphere patients may copy the small letters but miss the overall form, while those with left hemisphere lesions copy the overall form but miscopy the constituent small letters. Detailed chronometric studies of parietal patients reveal difficulties in attentional allocation so that right hemisphere patients attend poorly to the global aspects and left hemisphere to the local aspects (Robertson, Lamb & Knight, 1988).

These studies support a form of hemispheric specialization within the overall structure of the attention system. The left and right hemisphere both carry out the operations needed for shifts of attention in the contralateral direction, but they have more specialized functions in the level of detail to which attention is allocated. It is likely that these hemispheric specializations are not absolute nor innate. Rather they are probably relative and emerge over time, perhaps in conjunction with the development of literacy.

The general anatomy of the attention system that we have been describing lies in the dorsal visual pathway that has its primary cortical projection area in V1 and extends into the parietal lobe (see figure 1). A major aspect of the study

### **INSERT FIG 1**

of attention is to see how attention could influence the operations of other cognitive systems such as are involved in the recognition of visual patterns. The visual pattern recognition system is thought to involve a ventral pathway, stretching from V1 to the infratemporal cortex. Anatomically, these two areas of the brain can be coordinated through the thalamus (pulvinar) (Petersen, Robinson & Morris, 1987), or through other pathways (Zeki & Shipp, 1988). Functionally, attention might be involved in various levels of pattern recognition, from the initial registration of the features to the storage of new visual patterns.

# Pattern Recognition

VISUAL SEARCH All neurons are selective in the range of activation to which they will respond. The role of the attention system is to modulate this selection for those types of stimuli that might be most important at a given moment. To understand how this form of modulation operates, it is important to know how a stimulus would be processed without the special effects of attention. In cognition, unattended processing is called "automatic" to distinguish it from the special processing that becomes available with attention.

We have learned quite a bit about the automatic processing that occurs in humans along the ventral pathway during recognition of visual objects (Posner, 1988; Treisman & Gormican, 1988). Treisman has shown that search of complex visual displays for single features can take place in parallel with relatively little effect of the number of distractors. When a target is defined as a conjunction of attributes shared with distractors that are themselves heterogeneous (Duncan & Humphreys, in press), the search process becomes slow, effortful and serial.

We know from cognitive studies (LaBerge & Brown, 1988; Treisman & Gormican, 1988) that cueing people to locations influences a number of aspects of visual perception. Treisman has shown that when attempting to conjoin features, subjects use focal attention, and it has also been shown that spreading focal attention among several objects leads to a tendency for misconjoining features within those objects, regardless of the physical distance between them (Cohen & Ivry, 1989). Thus, attention not only provides a high priority to attended features, but does so in a way that overrides even the physical distance between objects within the focus of attention.

While these reaction time results are by no means definitive markers of attention, there is also evidence from studies with brain lesioned patients that support a role of the visual spatial attention system. These clinical studies examine the ability of patients to bisect lines (Riddoch & Humphreys, 1983), search complex visual patterns (Riddoch & Humphreys, 1987), or report strings of letters (Friedrich,

Valker & Posner, 1985; Sieroff, Pollatsek & Posner, 1988). Damage to the posterior varietal lobe appears to have specific influences on these tasks. Patients with right varietal lesions frequently bisect lines too far to the right and fail to report the left nost letters of a random letter string (Sieroff, Pollatsek & Posner, 1988). However, hese effects are attentional not in the recognition process itself. Evidence for this is hat they can frequently be corrected by cueing the person to attend covertly to the neglected side (Riddoch & Humphreys, 1983; Sieroff, Pollatsek & Posner, 1988). The cues appear to provide time for the damaged parietal lobe to disengage attention and thus compensates for the damage. It is also possible to compensate by substituting a word for a random letter string. Patients who fail to report the left most letters of a random string will often do so correctly when it makes a word. If cues work by directing attention, they should also influence normal performance. Cues presented prior to a letter string do improve the performance of normals for nearby letters, but cues have little or no influence on the report of letters making words (Sieroff & Posner, 1988). Blood flow studies of normal humans show that an area of the left ventral occipital lobe is unique to strings of letters that are either words or orthographically regular nonwords (A. Snyder, S.E. Petersen, P.T. Fox, & M.E. Raichle, personal communication). This visual word form area (see Figure 1) appears to operate without attention, and this confirms other data that recognition of a word may be so automated as not to require spatial attention, while the related tasks of searching for a single letter, forming a conjunction, or reporting letters from a random string do appear to rely upon attention.

Studies of recording from individual cells in alert monkeys confirm that attention can play a role in the operation of the ventral pattern recognition system (Wise & Desimone, 1988). It appears likely that the pathway by which the posterior attention system interacts with the pattern recognition system is through the thalamus (Petersen, Robinson, & Morris, 1987). This interaction appears to require about 90 millisec since cells in V4 begin to respond to unattended items within their receptive field, but shut these unattended areas off after 90 msec (Wise & Desimone, 1988). Detailed models of the nature of the interaction between attention and pattern recognition are just beginning to appear (Crick, 1984; LaBerge & Brown, 1988).

IMAGERY In most studies of pattern recognition, the sensory event begins the process. However, it is possible to instruct human subjects to take information from their long term memories and construct a visual representation (image) that they might then inspect (Kosslyn, 1988). This higher level visual function is called imagery. The importance of imagery as a means of studying mechanisms of high level vision has not been well recognized in neuroscience. When imagery can be

7

ployed as a means of studying vision, it allows more direct access to the higher vels of information processing without contamination from lower levels. There is now considerable evidence that some of the same anatomical mechanisms are ed in imagery as are involved in some aspects of pattern recognition (Farah, 1988; osslyn, 1988). Patients with right parietal lesions, who show deficits in visual ienting of the type that we have described above, also fail to report the intralesional side of visual images (Bisiach, Luzzatti & Perani, 1981). When asked imagine a familiar scene, they make elaborate reports of the right side but not the ft. The parts of the image that are reported when facing in one direction are eglected when facing in the other. This suggests that the deficit arises at the time i scanning the image.

When normal subjects imagine themselves walking on a familiar route, blood ow studies show activation of the superior parietal lobe on both sides (Roland, 985). Although many other areas of the brain are also active in this study, most of tem are common to other verbal and arithmetical thoughts, but activation of the sperior parietal lobe seems more unique to imagery. As discussed previously, the arietal lobe seems to be central to spatial attention to external locations. Thus, it ppears likely that the neural systems involved in attending to an external location re closely related to those used when subjects scan a visual image.

# NTERIOR ATTENTION SYSTEM

In her paper on the topography of cognition, Goldman-Rakic (1988) describes the strong connections between the posterior parietal lobe and areas of the lateral nd medial frontal cortex. This anatomical organization is appealing as a basis for elating what has been called involuntary orienting by Luria (1973), and what we ave called the posterior attention system, to focal or conscious attention.

Cognitive studies of attention have often shown that detecting a target roduces widespread interference with most other cognitive operations (Posner, 978). It has been shown that monitoring many spatial locations or modalities roduces little or no interference over monitoring a single modality, unless a target ccurs (Duncan, 1980). This finding supports the distinction between a general alert tate, and one in which attention is clearly oriented and engaged in processing iformation. In the alert but disengaged state, any target of sufficient intensity has ittle trouble in summoning the mechanisms that produce detection. Thus monitoring nultiple modalities or locations produce only small amounts of interference. The nportance of engaging the focal attention system in the production of widespread iterference between signals supports the idea that there is a unified system involved in detection of signals regardless of their source. As a consequence of detection of a signal by this system, we can produce a wide range of arbitrary responses to it. We take this ability to produce arbitrary responses as evidence that the person is aware of the signal.

Evidence that there are attentional systems common to spatial orienting as well as orienting to language comes from studies of cerebral blood flow during cognitive tasks. Roland (1985) has reported a lateral superior frontal area which is active both during tasks involving language and in spatial imagery tasks. However, these studies do not provide any clear evidence that such common areas are part of an attentional system. More compelling is evidence that midline frontal areas, including the anterior cingulate gyrus and the supplementary motor area, are active during semantic processing of words (Petersen, et al, 1988), and that the degree of blood flow in the anterior cingulate increases as the number of targets to be detected increases (Posner et al, 1988). Thus, the anterior cingulate seems to be particularly sensitive to the operations involved in target detection.

The anterior cingulate gyrus is one of the areas reported by Goldman-Rakic (1988) to have alternating bands of cells that are labelled by injections into the posterior parietal lobe and the dorsolateral prefrontal cortex. These findings suggest that the anterior cingulate should be shown to be important in tasks requiring the posterior attention system as well as in language tasks. It has often been argued from lesion data that the anterior cingulate plays an important role in aspects of attention including neglect (Mesulam, 1980; Mirsky, 1987).

Does attention involve a single unified system, or should we think of its functioning as being executed by separate independent systems? One way to test this idea is to determine whether attention in one domain (e.g. language) affects the ability of mechanisms in another domain (e.g. orienting toward a visual location). If the anterior cingulate system is important in both domains, there should be a specific interaction between even remote domains such as these two. Studies of patients with parietal lesions (Posner, Inhoff, Freidrich & Cohen, 1987) showed that when they were required to monitor a stream of auditory information for a sound, they were slowed in their ability to orient toward a visual cue. The effect of the language task was rather different than engaging attention at a visual location because its effects were bilateral rather than being mainly on the side opposite the lesion. Thus, the language task appeared to involve some but not all of the same mechanisms that were used in visual orienting. This result is compatible with the view that visual orienting involves separate ut interconnected systems with those used for language processing. A similar result as found with normal subjects when they were given visual cues while shadowing n auditory message (Posner, Sandson, Dhawan & Shulman, 1989). Here, the effects f the language task were most marked for cues in the right visual field, as though the common system might have involved lateralized mechanisms of the left emisphere. These findings fit with the close anatomical links between the anterior ingulate and the posterior parietal lobe on the one hand and language areas of the iteral frontal lobe on the other. They suggest to us a possible hierarchy of attention ystems in which the anterior system can pass control to the posterior system when is not occupied with processing other material.

A spotlight analogy has often been used to describe the selection of information com the ventral pattern recognition system by the posterior attention system Treisman & Gormican, 1988). A spotlight is a very crude analogy but it does apture some of the dynamics involved in disengaging, moving and engaging ttention. This analogy can be stretched still further to consider aspects of the iteraction between the anterior attention system and the associative network hown to be active during processing of semantic associates and categories by studies f cerebral blood flow (Petersen et al, 1988).

### **INSERT FIG 2 ABOUT HERE**

be temporal dynamics of this type of interaction between attention and semantic ctivation has been described in some detail (Posner, 1978; 1982).

### LERTING

An important attentional function is the ability to prepare and sustain lertness to process high priority signals. The relationship between the alert state and other aspects of information processing has been worked out in some detail for exter and word matching experiments (Posner, 1978). The passive activation of internal units representing the physical form of a familiar letter, its name, and even a semantic classification (e.g. vowel) appears to take place at about the same rate, whether subjects are alert and expecting a target, or whether they are at a lower evel of alertness because the target occurs without warning. The alert state roduces more rapid responding, but this increase is accompanied by a higher error ate. It is as though the build-up of information about the classification of the target ccurs at the same rate regardless of alertness, but in states of high alertness, the election of a response occurs more quickly, based upon a lower quality of information, thus resulting in an increase in errors. These results led to the conclusion that alertness does not affect the build-up of information in the sensory or memory systems, but does affect the rate at which attention can respond to that stimulus (Posner, 1978).

Anatomical evidence has accumulated on the nature of the systems producing a change in the alert state. One consistent finding is that the ability to develop and maintain the alert state depends heavily upon the integrity of the right cerebral hemisphere (Heilman, Watson & Valenstein, 1985). This finding fits very well with the clinical observation that patients with right hemisphere lesions more often show signs of neglect and has sometimes led to an idea that all of spatial attention was controlled by the right hemisphere. However, the bulk of the evidence discussed below seems to associate right hemisphere dominance with tasks dependent upon the alert state.

Lesions of the right cerebral hemisphere cause difficulty with alerting. This has been shown using galvanic skin responses in humans and monkeys (Heilman, Watson, & Valenstein, 1985), and for heart rate responses to warning signals (Yokoyama, Jennings, Acles, Hood & Boller, 1987). Performance in vigilance tasks is also more impaired with right rather than left lesions (Coslett, Bowers & Heilman, 1987; Wilkins, Shallice & McCarthy, 1987). It has also been observed in split brain patients that vigilance is poor when information is presented to the isolated left hemisphere, out is relatively good when presented to the isolated right hemisphere (Dimond & Beaumont, 1973). In summary, it is as though the isolated right hemisphere contains the mechanism needed to maintain the alert state so that when lesioned, it reduces performance of the whole organism.

Studies of cerebral blood flow and metabolism involving vigilance tasks have also uniformly shown the importance of areas of the right cerebral hemisphere (Cohen, Semple, Gross, Holcomb, Dowling & Nordahl, 1988; Deutsch, Papanicolaou, Bourbon & Eisenberg, 1988; J. Pardo, P.T. Fox & M.E. Raichle, personal communication). Other attention demanding activity, for example, semantic tasks, and even imagery tasks, do not uniformly show greater activation of the right hemisphere (Petersen et al, 1988; Roland, 1985). Thus, blood flow and metabolic studies also argue for a tie between the right cerebral hemisphere and alerting. Some of these studies provide somewhat better localization. Cohen et al. found an area of the midfrontal cortex that appears to be the most active during their auditory discrimination task. This is an area also found to be active in both visual and somatosensory vigilance conditions (J. Pardo, et al, personal communication). It is of special interest that Cohen et al. report that the higher metabolic activation they found in the right prefrontal cortex was accompanied by reduced activation in the anterior cingulate. If one views the anterior cingulate as related to target detection, this makes sense. In tasks where one needs to suspend activity while waiting for low probability signals, it is important not to interfere with detecting the external signal. Subjectively, one feelc empty headed, due to the effort to avoid any thinking that will reduce the ability to detect the next signal.

There is evidence that the maintenance of the alert state is dependent upon right hemisphere mechanisms, and also that it is closely tied with attention. These two facts both suggest the hypothesis that the norepinephrine (NE) system arising in the locus coerulues may play a crucial role in the alert state. In a review of animal studies, Aston-Jones, Foote and Bloom (1984) argue that NE cells play a role in changes in arousal or vigilance. Moreover, Robinson (1985) has shown that lesions of the right cerebral hemisphere lead to depletion of NE on both sides, and that the effects are strongest with lesions near the frontal pole. These findings are consistent with the idea that NE pathways course through frontal areas, dividing as they go backward toward posterior areas. Thus, an anterior lesion would have a larger effect.

Recently, Morrison and Foote (1986) have studied the parts of the posterior visual system that are most strongly innervated by NE pathways. They find that in monkeys NE innervation is most strongly present in the posterior parietal lobe, pulvinar and superior colliculus. These are the areas related to the posterior attention system. Much weaker innervation was found in the geniculo-striate pathway and along the ventral pattern recognition pathway. These findings support the ideas that NE pathways provide the basis for maintaining alertness, and that they act most strongly on the posterior attention systems of the right cerebral hemisphere. In accord with these ideas, Posner et al. (1987) found that patients with right parietal lesions had much greater difficulty in maintaining their alertness in the absence of a warning signal than those with left parietal lesions or normal subjects did. Clark, Geffen & Geffen (1989) have found that manipulation of NE levels by drugs had specific effects on attention shifting.

In summary, alertness involves a specific subsystem of attention that acts on the posterior attention system to support visual orienting and probably also influences other attentional subsystems. Physiologically, this system depends upon the NE pathways that arise in the LC and which are more strongly lateralized in the right hemisphere. Functionally, activation of NE works through the posterior attention system to increase the rate at which high priority visual information can be selected for further processing. This more rapid selection is often at the expense of lower quality information and produces a higher error rate.

### CONSEQUENCES

Study of attention from a neuroscience viewpoint has been impeded because attention has been thought of as a vague, almost vitalistic capacity, rather than as the operation of a separate set of neural areas whose interaction with domain specific systems (e.g. visual word form, or semantic association) is the proper subject for empirical investigation. Even a crude knowledge of the anatomy of the selective attention system has a number of important consequences for research. It allows closer coordination between brain imaging studies, using human subjects and animal studies involving recording from individual cells. In the case of the posterior attention system, we have hypotheses about the connections between neural systems that can best be tested and expanded by studies designed to work out the connections at the cellular level. At higher levels, coordinated studies of PET and ERP imaging may tell us more details about communication between posterior visual word form systems and anterior semantics, and how attention is involved in this form of information transfer. A systems level analysis provides a framework for the more detailed studies that must follow.

A number of recent observations depend upon a better understanding of how attention relates to semantic activation. In the psychological literature, there is a continuing effort to understand the limits to automatic priming of semantic systems (Posner, 1982). In the study of sleep, we find challenging new hypotheses that tell us that during sleep, ongoing neural activity may be interpreted semantically by networks primed by daily activity (Hobson, 1988). Similarly, research on split brain subjects (Gazzaniga, 1970) has led to the idea of an interpreter system present in the left hemisphere that attempts to impose an explanation to the behavior of the self and others. Patients with lesions of the hippocampus, who show no memory that can be retrieved consciously, are able to demonstrate detailed storage by their performance (Squire, 1986). This implies that for memory, as for performance, the distinction between automatic and conscious processing marks different neural mechanisms.

Finally, there are many disorders of higher level cognition that are said to be due to deficits of attention. These include neglect, schizophrenia, closed head injury, and attention deficit disorder, among others. The concept of an attentional system of the brain with specific operations allocated to distinct anatomical areas allows new approaches to these pathologies. One such example is the proposal that a core deficit in schizophrenia is a failure of the anterior attention system of the left hemisphere to impose the normal inhibitory pattern on the left lateralized semantic network (Early, Posner, Reiman & Raichle, 1989). This proposal provides specific ideas on integration at the level of neurotransmission, anatomy and cognition. Similar ideas may link attention deficit disorder to the right hemisphere mechanisms that control sustaining of attention. It seems apparent that a combined cognitive and anatomical approach may be useful in integrating the long separate physiological and psychosocial influences on psychopathology.

۲

• =

# **REFERENCE LIST**

- Aston-Jones, G., Foote, S.L., Bloom, F.E. 1984. Anatomy and physiology of locus coeruleus neurons: functional implications. In <u>Frontiers of Clinical</u> <u>Neuroscience</u>, Vol. 2, ed. M.G. Ziegler. Baltimore: Williams & Wilkins.
- Bashinski, H.S., Bachrach, R.T. 1984. Enhancement of perceptual sensitivity as the result of selectively attending to spatial locations. <u>Percept & Psychophys.</u> 28:241-248.
- Bisiach, E., Luzzatti, C., Perani, D. 1981. Unilateral neglect, representational schema and consciousness. Brain, 102:757-765.
- Clark, C.R., Geffen, G.M., Geffen, L.B. In press. Catecholamines and the covert orienting of attention. <u>Neuropsychol.</u>
- Cohen, A. & Ivry, R. In press. Illusory conjunctions inside and outside the focus of attention. J. Exp. Psychol: Human Perc. & Perf.
- Cohen, R.M., Semple, W.E., Gross, M., Holcomb, H.J., Dowling, S.M. Nordahl, T.E. 1988. Functional localization of sustained attentin. <u>Neuropsych. Neuropsychol. and</u> <u>Behav Neurol</u>, <u>1:</u>3-20.
- Coslett, H.B., Bowers, D., Heilman, K.M. 1987. Reduction in cerebral activation after right hemisphere stroke. <u>Neurol</u>, 37:957-962.
- Crick, F. 1984. Function of the thalamic reticular complex: the searchlight hypothesis. <u>Proc. Nat. Acad. of Sci.</u>, 81:4586-4590.
- Deutsch, G., Papanicolaou, A.C., Bourbon, T., Eisenberg, H.M. 1988. Cerebral blood flow evidence of right cerebral activation in attention demanding tasks. Int. J. of Neurosci, 36:23-28.
- Dimond, S.J., Beaumont, J.G. 1973. Difference in the vigilance performance of the right and left hemisphere. <u>Cortex</u>, 9:259-265.
- Downing, C.J. 1988. Expectancy and visual-spatial attention effects on vision. <u>J.</u> <u>Exp. Psychol: Hum Percep. and Perf.</u>, 14:188-197.
- Duncan, J. 1980. The locus of interference in the perception of simultaneous stimuli. <u>Psychol Rev.</u> 87: 272-300.

÷. .

- Duncan, J., Humphreys, G.W. In press. Visual search and stimulus similarity. Psychol. Rev.
- Early, T., Posner, M.I., Reiman, E., Raichle, M.E. In press. Left striato-pallidal hyperactivity in schizophrenia. <u>Psychiat. Develop.</u>
- Eriksen, C.W., Hoffman, J.E. 1972. Temporal and spatial characteristics of selective encoding from visual displays. <u>Percept. & Psychophys.</u> 12:201-204.
- Eriksen, C.W. & Yeh, Y. 1985. Allocation of attention in the visual field. <u>J. Exp.</u> <u>Psychol: Hum Percept & Perf.</u> 11:583-597.
- Farah, M.J. 1988. Is visual imagery really visual? Overlooked evidence from neuropsychology. <u>Psych Rev.</u>, 95:307-317.
- Fischer, B., Breitmeyer, B. 1987. Mechanisms of visual attention revealed by saccadic eye movements. <u>Neuropsychol</u> 25 1A:73-84.
- Friedrich, F.J., Walker, J., Posner, M.I. 1985. Effects of parietal lesions on visual matching. <u>Cog. Neuropsychol.</u> 2:253-264.
- Gazzaniga, M.S. 1970. Brain bisected man. New York: Appleton. 171 pp.
- Goldman-Rakic, P.S. 1988. Topography of cognition: parallel distributed networks in primate association cortex. <u>Ann Rev Neurosci</u>, 11:137-156.
- Heilman, K.M., Watson, R.T., Valenstein, E. 1985. Neglect and related disorders. In K.M. Heilman & E. Valenstein (eds) <u>Clinical Neuropsychology</u>. New York: Oxford. 243-293 pp.
- Hillyard, S.A., Picton, T.W. 1987. Electrophysiology of cognition. In F. Plum (ed) <u>Handbook of physiology</u>. Vol. 5, part 2. New York: Am Physiol Soc. 519-584 pp.
- Hobson, J.A. 1988. The dreaming brain. New York: Basic Books. 319 pp.
- James, W. 1890. Principles of psychology, Vol. 1. New York: Holt.
- Kahneman, D. 1973. Attention and effort. Englewood Cliffs, N.J.: Prentice Hall. 246 pp.
- Kosslyn, S.M. 1988. Aspects of a cognitive neuroscience of mental imagery. <u>Science</u>. 240:1621-1626.


- LaBerge, D., Brown, V. In press. Theory of attentional operations in shape identification. <u>Psychol Rev.</u>
- LaBerge, D. & Buchsbaum, M.S. 1988. Attentional filtering and the pulvinar. Program 29th Meeting, Psychonomics Society, (Abstract, p.4).
- Luria, A.R. 1973. The working brain. New York: Basic Books. 398 pp.
- Mangoun, G.R., Hillyard, S.A. 1987. The spatial allocation of attention as indexed by event-related brain potentials. <u>Hum Factors</u>, 29:195-211.
- Mesulam, M.M. 1981. A cortical network for directed attention and unilateral neglect. <u>Ann Neurol.</u>, 10:309-325.
- Mirsky, A.F. 1987. Behavioral and psychophysiological markers of disordered attention. <u>Environ Health Persp.</u> 74:191-199.
- Morrison, J.H., Foote, S.L. 1986. Noradrenergic and serotoninergic innervation of cortical, thalamic and tectal visual structures in old and new world monkeys. J. <u>Comp. Neurol.</u>, 243:117-128.
- Mountcastle, V.B. 1978. Brain mechanisms of directed attention. J. Roy Soc Med. 71:14-27.
- Navon, D. 1977. Forest before trees: the precedence of global features in visual perception. Cog. Psychol., 9:353-383.
- Petersen, S.E., Fox, P.T., Miezin, F.M., Raichle, M.E. 1988. Modulation of cortical visual responses by direction of spatial attention measured by PET. <u>Assoc. Res. Vision</u> and Ophthal. p. 22 (Abstr.)
- Petersen, S.E., Fox, P.T., Posner, M.I., Mintun, M., Raichle, M.E. 1988. Positron emission tomographic studies of the cortical anatomy of single word processing. <u>Nature</u>, 331:585-589.
- Petersen, S.E., Robinson, D.L., Morris, J.D. 1987. Contributions of the pulvinar to visual spatial attention. <u>Neuropsychol</u>, 25:97-105.
- Posner, M.I. 1978. <u>Chronometric Explorations of Mind.</u> Englewood Heights, NJ: Erlbaum. 271 pp.

- Posner, M.I. 1982. Cumulative development of attentional theory. <u>Am Psychol</u>, 32:53-64.
- Posner, M.I. 1988. Structures and functions of selective attention. In T.Boll & B. Bryant (eds) <u>Master Lectures in Clinical Neuropsychology</u>. Washington, DC: Amer Psych Assoc. 173-202 pp.
- Posner, M.I., Boies, S.J. 1971. Components of attention. Psychol Rev., 78:391-408.
- Posner, M.I., Cohen, Y. 1984. Components of performance. In H. Bouma & D. Bowhuis (eds) <u>Attention and Performance X.</u> Hillsdale, NJ: Erlbaum. 531-556 pp.
- Posner, M.I., Inhoff, A., Friedrich, F.J., Cohen, A. 1987. Isolating attentional systems: a cognitive-anatomical analysis. <u>Psychobiol</u>, 15:107-121.
- Posner, M.I., Petersen, S.E., Fox, P.T., Raichle, M.E. 1988. Localization of cognitive operations in the human brain. <u>Science</u>, 240:1627-1631.
- Posner, M.I., Sandson, J., Dhawan, M., Shulman, G.L. 1989. Is word recognition automatic? A cognitive-anatomical approach. <u>J. Cog Neurosci</u>, 1:50-60.
- Posner, M.I., Walker, J.A., Friedrich, F.J., Rafal, R.D. 1984. Effects of parietal lobe injury on covert orienting of visual attention. <u>J. Neurosci</u>, 4:1863-1874.
- Raichles M.E. 1983. Positron emission tomography. Ann Rev Neurosci, 6:249-267.
- Remmington, R. 1980. Attention and saccadic eye movements. <u>J. Exp. Psychol: Hum</u> <u>Percept & Perf.</u> 6:726-744.
- Riddoch, M.J. & Humphreys, G.W. 1983. The effect of cueing on unilateral neglect. <u>Neuropsychol.</u> 21:589-599.
- Riddoch, M.J. & Humphreys, G.W. 1987. Perceptual and action systems in unilateral neglect. In M. Jeannerod (ed) <u>Neurophysiological and Neuropsychological</u> <u>Aspects of Spatial Neglect.</u> Amsterdam: North Holland. 151-181 pp.
- Rizzolatti, G., Gentilucci, M., Matelli, M. 1985. Selective spatial attention: one center, one circuit or many circuits. In M. Posner & O.S.M. Marin (eds) <u>Attention and</u> <u>Performance XI.</u> Hillsdale, NJ: Erlbaum. 251-265.
- Robertson, L., Delis, D.C. 1986. Part-whole processing in unilateral brain dam<sup>\*</sup>ged patients: dysfunction of hierarchical organization. <u>Neuropsychol.</u> 24:363-370.

- Robertson, L., Lamb, M.R., Knight, R.T. 1988. Effects of lesions of temporal-parietal junction on perceptual and attentional processing in humans. <u>J. Neurosci.</u> 8(10):3757-3769.
- Robinson, R.G. 1985. Lateralized behavioral and neurochemical consequences of unilateral brain injury in rats. In <u>Cerebral Lateralization in Nonhuman Species</u>. New York: Academic Press. 135-156 pp.
- Roland, P.E. 1985. Cortical organization of voluntary behavior in man. <u>Human</u> <u>Neurobiol.</u> 4:155-167.
- Sergent, J. 1982. The balance of power: confrontation or cooperation? <u>J. Exp.</u> <u>Psychol: Hum Percept & Perf.</u> 8:253-272.
- Shulman, G.L., Wilson, J. 1987. Spatial frequency and selective attention to local and global structure. <u>Perception.</u> 16:89-101.
- Sieroff, E., Polletsek, A., Posner, M.I. 1988. Recognition of visual letter strings following damage to the posterior visual spatial attention system. <u>Cog</u> <u>Neuropsychol.</u> 5:427-449.
- Sieroff, E. & Posner, M.I. 1988. Cueing spatial attention during processing of words and letter strings in normals. <u>Cog Neuropsychol.</u> 5:451-472.
- Sperry, R.L. 1988. Psychology's mentalist paradigm and the religion/science tension. <u>Amer Psychol</u>, 43:607-613.
- Squire, L.R. 1986. Mechanisms of memory. Science, 232:1612-1619.
- Treisman, A.M. & Gormican, S. 1988. Feature analysis in early vision: evidence from search asymmetries. <u>Psychol Rev</u>, 95:15-48.
- Wilkins, A.J., Shallice, T., McCarthy, R. 1987. Frontal lesions and sustained attention. <u>Neuropsychol.</u> 25:359-366.
- Wise, S.P. & Desimone, R. 1988. Behavioral neurophysiology: insights into seeing and grasping. <u>Science</u>, 242:736-741.
- Wurtz, R.H., Goldberg, M.E., Robinson, D.L. 1980. Behavioral modulation of visual responses in monkeys. Prog. in <u>Psychobiol & Physiol Psychol.</u> 9:42-83.

- Yokoyama, K., Jennings, R., Ackles, P., Hood, P. & Boller, F. 1987. Lack of heart rate changes during an attention-demanding task after right hemisphere lesions. <u>Neurol.</u> 37:624-630.
- Zeki, S. & Shipp, S. 1988. The functional logic of cortical connections. <u>Nature</u>, 335:311-317.

# **POSTERIOR ATTENTION SYSTEM**



FI GURE 1

# ANTERIOR ATTENTION SYSTEM




FIGURE 2

# FIGURE LEGENDS

Figure 1. Upper two drawings are the lateral (left) and medial (right) surfaces of the left hemisphere. Lower two drawings are the medial (left) and lateral (right) surfaces of the right hemisphere. The location of the posterior visual spatial attention system is shown on the lateral surface of each hemisphere as determined by blood flow studies (Petersen, Fox, Meizen & Raichel, 1988). The location of the visual word form area on the lateral surface of the left hemisphere is from unpublished work using PET by Snyder, S.E. Petersen, & M.E. Raichle, personal communication.

Figure 2. Upper two drawings are the lateral (left) and medial (right) surface of the left hemisphere. The lower two drawings are the medial (left) and lateral (right) surfaces of the right hemisphere. The semantic association area on the lateral aspect of the left hemisphere is determined by blood flow studies (Petersen, et al, 1988). The anterior attention area is also from blood flow studies (Petersen et al, 1988; Posner, et al, 1988).

# ACKNOWLEDGMENTS

This research was supported by Office of Naval Research Contract N-0014-86-0289 and by the Center for Higher Brain Function of Washington University School of Medicine. Special appreciation to Drs. J. Pardo, P. Fox, M. Raichle and A. Snyder for allowing citation of ongoing experiments. Dr. Pardo contributed heavily to our analysis of the alerting literature. Drs. Mary K. Rothbart, Asher Cohen and Gordon Shulman were helpful in the presentation of this analysis. (Washington Univ. /Posner /2/89)

UNIVERSITY OF MINNESOTA DEFURTNENT OF PSYCHOLOGY SHIVVENPOLLS, MN 55455 PHILLIP L. ACAERALAN ð

DEPT. OF COMP. SCIENCE TLFTS UNIVERSITY MLDFORD, MA 02155 BETH ADELSON 28

TECHNICAL DIRECTOR, ARMY HUMAN ENG. LAB ABERDEEN PROVING GROUND ND 21005

HUMAN FACTORS LABORATORY NAVAL TRAINING SYSTEMS CTR. ROBERT AULERS ORLANDO, FL J2813 CODE N711 ä

DEPARTMENT OF PSYCHOLOGY GEORGE MASON UNIVERSITY 4400 UNIVERSITY DRIVE FAIRFAX, VA 22030 JOHN ALLEN ð

HQ AFIIRL (AFSC) BRINKS, AFB TX 79235 DR. EARL A. ALL USI

BROWN UNIVERSITY CENTER FOR NEURAL SCI. JAMES ANDERSON PROVIDENCE, AI 02913 ä

DEPT. OF PSYCHOLOGY UNIVERSITY OF MARYLAND COLLEGE PARK, MD 20742 DR. NANCY S. ANDERSON

NALY PERSONNEL RAD CENTER SAN DIEGO, CA 92152-6800 DR. ED AIKEN

TECHNICAL DIRECTOR, ARI Sudi Fisenhower Avrinus Alexandria, va 2200

DR. ALAN RADDELEF - MRC APPLIED PSYCHOLOGY UNIT 15 CHAUCER ROAD CANBRIDGE CB1 1EF DR. JAMES BALLAS ENGLAND

GEORGETOWN UNN ERSITT DEPARTMENT OF PSYCHOLOGY #ASHINGTON, D.C. 20057

DR. HAROLD BAJIFORD NAT. SCIENCE FDN. 1800 G STREET, N.W. WASIIINGTON, D.C. 10550

EDUCATIONAL TESTING PRINCETON, NJ 08450 DR. ISAAC BEJAR SERVICE

DR. ALVAH BITTNER NAVAL BIODYNAMICS LAB. NEW ORLEANS, LA 70189

DEPT. OF PSYCHOLOGY GEORGE MASON INNIV. 4400 UNIVERSITY DRIVE FAIRFAX, VA 22030 DR. JOHN BLAHA

SUE BOGNER, ARMY RES. INST. ALEXANDRIA, VA 12331-5600 ATTN: PERI-SF 5001 EISENHOWER AV.

DR. GORDON H. BOWER D& FT. OF PSYCHOLOGY STANFORD UNIVERSTY STANFORD, CA 94306

GENERAL PHYSICS CORP. 10450 HICKORY RIDGE RD. COLUMBIA, MD 21044 MR. DONALD C. BURGY DR. GAIL CARPENTER

NUKTIKASIAKN UNIV. DEFT. OF ALATH, SO4LA 360 HUNTING FON AVENUE BOSTON, MA 02115

DR. TYRONE CASHMAN AMER. SOC. OF CYBERNETICS 3428 FREMONT AVE. SOUTH MUNNEAFOLLS, MN 55408 B415 BELLONA LANE SUITE 210-BUXTON TOWERS BALTIALORE, MD 21204 DR. ALPHONSE CHAPANIS

DR. PAUL R. CHATELIER

WASH. D.C. 20350-2000 PENTAGON OUSDRE

MR. RAYMOND E. CHRISTEL AFHRLMOE BROOKS AFB, TX 78235 DR. DAVID E. CLEMENT DEFT. OF PSYCHOLOGY UNIV. OF SOUTH CAROLINA COLUMBIA, SC 39208 CHARLES CLIFTON DR.

TORIN HALL DEFT. OF PSYCHOLOGY UNIV. OF MASSACHUSETTS AMHERST, MA 01003 ASST. CHIEF OF STAFF FOR

RES., DEV., TEST & EVAL. NAVAL EDUC. & TR. COM. (N-S) NAS PENSACOLA, FL 32508 UNIV. OF ILLINOIS DEPT. OF PSYCHOLOGY CHAMPAIGN, IL 61820 DR. MICHAEL COLES

BOLT BERANEK Å NEWAIAN, INC. 50 MOULTON STREET CAMBRIDGE, MA 02138 ALLAN M. COLLINS DR.

800 N. QUINCY ST. ARLINGTON, VA 22217-5000 OFFICE OF NAVAL TECH. DR. STANLEY COLLYER CODE 111

LEARVING RAD CENTER UNIV. OF PITTSBURGH WASHINGTON SUUARE NEW YORK, NY 10003 J939 O'ILIRA STREET PITTSBURGH, PA 15213 DR. LY VN A. COUFER 1009 MAIN BLDG.

DR. GARY ASTON-JONES DEPT. OF RIOLOGY, NYU

3400 TTW/TTGXS LOWRY AFB, CO 80230-5000 BRIAN DALLAGAN

LT. JOHN DEATON ONR CODE 125 800 N. QUINCY STREET ABIJNGTON, VA 22217-5000

COMMITTEE ON IUMAN FACTORS MAT'L. ACAD. OF SCIENCE 2101 CONSTITUTION AVE. WASHINGTON, DC 20418 DR. R. K. DISMUKES ASSOC. DIR. FOR LIFE SCI. AFOSR DR. STANLEY DEUTSCH

IND. ENG. & MANAGEMENT WASHINGTON, DC 20332 DR. DANIEL COPIER BOLLING AFB

BROOKS AFB, TX 78235 DR. SHERRIE GOTT AFHRL/MODJ ISRAEL

**HAIFA 32000** TECHNION

JORDAN GRAFMAN, PH.D. 2021 LYTTONSVILLE ROAD SILVER SPRING, MD 20910

CARNEGIE-MELLON UNIV. DEPT. OF PSYCHOLOGY PITTSBURGH, PA 15213 DR. PAT CARPENTER DR. WAYVE GRAY

DR. LEON COOPL R BROWN CWIN EKSLIT CENTER FOR NEURAL SCI. PROVIDENCE, RI 02912

ARMY RESEARCH INSTITUTE SOOI EISENHOWER AVENUE ALEXANDRIA, VA 22333

JOHNS HOPKINS UNIVERSITY DEPT. OF PSYCHOLOGY BALTIMORE, MD 21218 CHARLES & JATH ST. DR. BERT GREEN

DR. HAROLD HAWKINS

ONR - CODE 1142PT 800 N. QUINCY ST.

ARLINGTON, VA

22217-5000

DR. JAMES G. GREENO UNIVERSITY OF CALIF. BERKELET, CA 9470

CARNEGIE MELLON UNIV. DEPT. OF PSYCHOLOGY

PROF. JOHN R. HAYES

PITTSBURGH, PA 15213

SCHENLEY PARK

**DR. JOAN I. HELLER Sos Haudion Road Oakland, Ca 94606** 

DR. WILLLUM GREENOUGH UNIV. OF ILLINOIS DEPT. OF PSYCHOLOGY CHAMPAIGN, IL 61220

CTR. FOR ADAPT. SYSTEMS ROOM 244, BOSTON UNIV. 111 CUMMINGTON STREET DR. STEPHEN GROSSBERG BOSTON, MA 02215

DR. STEPHANIE DOAN NAVAL AIR DEV. CTR. WARMINSTER, PA

CODE 6021

HALFF RESOURCES, INC. 1918 JJRD ROAD, NORTH ARLINGTON, VA 22207

DR. HENRY M. HALFF

DR. EMANUEL DONCHIN

18974-5000

SIGNITII JO . AINO

DEPT. OF PSYCHOLOGY CHAMPAIGN, IL 61820

MR. RALPH DUSEK

HALFF RESOURCES, INC. 0918 JJRD ROAD, NORTH ARLINGTON, VA 22207 DR. NANCY P. HALFF

DR. MUHAMMAD K. HABIB UNIV. OF NORTH CAROLINA DEPT. OF BIOSTATISTICS CHAPEL HILL, NC 27514

PROF. EDWARD HAERTEL SCHOOL OF EDUCATION STANFORD UNIVERSITY STANFORD, CA 94305

DEPT. OF LING. C-008 LA JOLLA, CA 92093 asca

BROWN UNIV MED. SCHOOL ANATOMY DEPT. PROVIDENCE, RI 02912

DR. JEFFPEY ELMAN

ARD COPORATION 5457 TWINS ANOLLS RD. SUITE 400

COLUMBIA, AID 21045 DR. FORD EBNER / 2/80) / Posner (Washington Univ.

> WASHINGTON, DC 20332 LEE GILES BOLLING AFB AF OSR ă

PASADENA, CA PIIOL2485 EUGENE E. GLOYE **DNR DE LACHMENT** 1030 E. GREEN ž

COMP. SCI. LABURATORY SRI INTERNATIONAL J33 RAVENSWOOD AVE. MENLO PARK, CA 94025 JOSEPH GOGUEN ž

DR. LLOYD HUMPHREYS UNIV. OF ILLINOIS DEFT. OF PSYCHOLGOY 603 E. DANIEL STREET CHAMPAIGN, IL 61820

IBH T.J. WATSON RES. CTR. P.O. BOX 118 YORKTOWN HTS., NT 10598 DR, WE.NDY KELLOGG

DR. STEVEN W. KEELE DEPT. OF PSYCHOLOGY UNIVERSITY OF OREGON EUGENE, OR 97403

UNIY. OF CALIFORNIA DEFT. OF INFO. A COMP. SCI. IRVINE, CA 92717 DENNIS KIBLER ğ

UNIV. OF MICH. TECH. COMM. COLLEGE OF ENGINEERING 1223 B. ENGINEERING BLDG. ANN ARBOR, MI 48109 DR. DAVID KIERAS

CARNEGIE-MELLON UNIY. DEPARTMENT UF PSYCHOLOGY SCHENLEY PARK PITTSBURGH, PA 1311 DR. DAVID KLAHR

DR. EARL HUNT DEPT. OF PSYCHOLOGY UNIV. OF WASHINGTON SEATTLE, WA 98105

DR. ED HUTCHINS, UCSD INTELLIGENT SYSTMS GROUP INST. FOR COG. SCI (C015) LA JOLLA, CA 92091

DR. MILTON S. KATZ ARMY RES. INST. 5001 EISENHOWER AVE. ALEXANDRIA, VA 22333

CATONSVILLE, MD 21228 DR. ALICE ISEN DEPT. OF PSYCHOLGOY UNIV. OF MARYLAND

SAN DIEGO, CA 92152-6800 DR. DAVID R. LAMBERT NAVAL OCEAN SYS. CTR. 771 CATALINA BLVD. CODE 417

DEPT. OF GEOGRAPHY UNIY. OF S. CAROLINA COLUMBIA, SC 29208

DR. FREDERIC M. LORD

EDUC. TESTING SERV. PRINCETON, NJ 00541

UNIV. OF CALIFORNIA DE**FT**. OF INFO. & COMP. SCI. IRVIN**E, CA** 92717 DR. PAT LANGLEY

UNIY. OF N. CAROLINA THE L.L. THURSTONE LAB. DAVIE HALL 013A CHAPBL HILL, NC 27514 MARCY LANSMAN

CARNEGIE-MELLON UNIV. DEPARTMENT OF PSYCHOLOGY PITTSBURGH, PA 15313 DR. JULL LARGIN

DR. DON LYON P.O. BOX 44 HIGLEY, AZ 5536

DEFT. OF PSYCHOLOGY GEORGE MASON UNIVERSITY 4400 UNIVERSITY DR. DR. EVANS MANDES FAIRFAX, VA 22030

DR. RICHARD H. GRANGER DEPT. OF COMP. SCIENCE UNIV. CALIF. AT IRVINE IRVINE, CA 92717 UNIV. OF MN - ELLIOTT HALL DEPT. OF PSYCHOLOGY

MINNEAPOLIS, MN 55455

75 E. RIVER ROAD

DR. RUTH KANFER

DR. STEVEN GRANT DEPT. OF BIOLOGY, NYU 1009 MAIN BUILDING WASHINGTON SQUARE NEW YORK NY 10003

DR. JEROME FELDMAN UNIVERSITY OF ROCHESTER COMP. SCIENCE DEPT. ROCHESTER, NY 1427

DR. PAUL FELTOVICH SIU SCH. OF MEDICINE MED. EDUC. DEPT. P.O. BOX 3926 SPRINGFIELD, IL 62708

DR. CLAYTON LEWIS UNIV. OF COLORADO DEPT. OF COMP. SCI.

BOULDER, CO 80309

DR. BOB LLOYD

CAMPUS BOX 430

ARLINGTON, VA 22209 DR. CRAIG I. FIELDS ARPA

BIOLOGICAL SCI. CTR. 2 CUMMINGTON STREET BOSTON, MA 02215 DR. GAIL FLEISCHANER MARGULIS LAB

DR. JANE M. FLINN DE PT. OF PSYCHOLOGY GEOM: 16 MASON UNIV. 4400 UNIVERSITY DRIVE FAIRFAX, VA 22030 DR. GARY LYNCH UNIY. OF CALLFORNIA CTR. FOR THE NEUROBIOLOGY OF LEARNING, A MEMORY IRVING, CA 97717

DR. MICHELLE GALLAGHER UNIV. OF NORTH CAROLINA DEPT. OF PSYCHOLOGY CHAPEL HILL, NC 27514

DR. R. EDWARD GEISELMAN DEFT. OF PSYCHOLOGY UNIV. OF CALLFORNIA LOS ANGELES, CA 90024

DR. WILLIAM L. HALOY CHIEF OF NAVAL ED. A TR. NAVAL AIR STATION PENSACOLA, FL JJS08

INFORMATION FROCESSING UNIVERNITY OF CALLFORNIA LA JOLLA, CA 92093 CENTER FOR IIUMAN DR. DON GENTNER

PROF. OF EDUC. A PSYCH. UNIV. OF MASS AMHERST DR. CHERYL HAMEL AAIHERST, MA 01003 ORLANDO, FL 32813 DR. P. HELMERSEN HILLS HOU'SE

NTSC

UNIVERSITY OF OSLO DEPT. OF PSYCHOLOGY OSLO J, NORWAY BOX 1094

DR. STEVEN HILLYARD DEPT. OF NEUROSCI. LA JOLLA, CA 92093 UCSD

FORONTO, CANADA MSS 144 DR. GEOFFREY HINTON COMP. SCIENCE DEPT. UNIV. OF TORONTO IO KINGS COLLEGE RD.

INTELLIGENCE SYSTEMS GRP. INST. FOR COG. SCIENCE DR. JIM HOLLAN

DR. JOHN HOLLAND LA JOLLA, CA 92093

UNIY. OF MICHIGAN 2313 EAST ENGINEERING ANN ARBOR, MI 48109

ARMY RES. INST. FOR 1 IIE BEH. A SOCIAL SCIENCES SOOI EISENHOWER AVF VUE ALEXANDRIA, VA 2233.1 DR. MELISSA HOLLAND

DEPT. OF PSYCHOLOGY HUMAN PERFORMANCE LAB. CATHOLLC UNIY, OF AMERICA WASHINGTON, DC 2004 DR. JAMES HOWARD

IIIIALAN PERFORMANCE CTR. ANN ARBOR, AL 48109 DR. KEITH HOLYOAK UNIV. OF MICHIGAN **330 PACKARD R0.4D** 

UNIY, OF WISCONSIN BROGDEN PNYCH, BLDG. 1202 W, JOHNSOV ST. DR. WILLIAM EPSTEIN

DR. RONALD HAMBLETON

DR. K. ANDERS ERICISION MADISON, WI SU706

UNIV. OF COLOR VIO DEPT. OF PSYCHOLOGY BOULDER, CO 80309

COL DENNIS W. JARVI COMMANDER AFHRL

BROOKS, AFB 78235-5601

ASST. DEAN-GRAD. STUDIES COLLEGE OF SCI. A MATH UNIV. OF SOUTH CAROLINA DR. JOSEPH E. JOHNSON COLUMBIA, SC 29208

ONR CODE 125 800 N. QUINEY ST. ARLINGTON, VA 22217-5(HHI CDR TOM JONES

DIV. OF HUMAN FACTORS US NUCLEAR REG. COMM MR. DANIEL B. JONES SAFETY

WASHINGTON, DC 20555 DR. DOUGLAS H. JONES

LAWRENCEVILLE, NY 08648 **THATCHER JONES ASSOC.** 10 TRAFALGAR COURT P.D. BOX 6640

UNIVERSITY OF OSLO INST. OF PSYCHOLOGY BOX 1094, BLINDERN DR. JANE JORGENSEN OSLO, NORWAY

CARNEGIE-MELLON UNIV. DEPT. OF PSYCHOLOGY SCHENLEY PARA PITTSBUCH, PA 15213 DR. MARCEL JUST

UNIV. OF BR. COL. -PSYCH. DR. DANIEL KAHNEMAN #154-2053 MAIN MALL.

VANCOUVER, BR. COLUMINA CANADA Y6T IN7

(Washington Univ./Posner/2/89)

EDUCATIONAL PSYCHOLOCY 116 EDUCATION BLDG. UNIVERSITY OF 11.LINOIS CHAMPAIGN, 11.61801 DR. GAIL MCKOON, CASI PSYCHOLOGY, KRESGE 1230 NORTHWESTERN UNIV. 1859 SHERIDAN ROAD DR. JOB MCLACHLAN NAVT PERSONNEL RAD CTR. SAN DIEGO, CA 91152-4800 DR. CEORGE A. MILLER DEPT. OF PSYCHOLOGY GREEN HALL, PRINCETON PRINCETON, NJ 08540 DR. JAMES MCMICHAEL ASST. FOR MPT RES., DEV. AND STUDIES, OP 0187 WASHINGTON, DC 20170 DR. ROBERT MISLEVY EDUCATION TESTING SERV. PRINCETON, NJ 08541 HUMAN RES. RES. ORG. 1100 SOUTH WASHINGTON ALEXANDRIA, VA 22314 DR. ALAN M. LESGOLD LEARNING RAD CENTER UNIV. OF PITTSBURGH PITTSBURGH, PA 15260 NO EDUCATION BUILDING CHAMPAIGN, IL 61820-6990 LEARNING RAD CENTER UNIV. OF PITTSBUGH PITTSBURGH, PA 15340 DEPT. OF EDUC. PSYCH. DR. MICHAEL LEVINE DR. BARBARA MEANS EVANSTON, IL 40201 **DR. JOHN LEVINE** JIM LEVIN ğ DE PT. OF PSYCHOLOGY COMM. COLLEGE OF ALLEGHENY 100 AL LEGHENY AVENUE DEPUTY TECHNICAL DIRECTOR DIR., MANPOWER & PERS. LAB. BEH. TECHNOLOGY LABORATORLES - USC 1845 S. FLENA AVE, 47H FL. REDONDO BEACH, CA 9017 UNIV. OF AIRCHIGAN MENTAL HEALTH RES. INST. 1236 WILLIAM JAMES HALL UNIY. OF MINNESOTA N218 ELLIOTT HALL MINNEAPOLIS, MN 55455 NPRDC (CODE 06) SAN DIEGO, CA 92152-6800 NFRDC CODE 01A SAN DIEGO, CA 92152-6800 DR. KENNETH KOTOVSKY TRAUNING RES. DIVISION JOS WASHTENAW PLACE ANN ARBOR, MI 49109 MATENNE KOUNBERN DR. RONALD KNOLL BELL LABORATORIES MURRAY HILL, NJ 67974 DR. STEPHEN KOSSLYN 1100 S. WASHINGTON ALEXANDRIA, VA 22014 H LEVARD UNIVERSITY CAMBRIDGE, MA 02138 PITTSBURGH, PA 15233 DR. RICHARD NISBETT PROGRAM MANAGER ANN ARBOR, MI 48109 DR. MARY JO NISSEN DR. RANDY MUMAW UNIY. OF MICHIGAN INST. FOR SOC. RES. DR. ALLEN MUNRO JI KIRKLAND ST. **ROOM 5261** 

DR. SANDRA P. MARSHALL DEPT. OF PSYCHOLOGY SAN DIEGO STATE UNIV. SAN DIEGO, CA 92182

DR. RICHARD E. MAYER DEPT. OF PSYCHOLOGY U.VIV. OF CALIFORNIA SANTA BAKBARA, CA 9106

NPRDC (CODE 301) SAN DIEGO, CA 92152-6800 IAMES MCBRIDE, PSYCH, CORP.

CIO HARCOURT, BRACE, JAVANOVICH, INC. 1350 WEST 6TH STREET SAN DEGGO, CA 92101 DR. JAY MCCLELLAND

DEPT. OF PSYCHOLOGY CARNEGIE-MELLON UNIV. PITTSBURGH, PA 15213 SPEC. ASST. FOR MARINE

ADD N. QUINCY ST. ARLINGTON, VA 22217-5000 NOSC, CODE 41 SAN DIEGO, CA 92152-6800 CORP MATTERS ONR CODE DOMC DR. GLEN OSGA

DR. JUDITH ORASANU ARMY RESEARCH INST 5001 ELSENHOWER AVE ALEXANDRUA, VA 22333

MATHEMATICS GROUP, ONR

CODE IIIIMA 800 NORTH QUINCY ST. ARLINGTON, VA 22217-5000

DEPT. OF PSYCHOLOGY GEORGE MASON UNIV. 4400 UNIVERSITY DRIVE DR. ROBERT F. PASNAK FAIRFAX, VA 22030

PROF, SEYMOUR PAPERT CAMBRIDGE, MA 02139 20C-109 5

DIR. TECH. PROGRAMS ONR CODE 12 800 NORTH QUINCY ST. ARLINGTON, VA 2217-5000

ONR, CODE 1142EP 800 N. QUINCY STREET ARLINGTON, VA 21217-5000

A ORGANIZATIONAL SYS. LAB DIRECTOR, TRAINING LAB. NPRDC (CODE 05) SAV DIEGO, CA 91152-6800 DIR. HUMAN FACTORS &

NPRDC (CODE 07) SAN DIEGO, CA 92152-6800 FLEET SUPPORT OFFICE,

COMMANDING OFFICER

800 N. QUINCY STREET ARLINGTON, VA 22217-5000 (6 COPIES) WASHINGTON, DC 20390

NAVAL RES. LAB.

CODE 2627

ONR, CODE 1142PT

INST. FOR DEFENSE ANALYSIS 1801 N. BEAUREGARD ST. ALEXANDRIA, VA 22311 DR. JESSE ORLANSAY

DR. JAMES L. MCGAUGH CTR. FOR NEUROBIOLOGY OF LEARNING & MEMORY JRVINE, CA 92717

DEPT. OF PSYCHOLOGY CAMPUS BOX 346 UNIVERSITY OF COLORADO BOULDER, CO 80309 DR. MARTHA POLSON

800 N. QUINCY STREET ARLINGTON, VA 22217-5000

ONR, CODE 1113

DR. STEVEN E. POLTROCK 130 RESEARCH BLVD. ECHELON BLDG. 01 AUSTIN, TX 78759-4509

LEARNING RAD CENTER UNIV. OF PITTSBURGH PITTSBURGH, PA 15213 DR. LAUREN RESNICK 1919 O'HARA STREET

ONR - CODE 1141NP ROU N. QUINCY STREET ARLINGTON, VA 22217-5000

PIIYSICS DEPARTMENT UNIV. OF CALIFORNIA BEREELEY, CA 94770 DR. FRED REIF

ONR, CODE 1142 800 N. QUINCY ST. ARLINGTON, VA 22217-5000

UNIY. OF MD SCH. OF MED. DEPARTMENT OF NEUROLOGY 22 S. GREENE STREET BALTIMORE, MD 21201 DR. JAMES A. REGGIS

CODE 52-TRAINING SYSTEMS NAVY PERSONNEL RAD CTR. SAN DIEGO, CA 92152-6800 DAIRA PAULSON

XEROX PARC 3333 COYOTE HILL ROAD PALO ALTO, CA 94304

DR. TOM MORAN

DR. HAROLD F. O'NEIL, JR. SCHOOL OF EDUC, WPH 801 DEPT, OF EDUC, PSYCH & TECHVOLONY, UNC LOS ANGELES, CA 96539 (81)1

MR. MELVIN D. MONTEMERLO NASA HEADQUARTERS

WASHINGTON, DC 20546

RTE-6

NAVAL TRAINING SYS. CTR. DR. MICHAEL ORERLIN CODE 711

DR. WILLIAM MONTAGUE NPRDC CODE 13 SAN DIEGO, CA 92152-6800

ORLANDO, FL 32813-7100

DR. STELLAN OHLSSON UNIV. OF PITTSBUKGH PITTSBURGH, PA 15213 3939 O'HARA STREET LEARNING RAD CTR.

**800 NORTH QUINCY ST.** ARLINGTON, VA 22217-5000 DIR. RES. PROG., ONK

MR. RAYMOND C. SHOORSAY ARMY RESEARCH INST. 5001 EISENHOW LR 4VE. ALEXANDRIA, VA 22333 DR. HERBERT A .. SIMON DEPT. OF PSYCHOLOGY CARNEGIE-MELLON UNIV. SCHENLEY PARK PITTSBURGH, PA 15213

SYSTEMS AREA, AKI SOOI EISENIIOWER ST ALEXANDRIA, VA 22333 INSTRUCTIONAL TECH. DR. ZITA M. SIMUTIS

MANPOWER RES. A ADV. SERV. Smithsonian institute Boi n. Pitt Street Alexandria, va 22314 DR. H. WALLACE SINAIKO

(Washington Univ./Posner/2/69)

PORTLAND STATE UNIVERSITY DE JUNES PAULSON PURTLAND, OR 97207 P.O. BOX 751

L VIVERSITY OF COLORADO PR PETER POLSON BUCLIFER, CO 80309 DR. JAMES W. PELLEGRINO U.C.-SANTA BARBARA DEPT. OF PSYCHOLOTY SAVTA BARBARA, CA 93106

DR. NA VCY PENNINGTON U'VIN ERSITY OF CHICAGO GRAD. SCH. OF MED. 1101 E. SUTH ST. CHICAGO, IL 60637

ARI (PERI-II) 5(4) EISENHOWER AVENUE 4LEX-4NDRIA, VA 22333 DR. RAY PEREZ

DEPT. OF PSYCHOLOGY E10-018 MIT CAMBRIDGE, MA 02139 DR. STEVEN PUNKER

DR. SAL'L STERNBERD UNIV. OF PENNSTLYANIA DEFT. OF PSYCHOLOGY JJIS WALNUT STREET

DR. ELLIOT SOLOWAY COMPUTER SCI. DEPT. NEW HAVEN, CT 06520 YALE UNIVERSITY P.O. BOX 2158

BOLT BERANEK & NEWMAN, INC. 10 MOULTON ST. CAMBRIDGE, MA 02234 DR. ALBERT STEVENS

DR. FAUL J. STICHA TRAINING RES. DIV. HUMRRO 1100 S. WASHINGTON ALEXANDRIA, VA 21314

ي د م

DA. LTNNR REDER DEFT. OF FSYCHOLOGY CARNEGIE-MELLON UNIV. SCHENLEY PARK PITTSBURGH, PA 15213

IOWA CITY, IA 52243 P.O. BOX 168

NAVAL TRAINING SYS. CTR.

CODE 07A

ORLANDO, FL 32813

DR. ALFRED F. SMODE SENIOR SCIENTIST

DR. MARY C. POTTER DEFT. OF FSYCHOLOGY MIT (E-10-013) CAMBRIDGE, MA 02139

ARMY RESEARCH INST. Sool EISENHOWER AVE. ALEXANDRIA, VA 22333 DR. JOSEPH PSOTIKA ATTN: PERI-IC

DEPT. OF PSYCHOLOGY NEW SCHOOL FOR SOC. RES. & FIFTH AVENUE DR. DANIEL REISBERG NEW YORK, NY 10003

ROOM B28-15 BETHESDA, MD 20205 DR. STEVE SUOMI NIH BLDG. 31

DR. H. SWAMINATHAN LAB. OF PSYCHOMETRIC & EVALUATION RESEARCH UNIV OF MASSACHUSETTS AMHERST, MA 01003

BOLLING AFB, DC 20332 DR. JOHN TANGNEY AFOSRINL

DR. MARK D. RECEASE

DEPT. OF PSYCHOLOGY BLDG. 401 - JORDAN HALL STANFORD, CA 94305 DR. KARL PRIBRAM STANFORD UNIVERSITY

DR. RICHARD E. SNOW DEFT. OF FSYCHOLOGY STANFORD UNIVERSITY STANFORD, CA 94306

CARNEGIE-MELLON UNIV. DEPT. OF PSYCHOLOGY PITTSBURGH, PA 15213 DR. KURT VAN LENN SCHENLEY PARK

NAVY PERSONNEL RAD CTR. SAN DIEGO, CA 92152-6800 DR. JERRY VOCT CODE SI

DR. KATHRYN SPOEHR BROWN UNIVERSITY DEPT. OF PSYCHOLOGY PROVIDENCE, RI 02912 DR. EDWARD B. SMITH BOLT BERANER & NEWMAN, INC. 50 MOULTON STREET CAMBRIDGE, MA 02138 DR. ROBERT STERNBERG DEPT. OF PSYCHOLOGY YALE UNIVERSITY BOX 11A, YALE STATION NEW 11AVEN, CT 06520

CARNEGIE-MELLON UNIVERSITY DEPT. OF PSYCHOLOGY PITTSBURGH, PA 15213 IAMES J. STASZEWSKI SCHENLEY PARK

DEPT. OF PSYCHOLOGY GEORGE MASON UNIV. 4400 UNIVERSITY DR.

DR. ROBERT F. SMITH

BEHAVIORAL TECH. LABS 1845 S. ELENA AVENUE REDONDO BEACH, CA 90277 DR. DOUGLAS TOWNE

BLOOMINGTON, IN 47405

DEPT. OF PSYCHOLOGY INDIANA UNIVERSITY

DR. LINDA B. SMITH

FAIRFAX, VA 22030

DR. MAURICE TATSUONA 220 EDUCATION BLDG. 1310 S. SIXTH ST. CHAMPARCN, IL 61820 DR. RICHARD F. THOMPSON STANFORD UNIVERSITY DEPT. OF PSYCHOLOGY BLDG. 4201-JORDAN HALL STANFORD, CA 94305

DEPT. OF GEOGRAPHY UNIV. OF S. CAROLINA COLUMBIA, SC 29208

DR. TED STEINER

NAVY PERSONNEL RAD CTR SAN DIEGO, CA 92152-6800 **NIR. BRAD SYMPSON** 

DR. MICHAEL I. TURVEY

HASKINS LABORATORY 270 CROWN STREET NEW HAVEN, CT 06510

DEPT. OF PSYCHOLOGY UNIV. OF TENNESSEE KNOXVILLE, TN 37916 DR. FUMIKO SAMEJIMA

ASSESSMENT SYSTEMS CORP. 2233 UNIVERSITY AVE.

DR. DAVID VALE

ST. PAUL, MN 55114

SUITE JIO

DR. DONALD RUBIN STAT. DEFT., IIARVARD SCIENCE CTR., RM. 608 I OXFORD STREET CAMBRIDGE, MA 02138

AT**AT BELL LABORATORIES** ROOM 2D–456 600 MINI'NTAIN AVENUE MURRAY HILL, NJ 07974 DR. ERNST Z. ROTHKOPF

152 ENGINEERING RES. LAD. DR. K. TATSUOKA URBANA, IL 61801 CERL

DR. MARTIN A. TOLCOTT 3001 VEAZEY TERR., NW WASHINGTON, DC 2000 APT. 1617

UNIVERSITY OF MISSOURI DEFT. OF STATISTICS 222 MATH SCIENCES BLDG. COLUMBLA, MO 62211 DR. ROBERT TSUTAKAWA

DEPT. OF PSYCHOLOGY GEORGE MASON UNIVERSITY 4400 UNIVERSITY DRIVE FAIRFAX, VA 22030 DR. ZITA E. TYER

HQ - US MARINES CODE MPI - 20 WASHINGTON, DC 20360

DR. AMOS TYERSKY STANFORD UNIVERSITY DEPT. OF PSYCHOLOGY STANFORD, CA 94305

TECHNICAL DIRECTOR NAVY PERSONNEL RAD CTR. SAN DIEGO, CA 92152-4900 DR. JAMES TWEEDDALE

DR. T. B. SHERIDAN DEPT. OF MECH. ENG. CAMBRIDGE, MA 02139 LIM

VARAIINSTER, PA 18974-5000 DR. HEATHER WILD NAVAL AIR DEV. CENTER CODE 6021

MEMORY & COG. PROCESSES NATIONAL SCIENCE FDN. WASHINGTON, DC 20550 DR. JOSEPH L. YOUNG

DR. HOWARD WAINER DIV. OF PSYCH. A EDUC. TESTING SERV. PRINCETON, NJ 08541

MAIL STOP COL-14 GRUMMAN AEROSP. CORP. BETHPAGE, NY 11714 DR. GIL RICARD

DR. DAVID RUMELIJART CENTER FOR HUMAN INFORMATION PROC. UNIV. OF CALIF. LA JOLLA, CA 92093 DR. ANDREW M. ROSE AM. INST. FOR RES. 1055 THOMAS JEFFF RVON ST., NI WASHINGTON, INC 20002

SEARCH TECH., INC. 25-B TECHNOLOGY PX'ATL. NORCROSS, GA 30092 DR. W.M. B. ROUSE

HASKINS LABSORATORIES 270 CROWN STREET NEW HAVEN, CT 06510 DR.E.L.SALTZMAN

N660 ELLIOTT HAL UNIV: OF MINNESOTA 75 E. RIVER ROAD MINNEAPOLIS, MN 55455 DR. DAVID J. WEISS

DR. SHIH SUNG WEN

JACKSON STATE UNIV. 1325 J.R. LYNCH ST. JACKSON, MS 39217

# (Washington Univ./Posner/2/39)

DR. JAIME CARBONELL CARNEGIE-MELLON UNIV. DEPT. OF PSYCHOLOGY PITTSBURGH, PA 15213

J. D. FLETCHER 9931 CORSICA STREET VIENNA, VA 22180

DR. JOHN R. FREDERIKSEN BOLT BERANET & NEWMAN 59 MOULTON STREET CAMBRIDGE, MA 02138

DR. MICHAEL J. SAMET PERCEPTRONICS, INC. Q71 VARIEL AVENUE WOODLAND HILLS, CA 91364

DR. ARTHUR SAMUEL YALE UNIVERSITY DEPT. OF PSYCHOLOGY BOX 11A, YALE STATION NEW HAVEN, CT 06520

DR. ROGER SCHANE YALE UNIVERSITY COMP. SCI. DEPARTMENT NEW HAVEN, CT 06520

DR. WALTER SCHNEIDER LEARNING RAD CTR. UNIVERSITY OF PITTSBURGH 3939 O'HARA STREET PITTSBURGH, PA 15260

DR. MICHAEL G. SHAFTO ONR CODE 1142PT 800 N. QUINCY STREET ARLINGTON, VA 12217-5000

DR. JANET SCHOFIELD LEARNING RAD CENTER UNIV. OF PITTSBURGH PITTSBUGH, PA 15260

DR. ROBERT J. SEIDEL US ARMY RES. INST. 5001 EISENHOWER AVE. ALEXANDRIA, VA 22333

CHIEF OF NAVAL ED. & TR. LIAISON OFFICE AIR FORCE HUMAN RES. LAB. OPERATIONS TRAINING DIV. WILLIAMS AFB. AZ 85224

DR. DONALD A. NORMAN INST. FOR COG. SCI. UNIV. OF CALIFORNIA LA JOLLA, CA 92093

DR. MICHAEL J. ZYDA NAVAL POSTGRADUATE SCHOOL CODE SICK MONTEREY, CA 93943-5100 DR. JOEL DAVIS ONR. CODE 1141NP 800 NORTH QUINCY ST. ARLINGTON, VA 22217-5000

DR. HANS-WILLI SCHROLFF INST. FUER PSYCHOLOGIE DER RWTH AACHEN JAEGERSTRASS ZWISCHEN 17 U. 19 S100 AACHEN, WEST GERMANY

DR. BETH WARREN BOLT BERANEK & NEWMAN, INC. 50 MOULTON STREET CAMBRIDGE, MA 02138

DR. ROBERT A. WISHER U.S. ARMY INST. FOR THE BEH. & SOC. SCIENCES 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333

. . . . . . . . .

DR. MARTIN F. WISKOFF NAVY PERSONNEL R&D CTR. SAN DIEGO, CA 92152-6800

MR. JOHN H. WOLFE NAVY PERSONNEL RAD CTR. SAN DIEGO, CA 92152-6800

GEORGE WONG, BIOSTATISTICS MEMORIAL SLOAN-LETTERING CANCER CENTER 1275 YORK AVENUE NEW YORK, NY

DR. DONALD WOODWARD OFFICE OF NAVAL RESEARCH CODE 1141NP 800 NORTH QUINCY STREET ARLINGTON, VA 22217.5000

DR. WALLACE WULFECK. III NAVT PERS. RAD CENTER SAN DIEGO, CA 92152-6800

DR. DAVID NAVON

LA JOLLA, CA 92093

DR. ROBERT SASMOR

ARMY RES. INSTITUTE

SOOI ELSENBOWER AVE.

ALEXANDRIA, VA 22333

ATTN: TC

DEFENSE TECH. INFO. CTR.

CAMERON STATION, BLDG. 5 ALEXANDRIA, VA 22314

INST. FOR COGNITIVE SCI.

UNIV. OF CALIFORNIA

DR. KEITHER WESCOURT FMC CORPORTAION CENTRAL ENG. LABS. 1185 COLEMAN AVE., BOX 580 SANTA CLARA, CA 95052

DR. NORMAN M. WEINBERGER UNIV. OF CALIF. CTR. FOR THE NEUROBIOL. OF LEARNING & MEMORY JRVINE, CA 92717

DR. DOUGLAS WETZEL CODE 12 NAVY PERS. R&D CTR. SAN DIEGO, CA 92152-6800

DR. BARBARA WHITE BOLT BERANEK & NEWMAN, INC. 36 MOULTON ST. CAMBRIDGE, MA 02238

DR. BARRY WHITSEL UNIV. OF NC DEPT. OF PHYSIOLOGY MEDICAL SCHOOL CHAPEL HILL, NC 27514

DR. CHRISTOPHER WICKENS DEPT. OF PSYCHOLOGY UNIV. OF ILLINOIS CHAMPAIGN, IL 61820

DR. STEVEN ZORNETZER ONR, CODE 1140 800 N. QUINCY ST. ARLINGTON, VA 22217-5000

DR. MICHAEL I. POSNER UNIVERSITY OF OREGON DEPT. OF PSYCHOLOGY EUGENE, OR 97403

CAPT. P. MICHAEL CURRAN ONR, CODE 125 800 N. QUINCY ST. ARLINGTON, VA 22217-5000

DR. MARSHALL J. FARR 2520 NORTH VERNON ST. ARLINGTON, VA 22207