

ORIGINAL ARTICLE

The gamma-glutamyl transpeptidase to platelet ratio (GPR) predicts significant liver fibrosis and cirrhosis in patients with chronic HBV infection in West Africa

Maud Lemoine, ^{1,2} Yusuke Shimakawa, ^{2,3} Shevanthi Nayagam, ¹ Mustapha Khalil, ⁴ Penda Suso, ⁴ Jo Lloyd, ⁵ Robert Goldin, ⁵ Harr-Freeya Njai, ² Gibril Ndow, ² Makie Taal, ⁶ Graham Cooke, ⁷ Umberto D'Alessandro, ² Muriel Vray, ³ Papa Saliou Mbaye, ⁸ Ramou Njie, ² Vincent Mallet, ⁹ Mark Thursz ¹

¹Department of Hepatology, Imperial College London, St Mary's Hospital, London, UK ²The Gambia Unit, Liver Unit, Medical Research Council, Fajara, The Gambia ³Emerging Disease Epidemilogy Unit, Institut Pasteur, Paris, France

⁴Department of Histopathology, Edward Francis Small Teaching Hospital, Banjul, The Gambia ⁵Centre for Pathology, Imperial College London, London, UK ⁶Ministry of Health and Social Welfare, Banjul, The Gambia ⁷Department of infectious disease, Imperial College London, St Mary's Hospital, London, UK

⁸Department of Hepatology and Gastroenterology, Principal Hospital, Dakar, Senegal ⁹Université Paris Descartes, APHP, Groupe Hospitalier Cochin Port Royal, Institut Pasteur, Paris, France

Correspondence to

Dr Maud Lemoine, Department of Hepatology, Imperial College London, St Mary's Hospital, London, W2 1NY,

m.lemoine@imperial.ac.uk

ML and YS contributed equally.

Received 30 January 2015 Revised 3 April 2015 Accepted 18 April 2015

ABSTRACT

Background Simple and inexpensive non-invasive fibrosis tests are highly needed but have been poorly studied in sub-Saharan Africa.

Methods Using liver histology as a gold standard, we developed a novel index using routine laboratory tests to predict significant fibrosis in patients with chronic HBV infection in The Gambia, West Africa. We prospectively assessed the diagnostic accuracy of the novel index, Fibroscan, aspartate transaminase-to-platelet ratio index (APRI), and Fib-4 in Gambian patients with CHB (training set) and also in French and Senegalese CHB cohorts (validation sets).

Results Of 135 consecutive treatment-naïve patients with CHB who had liver biopsy, 39% had significant fibrosis (Metavir fibrosis stage ≥F2) and 15% had cirrhosis (F4). In multivariable analysis, gamma-glutamyl transpeptidase (GGT) and platelet count were independent predictors of significant fibrosis. Consequently, GGT-to-platelet ratio (GPR) was developed. In The Gambia, the area under the receiver operating characteristic curve (AUROC) of the GPR was significantly higher than that of APRI and Fib-4 to predict ≥F2, ≥F3 and F4. In Senegal, the AUROC of GPR was significantly better than Fib-4 and APRI for >F2 (0.73, 95% CI 0.59 to 0.86) and better than Fib-4 and Fibroscan for \geq F3 (0.93, 0.87 to 0.99). In France, the AUROC of GPR to diagnose ≥F2 (0.72, 95% CI 0.59 to 0.85) and F4 (0.87, 0.76 to 0.98) was equivalent to that of APRI and Fib-4.

Conclusions The GPR is a more accurate routine laboratory marker than APRI and Fib-4 to stage liver fibrosis in patients with CHB in West Africa. The GPR represents a simple and inexpensive alternative to liver biopsy and Fibroscan in sub-Saharan Africa.

INTRODUCTION

HBV infection is highly endemic in sub-Saharan Africa (SSA)¹ and is the main cause of hepatocellular carcinoma (HCC), one of the most frequent cancers in Africa.² Immunisation is not sufficient to control the HBV epidemic in SSA.4 To reduce the disease burden of HBV infection in SSA, it may be critical to identify HBV-infected subjects with significant liver disease and treat them with antiviral therapy.

Significance of this study

What is already known on this subject?

- HBV infection is responsible for a significant burden of liver disease in sub-Saharan Africa (SSA).
- The lack of non-invasive and inexpensive fibrosis markers for the assessment of chronic HBV infection is one of the main barriers for care and treatment of people chronically infected with HBV in Africa.
- WHO recommends the use of aspartate transaminase-to-platelet ratio index (APRI) as a non-invasive test for cirrhosis in resource-limited settings, however, the evidence is limited in SSA where only two small studies have assessed the diagnostic performance of the non-invasive markers.
- A new simple and inexpensive marker of fibrosis in SSA is highly needed.

What are the new findings?

- For identifying significant fibrosis and cirrhosis in West African HBV carriers, the new GPR (gamma-glutamyl transpeptidase (GGT)/ platelets ratio) is a more accurate routine laboratory test than APRI and Fib-4 tests.
- Transient elastography (Fibroscan) has excellent diagnostic accuracy for predicting significant fibrosis and cirrhosis in patients infected with HBV in West African setting but the device remains expensive.
- The GPR represents an accurate and inexpensive alternative to liver biopsy and Fibroscan for SSA countries.

How might it impact on clinical practice in the foreseeable future?

WHO is calling for better strategies to fight against the global burden of viral hepatitis in particular in resource-poor settings. GGT and platelets are inexpensive biomarkers, easy to measure even in peripheral laboratories in SSA. Thus, GPR will be easy to use in routine clinical practice.

To cite: Lemoine M, Shimakawa Y, Nayagam S, et al. Gut Published Online First: [please include Day Month Year] doi:10.1136/ gutjnl-2015-309260

Hepatology

Fibrosis staging is an essential step in the clinical assessment of patients with chronic HBV (CHB) infection to identify those who require treatment. Liver biopsy (LB) is an invasive and expensive procedure that is very difficult to perform in routine practice in SSA. Thus, non-invasive methods to evaluate liver fibrosis are particularly needed in SSA.

Transient elastography (Fibroscan) is a point-of-care procedure that has been validated in patients with CHB infection in Western and Asian countries. 5-10 Simple biochemical markers such as the aspartate transaminase (AST)-to-platelet ratio index (APRI)¹¹ and the fibrosis-4 (Fib-4)¹² scores have the advantage of comprising only two or three inexpensive laboratory tests. In March 2015, WHO published its first guidelines on the management of CHB infection. They recommend the use of APRI as a non-invasive tool to detect liver cirrhosis and significant fibrosis in resource-limited settings. However, these guidelines also underline a need for additional evidence from SSA. Indeed, only two small studies to date assessed the diagnostic performance of non-invasive markers of fibrosis in SSA. 14 15

Within the framework of the PROLIFICA programme (Prevention of Liver Fibrosis and Cancer in Africa, funded by the European Commission FP7, P34114)¹⁶ we identified a new simple laboratory index, the gamma-glutamyl transpeptidase (GGT)-to-platelet ratio (GPR), in a cohort of CHB carriers in The Gambia, West Africa and then assessed its diagnostic accuracy in two external validation sets from France¹⁷ and Senegal.¹⁵ We compared the diagnostic performance of GPR with that of Fibroscan, APRI and Fib-4 tests, using liver histology as a gold standard.

METHODS

Patients

From November 2011 to November 2013, all consecutive patients with positive hepatitis B surface antigen test (Determine, Alere, USA)¹⁸ enrolled in the PROLIFICA programme in The Gambia underwent a standardised clinical examination including Fibroscan, abdominal ultrasound and blood tests: haematology (Medonic SE-12613, Boule Medical AB, Sweden); biochemistry (VITROS 350 analyser, Ortho, USA); hepatitis B e antigen (ETI-EBK Plus, Diasorin, Italy); antibody against HCV (anti-HCV) (AxSYM, Abbott, USA); antibody against hepatitis D virus (ETI-AB-DELTAK-2, Diasorin, Italy): antibody against HIV (anti-HIV) (Genscreen ULTRA, Biorad, USA); and HBV DNA using a quantitative in-house PCR (detection limit: 50 IU/mL). The data were prospectively collected using a specific case report form. Patients with at least one of the criteria below were invited for LB in the absence of contraindications: transaminases (AST or alanine transaminase (ALT)) ≥40 IU/L, liver stiffness measurement (LSM) ≥6.5 kPa, family history of cirrhosis or HCC in a first-degree relative, or HBV DNA ≥2000 IU/mL. Subjects with the following conditions were excluded from the study: co-infection with HCV, hepatitis D virus or HIV, prior or concurrent HBV antiviral therapy, focal hepatic lesion including HCC, concomitant tuberculosis, acute malaria, transaminases levels more than 10 times the upper limit of normal (ULN), 19 significant alcohol consumption (>20 g/ day), acute heart failure and pregnancy.

Liver biopsy

Percutaneous LB was performed using ultrasound localisation and the Menghini technique after written informed consent. Liver samples were formalin-fixed and paraffin-embedded for histological analysis. Liver histology was interpreted by two liver pathologists in The Gambia and England. Liver samples with less than three portal tracts were considered as poor quality and therefore excluded from the analysis. Both pathologists were blinded to the clinical information including the results of non-invasive tests. In case of discrepancies, slides were reviewed by a third highly experienced hepatopathologist (UK) who was blinded to the clinical information and the diagnosis of the other pathologists. The degree of liver activity and fibrosis were scored according to the Metavir system.²⁰

Transient elastography (Fibroscan)

All LSMs were performed fasting²¹ on the same day of LB using a Fibroscan device (FS402, Echosens, France) by experienced operators according to the manufacturer's protocol.²² The value of LSM was expressed in kilopascal (kPa) as the median of 10 successful acquisitions. Unreliable measurement was defined as IQR/LSM of > 0.30 when LSM is ≥ 7.1 kPa.²³

APRI and Fib-4 calculation

APRI and Fib-4 were calculated as (AST (IU/L)/its ULN)/platelet count $(10^9/L)\times 100^{11}$ and as (age (years)×AST (IU/L))/(platelets $(10^9/L)\times (ALT~(IU/L))^{1/2})$, ¹² respectively. These markers were measured at enrolment, usually 1–2 weeks prior to the LB.

Validation sets

Two external validation data sets of treatment-naïve monoin-fected CHB carriers with viral load ≥2000 IU/mL and without excessive alcohol intake from France¹⁷ and Senegal¹⁵ were used to assess the performance of the novel index and other non-invasive markers. In the French cohort (n=138), only the patients with available data on GGT and platelet counts and a length of liver fragment >15 mm were included in the current analysis (n=63). Fibroscan was not performed in this cohort. In Senegal, only the patients with LSM ranging between 7 kPa and 13 kPa underwent LB following the scientific committee's recommendation, and the original analysis was restricted to patients with normal ALT (n=69).¹⁵ In the current analysis, we also included patients who had elevated ALT, and thus we analysed 80 Senegalese patients.

Statistical analysis

The baseline characteristics of the three cohorts were compared using χ^2 test or Kruskal-Wallis test. In order to identify predictors of significant liver fibrosis (\geq F2), univariable logistic regression was computed for the following variables: age, sex, AST, ALT, alkaline phosphatase, GGT, albumin, total bilirubin, platelet count and HBV DNA levels. All the continuous variables were transformed in logarithmic scale. Multiple logistic regression models were then fitted by including all the factors associated with the significant liver fibrosis in the univariable analyses (two-sided p value of <0.05), and the final prediction model was selected using the backward stepwise procedures. A simplified formula was derived using the independent predictors of the final model.

The diagnostic accuracy of established fibrosis markers (Fibroscan, APRI and Fib-4) and the new index (GPR) was estimated by using the receiver operating characteristic (ROC) curve. Optimal cut-offs for LSM and GPR were selected to maximise the sum of sensitivity and specificity. For APRI and Fib-4, predefined cut-offs were used (0.5 and 1.5 for APRI to distinguish F0-1 and F2-4, 1.0 and 2.0 for APRI to distinguish F0-3 and F4, 11 and 1.45 and 3.25 for Fib-4 to distinguish F0-2 and F3- 12). The sensitivity, specificity, positive and negative predictive values and the area under the ROC curve (AUROC) of each non-invasive test for significant fibrosis (F \geq 2), extensive

fibrosis (F≥3) and cirrhosis (F4) were obtained by comparing patients of F2–4 with F0–1, F3–4 with F0–2, and F4 with F0–3, respectively. AUROC was compared between non-invasive tests for each fibrosis stage. In order to assess the associations of liver fibrosis stages, activity grade and presence of steatosis with a score of each non-invasive marker, a linear regression was modelled. The effects of these factors were mutually adjusted in a multivariable analysis. Finally, the GPR was applied to the two validation data sets and AUROC was obtained. All the analyses were performed using STATA V.13.0 (Stata Corporation, College Station, Texas). This study was reported in accordance with the Standards for Reporting of Diagnostic Accuracy (STARD).²⁴

RESULTS

Training set in The Gambia

Study population

Between November 2011 and November 2013, 1042 subjects tested positive for hepatitis B surface antigen were prospectively enrolled in the Prevention of Liver Fibrosis and Cancer in Africa (PROLIFICA) programme in The Gambia. Figure 1 summarises the flow diagram of the study population. After exclusion of patients with HCC (n=113) or other diagnoses (n=9), 225 (24.5%) met the study criteria for LB and were invited. Sixty-eight (30.2%) refused the procedure. The clinical and biological characteristics of subjects who refused the procedure were not statistically different from those who accepted the procedure (data not shown). Eleven procedures were cancelled on the day of LB (figure 1). Thus, 146 LBs were performed. Of them, 11 were excluded from the analysis (reasons are indicated in figure 1). Thus, 135 patients were included in the final analysis. All patients had reliable LSM values using the criteria proposed by Boursier et al.²³ Indication for LB was as follows: elevated transaminases alone (9, 6.7%), elevated LSM alone (39, 28.8%), elevated viral load alone (7, 5.1%), family history of cirrhosis or HCC alone (5, 3.7%), and combination of two or more of these (75, 55.5%). Table 1 summarises the main characteristics of the study patients.

Histopathology

No complication was observed after LB. Fifty-three (39%) patients had fibrosis \geq F2 and 20 (15%) had cirrhosis. A third of patients (37; 27%) had liver activity A2/A3 and the vast majority of the patients had no liver steatosis (table 1). Both pathologists were initially in agreement for 94 (69.6%) specimens. For the 41 specimens showing discrepancies, a final diagnosis was reached by a third histopathologist (figure 1).

The GPR predicts significant liver fibrosis

The presence of significant liver fibrosis (≥F2) was associated with male sex, AST, ALT, GGT, albumin, platelet count and HBV DNA levels in univariable analyses (table 2). Subsequent multivariable analysis using backward stepwise procedures identified GGT and platelet count as independent predictors of significant fibrosis.

Box plots of GGT and platelet count in relation to the Metavir fibrosis stage are presented in figure 2A, B. While GGT values had a positive correlation with Metavir score (Spearman's correlation coefficient r=0.48, p<0.0001), platelet count was negatively correlated (r=-0.33, p=0.0001). In order to improve the prediction of significant fibrosis using these variables, a novel index called the GPR was derived as GGT/ULN of GGT/platelet count (10°/L)×100.

There was a statistically significant positive correlation between GPR and Metavir fibrosis stage (figure 2C), with a higher correlation coefficient than GGT or platelet count alone (r=0.53, P<0.0001). AUROC for predicting significant fibrosis was higher with GPR (0.80, 95% CI 0.72 to 0.88) than using GGT alone (0.77, 95% CI 0.68 to 0.85, p=0.07) or platelet count alone (0.70, 95% CI 0.61 to 0.79, p=0.02).

Comparisons of AUROC between GPR and other established non-invasive markers

In The Gambian cohort, the GPR and established non-invasive markers (LSM, APRI and Fib-4) increased with increasing liver fibrosis stage (figure 2D–F). For the prediction of significant fibrosis (≥F2), AUROC of GPR (0.80, 95% CI 0.72 to 0.88)




Figure 1 Flow diagram of the study population and reasons for exclusion, from November 2011 to November 2013, The Gambia. CHB, chronic HBV; HCC, hepatocellular carcinoma; HDV, hepatitis D virus; LB, liver biopsy; TB, tuberculosis.

Table 1 Baseline characteristics of the study population in training set (The Gambia) and in validation sets (France and Senegal)

Variables	The Gambia (n=135)	France (n=63)	Senegal (n=80)	p Value
Male sex, n	105 (78%)	41 (65%)	67 (84%)	0.03
Median age (years) (IQR)	34 (29–39)	38 (29–49)	28 (24–31)	< 0.001
Median BMI (kg/m²) (IQR)	21.6 (19.9–24.8)	Not reported	20.9 (18.9–24.0)	0.1
Median fasting LSM value (kPa)	7.5 (6.5–9.2)	Not reported	8.8 (7.8–10.2)	< 0.001
Median IQR of LSM (kPa)	1.3 (0.9–1.8)	Not reported	1.4 (1.1–2.6)	0.006
Median ALT (IU/L) (IQR)	30 (23–49)	61 (39–125)	39 (30–53)	< 0.001
Median AST (IU/L) (IQR)	36 (29–48)	36 (28–66)	41 (31–53)	0.4
Median GGT (IU/L) (IQR)	36 (24–59)	32 (18–52)	26 (22–42)	0.002
Median total bilirubin (IU/L) (IQR)	11 (9–15)	11 (8–14)	12 (9–14)	0.4
Median platelet counts (10 ⁹ /L) (IQR)	177 (136–226)	171 (143–210)	179 (156–210)	0.5
Negative HBeAg, n	129 (96%)	28 (60%)	66 (83%)	< 0.001
Median HBV DNA level (log ₁₀ IU/mL) (IQR)	2.6 (1.9–4.5)	5.7 (4.4–7.1)	3.9 (3.5–5.2)	< 0.001
Median APRI (IQR)	0.52 (0.37–0.82)	0.56 (0.31–1.01)	0.55 (0.41–0.80)	0.7
Median Fib-4 (IQR)	1.30 (0.86–1.84)	1.09 (0.75–1.69)	0.96 (0.74–1.32)	< 0.001
Median size of liver biopsy (mm) (IQR)	11 (8–12)	20 (17–25)	28 (22–32)	< 0.001
Metavir fibrosis stage (F0/F1/F2/F3/F4)	28 (21%)/54 (40%)/10 (7%)/ 23 (17%)/20 (15%)	6 (10%)/27 (43%)/15 (24%)/ 11 (17%)/4 (6%)	18 (23%)/36 (45%)/17 (21%)/ 9 (11%)/0 (0%)	<0.001
Metavir activity grade (A0/A1/A2/A3)	30 (22%)/68 (50%)/23 (17%)/14 (10%)	Not reported	42 (53%)/29 (37%)/8 (10%)/0 (0%)	< 0.001
Steatosis (none/mild/moderate/severe)	125 (93%)/6 (4%)/4 (3%)/0 (0%)	30 (64%)/15 (32%)/2 (4%)/0 (0%)	73 (91%)/7 (9%)/0 (0%)/0 (0%)	< 0.001

ALT, alanine transaminase; APRI, (AST)-to-platelet ratio index; AST, aspartate transaminase; BMI, body mass index; HBeAg, hepatitis B e antigen; GGT, gamma-glutamyl transpeptidase; LSM. liver stiffness measurement.

was significantly higher than that of APRI (0.66, 95% CI 0.57 to 0.76, p<0.001) and Fib-4 (0.66, 95% CI 0.56 to 0.76, p=0.003), but not higher than LSM (0.85, 95% CI 0.78 to 0.91, p=0.2) (table 3). For predicting significant fibrosis the optimal cut-off value of GPR was 0.32.

For predicting cirrhosis, AUROC of GPR (0.83, 95% CI 0.72 to 0.94) was significantly better than that of APRI (0.70, 95% CI 0.55 to 0.86, p=0.03) and Fib-4 (0.73, 95% CI 0.58 to 0.87, p=0.03) although the AUROC of GPR was significantly inferior to LSM (0.98, 95% CI 0.97 to 1.00, p=0.003) (table 3). The optimal cut-off value of GPR for cirrhosis was 0.56.

The AUROC of each marker did not change substantially when the analysis was restricted to the subjects with liver specimen \geq 12 mm (data not shown). Among fibrosis stage, activity grade and steatosis, fibrosis was the only parameter significantly associated with GPR (p<0.001), LSM (p<0.001), APRI

Table 2 Crude analysis for factors associated with the presence of significant fibrosis (F2–4) in the training set, in The Gambia

~		~	
Factors*	No or mild fibrosis n=82	Significant fibrosis or more n=53	Crude p value†
Age (years)	36±10	35±11	0.7
Male sex, n (%)	58 (71)	47 (89)	0.02
AST (IU/L)	39±22	62±61	0.01
ALT (IU/L)	37±25	64±79	0.007
ALP (IU/L)	97±44	112±69	0.1
GGT (IU//L)	35±21	72±55	< 0.001
Albumin (g/L)	43±4	41±11	0.003
Total bilirubin (IU/L)	12±5	17±21	0.1
Platelets (10 ⁹ /L)	201±67	185±183	0.007
HBV DNA (log ₁₀ IU/mL)	6.9±7.8	8.5±9.3	0.01

^{*}Continuous variables are presented as mean±SD.

(p=0.008) and Fib-4 scores (p=0.006) in multiple linear regression.

Validation set in Senegal

In the Senegalese cohort (n=80), 18 (23%) were F0, 36 (45.0%) were F1, 17 (21%) were F2 and 9 (11%) were F3 based on the liver histology results (table 1). None had cirrhosis since the study protocol did not allow LB in patients with suspected cirrhosis.

For predicting significant fibrosis, the AUROC of GPR (0.73, 95% CI 0.59 to 0.86) was higher than that of Fib-4 (0.57, 95% CI 0.42 to 0.71, p=0.04) and APRI (0.62, 95% CI 0.48 to 0.76, p=0.05). For predicting extensive fibrosis, the AUROC of GPR (0.93, 95% CI 0.87 to 0.99) was significantly better than that of Fib-4 (0.71, 95% CI 0.53 to 0.89, p=0.02) and Fibroscan (0.71, 95% CI 0.53 to 0.89, p=0.04). There was no significant difference between GPR and APRI (0.89, 95% CI 0.80 to 0.98, p=0.3). Using the optimal cut-off value determined in the Gambian training set (0.32), the sensitivity and specificity of GPR to predict severe fibrosis was 89% and 80%, respectively (table 3).

Validation set in France

In the French cohort (n=63), fibrosis stage according to histopathology was as follows: 6 (10%) in F0, 27 (43%) in F1, 15 (24%) in F2, 11 (17%) in F3 and 4 (6%) in F4 (table 1).

The performance of GPR was as good as APRI and Fib-4: AUROC at 0.72 (95% CI 0.59 to 0.85) to predict significant fibrosis, 0.76 (95% CI 0.62 to 0.90) for extensive fibrosis and 0.87 (95% CI 0.76 to 0.98) for cirrhosis (table 3). Applying the optimal cut-off (0.56) determined in the training data set, the sensitivity and specificity of GPR to predict cirrhosis were 100% and 68%, respectively (table 3).

DISCUSSION

Assessing the severity of CHB infection is one of the main barriers for offering care and treatment to CHB carriers in SSA. In

 $[\]ensuremath{^{\dagger}}$ p Values were obtained using logarithmic transformed values except for sex.

ALT, alanine transaminase; ALP, alkaline phosphatase; AST, aspartate transaminase; GGT, gamma-glutamyl transpeptidase.




Figure 2 Box plots of gamma-glutamyl transpeptidase (GGT) (A), platelet count (B), GGT to platelet ratio (GPR) (C), liver stiffness measurement (LSM) (D), aspartate transaminase-to-platelet ratio index (APRI) (E), and Fib-4 (F) according to the Metavir fibrosis stage in the Gambian cohort.

most resource-limited settings LB is impractical and Fibroscan is rarely available.

Within the framework of the PROLIFICA programme in The Gambia, ¹⁶ we developed a new simple and inexpensive biomarker index, the GPR, to identify HBV-infected subjects with significant fibrosis or cirrhosis in SSA. The AUROC of GPR to predict fibrosis and cirrhosis was generally high throughout the Gambian cohort and two independent validation data sets (from Senegal and France).

As previously reported in patients with chronic hepatitis C²⁵ ²⁶ and B⁶ ²⁷ from Western countries, Fibroscan performed better than biochemical markers in the Gambian cohort with excellent diagnostic accuracy for predicting significant fibrosis

and cirrhosis. In our study in The Gambia, LSMs were performed fasting²¹ on the same day of the LB in contrast to other studies which performed Fibroscan within 1 month, 6 months⁶ ¹⁵ or even 12 months of the LB. ¹⁴ Our best Fibroscan cut-offs for significant fibrosis (7.9 kPa) and cirrhosis (9.5 kPa) were close to those proposed in Western studies. ⁶ ²⁸ Among those included in the current analysis in The Gambia, none had unreliable LSM. Indeed, in our study population obesity (body mass index (BMI) \geq 30 kg/m²), which is often associated with unreliable measurement, was rarely observed (4.4%, 6/135). In addition, because LSM was one of the criteria for the LB indication, patients with invalid measurement who did not meet other criteria for biopsy were excluded.

Hepatology

Diagnostic performances of GPR, Fibroscan, APRI and Fib-4 in the training set (The Gambia) and in validation sets (France and Senegal)* The Gambia (n=135) France (n=63)† Senegal (n=80)‡ F0-1 vs F2-4 F0-2 vs F3-4 F0-3 vs F4 F0-1 vs F2-4 F0-2 vs F3-4 F0-3 vs F4 F0-1 vs F2-4 F0-2 vs F3-4 GPR AUROC (95% CI) 0.80 (0.72 to 0.88) 0.81 (0.72 to 0.89) 0.83 (0.72 to 0.94) 0.72 (0.59 to 0.85) 0.76 (0.62 to 0.90) 0.87 (0.76 to 0.98) 0.73 (0.59 to 0.86) 0.93 (0.87 to 0.99) Cut-off values§ 0.32 0.32 0.32 0.32 0.32 0.56 0.56 0.32 Sensitivity/specificity (%) 85/76 80/44 50/83 83/69 86/64 73/49 100/68 89/80 Correctly classified (%) 74 71 77 60 52 70 73 81 PPV/NPV (%) 63/86 53/91 39/97 56/67 31/88 17/100 59/78 36/98 Positive/negative LR 2.7/0.3 2.4/0.2 3.5/0.2 1.4/0.6 1.4/0.5 3.1/0.0 3.0/0.6 4.5/0.1 Fibroscan AUROC (95% CI) 0.85 (0.78 to 0.91) 0.89 (0.82 to 0.95) 0.98 (0.97 to 1.00) 0.61 (0.48 to 0.74) 0.71 (0.53 to 0.89) Cut-off values§ 8.2 9.5 7.9 8.2 7.9 Sensitivity/specificity (%) 81/81 93/82 100/89 81/30 89/41 Correctly classified (%) 81 85 90 46 46 PPV/NPV (%) 61/100 73/87 70/96 36/76 16/97 Positive/negative LR 4.2/0.2 5.0/0.1 8.9/0 1.1/0.6 1.5/0.3 APRI AUROC (95% CI) 0.66 (0.57 to 0.76) 0.68 (0.58 to 0.78) 0.70 (0.55 to 0.86) 0.77 (0.65 to 0.89) 0.83 (0.72 to 0.93) 0.78 (0.57 to 0.98) 0.62 (0.48 to 0.76) 0.89 (0.80 to 0.98) Cut-off values¶ 1.5 1.0 0.5 1.0 0.5 0.5 2.0 1.5 2.0 1.5 9/98 40/87 Sensitivity/specificity (%) 64/64 25/99 77/67 20/91 50/78 25/92 42/70 0/96 Correctly classified (%) 64 62 80 76 87 61 65 88 71 57 PPV/NPV (%) 54/73 71/62 35/89 75/87 68/76 67/56 13/96 17/95 41/72 0/67 Positive/negative LR 1.8/0.6 3.8/0.9 3.0/0.7 28/0.8 2.3/0.4 2.2/0.9 2.3/0.6 3.0/0.8 1.4/0.8 0.0/1.0 Indeterminate results (%) 42 13 40 14 31 Fib-4 0.86 (0.77 to 0.95) AUROC (95% CI) 0.66 (0.56 to 0.76) 0.68 (0.57 to 0.78) 0.73 (0.58 to 0.87) 0.75 (0.62 to 0.88) 0.83 (0.69 to 0.98) 0.57 (0.42 to 0.71) 0.71 (0.53 to 0.89) Cut-off values** 1.45 1.45 3.25 1.45 3.25 3.25 Sensitivity/specificity (%) 63/68 14/98 73/73 27/96 44/83 0/100 Correctly classified (%) 66 71 73 79 79 89 PPV/NPV (%) 48/79 75/70 46/90 67/81 25/92 NA/89 Positive/negative LR 1.9/0.5 6.3/0.9 2.7/0.4 6.4/0.8 2.6/0.7 1.0/NA Indeterminate results (%) 36 29 20 Comparison of AUROC GPR and Fibroscan p=0.2 p=0.02p=0.003N/A N/A N/A p = 0.2p = 0.04GPR and APRI p<0.001 p=0.03p=0.05 P=0.3 p=0.002 p = 0.4p = 0.2p = 0.3GPR and Fib-4 p=0.003p = 0.01p = 0.03p = 0.6p = 0.1p = 0.6p = 0.04P=0.02

Continued

Fable 3 Continued							:	
	The Gambia (n=135)			France (n=63)†			Senegal (n=80)‡	
	F0-1 vs F2-4	F0-2 vs F3-4	F0-3 vs F4	F0-1 vs F2-4	F0-2 vs F3-4	F0-3 vs F4	F0-1 vs F2-4	F0-2 vs F3-4
Fibroscan and APRI	p<0.001	p<0.001	p<0.001	N/A	N/A	N/A	6:0=d	p=0.1
Fibroscan and Fib-4	p<0.001	p<0.001	p<0.001	N/A	N/A	N/A	p=0.6	6:0=d
APRI and Fib-4	b=0.9	b=0.9	9:0=d	b=0.6	9:0=d	9:0=d	p=0.4	p=0.03

The cut-off values for GGT were 58 in The Gambia, 45 in men and 30 in women in France, and 73 in men and 43 in women in Senegal. The cut-off values for AST were 46 in men and 25 in women in The Gambia, 45 in men and 40 in women in

SCut-off values for GPR and Fibroscan were determined to maximise the sum of sensitivity and specificity in the training data set.

¶Predetermined cut-off values of APRI were used (0.5 and 1.5 to distinguish significant fibrosis, and 1.0 and 2.0 to distinguish cirrhosis).

not applicable; NPV,

AST-to-platelet ratio index AST; aspartate transaminase, AUROC, area under the receiver operating characteristic curve; GGT, gamma-glutamyl transpeptidase; GPR, gamma-glutamyl transpeptidase to platelet ratio; LB, likelihood ratio;

Despite its high diagnostic performance, the Fibroscan device is still expensive (€34 000 for the portable machine) and requires annual maintenance (€5000). Moreover, in Africa, when available, the machine is often only accessible in the main hospitals in the capital city or within the private sectors. In SSA countries, where antiviral therapy using tenofovir has now become available at generic cost and decentralisation of health-care provision is recommended, ²⁹ there is an urgent need for simple and inexpensive alternative methods for identifying patients with CHB who need treatment. Consequently, the recent WHO guidelines ¹³ ranked APRI as a preferred non-invasive test in resource-limited settings, rather than Fibroscan. However, the accuracy of APRI observed in SSA (including our

However, the accuracy of APRI observed in SSA (including our study) is not acceptable. The AUROC of APRI to predict significant fibrosis was 0.61 (95% CI 0.46 to 0.76) in Burkina Faso, ¹⁴ 0.62 (0.48 to 0.76) in Senegal and 0.66 (0.57 to 0.76) in The Gambia, and for the prediction of cirrhosis it was 0.50 (0.32 to 0.68) in Burkina Faso and 0.70 (0.55 to 0.86) in The Gambia. A similar low performance of Fib-4 has been constantly observed in the Burkinabe study¹⁴ and ours in The Gambia and Senegal. WHO guidelines¹³ also recommend a single cut-off of the APRI score (2.0) to diagnose cirrhosis in resource-limited countries. Whether this cut-off can be applied for SSA countries is highly questionable because of the difference in natural history of CHB infection; in Asia CHB carriers frequently experience active hepatitis with elevated transaminase levels³⁰ while in SSA the vast majority are in inactive phase with normal transaminases.³¹ By applying the WHO cut-off of APRI, the sensitivity for the diagnosis of cirrhosis in the Gambian cohort was only 25%. This implies that 75% of patients with cirrhosis will be erroneously categorised as patients without cirrhosis. In contrast the sensitivity of GPR to diagnose cirrhosis in The Gambia was 85% and 89% in Senegal to diagnose extensive fibrosis. In patients with CHB, GGT has been previously identified as an independent variable of significant fibrosis^{32–34} and GPR was also suggested as a potential biomarker of fibrosis in a Turkish cohort.³³

Our study in The Gambia also confirmed the difficulty of performing LB (a third of refusal) and sample preparations in SSA. We reported 30.4% of interobserver discrepancy and we faced several barriers obtaining good quality liver specimens mainly due to difficulties in fixing and cutting liver specimen in the local warm environment where softening of paraffin renders the cutting difficult.

Our study in The Gambia has limitations. First, for ethical and logistical reasons, the indication of LB depended on the results of index tests under the investigation (AST, ALT and LSM), and we could not invite all our HBV-infected participants for LB. As a result, the patients included in the current analysis are not representative of the general population with CHB infection in The Gambia. This might have caused verification bias resulting in overestimated sensitivities and underestimated specificities of these markers.³⁵ Nevertheless, the GPR was free from this bias because in absence of contraindications including platelets below 50,000/mm³, patients were invited for LB irrespective of their GGT and platelet levels. Second, we acknowledge that our liver specimens were relatively small and that only a small proportion of our biopsies were over 15 mm, which is the current recommendation.³⁶ However, in a subgroup of Gambian patients with a length of over 12 mm, AUROC of the non-invasive tests did not improve. Third, we excluded conditions that may be associated with elevated GGT (excessive alcohol consumption and obesity) and low platelet count (alcohol, HIV and malaria). Consequently, high diagnostic accuracy of the GPR may not be generalisable in patients with such conditions.

Hepatology

In summary, for the identification of CHB carriers with significant fibrosis or cirrhosis, non-invasive markers that depend on transaminase levels (APRI and Fib-4) are not accurate enough to be used in routine practice in SSA. Our study suggests that GPR may be a simple, accurate and inexpensive alternative to LB and Fibroscan in resource-constrained African settings. The GPR deserves to be further validated in other African and non-African populations.

Acknowledgements The authors thank the MRC laboratories The Gambia unit, the local ministry of health and social welfare for supporting the project, all the study participants, the PROLIFICA team: in particular Ignatius Baldeh, Famara Bojang, Amie Ceesay, Mavis Foster-Nyarko, Debbo Jallow, Abdulie Jatta, Adam Jeng, Sheriff Kolley, Yamundow Jallow Samba, Alagie Sanneh, Bakary, Sanneh, Demba Sonko, Lamin Bojang, Saydiba Tamba and Debbie Garside, the project manager of the PROLIFICA programme. The authors also thank Professor Dominique Valla for his precious recommendations on haemostatic precautions before liver biopsy in the local resource-constrained setting. The authors also thank Dr Philippe Sultanik for his contributions to statistical analysis and Dr Patrick Ingiliz for his constructive comments and suggestions.

Contributors All authors contributed to this study at different levels. All authors read and approved the final version. ML and YS designed the study and wrote the paper. ML and RN were locally responsible for the clinical aspects of the study. MK, JL and RG were in charge of the histopathological analysis. PS prepared the liver specimens with the support of MK and MTa; MV and PSM were in charge of the Senegalese cohort. VM was responsible for the French cohort, conceived the GPR and revised the manuscript. MTh revised the design of the study and the manuscript. YS was responsible for the statistical analysis.

Funding The study in The Gambia is part of the PROLIFICA programme funded by the European commission: EC FP7, P34114. The study in Senegal was funded by the ANRS (National Institute of Research on AIDS and Viral Hepatitis), France.

Competing interests None declared.

Ethics approval The Gambia Government/MRC (Medical Research Council) Joint Ethics Committee.

Provenance and peer review Not commissioned; externally peer reviewed.

Open Access This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/

REFERENCES

- Ott JJ, Stevens GA, Groeger J, et al. Global epidemiology of hepatitis B virus infection: new estimates of age-specific HBsAg seroprevalence and endemicity. Vaccine 2012;30:2212–19.
- 2 Parkin DM, Sitas F, Chirenje M, et al. Part I: Cancer in Indigenous Africans burden, distribution, and trends. *Lancet Oncol* 2008;9:683–92.
- 3 Jemal A, Bray F, Forman D, et al. Cancer burden in Africa and opportunities for prevention. Cancer 2012;118:4372–84.
- 4 Thursz M, Njie R, Lemoine M. Hepatitis: global eradication of hepatitis B-feasible or fallacy? Nat Rev Gastroenterol Hepatol 2012;9:492–4.
- 5 Castera L. Noninvasive methods to assess liver disease in patients with hepatitis B or C. Gastroenterology 2012;142:1293–302 e4.
- 6 Marcellin P, Ziol M, Bedossa P, et al. Non-invasive assessment of liver fibrosis by stiffness measurement in patients with chronic hepatitis B. Liver Int 2009;29:242–7.
- 7 Degos F, Perez P, Roche B, et al. Diagnostic accuracy of FibroScan and comparison to liver fibrosis biomarkers in chronic viral hepatitis: a multicenter prospective study (the FIBROSTIC study). J Hepatol 2010;53:1013–21.
- 8 Chan HL, Wong GL, Choi PC, et al. Alanine aminotransferase-based algorithms of liver stiffness measurement by transient elastography (Fibroscan) for liver fibrosis in chronic hepatitis B. J Viral Hepat 2009;16:36–44.
- 9 Kim do Y, Kim SU, Ahn SH, et al. Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. Dig Dis Sci 2009;54:1758–63.
- 10 Cardoso AC, Carvalho-Filho RJ, Stern C, et al. Direct comparison of diagnostic performance of transient elastography in patients with chronic hepatitis B and chronic hepatitis C. Liver Int 2012;32:612–21.
- 11 Wai CT, Greenson JK, Fontana RJ, et al. A simple noninvasive index can predict both significant fibrosis and cirrhosis in patients with chronic hepatitis C. Hepatology 2003;38:518–26.

- Sterling RK, Lissen E, Clumeck N, et al. Development of a simple noninvasive index to predict significant fibrosis in patients with HIV/HCV coinfection. Hepatology 2006;43:1317–25.
- 13 WHO. World Health Organization. Guidelines for the Prevention, Care and Treatment of Persons with chronic Hepatitis B infection. 2015. http://whoint/hiv/pub/hepatitis/hepatitis-b-quidelines/en/ (accessed 17 Mar 2015).
- Bonnard P, Sombie R, Lescure FX, et al. Comparison of elastography, serum marker scores, and histology for the assessment of liver fibrosis in hepatitis B virus (HBV)-infected patients in Burkina Faso. Am J Trop Med Hyg 2010;82:454–8.
- Mbaye PS, Sarr A, Sire JM, et al. Liver stiffness measurement and biochemical markers in Senegalese chronic hepatitis B patients with normal ALT and high viral load. PLoS ONE 2011;6:e22291.
- http://www.prolifica.eu NCT02129829 clinicaltrialsorg. (15 Mar 2015).
- Mallet V, Dhalluin-Venier V, Roussin C, et al. The accuracy of the FIB-4 index for the diagnosis of mild fibrosis in chronic hepatitis B. Aliment Pharmacol Ther 2009;29:409–15.
- Njai HF, Shimakawa Y, Sanneh B, et al. Validation of rapid point-of-care (POC) tests for the detection of hepatitis B surface antigen (HBsAg) in field and laboratory settings in The Gambia, West Africa. J Clin Microbiol 2015;53:1156–63.
- 19 Coco B, Oliveri F, Maina AM, et al. Transient elastography: a new surrogate marker of liver fibrosis influenced by major changes of transaminases. J Viral Hepat 2007;14:360–9.
- Bedossa P, Poynard T. An algorithm for the grading of activity in chronic hepatitis C. The METAVIR Cooperative Study Group. *Hepatology* 1996;24:289–93.
- 21 Lemoine M, Shimakawa Y, Njie R, et al. Food intake increases liver stiffness measurements and hampers reliable values in patients with chronic hepatitis B and healthy controls: the PROLIFICA experience in The Gambia. Aliment Pharmacol Ther 2014;39:188–96.
- 22 Sandrin L, Fourquet B, Hasquenoph JM, et al. Transient elastography: a new noninvasive method for assessment of hepatic fibrosis. *Ultrasound Med Biol* 2003;29:1705–13.
- 23 Boursier J, Zarski JP, de Ledinghen V, et al. Determination of reliability criteria for liver stiffness evaluation by transient elastography. *Hepatology* 2013;57:1182–91.
- 24 Bossuyt PM, Reitsma JB, Bruns DE, et al. Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. Ann Intern Med 2003:138:40–4
- 25 Castera L, Foucher J, Bertet J, et al. FibroScan and FibroTest to assess liver fibrosis in HCV with normal aminotransferases. Hepatology 2006;43:373–4; author reply 5–6
- Ziol M, Handra-Luca A, Kettaneh A, et al. Noninvasive assessment of liver fibrosis by measurement of stiffness in patients with chronic hepatitis C. Hepatology 2005;41:48–54.
- 27 Castera L, Vergniol J, Foucher J, et al. Prospective comparison of transient elastography, Fibrotest, APRI, and liver biopsy for the assessment of fibrosis in chronic hepatitis C. Gastroenterology 2005;128:343–50.
- 28 Castera L, Bernard PH, Le Bail B, et al. Transient elastography and biomarkers for liver fibrosis assessment and follow-up of inactive hepatitis B carriers. Aliment Pharmacol Ther 2011;33:455–65.
- 29 Suthar AB, Rutherford GW, Horvath T, et al. Improving antiretroviral therapy scale-up and effectiveness through service integration and decentralization. Aids 2014;28(Suppl 2):S175–85.
- 30 Shin WG, Park SH, Jang MK, et al. Aspartate aminotransferase to platelet ratio index (APRI) can predict liver fibrosis in chronic hepatitis B. Dig Liver Dis 2008;40:267–74.
- 31 Lemoine M, Njai HF, Shimakawa Y, *et al*. Rural and urban community-based screening for HBs antigen in the Gambia: assessment of chronic hepatitis B and proportion of eligible patients for antiviral therapy. *J Hepatol* 2013;58.
- 32 Myers RP, Tainturier MH, Ratziu V, et al. Prediction of liver histological lesions with biochemical markers in patients with chronic hepatitis B. J Hepatol 2003;39:222–30.
- 33 Vardar R, Vardar E, Demiri S, et al. Is there any non-invasive marker replace the needle liver biopsy predictive for liver fibrosis, in patients with chronic hepatitis? Hepatogastroenterology 2009;56:1459–65.
- 34 Eminler AT, Irak K, Ayyildiz T, et al. The relation between liver histopathology and GGT levels in viral hepatitis: more important in hepatitis B. Turk J Gastroenterol 2014;25:411–15.
- 35 Choi BC. Sensitivity and specificity of a single diagnostic test in the presence of work-up bias. J Clin Epidemiol 1992;45:581–6.
- Bedossa P, Dargere D, Paradis V. Sampling variability of liver fibrosis in chronic hepatitis C. *Hepatology* 2003;38:1449–57.



The gamma-glutamyl transpeptidase to platelet ratio (GPR) predicts significant liver fibrosis and cirrhosis in patients with chronic HBV infection in West Africa

Maud Lemoine, Yusuke Shimakawa, Shevanthi Nayagam, Mustapha Khalil, Penda Suso, Jo Lloyd, Robert Goldin, Harr-Freeya Njai, Gibril Ndow, Makie Taal, Graham Cooke, Umberto D'Alessandro, Muriel Vray, Papa Saliou Mbaye, Ramou Njie, Vincent Mallet and Mark Thursz

Gut published online June 24, 2015

Updated information and services can be found at: http://gut.bmj.com/content/early/2015/06/24/gutjnl-2015-309260

These include:

References This article cites 33 articles, 2 of which you can access for free at:

http://gut.bmj.com/content/early/2015/06/24/gutjnl-2015-309260#BIBL

Open Access This is an Open Access article distributed in accordance with the Creative

Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work

non-commercially, and license their derivative works on different terms,

provided the original work is properly cited and the use is

non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the

box at the top right corner of the online article.

Topic Collections

Articles on similar topics can be found in the following collections

Open access (257) Cirrhosis (326)

Notes

To request permissions go to: http://group.bmj.com/group/rights-licensing/permissions

To order reprints go to: http://journals.bmj.com/cgi/reprintform

To subscribe to BMJ go to: http://group.bmj.com/subscribe/