



E.ON Energy Research Center

FCN | Institute for Future Energy
Consumer Needs and Behavior

FCN Working Paper No. 3/2012

The Impact of Wind Farms on Property Values: A Geographically Weighted Hedonic Pricing Model

Yasin Sunak and Reinhard Madlener

May 2012

**Institute for Future Energy Consumer
Needs and Behavior (FCN)**

School of Business and Economics / E.ON ERC

RWTHAACHEN
UNIVERSITY

FCN Working Paper No. 3/2012

The Impact of Wind Farms on Property Values: A Geographically Weighted Hedonic Pricing Model

May 2012

Authors' addresses:

Yasin Sunak, Reinhard Madlener
Institute for Future Energy Consumer Needs and Behavior (FCN)
School of Business and Economics / E.ON Energy Research Center
RWTH Aachen University
Mathieustrasse 10
52074 Aachen, Germany
E-Mail: YSunak@eonercenter.rwth-aachen.de, RMadlener@eonercenter.rwth-aachen.de

Publisher: Prof. Dr. Reinhard Madlener
Chair of Energy Economics and Management
Director, Institute for Future Energy Consumer Needs and Behavior (FCN)
E.ON Energy Research Center (E.ON ERC)
RWTH Aachen University
Mathieustrasse 10, 52074 Aachen, Germany
Phone: + 49 (0) 241-80 49820
Fax: + 49 (0) 241-80 49829
Web: www.eonercenter.rwth-aachen.de/fcn
E-mail: post_fcn@eonercenter.rwth-aachen.de

The Impact of Wind Farms on Property Values: A Geographically Weighted Hedonic Pricing Model

Y. Sunak^{*} and R. Madlener

Institute for Future Energy Consumer Needs and Behavior (FCN)
School of Business and Economics / E.ON Energy Research Center
RWTH Aachen University, Mathieustr. 10
52074 Aachen, Germany

May 2012

ABSTRACT

Wind power is the most important renewable energy source in many countries today, characterized by a rapid and extensive diffusion since the 1990s. However, it has also triggered much debate with regard to the impact on landscape and vista. Therefore, siting processes of wind farm projects are often accompanied by massive public protest, because of visual and aural impacts on the surrounding area. These mostly negative consequences are often reflected in property values and house prices. The aim of this paper is to investigate the impact of wind farms on the surrounding property values by means of a geographically-weighted hedonic pricing model. By comparing the predictive performance of standard Ordinary Least Squares (OLS) regression models and Geographically Weighted Regression (GWR) models, we find that, mainly due to a local clustering bias, global OLS estimation is inadequate for capturing the impacts of wind farm proximity on property prices. GWR reveals spatial non-stationarity of the variables and varying spatial patterns of the coefficient estimates across and within the city areas. Moreover, the GWR findings provide evidence for negative local effects of site proximity and of shadowing caused by wind turbines. The analysis was done for a study area in western Germany.

Keywords: Wind power, Hedonic pricing, Spatial non-stationarity, Geographically Weighted Regression

JEL Classification: C31, Q2, Q42, R31

^{*} Corresponding author. Tel.: +49 (0) 241 80 49 831, Fax: +49 (0) 241 80 49 829, E-mail: ysunak@eonerc.rwth-aachen.de (Y. Sunak).

I. INTRODUCTION

Against the background of climate change and increasing scarcity of energy resources, the expansion of the renewable energy supply and the substitution of fossil fuel-based energy sources have become key topics on political agendas worldwide. Therefore, national energy policies are increasingly focusing on the promotion of wind, solar, biomass, geothermal, and other sources through extensive support schemes. As a result, the share of renewable sources has substantially increased in many countries since the 1990s. Although, the further expansion and promotion of renewable energies is crucial with regard to a substantial transition of the future energy mix, renewable energy projects often trigger public concern and resistance.

In Germany, considerable growth in the share of renewable energies is attributable to the introduction of the *Act of Granting Priority to the Renewable Energy Sources* (Erneuerbare-Energien-Gesetz, EEG) in 2000, amended in 2004, 2009, and 2012 (EEG, 2000, 2004, 2009, 2012). Introducing this regulatory framework for the promotion of electricity and heat from renewable energy sources (RES), which is essentially based on feed-in tariffs (FIT) guaranteed over 20 years, had a substantial impact on the speed and extent of the diffusion of renewable energy technologies. Particularly, the wind energy sector in Germany saw a rapidly increasing market share, with a total of 22,297 installed wind turbines (onshore and offshore) and an installed capacity of 29,075 MW by 2011 (Figure 1). Although wind energy already accounts for the highest share of electricity production within the renewable energy sector¹, its annual growth rate of installed capacity in 2011 of about 7% was still fairly high. Regarding the total electricity consumption in Germany in 2011, wind power accounted for 7.6%, which renders it the most important renewable energy source overall (BMU, 2012).




FIGURE 1
Development of the wind energy sector in Germany, 1990-2011
Source: BMU (2012), own illustration

¹ Wind energy accounted for 38.1%, biomass energy for 30.3%, hydro power for 16.0% and photovoltaics for 15.6% of the total amount of electricity produced by the renewable energy sector in 2011.

The extensively promoted expansion of renewable energy technologies is mostly justified by referring to the advantages and benign attributes associated with them. In the case of wind power, these attributes are, e.g., a “green” and CO₂-free energy generation without fuel costs as well as reasonable land consumption (Ackermann and Söder, 2002; Manwell, et al., 2009, pp.443-447; BWE, 2012). However, not only advantages and positive effects are associated with wind farm sites. Firstly, the amount of electricity produced is to some extent unreliable and unpredictable due to unsteady wind conditions. Secondly, the hub heights of wind turbines, both newly constructed and after repowering², have been increased over the last years in order to raise efficiency (Junginger et al., 2005; Sieros et al., 2012). As a consequence, the upscaling of wind turbine nacelles to heights of 100 m and more has led to a substantial change of landscape and vista.

The negative externalities caused by wind farm sites have led to major public concern that particularly refers to the impact on the environment and landscape. The latter tends to result in massive public protest, because of apparent visual³ and aural⁴ impacts on the surrounding area, with negative consequences that are supposed to be reflected in property values and housing prices. Public debates accompanying siting processes solely involve the argument of the expected devaluation of property or house prices as a consequence of siting in the proximity of a property or a house. Apart from the existing economic and regulatory complexity of siting processes, social acceptance and, especially in the case of wind farms, “NIMBY” (Not In My Backyard) attitudes become increasingly important (Wolsink, 2000; van der Horst, 2007; Wolsink, 2007). However, with decreasing social acceptance regarding siting decisions, the sound and transparent estimation and valuation of potential environmental impacts and other acceptance-biasing aspects should play a paramount role within the siting process in order to mitigate public protests and related unanticipated and underestimated project costs.

There have been a number of studies investigating the impact of wind farm sites on the surrounding area from a social acceptance point of view using survey-based approaches (e.g. Krohn and Damborg, 1999; Wolsink, 2000; Álvarez-Farizo and Hanley, 2002). The number of studies that aim at quantifying wind farm impacts are much less. Albeit there are a number of studies in this context using non-market valuation techniques, with the hedonic pricing approach most commonly being applied (e.g. Hoen et al., 2009; Canning and Simmons, 2010)⁵, to our knowledge there are only four analyses in the peer-reviewed literature so far (Sims and Dent, 2007; Sims et al., 2008; Laposa and Mueller, 2010; Heintzelman and Tuttle, 2011) that will be briefly be discussed in turn.

Sims and Dent (2007) investigated the impact of a wind farm near Cornwall, UK, on house prices, using a hedonic pricing approach and comparative sales analysis. Applying

² Repowering is the replacement of older turbines in favor of new and more efficient ones, which most often also have a higher installed capacity.

³ Visual impacts comprise general visibility and shadowing effects (Álvarez-Farizo and Hanley, 2002).

⁴ Aural impacts refer to turbine noise and sound pressure (Rogers et al., 2006; Harrison, 2011).

⁵ There is also research on the impact of wind farm proximity published in the form of project reports applying a simple quantitative approach (Sterzinger et al., 2003). They compared property transactions within a five-kilometer radius around the site, using a group of comparable control transactions outside of this range, but without controlling for other property price explaining factors.

straightforward OLS regression, they found some correlation between the distance to a wind farm and property values. Due to data limitations, the overall model results had a fairly weak explanatory power.

Sims et al. (2008) modeled the impact of wind farm proximity to houses for a region near Cornwall, UK. There was some evidence to suggest that noise and flicker effects as well as visibility may influence property value in a wind farm’s vicinity. The hedonic analysis, in which standard OLS regression techniques were used, showed no significant impacts caused by the wind farm.

Laposa and Müller (2010) examined the impact of wind farm project announcements on property values for northern Colorado, US. Including observations before and after the announcement of the wind farm project, they applied a hedonic pricing model using standard OLS regression. The results obtained indicate a significant impact of the project announcement at the 10% level. However, they conclude that this impact is likely more attributable to the beginning of the national housing crisis rather than the announcement itself.

Exploring the impacts of new wind facilities on property values in northern New York, US by means of a fixed effects hedonic pricing model, Heintzelman and Tuttle (2011) found that nearby wind facilities can significantly reduce property values. Decreasing the distance to the wind farm to one mile indicated a property price devaluation of between 7.73% and 14.87%. In addition, they controlled for omitted variables and endogeneity biases by applying a repeat-sales analysis.

Table 1 provides an overview of selected hedonic pricing analyses on wind farm impacts.

TABLE 1
Overview of hedonic pricing studies

Study	Study area	<i>n</i>	Time period [years]	Pre-/Post-construction	Distance to wind farm [km]	Repeat sales	Property value impact
Sims and Dent (2007)	Cornwall, UK	919	5.5	post	< 16	no	negative
Sims et al. (2008)	Cornwall, UK	199	7.5	post	0.8-1.6	no	none
Laposa and Müller (2010)	Colorado, US	2,910	9	pre	< 80	no	none
Heintzelman and Tuttle (2011)	New York (state), US	11,331	10	pre/ post	< 86	yes	negative
Hoen et al. (2009)	US (ten study areas)	7,459	11.5	pre/ post	< 17.6	yes	none
Canning and Simmons (2010)	Ontario, Canada	83	2.5	post	n.a.	yes	none

Source: own illustration

The aim of this paper is to investigate the impacts of wind farms on the surrounding area through property values, by means of a geographically-weighted hedonic pricing model. The main focus lies on the investigation of visual impacts of wind farms, such as visibility and shadowing effects, as these are most often the central subject of public debates associated with siting processes. As most of the hedonic pricing studies on wind farms were conducted in the UK and the US, respectively, such a study investigating the impacts of wind farms in Germany can yield interesting new insights. Furthermore, in contrast to many hedonic pricing models, which

are solely based on standard OLS estimation, our approach compares the explanatory performance of global and local estimation techniques⁶ by means of Geographically Weighted Regression (GWR) analysis in order to improve the robustness of the results obtained. This particularly includes the consideration of spatial correlation and the analysis of the biasing influence of spatial non-stationarity on the global estimation results. The inclusion of a spatial weighting scheme is essential for the precision of the estimation. To our knowledge, there is no hedonic pricing analysis applied to wind farm impacts that specifically adopted a spatial estimation approach or emphasized the importance of local dependencies. Hence, the merit of our contribution is the specific investigation of spatial patterns and locational dependencies in the frame of a hedonic pricing model applied to the case of a wind farm site. A further improvement of our geographically-weighted hedonic pricing analysis over present hedonic pricing studies is achieved by applying Geographical Information System (GIS) techniques⁷, which are adopted to derive space-related variables, such as distance measures and viewsheds⁸ in a 3D environment on basis of high resolution geodata. A wind farm near the cities of Rheine and Neuenkirchen in the federal state of North Rhine-Westphalia (Germany), constructed in 2002, is chosen for conducting a pilot application of the model.

The remainder of this paper is organized as follows. Section 2 provides the theoretical background and literature overview. Section 3 introduces the hedonic pricing model and the estimation techniques applied. Furthermore, section 3 presents the dataset and the description of the estimation variables. Section 4 reports on the results obtained from global and local model specifications. Section 5 concludes and draws attention to future research needs.

II. THEORETICAL BACKGROUND AND RELATED LITERATURE

The methodology adopted in this paper is associated with non-market valuation techniques. These comprise various techniques for estimating the value of goods and services that are not traded in markets and which is, therefore, not revealed in market prices (Tietenberg and Lesiw, 2009, p.35). This applies particularly to environmental goods, such as air and water quality, as well as landscape and related positive or negative externalities.

There are different methods in the field of non-market valuation, which can be categorized according to the individuals' preferences that are either stated or revealed. *Stated preference methods*, such as contingent valuation or choice modeling, are based on practical survey techniques, essentially investigating the willingness to pay (WTP) for obtaining a particular good

⁶ Besides a standard OLS estimation, we also apply a GWR in order to explore spatial non-stationarity. Local statistics based on GWR are treated here as spatial disaggregations of global statistics (OLS) (Fotheringham et al., 2002, p.6).

⁷ GIS software is a powerful tool for enhancing the spatial precision of estimation techniques. With the capability to capture, store, manage, analyze, and display space-related information, GIS software systems are frequently used for underpinning hedonic pricing models. In this context, implementation possibilities are quite diverse, such as analyzing spatial heterogeneity (Geoghegan et al., 1997) or developing Digital Elevation Models (DEM), in order to apply visibility analyses (Paterson and Boyle, 2002; Lake et al., 2010).

⁸ Viewsheds display areas of land, water, or other environmental elements that are visible to the human eye from a fixed vantage point (in our case the concerned properties). The visibility of a large-scale wind farm in the close vicinity of a property might have a significant impact on its value.

(Krström, 2002; Bateman, 2010; Tisdell, 2010, p.203; Krueger et al., 2011). Alternatively, *revealed preference methods* ground on the assumption that individuals' preferences can be derived from their consumption behavior (Tietenberg and Lesiw, 2009, p.39; Tisdell, 2010, p.203), and comprise methods like the travel cost method and the hedonic pricing method.

Rosen (1974) pioneered the economic formalization of a hedonic pricing model, although earlier studies tackled the approach of implicit markets (Tiebout, 1956) and statistical relationships between air quality and housing values (Ridker and Henning, 1967). According to Rosen (1974), hedonic pricing models seek to explain the overall price $p=p(x)$ of a differentiated product that is characterized by a bundle of n attributes $x = (x_1, \dots, x_n)$. The hedonic function, therefore, results from the market interaction of demand and supply. Product differentiation implies the availability of alternative bundles, so that in market equilibrium, p equals each consumer's bid for the differentiated product (Rosen, 1974).

In the field of environmental economics, hedonic pricing models are widely used to estimate the WTP for improvements in environmental goods (Palmquist, 2002), most frequently applied to the housing or property market. Houses or properties are compound products, characterized by sets of structural (e.g. house/lot size, age, and type of building), neighborhood (e.g. income distribution, crime rate, and taxes), spatial (e.g. distances to local amenities or disamenities) and environmental (e.g. noise levels, air quality, and vista) attributes. The functional form of the price is monotonically increasing in desirable characteristics, whereas it remains silent about the correct relationship between the price and the characteristics (Palmquist, 2002).

Hedonic studies show a wide range of application fields. Commonly investigating air quality (Nelson, 1978; Kim et al., 2003; Chay and Greenstone, 2005), water quality (Steinnes, 1992; Leggett and Bockstael, 2000; Poor et al., 2007), noise (Espey and Lopez, 2000; Theebe, 2004; Baranzini and Ramirez, 2005; Dekkers and van der Straaten, 2009) and proximity to hazardous facilities (Kohlhase, 1991; Nelson et al., 1992; Simons et al., 1997), hedonic models are, moreover, increasingly applied in the field of energy and the environment (Gamble and Downing, 1982; Clark et al., 1997; Clark and Allison, 1999; Des Rosiers, 2002). While the number of studies on the impact of renewable energy technologies, including wind farms, is increasing, still only few peer-reviewed articles exist.

III. HEDONIC PRICING MODEL

Many hedonic pricing studies that investigate the impacts of energy facilities use straightforward OLS estimation. In our estimations, we compare OLS estimates with those obtained from GWR. GWR accounts for spatially-varying relationships in the dataset. Details on the estimation procedures are provided in the following.

Estimation methods

The hedonic pricing model estimated in a semi-log specification is given by:

$$\ln p_i = \alpha + \beta S_i + \gamma N_i + \tau G_i + \varepsilon_i , \quad [1]$$

where $\ln p$ is the log of the property price, S denotes a vector of structural characteristics with $S = \{s', \ln s''\}$, where s' (s'') does not enter (does enter) the regression in the log scale, N is a vector of neighborhood characteristics, G denotes a vector of GIS-measured spatial variables with $G = \{g', \ln g''\}$, where g' (g'') does not enter (does enter) the regression in the log scale, α , β , γ and τ represent the parameters to be estimated, ε is the error term, and i the observation concerned. The semi-log specification is a commonly used regression form in hedonic pricing studies (Clark and Allison, 1999; Baranzini and Ramirez, 2005; Heintzelman and Tuttle, 2011), which allows for an intuitive interpretation of the results. The estimated coefficients can be interpreted as elasticities if the independent variable enters the model in the log scale and as semi-elasticities if the variable does not enter in the log scale (Gujarati and Porter, 2009, p.162). In the case where the independent variable is a dummy variable, the coefficients are interpreted as median impacts (Gujarati and Porter, 2009, p.298). In addition, using a semi-log regression form often reduces heteroscedasticity (Gujarati and Porter, 2009, p.394).

As hedonic pricing studies are based on spatial data, describing the possible relationship between property prices and the considered explanatory variables in a certain environment, this data contains both attribute and locational information (Fotheringham et al., 2002, p.3)⁹. In this context, estimations provided by a global OLS model might be inadequate in capturing spatially-varying relationships, as global statistics are only describing average relations between property values and the considered variables. But there may be local differences in the determinants of property prices across the study area. In consequence, with increasing spatial variation of the local observations, the reliability of the global model estimates decreases (Fotheringham et al., 2002, p.2). A spatial variant of Simpson's Paradox, illustrated in Figure 2, reveals the problematic nature of the often very limited predictive power of global estimates in capturing local relationships (Simpson, 1951; Fotheringham et al., 2002, p.8).




FIGURE 2

A spatial variant of Simpson's Paradox

Sources: Simpson (1951); Fotheringham et al. (2002, p.8)

⁹ Aspatial data, such as data on a firms' production output plotted against the number of employees, comprise attribute information only.

Simpson’s Paradox regards the differences in the results obtained when datasets are analyzed in a spatially aggregated or disaggregated form. In Figure 2, house prices are plotted against population density. The spatially aggregated data contains combined information of different locations that show a positive relationship. The spatially disaggregated data differentiate between two locations and find a negative relationship for both locations. The danger of analyzing aggregate datasets refers to the presence of spatial non-stationarity, as the measurement of a relationship depends on where the measurement is taken (Fotheringham et al., 2002, p.9). Against the background of spatial non-stationary relationships within the data, we also estimate our hedonic pricing model by means of a GWR. This appears particularly useful, as our dataset on property prices includes two different cities with two separate districts affected in each city. There might be spatial dependencies that refer to attribute values in one location, which might depend on values of the attributes in neighboring locations (Anselin and Getis, 2010). One spatial dependence measure is Moran’s Index (Moran’s I) for spatial autocorrelation (Anselin and Getis, 2010). In terms of property market data, spatial autocorrelation refers to a situation where properties with high values are generally located in close proximity to other properties of comparable value and low-value properties are also clustered. An estimation of local spatial autocorrelation through a GWR was introduced by Brunson et al. (1998). They applied the theoretical foundation of GWR to the Ord model¹⁰ (Ord, 1975), and demonstrated the problems of spatial association of relying on global models with an empirical example on owner-occupation in the housing market in two cities in northeast England.

The hedonic pricing estimation on the basis of the global OLS function given in [1] is now specified in terms of a GWR, thus allowing for the estimation of local parameters:

$$\ln p_i = \alpha_i(u_i, v_i) + \beta(u_i, v_i)S_i + \gamma(u_i, v_i)N_i + \tau(u_i, v_i)G_i + \varepsilon_i , \quad [2]$$

where (u_i, v_i) indicates the coordinates of the i^{th} observation. Note that eq. [1] represents a special case of eq. [2], in which the considered parameters are assumed to be spatially invariant (Fotheringham et al., 2002, p.52). Following Tobler’s First Law of Geography, which states that “everything is related to everything else, but near things are more related than distant things” (Tobler, 1970), the GWR has to be calibrated in a way that observations near to observation i have more influence on the estimation of the parameters $(\alpha_i(u_i, v_i), \beta_i(u_i, v_i), \gamma_i(u_i, v_i), \tau_i(u_i, v_i))$ than data located farther away from i . The calibration of the model is set by spatial kernels which can be fixed or adaptively fitted to the spatial distribution of the regression points. Figure 3 graphically illustrates a spatial kernel and a GWR with adaptive spatial kernels.

¹⁰ Ord (1975) proposed an autoregressive moving-average (ARMA) model in order to capture spatial correspondences in the variables and residuals, respectively.




FIGURE 3

A spatial kernel and a GWR with adaptive spatial kernels

Source: Fotheringham et al. (2002, pp.44 and 47)

The estimation of the parameters for each location depends on the particular weighting function chosen in order to capture the spatial differences in a certain area. According to the weighting function and its bandwidth, the weight of the data point w_{ij} decreases with increasing distance to the regression point d_{ij} . The definition of the optimal bandwidth of the weighting function is crucial for the precision of the GWR. Therefore, it might be useful not to assume fixed spatial kernels with fixed bandwidth for each regression point, but rather adaptive kernels that take account of differing density of data points around regression point i (Figure 3).

In order to determine the optimal spatially-varying weighting method, we adopt an adaptive kernel that uses an N th nearest neighbor weighting of point i with a bi-square decay function. Following Fotheringham et al. (2002, p.58), that is,

$$w_{ij} = \begin{cases} [1 - (d_{ij} / b)^2]^2 & \text{if } j \text{ is one of the } N\text{th nearest neighbors of } i \text{ and} \\ b & \text{is the distance to the } N\text{th nearest neighbor} \\ 0 & \text{otherwise.} \end{cases} \quad [3]$$

The determination of the weighting function and optimal bandwidth selection was obtained by minimizing the corrected Akaike Information Criterion (AIC_c) (Fotheringham et al., 2002, p.61). The AIC_c for GWR defined as:

$$AIC_c = 2n \log_e(\hat{\sigma}) + n \log_e(2\pi) + n \left\{ \frac{n + tr(S)}{n - 2 - tr(s)} \right\}, \quad [4]$$

where n denotes the sample size, $\hat{\sigma}$ the estimated standard deviation of the error term and $tr(S)$ the trace of the hat matrix, which is a function of the bandwidth (Fotheringham et al., 2002, p.61). The AIC_c is used to assess whether GWR provides a better fit than the global OLS model.

The next subsection gives an overview of the data used and the study area considered.

The data

Investigating the impact of a wind farm site on surrounding property values, this study focuses on property sales within an area of 119 km² in the north of the federal state of North Rhine-Westphalia, including parts of the city of Rheine and the city of Neuenkirchen. Both cities, at least two districts in the case of Rheine (Mesum and Hauenhorst), are in the immediate proximity of the considered wind farm site. This northern region of North Rhine-Westphalia can be defined as a semi-urban region mainly characterized by medium- and small-sized towns.¹¹ In 2011, a population of 26,900 lived within a radius of about 5.5 kilometers around the site.

In 2000, the federal district administration announced the construction of a wind farm consisting of nine turbines, which was finally built in July 2002. The nine turbines, each with a capacity of 1.5 MW, have hub heights of 100 meters and rotor sizes of 77 meters. Particularly in view of the fact that this area of northern North Rhine-Westphalia is very flat regarding its relief, with an average altitude only varying between 30 and 90 m above sea level, the wind farm substantially influences the landscape. Figure 4 illustrates the study region and the location of the wind farm site.




FIGURE 4

Study area

Source: Own illustration, based on data provided by the Geodatenzentrum NRW (2011)

¹¹ The definition of town-size categories for German cities is taken from Bähr and Jürgens (2005). According to their categorization, towns with a population of about 2,000 to 5,000 are small rural towns, cities with a number of inhabitants ranging from 5,000 to 20,000 are small-sized cities, cities with 20,000 to 100,000 inhabitants are medium-sized cities and large cities are defined by comprising more than 100,000 inhabitants. The city of Rheine is a medium-sized town with an overall population of about 76,500 in 2011 (IT.NRW, 2012). In 2011, Mesum's population was about 8,400 and Hauenhorst had about 4,500 inhabitants. The city of Neuenkirchen is a small-sized town with about 14,000 inhabitants in 2011 (IT.NRW, 2011). Corresponding to Neuenkirchen is also the village of St. Arnold (population about 3,000), which is about one kilometer away from the actual city area in a northerly direction.

Property market data for the two cities contained 1,405 property sales within the period of 1992 until 2010 and was provided by the Expert Advisory Boards (*Gutachterausschüsse*) of the federal district of Steinfurt¹² and the city of Rheine. The dataset included the sales prices of the properties, lot sizes, sales dates, and the address-based location. All property prices in the dataset were deflated by the German Construction Price Index, with 2005 as the base year (German Federal Statistical Office)¹³. The distance of the observations to the wind farm site ranges between 945 m to 5,555 m, so that, compared to other hedonic studies (cf. Table 1), the properties are very close to the site. Table 2 gives an overview of the observations and their distribution according to city districts, wind farm announcement, construction, and type of sale.¹⁴

TABLE 2
Summary statistics – Property sales in the study area, 1992-2010

	<i>n</i>	Percentage
Total no. of observations	1,405	100.0
Hauenhorst	220	15.7
Mesum	470	33.5
Neuenkirchen	556	39.5
St. Arnold	159	11.3
Sales	1,202	85.6
Re-sales	203	14.4
Pre-announcement	766	54.5
Sales pre-announcement (excl. re-sales)	655	54.5
Post-announcement	639	45.5
Sales post-announcement (excl. re-sales)	547	45.5
Pre-construction	872	62.1
Sales pre-construction (excl. re-sales)	750	62.4
Post-construction	533	37.9
Sales post-construction (excl. re-sales)	452	37.6

A major difference to most of the hedonic pricing studies in the literature is the usage of property values, i.e. prices of parcels of land, and not house prices. This is mainly due to data availability issues and privacy restrictions of address-based house price data in Germany. Nevertheless, we assume that properties are likewise suitable for conducting a hedonic pricing study, as their values are also sensitive to changes of the surrounding location. Only the selection of the structural variables differs compared to hedonic pricing studies using house prices.¹⁵ Furthermore, in our study, we only consider developed and undeveloped properties for residential utilization.

¹² Rheine and Neuenkirchen are cities that both belong to the federal district of Steinfurt.

¹³ Available online at <https://www.destatis.de/EN/FactsFigures/Indicators/ShortTermIndicators/Prices/bpr110.html>. (accessed January 14, 2012)

¹⁴ Table A1 in the Appendix provides a more detailed overview of the observation summary.

¹⁵ Hedonic pricing studies using house prices include structural variables, such as the number of rooms, the age of the house, or the availability of a garage, which are irrelevant for properties in terms of parcels of land.

TABLE 3
Descriptive statistics

	Variable	Units	Mean	Std. dev.	Min	Max
Structural	$\ln p$	$\ln \text{€}$	10.43	0.84	4.34	12.59
	$\ln \text{Lot size}$	$\ln \text{m}^2$	6.18	0.70	1.10	9.83
	<i>Ground value</i>	€/m^2	81.55	19.26	15	123
	<i>Type single-family house</i>	dummy	0.55	0.50	0	1
	<i>Type duplex house</i>	dummy	0.17	0.38	0	1
	<i>Type row house</i>	dummy	0.02	0.15	0	1
	<i>Type multi-family house</i>	dummy	0.02	0.15	0	1
	<i>Type untilled parcel</i>	dummy	0.23	0.42	0	1
	<i>Waterfront</i>	dummy	0.00	0.07	0	1
	<i>Neuenkirchen</i>	dummy	0.40	0.49	0	1
	<i>St.Arnold</i>	dummy	0.11	0.32	0	1
	<i>Hauenhorst</i>	dummy	0.16	0.36	0	1
	<i>Mesum</i>	dummy	0.33	0.47	0	1
Neighborhood	$\ln \text{Income}$	$\ln \text{€}$	9.66	0.11	9.49	9.85
	<i>Unemployment</i>	%	9.38	2.08	4.9	12.8
	<i>Crime</i>	criminal offenses/ 1,000 cap.	60.89	15.78	37.38	86.97
	<i>Real estate tax</i>	millage rate	303.84	51.97	255	401
	<i>Immigrants</i>	%	6.09	0.76	5.22	7.23
	<i>Population density</i>	inhabitants/km ²	328.34	58.258	246	411
Spatial	$\ln \text{Wind farm}$	$\ln m$	8.04	0.45	6.89	8.57
	<i>Distance < 2 km</i>	dummy	0.12	0.33	0	1
	<i>Distance 2-3 km</i>	dummy	0.20	0.40	0	1
	<i>Distance > 3 km</i>	dummy	0.68	0.47	0	1
	<i>Visibility</i>	dummy	0.29	0.46	0	1
	<i>No. of visible turbines</i>	-	0.77	1.48	0	7
	<i>Shadowing</i>	dummy	0.05	0.22	0	1
	<i>Post-announcement</i>	dummy	0.45	0.50	0	1
	<i>Post-construction</i>	dummy	0.38	0.49	0	1
	$\ln \text{Railroads}$	$\ln m$	7.53	1.28	3.54	8.91
	$\ln \text{Train station}$	$\ln m$	8.00	1.12	4.18	9.18
	$\ln \text{Transmission line}$	$\ln m$	6.85	0.74	3.47	7.72
	$\ln \text{Major road}$	$\ln m$	5.25	0.89	2.11	6.72
	$\ln \text{Road}$	$\ln m$	2.48	0.42	0.02	4.53
	<i>Street noise</i>	classes	1.07	0.38	1	5
	$\ln \text{CBD}$	$\ln m$	6.85	0.99	1.26	8.28
	$\ln \text{Commercial area}$	$\ln m$	7.36	0.88	3.71	8.65
	$\ln \text{Supermarket}$	$\ln m$	6.28	0.60	3.52	7.45
	$\ln \text{Forest}$	$\ln m$	5.30	0.82	1.61	6.54
	$\ln \text{River}$	$\ln m$	8.03	0.75	6.41	8.97
$\ln \text{Lake}$	$\ln m$	6.40	0.73	3.23	7.52	
$\ln \text{Natural reserve}$	$\ln m$	7.73	0.70	5.53	8.64	
$\ln \text{1}^{\text{st}} \text{ school}$	$\ln m$	6.35	0.52	4.25	7.54	
$\ln \text{2}^{\text{nd}} \text{ school}$	$\ln m$	6.88	0.65	3.79	8.15	

Table 3 gives an overview of the 42 explanatory variables that were tested in different model specifications in order to explain the variation in the property prices. The different model specifications accrue from the dataset used, which contains property market data before and after the construction of the wind farm. Therefore, one model is specified in a way that it only includes property sales after the construction of the wind farm, focusing on the influence of distance and visibility effects. Alternatively, another model specification involves all property sales in the period from 1992 to 2010, investigating the wind farm project announcement and construction effects. The model specifications are presented in detail in Section 4.

The structural variables, such as the sales price, lot size, and the district dummy variables, were taken from the property sales dataset provided by the Expert Advisory Board. The ground value¹⁶, property type¹⁷ and waterfront value were derived using data services of the Topographic Information Management of the federal state of North Rhine-Westphalia (Topographisches Informationsmanagement NRW).¹⁸ Most importantly, we expect a highly positive relationship between the property price and the lot size.

We used various data sources to assemble the group of neighborhood variables, mainly from statistical offices on the state, district, and city level.¹⁹ All neighborhood variables vary only over time and the four different city districts. Neighborhood data in a higher resolution, i.e. different values for each observation, are not available. This might result in a limited scope for interpretation of these neighborhood variables in the results obtained. Nevertheless, one might expect negative effects of high rates of unemployment, immigrants and crime as well as a high real estate tax, and a positive impact of higher average income.

The set of spatial variables predominantly includes Euclidean distance measures from each observation to various features in the considered area, which characterize the location for each property. All distance variables were calculated using GIS software.²⁰ Furthermore, we additionally included dummy variables, particularly in order to measure wind farm-related impacts. The dummy variables *Post-announcement* and *Post-construction* base on the date of the wind farm project announcement (June 2000) and date of the wind farm construction (August 2002). The main focus within the set of spatial variables lies on the distance, shadowing, and visibility variables, which were compiled using GIS tools. Besides the Euclidean distance measure from each property to the wind farm, we also tried to identify distance effects within the first two kilometers around the wind farm and above by means of dummy variables. Negative environmental effects often associated to wind farm sites refer to the shadowing effect caused by the rotor blades in relation to the position of the sun (Hau, 2006). In order to capture the

¹⁶ The ground value is an average local ground value that is determined on the basis of purchase prices of properties with respect to the development status. The ground value is only available for city districts or streets. It is included in the model for consistency reasons, because it should be positively related to the property prices.

¹⁷ The property type is defined according to its development that could be a single-family house, a duplex house (two-family house), a row house, a multi-family house, or an untitled parcel, respectively.

¹⁸ Available online at <http://www.tim-online.nrw.de/tim-online/nutzung/index.html>. (accessed February 2, 2012)

¹⁹ The data was obtained upon request from the federal statistical office of North Rhine-Westphalia, the federal district administration of Steinfurt and the city administration of Rheine and Neuenkirchen.

²⁰ We used the ESRI ArcGIS Desktop software package (Version 9.3.1), including the Spatial Analyst Tool, Spatial Statistics Tool, and the 3D Analyst Tool.

shadowing effects caused by the rotor blades, we determined the potentially affected areas, taking into account the heights of the turbine, the rotor blade diameter and the positions of the sun during a day. Identifying the affected areas, we were able to determine the presence of the shadowing effect for each property. To measure the visibility of the wind farm site, we calculated viewsheds for each property. Viewsheds refer to the visible area from an observer's perspective, in our case from a property. A precise measurement of the view crucially depends on capturing all features in the landscape that are visible from the observer's point of view. The view of a certain feature in the landscape might be hindered by heights, slopes, vegetation, or buildings. In order to calculate viewsheds as precisely as possible, we applied a digital surface model²¹ with an accuracy of one meter, which was provided by the Geodatenzentrum NRW.²² The digital surface model included height level information of the terrain, the vegetation, and buildings, and allowed us to calculate a raster of the area terrain. On the basis of raster data we were able to conduct a viewshed analysis using the ESRI ArcGIS Spatial Analyst and 3D Analyst tool. Figure 5 illustrates the results of the viewshed analysis, indicating the areas with a view of the wind farm. Overall, for 128 properties in the dataset at least one turbine was visible.²³ Besides a simple visibility dummy, we also tested a variable that accounts for the number of visible turbines.




FIGURE 5
Visibility analysis

Source: Own calculation and illustration, based on data provided by the Geodatenzentrum NRW (2011)

²¹ The digital surface model is essentially based on multipoint information that contains x and y coordinates as well as the z-value, referring to longitude, latitude, and height. The surface model for the whole study regions consists of about 120 million data points. For reasons of data operability, the multipoint surface information was converted into a surface raster. Raster data on surface information correspond to a surface as a grid of equally sized cells that comprise the attribute values for representing the x and y coordinates and the z-value.

²² The Geodatenzentrum NRW provides geodata on the basis of the ordnance survey. Available online at www.geodatenzentrum.nrw.de/. (accessed November 2, 2011)

²³ The visibility analysis only included properties that were sold after the construction of the wind farm.

Aural impacts of wind turbines that result in an increase of the dB-level above the average ambient noise level in urban or semi-urban regions²⁴ are only measurable within the immediate vicinity of a turbine of about 350 m (Hau, 2006; Rogers et al., 2006; Harrison, 2011). As in our case the shortest distance to a property is 945 m, aural impacts are not considered.

IV. RESULTS

In this section, we compare the results of global OLS and local GWR estimations, focusing on the impact of wind farm proximity. Firstly, we applied three different OLS model specifications with regard to the selected variable and the data samples used. Secondly, we compare these results to those obtained by GWR estimations.

Global model

Before estimating the OLS regressions, we excluded the 203 property re-sales from the overall dataset. One reason for exclusion is to prevent serial autocorrelation in the global model due to different values for properties at different points in time. Another reason refers to spatial autocorrelation in the case of the local model that can be caused because of identical information in the concerning location (Heintzelman and Tuttle, 2011).

We applied three different global model specifications. The first two models (referred to as 1A and 1B) include 452 properties that were sold after the construction of the wind farm. This allows for investigation of the specific environmental impacts of wind turbines, such as visibility and shadowing effects. The major difference between models 1A and 1B is that we tested a distance measure (ln *Wind farm*) in model 1A, which was then substituted by distance dummies (*Distance < 2 km*, *Distance 2-3 km* and *Distance > 3 km*) in model 1B. Model 2 contained the overall dataset with 1,202 observations. In this case the focus was on the impact of the announcement and construction of the wind farm, which was tested by applying a *Post-announcement* and a *Post-construction* dummy variable, respectively.

The explanatory power of the global OLS models 1A and 1B was reported with an R^2 of 0.813 and 0.815, respectively, and, therefore, indicated a fairly good model fit in both cases. The application of the Durbin-Watson test indicated no presence of autocorrelation. Several variables had to be excluded from the models due to the appearance of multicollinearity that was controlled for by using the variance inflation factor (VIF). Particularly the district dummies showed high VIFs due to correlation with a few distance measures. In addition, most of the neighborhood variables, such as *Population density*, *Crime*, *Real estate tax*, *Immigrants* and *Unemployment*, had to be excluded due to multicollinearity. This could be attributed to the limited variation within the neighborhood data available and also to the data sample size in case of models 1A and 1B. Furthermore, due to correlation among the distance measures, we removed the variables *In Train station*, *In Forest*, *In River*, *In Lake* and *In Natural reserve*. Also the property type variables had to be removed for multicollinearity reasons. The implementation of the White test indicated

²⁴ The average noise level in urban areas is 55 dB during the day and 40 dB at night, respectively. In semi-urban or rural areas these values range between 50 dB during daytime and 35 dB at night, respectively (Hau, 2006).

heteroskedasticity, so that we applied heteroskedasticity-consistent standard error (HCSE) estimators in the global OLS regressions (Hayes and Cai, 2007). The OLS estimation results for the model specifications 1A and 1B are summarized in Table 4.

TABLE 4
Global model - OLS estimation results for model specifications 1A and 1B

Model 1A		Model 1B	
Variable	OLS (HCSE)	Variable	OLS (HCSE)
<i>Intercept</i>	2.446 (3.750)	<i>Intercept</i>	2.131 (3.698)
<i>ln Lot size</i>	.973*** (.072)	<i>ln Lot size</i>	.977*** (.074)
<i>Ground value</i>	.003 (.003)	<i>Ground value</i>	.002 (.003)
<i>Waterfront</i>	.225** (.089)	<i>Waterfront</i>	.270*** (.084)
<i>ln Income</i>	.104 (.393)	<i>ln Income</i>	.328 (.405)
<i>Street noise</i>	-.068** (.030)	<i>Street noise</i>	-.091*** (.029)
<i>Visibility</i>	-.003 (.029)	<i>Visibility</i>	-.008 (.028)
<i>Shadowing</i>	-.098* (.063)	<i>Shadowing</i>	-.084* (.053)
<i>ln Wind farm</i>	.209*** (.074)	<i>Distance < 2 km</i>	-.252*** (.096)
<i>ln Railroads</i>	.051 (.036)	<i>Distance 2-3 km</i>	.026 (.083)
<i>ln Major road</i>	.039* (.022)	<i>ln Railroads</i>	.079* (.042)
<i>ln Road</i>	-.079 (.058)	<i>ln Major road</i>	.026 (.023)
<i>ln CBD</i>	.012 (.026)	<i>ln Road</i>	-.082 (.058)
<i>ln Commercial area</i>	.000 (.045)	<i>ln CBD</i>	.004 (.027)
<i>ln Supermarket</i>	-.202*** (.052)	<i>ln Commercial area</i>	.022 (.045)
<i>ln Transmission line</i>	.004 (.035)	<i>ln Supermarket</i>	-.155*** (.051)
<i>ln 1st school</i>	-.061 (.047)	<i>ln Transmission line</i>	-.025 (.035)
<i>ln 2nd school</i>	.064 (.040)	<i>ln 1st school</i>	-.058 (.046)
		<i>ln 2nd school</i>	-.008 (.056)

Note: Standard errors are reported in parentheses.

***, ** and * indicate significance at the 1%, 5% and 10% level, respectively.

Most of the results correspond to the expectation with regard to positive or negative significance. The variable *Ln Lot size* turned out to be the most important determinant of the property price, with an estimated coefficient of .973 and .977, respectively, at the 1% significance level. Therefore, a one percent increase in lot size results in an increase of approximately 0.97% in property price. A positive impact on property values is caused by the availability of a waterfront (.225 at the 5% level and .270 at the 1% level, respectively) and the proximity to a supermarket (-.202 and -.155, respectively)²⁵, whereas street noise (-.068 at the 5% level and -.091 at the 1% level) impacts the property value negatively. The variable *Ln Income* turned out to be insignificant due to the limited variation and sample size in cases 1A and 1B. The proximity to railroads, which is also frequently investigated by means of hedonic pricing studies (Bowes and Ihlanfeldt, 2001; Theebe, 2004), appeared insignificant in case of model 1A and negatively significant in model 1B, but only at the 10% level (.079).

The wind-farm-related variables showed consistent results in terms of significance and signs. Most importantly, according to the global OLS results in model 1A, the proximity to a wind farm negatively affects the property price (.209). In other words, a one percent increase in distance to the wind farm increases the price by about 0.209%, vice versa proximity decreases the price. Substituting the distance measure in model 1A by distance dummies yields comparable results. Thus, proximity to the wind farm negatively affects the property values within the first two kilometers (-.252). The dummy variables for the distances above two kilometers did not turn out to be significant. The dummy variable capturing the effect of the wind farm's shadowing area indicated a negative impact (-.098 and -.084, respectively), whereas only at the 10% level. Finally, the visibility variable turned out to be insignificant in both cases, indicating that the view of the wind farm does not affect the property price according to the OLS estimates.

The explanatory power of model 2 was reported with an R^2 of 0.887, indicating a very good model fit, even higher compared to the first model specifications. Again the Durbin-Watson test reported the absence of autocorrelation. Also, the testing for multicollinearity mostly led to the removal of the same variables as in models 1A and 1B. Due to the higher sample size, the property type variables (*Type duplex house* and *Type untilled parcel*), the variable *Unemployment* and the two distance measures, *Ln Forest* and *Ln Lake* were included into the model, as no indication of multicollinearity was found anymore. Following the White test for heteroskedasticity, we again applied HCSE estimators in the OLS regression to control for biased standard errors and significance levels due to heteroskedasticity. The results for model 2 are reported in Table 5.

Compared to the first two model specifications, many variables show similar impacts on property prices. Again *Ln Lot size* is the most important determinant of property values (1.057). Although having slightly different significance levels, the variables *Street noise*, *Ln Railroads* and *Ln Supermarket* show comparable estimation results. But in the case of model 2 a few more variables turn out to influence the property values, which might be attributable to the larger

²⁵ The variable *Ln Supermarket* showed a negative coefficient, but proximity positively impacts the property price. A one percent increase in distance to a supermarket results in a -.202 and -.155, respectively, decrease in price; vice versa proximity increases price.

sample size. As expected, *Ground value* and *lnIncome* show a positive influence on property prices (.001 and .260, respectively). The variable *Unemployment* is the only variable that works contrary to prior expectations and is quite counterintuitive (.071) by indicating a positive impact on property values. This might be traced back to the data availability and limited data resolution. The development status of a property also seems to impact its value positively with regard to the duplex house type (.106) and negatively regarding the untilled parcel type (-.190). An increasing distance to the next road and the commercial area negatively affects the property value (-.081 and -.044), i.e. proximity to useful infrastructure is positively related and likely reflects a higher degree of accessibility.

TABLE 5
Global model - OLS estimation results for model specification 2

Model 2			
Variable	OLS (HCSE)	Variable	OLS (HCSE)
<i>Intercept</i>	-15.209*** (2.029)	<i>ln Railroads</i>	.041** (.018)
<i>ln Lot size</i>	1.057*** (.026)	<i>ln Major road</i>	.005 (.014)
<i>Ground value</i>	.001** (.001)	<i>ln Road</i>	-.081*** (.026)
<i>Waterfront</i>	.159 (.365)	<i>ln Forest</i>	.017 (.021)
<i>Type duplex house</i>	.106*** (.020)	<i>ln Lake</i>	.034** (.016)
<i>Type untilled parcel</i>	-.190*** (.034)	<i>ln CBD</i>	-.034 (.021)
<i>ln Income</i>	.260*** (.210)	<i>ln Commercial area</i>	-.044** (.018)
<i>Unemployment</i>	.071*** (.010)	<i>ln Supermarket</i>	-.046* (.024)
<i>Street noise</i>	-.063*** (.020)	<i>ln Transmission line</i>	-.013 (.024)
<i>Post-announcement</i>	-.028 (.043)	<i>ln 1st school</i>	-.022 (.025)
<i>Post-construction</i>	-.054* (.035)	<i>ln 2nd school</i>	-.041 (.034)

Note: Standard errors are reported in parentheses.

***, ** and * indicate significance at the 1%, 5% and 10% level, respectively.

The wind-farm-related variables in model 2 allowed us to investigate the impact of the wind farm project announcement and construction by means of dummy variables. According to the results reported in Table 5, the variable *Post-announcement* was not significant. Therefore, according to the OLS results, we find no evidence for an announcement effect. Alternatively, the construction of the wind farm is negatively related to the property price (-.054), albeit only at the 10% level.

According to the global estimates, it seems obvious to deduce that wind farm presence is significantly influencing the surrounding property prices, as these were especially the findings from models 1A and 1B. The next subsection examines the importance and biasing influence of spatial variations in the dataset.

Local model

A general test for spatial autocorrelation in the OLS residuals using Moran’s *I* clearly reveals significant local clustering, which, therefore, provides evidence of the need for further investigations on spatial dependencies. Moran’s *I*, generally, ranges from -1 in the case of negative autocorrelation to +1 in the case of positive autocorrelation, with values of 0 indicating the absence of autocorrelation (Cliff and Ord, 1981). Moran’s *I* and related *p*-values for the residuals of the three OLS model specifications compared to the GWR models are reported in Table 6.

TABLE 6
Moran’s *I* for OLS and GWR model specifications

		Moran's <i>I</i>	<i>p</i> -value
Model 1A	OLS (HCSE)	.092	.000
	GWR	.003	.752
Model 1B	OLS (HCSE)	.031	.034
	GWR	.003	.765
Model 2	OLS (HCSE)	.081	.000
	GWR	.048	.000

In the case of all OLS models, Moran’s *I* indicates positively significant autocorrelation of the residuals. Moran’s *I* of the GWR models in comparison shows a substantial improvement with index values close to 0, thus indicating less or no autocorrelation. Also, the *p*-values are insignificant in the case of models 1A and 1B. Model 2 in the GWR specification shows substantial improvement regarding the level of autocorrelation, but the *p*-value remains significant. Table 7 gives an overview of the general model performance of the OLS compared to the GWR estimations according to the AIC_c, R², degrees of freedom (DF), and *F*-test.

TABLE 7
AIC_c, R², degrees of freedom (DF) and *F*-value for OLS and GWR model specifications

	Method	AIC_c	R²	DF	<i>F</i>
Model 1A	OLS	172.57	0.813	17	1.569***
	GWR	28.41	0.887	330	
Model 1B	OLS	169.22	0.815	18	1.678***
	GWR	30.92	0.885	335	
Model 2	OLS	390.26	0.887	21	4.324***
	GWR	275.38	0.904	1143	

*** indicates significance at the 1% level.

As can be seen, according to the AIC_c and R², the model performance in all cases is substantially improved when applying the GWR method²⁶. The *F*-tests according to Brunson et al. (1998) for the different models feature *p*-values less than 0.001, also indicating that the GWR models deliver better predictions than the corresponding OLS models.

The results obtained by the GWR method provide information about the locally differing estimation coefficients. Therefore, the GWR results do not report a global estimate for each explanatory variable but rather they provide insights into local ranges of the estimates (Minimum, 25% Quartile, Median, 75% Quartile, and Maximum). A complete overview of all GWR model coefficients can be found in the Appendix (Tables A2, A3, and A4).

Besides general tests for spatial autocorrelation reported above, we investigated in particular spatial non-stationarity in the estimates. Table 8 shows some statistics of selected parameter estimates for the models 1A and 1B from both OLS and GWR model specifications. Following former studies (e.g. Fotheringham et al., 2002, p.229; Wang et al., 2005) we compare the ranges of the GWR parameters with a range of ± 1 standard deviation and the confidence interval (CI) around the global OLS estimates. Hence, non-stationarity might be apparent if the interquartile (25% and 75% quartile) range of the GWR estimates is greater than a standard deviation range of ± 1 of the equivalent OLS estimate (Fotheringham et al., 2002, p.229).

²⁶ As a rule of thumb, model performance is seriously different if AIC_c values of the models differ at least by a factor of 3 (Fotheringham et al., 2002, p.96).

TABLE 8
Selected parameter estimates for the models 1A and 1B by both OLS (HCSE) and GWR

Method	Statistics	ln <i>Lot size</i>	ln <i>Wind farm</i>	<i>Shadowing</i>	<i>Distance < 2 km</i>	ln <i>Supermarket</i>	ln <i>Major road</i>
OLS (HCSE)	Coefficient	.973	.208	-.098	-.252	-.202	.034
	Std. error	.072	.074	.063	.096	.052	.022
	Lower bound of 95% CI	.926	.069	-.264	-.417	-.275	-.006
	Upper bound of 95% CI	1.020	.348	.067	-.086	-.130	.083
	-1 Std. deviation	.901	.134	-.161	.296	-.254	.017
	+1 Std. deviation	1.045	.282	-.035	1.327	-.150	.061
	Std. deviation range	.144	.148	.126	.192	.104	.044
GWR	Minimum	.713	-.083	-.349	-.297	-.330	-.097
	25% quartile	.820	.066	-.159	-.131	-.254	-.004
	Median	1.041	.123	-.064	-.071	-.218	.057
	75% quartile	1.078	.217	-.017	.276	-.104	.075
	Maximum	1.192	.783	.068	.432	-.017	.155
	Interquartile range	.258	.151	.142	.407	.150	.079

We exemplarily explore spatial non-stationarity in our dataset by providing a selection of variables in Table 8 (models 1A and 1B) and also in Table 9 (model 2), focusing on significant wind-farm-related and other important explanatory variables. The comparison in Table 8 indicates that all GWR interquartile ranges lie outside the standard deviation range of the equivalent OLS estimate, implying that all selected variables are spatially non-stationary. Particularly the interquartile range of ln *Lot size* (.258), *Distance < 2 km* (.407) and ln *Major road* (.079) are beyond the range of the standard deviation of the equivalent OLS parameter (.144, .192 and .044, respectively). In addition, the CI of ln *Lot size* (.926 to 1.020) is within the 25% quartile and the median of the GWR coefficients, indicating that a large share of the local GWR coefficients is higher than the OLS coefficients. Similarly, the CI of *Distance < 2 km* (-.417 to -.086) ranges approximately from the minimum to the median of the local coefficients, indicating that a larger share of these coefficients are higher than the OLS coefficients. Considering the specification of model 2, we can derive similar findings (Table 9). The interquartile range of the GWR coefficients of all selected parameters is greater than the range of ± 1 standard deviation of the equivalent OLS estimates. Again, the interquartile range of ln *Lot size* (.135) clearly exceeds the equivalent OLS standard deviation range (.052). Considering the different CI's, we find that the interval of ln *Lake* (.006 to .063) is approximately located around the 75% quartile of the local coefficients, indicating that a larger portion of the local coefficients are smaller than the OLS ones.

TABLE 9
Selected parameter estimates for model 2 by both OLS (HCSE) and GWR

Method	Statistics	<i>ln Lot size</i>	<i>Post-construction</i>	<i>ln Major road</i>	<i>Street noise</i>	<i>ln Lake</i>
OLS (HCSE)	Coefficient	1.057	-.054	.005	-.063	.034
	Std. error	.026	.035	.014	.020	.016
	Lower bound of 95% CI	1.033	-.121	-.021	-.111	.006
	Upper bound of 95% CI	1.082	.013	.024	-.012	.063
	-1 Std. deviation	1.031	-.089	-.009	-.083	.018
	+1 Std. deviation	1.083	-.019	.019	-.043	.050
	Std. deviation range	.052	.070	.028	.040	.032
GWR	Minimum	.895	-.147	-.021	-.106	-.021
	25% quartile	.964	-.089	-.003	-.088	-.006
	Median	1.062	-.062	.002	-.066	.000
	75% quartile	1.099	-.017	.025	-.046	.038
	Maximum	1.124	.057	.049	.013	.079
	Interquartile range	.135	.072	.028	.042	.044

The spatial distribution of the GWR model coefficients are plotted in Figure 6 (models 1A and 1B) and Figure 7 (model 2). Figure 6 illustrates the spatial distribution for the coefficients of *ln Lot size*, *ln Wind farm*, *Distance < 2 km*, *Shadowing*, *ln Supermarket* and *ln Major road*. The coefficients for *ln Lot size* range from .895 to 1.124 with the median at 1.062. The plot illustrates that coefficient values below 1 are mainly located in the city district of St. Arnold and (north) Mesum. Coefficients larger than unity are predominantly located in Neuenkirchen and Hauenhorst, with the largest values in Hauenhorst, indicating high lot-size sensitivity.

The parameter *ln Wind farm* has its median at .123 with a range of -.083 to .783. The spatial distribution shows the highest values in St. Arnold and Neuenkirchen (> .200), indicating a negative impact on property prices, which appears quite intuitive given the direct proximity to the wind farm site. Furthermore, the spatial pattern of the wind farm distance coefficient reveals a stronger impact on property prices in Neuenkirchen (.200 - .300) than in Hauenhorst and Mesum (< .100) despite approximately similar distances.

The spatial variation of the parameter *Distance < 2 km*, on the contrary, might not be appropriate for capturing the wind farm effects within a two kilometer radius. The map reveals that the largest coefficients are located in St. Arnold and Hauenhorst (.250 - .500) and, therefore, within the two-kilometer radius where negative values were detected based on the findings from model 1A.

The coefficients for the parameter *Shadowing* range from -.349 to .068 with the median at -.064. Negative values can be found particularly in the closest locations to the site, mainly in St. Arnold and Hauenhorst (< -.100), whereas positive values are predominantly located in Neuenkirchen (> -.050). Furthermore, the area of Mesum showed a spatial pattern of increasing coefficient values from the south to the north. Overall, this parameter shows quite reasonable distributions, but should not be overinterpreted due to a significance level of 10%.




FIGURE 6

Models 1A and 1B - Spatial distribution of selected GWR model coefficients

(parameters for *In Lot size*, *In Wind farm*, *Distance < 2 km*, *Shadowing* *In Supermarket* and *In Major road*)

The parameter *In Supermarket* has the median at $-.218$ with a range of $-.330$ to $-.017$. The lowest values are mainly located in the south and middle of Mesum ($< -.200$). Also Neuenkirchen mainly shows lower values, but some local micro-clusters, which are confined to some streets, are characterized by higher values. The largest values can be found in Hauenhorst ($> -.075$).

The coefficients for *In Major road* range from $-.097$ to $.155$ with the median at $.057$. The highest coefficient values can be found in southern parts of Mesum ($> .100$). Large values are also located in Neuenkirchen and Hauenhorst ($> .060$). St. Arnold exhibits the lowest coefficient values, basically reflecting the large distance to the next major road ($< .000$). Also in this case, a significance level of 10% does not permit an overly reliable interpretation.

Figure 7 illustrates different plots of the spatial distribution of selected GWR coefficients of model 2.




FIGURE 7
 Model 2 - Spatial distribution of selected GWR model coefficients
 (parameters for *ln Lot size*, *Post-construction*, *ln Major road*, *Street noise* and *ln Lake*)

In the case of model 2, the parameter *ln Lot size* has its median at 1.062 with coefficient ranging from .895 to 1.124. From the plotted map we can see that there is a clear local division between Neuenkirchen and St. Arnold, both with low coefficient values (< 1.050), and Mesum and Hauenhorst, both with high values throughout (> 1.050). Therefore, this provides evidence for higher lot size sensitivity of property prices in Mesum and Hauenhorst.

With the median at -0.062 and a coefficient range of -0.147 to $.057$, the spatial distribution of the parameter *Post-construction* largely confirms the findings of the wind farm distance coefficients from model 1A. Negative influences are mainly located in the proximity to the wind farm with larger influence for Neuenkirchen and St. Arnold (< -0.050) than for Mesum and Hauenhorst (> -0.050). Here, the reliability might again be limited due to a significance level of 10%.

The coefficients for *ln Major road* range from -0.021 to $.049$ with the median at $.002$. Low coefficient values can be found in Neuenkirchen and St. Arnold ($< .010$), high values in Hauenhorst ($.010 - .050$). Mesum shows a spatial pattern of decreasing values from north to south, but with overall higher values than in Neuenkirchen and St. Arnold. In general, the spatial

distribution indicates a stronger negative influence of the proximity to a major road in Hauenhorst and Mesum, which might be due to the higher number of major roads in the direct surrounding.

According to the spatial distribution of the parameter *Street noise*, this factor is predominantly influencing property prices in Neuenkirchen and St. Arnold ($< -.050$). Even positive coefficients are located in Mesum and Hauenhorst. The parameter has its median at $-.066$, ranging in value from $-.106$ to $.013$.

The coefficients for *Ln Lake* vary from $-.021$ to $.079$ with the median close to 0. Generally, the coefficient values vary across the different districts, with high values in St. Arnold, Hauenhorst and north Mesum ($> .020$) and mostly lower coefficients in south Mesum and Neuenkirchen ($< .000$). As the largest lake in this area is located in Neuenkirchen, a positive local influence on property prices in the proximity is found.

V. CONCLUSIONS

In order to investigate the impacts of wind farms on the surrounding area following the current public debates associated with siting processes in Germany, we applied a hedonic pricing model to the property market of the two neighboring cities Rheine and Neuenkirchen in the north of North Rhine-Westphalia. As many hedonic pricing studies only apply standard OLS methods, we compared the model performances of an OLS regression and a GWR. In the framework of the hedonic pricing methodology applied to property market data, a GWR is a useful method in order to explore spatial non-stationarity within the set of variables, and also to improve model performance through the weighting of spatially differing relationships compared to the simplifying estimates of a global OLS model.

According to the global estimation provided by OLS regression, one might be inclined to infer that wind farm proximity has a global, significantly negative impact on the surrounding property prices considered, as is confirmed by the findings from OLS models 1A and 1B, respectively. The application of the GWR revealed a more complex picture of the influencing effects through the weighting of spatial relationships and local variations in the data. Based on local estimates, the GWR revealed negative, wind-farm-related effects that are attributable to strong local influences of the wind farm site. Therefore, predominantly biased by local clustering, global estimations are not appropriate in capturing the impacts of wind farm proximity on property prices. Spatial patterns of the coefficient estimates in our dataset, explored and revealed by applying the GWR, show that the estimates differ substantially across and within the two cities. In addition to that, the GWR also identified spatial micro-clusters, which sometimes encompass either an entire city quarter or else only a few streets.

The GWR findings provide some evidence for negative local effects of proximity to the site and shadowing caused by wind turbines. Nonetheless, further investigation of wind-farm-related impacts focusing on local or even micro-scale effects is needed, particularly to derive general conclusions and reliable recommendations with regard to the impact of wind farm siting in Germany. As social acceptance aspects of the siting of energy facilities become more important,

especially with regard to the increasing relevance of decentralized energy supply from renewables, research on external effects of these technologies is crucial.

Furthermore, using data on housing transactions would provide valuable insights on the estimated effects compared to data on property prices, i.e. the price of parcels of land. However, this crucially depends on data availability. Also, applying a repeat-sales analysis (Meese and Wallace, 1997; Heintzelman and Tuttle, 2011) can help to validate the results obtained.

Future research on the impacts of wind farm proximity should essentially include a further investigation of spatial non-stationarity through the application of different statistical testing methods (Leung et al., 2000), for instance using Monte Carlo significance testing in a GWR framework (Wang et al., 2005; Kupfer and Farris, 2007). The exploration of spatial autocorrelation in hedonic pricing models by applying a spatial error and lag model could provide further evidence of the local dimension of the impacts of wind farm sites on house or property values.

Acknowledgements

We would like to thank Franz Hüsken of the “Gutachterausschuss für Grundstückswerte im Kreis Steinfurt” and Wilhelm Kaldemeyer of the Rheine city administration for granting us access to property market data for the cities of Neuenkirchen and Rheine. We are also indebted to Karin Landsberg of the Geodatenzentrum NRW for providing detailed GIS data and maps of the considered study area. Furthermore, we are grateful to Patrick Mittendorf for student research assistance.

References

- Ackermann, T. and Söder, L. (2002). An overview of wind energy-status 2002. *Renewable and Sustainable Energy Reviews*, 6(1-2): 67-128.
- Álvarez-Farizo, B. and Hanley, N. (2002). Using conjoint analysis to quantify public preferences over the environmental impacts of wind farms - An example from Spain. *Energy Policy*, 30(2): 107-116.
- Anselin, L. and Getis, A. (2010). Spatial statistical analysis and geographic information systems. In Anselin, L. and Rey, S.J. editors, *Perspectives on Spatial Data Analysis*. Springer-Verlag, Berlin/Heidelberg/New York.
- Bähr, J. and Jürgens, U. (2005). *Stadtgeographie II – Regionale Stadtgeographie*. 1st edition, Westermann Verlag, Braunschweig, Germany.
- Baranzini, A. and Ramirez, J. (2005). Paying for quietness: The impact of noise on Geneva rents. *Urban Studies*, 42(4): 633-646.
- Bateman, I. (2010). Contingent valuation and hedonic pricing: problems and possibilities. *Landscape Research*, 19(1): 30-32.
- BMU (2012). Erneuerbare Energien 2011. Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit (BMU), Berlin, Germany. http://www.erneuerbare-energien.de/files/pdfs/allgemein/application/pdf/ee_in_zahlen_2011_bf.pdf. (accessed December 20, 2011)

- Bowes, D.R. and Ihlanfeldt, K.R. (2001). Identifying the impacts of rail transit stations on residential property values. *Journal of Urban Economics*, 50(1): 1-25.
- Brunsdon, C.F., Fotheringham, A.S. and Charlton, M.E. (1998). Spatial nonstationarity and autoregressive models. *Environment and Planning A*, 30(6): 957-973.
- BWE (2012). A bis Z – Fakten zur Windenergie. Bundesverband WindEnergie (BWE), Berlin, Germany. http://www.wind-energie.de/sites/default/files/download/publication/z-fakten-zur-windenergie/a-z_2012-web.pdf. (accessed March 14, 2012)
- Canning, G. and Simmons, L. J. (2010). Wind energy study – Effect on real estate values in the municipality of Chatham-Kent, Ontario. Consulting Report prepared for the Canadian Wind Energy Association, Ontario, Canada.
- Chay, K.Y. and Greenstone, M. (2005). Does air quality matter? Evidence from the housing market. *Journal of Political Economy*, 113(21): 376-424.
- Clark, D.E., Michelbrink, L., Allison, T. and Metz, W.C. (1997). Nuclear power plants and residential housing prices. *Growth and Change*, 28(4): 496-519.
- Clark, D.E. and Allison, T. (1999). Spent nuclear fuel and residential property values: the influence of proximity, visual cues and public information. *Papers in Regional Science*, 78(4): 403-421.
- Cliff, A.D. and Ord, J.K. (1981). Spatial processes: models and applications. Pion Ltd., London.
- Dekkers, J.E.C. and van der Straaten, J.W. (2009). Monetary valuation of aircraft noise: A hedonic analysis around Amsterdam airport. *Ecological Economics*, 68(11): 2850-2858.
- Des Rosiers, F. (2002). Power lines, visual encumbrance and house values: A microspatial approach to impact measurement. *Journal of Real Estate Research*, 23(3): 275-301.
- EEG (2000). Erneuerbare-Energien-Gesetz (EEG). Published in Bundesgesetzblatt Jahrgang 2000 Teil I Nr. 13: 301–328.
- EEG (2004). Erneuerbare-Energien-Gesetz (EEG). Published in Bundesgesetzblatt Jahrgang 2004 Teil I Nr. 40: 1918–1930.
- EEG (2009). Erneuerbare-Energien-Gesetz (EEG). Published in Bundesgesetzblatt Jahrgang 2008 Teil I Nr. 49: 2433–2435.
- EEG (2012). Erneuerbare-Energien-Gesetz (EEG). Published in Bundesgesetzblatt Jahrgang 2011 Teil I Nr. 42: 1634–1678.
- Espey, M. and Lopez, H. (2000). The impact of airport noise and proximity on residential property values. *Growth and Change*, 31(3): 408-419.
- Fotheringham, A.S., Brunsdon, C. and Charlton, M. (2002). *Geographically Weighted Regression: The analysis of spatially varying relationships*, John Wiley & Sons, West Sussex, UK.
- Gamble, H.B. and Downing, R.H. (1982). Effects of nuclear power plants on residential property values. *Journal of Regional Science*, 22(4): 457-478.
- Geoghegan, J., Wainger, L.A. and Bochstael, N.E. (1997). Spatial landscape indices in a hedonic framework: an ecological economics analysis using GIS. *Ecological Economics*, 23(3): 251-264.

- Gujarati, D.N. and Porter, D.C. (2009). *Basic Econometrics*. 5th edition, McGraw-Hill, New York/Singapore.
- Harrison, J.P. (2011). Wind turbine noise. *Bulletin of Science Technology and Society*, 31(4): 256-261.
- Hau, E. (2006). *Wind Turbines: Fundamentals, Technologies, Application, Economics*. 2nd edition, Springer-Verlag, Berlin/Heidelberg/New York.
- Heintzelman, M.D. and Tuttle, C.M. (2011). Values in the wind: A hedonic analysis of wind power facilities (July 15, 2011). *Land Economics*, forthcoming. (Available at SSRN: <http://ssrn.com/abstract=1803601>)
- Hayes, A.F. and Cai, Li (2007). Using heteroskedasticity-consistent standard error estimators in OLS regression: An introduction and software implementation. *Behavior Research Methods*, 39(4): 709-722.
- Hoen, B., Wiser, R., Cappers, P., Thayer, M. and Sethi, G. (2009). The impact of wind energy projects on residential property values in the United States: A multi-site hedonic analysis. Lawrence Berkeley National Laboratory. LBNL Paper LBNL-2829E, Berkeley, United States. <http://escholarship.org/uc/item/0gk965bg>. (accessed December 15, 2011)
- Information und Technik Nordrhein-Westfalen, IT.NRW (2010). Landesdatenbank NRW. <https://www.landesdatenbank.nrw.de/ldbnrw/online;jsessionid=9B09A9F206AECDE9ADA43FE21D1B7135?Menu=Willkommen>. (accessed March 3, 2012)
- Junginger, M., Faaij, A. and Turkenberg, W.C. (2005). Global experience curves for wind farms. *Energy Policy*, 33(2): 133-150.
- Kim, C.W., Phipps, T.T., Anselin, L. (2003). Measuring the benefits of air quality improvement: a spatial hedonic approach. *Journal of Environmental Economics and Management*, 45(1): 24-39.
- Kohlhase, J.E. (1991). The impact of toxic waste sites on housing values. *Journal of Urban Economics*, 30(1): 1-26.
- Kriström, B. (1999). Contingent valuation. In: van den Bergh, J.C.J.M. editor, *Handbook of Environmental and Resource Economics*. Edward Elgar, Cheltenham, UK: 777-795.
- Krohn, S. and Damborg, S. (1999). On public attitudes towards wind power. *Renewable Energy*, 16(1-4): 954-960.
- Krueger, A.D., Parsons, G.R. and Firestone, J. (2011). Valuing the visual disamenity of offshore wind projects at varying distances from the shore. *Land Economics*, 87(2): 268-283.
- Kupfer, J.A. and Farris, C.A. (2007). Incorporating spatial non-stationarity of regression coefficients into predictive vegetation models. *Landscape Ecology*, 22(6): 837-852.
- Lake, I.R., Lovett, A.A., Bateman, I.J. and Day, B. (2000). Using GIS and large-scale digital data to implement hedonic pricing studies. *International Journal of Geographical Information Science*, 14(6): 521-541.
- Laposa, S.P. and Mueller, A. (2010). Wind farm announcements and rural home prices: Maxwell ranch and rural Northern Colorado. *The Journal of Sustainable Real Estate*, 2(1): 383-402.
- Legget, C.G. and Bockstael, N.E. (2000). Evidence of the effects of water quality on residential land prices. *Journal of Environmental Economics and Management*, 39(2): 121-144.

- Leung, Y., Mei, C and Zhang, W. (2000). Statistical tests for spatial nonstationarity based on the geographically weighted regression model. *Environment and Planning A*, 32(1): 9-32.
- Manwell, J.F., McGowan, J.G. and Rogers, A.L. (2009). *Wind Energy Explained: Theory, Design and Application*. 2nd edition, John Wiley & Sons, West Sussex, UK.
- Meese, R.A. and Wallace, N.E. (1997). The construction of residential Housing Price Indices: A comparison of repeat-sales, hedonic-regression, and hybrid approaches. *Journal of Real Estate Finance and Economics*, 14(1-2): 51-73.
- Nelson, J.P. (1978). Residential choice, hedonic prices, and the demand for urban air quality. *Journal of Urban Economics*, 5(3): 357-369.
- Nelson, A., Genereux, J. and Genereux, M. (1992). Price effects of landfills on house values. *Land Economics*, 68(4): 359-365.
- Ord, K. (1975). Estimation methods for models of spatial interaction. *Journal of the American Statistical Association*, 70(349): 120-126.
- Palmquist, R.B. (2002). Hedonic models. In: van den Bergh, J.C.J.M. editor, *Handbook of Environmental and Resource Economics*. Edward Elgar, Cheltenham, UK: 765-776.
- Paterson, R.W. and Boyle, K.J. (2001). Out of sight, out of mind? Using GIS to incorporate visibility in hedonic property value models. *Land Economics*, 78(3): 417-425.
- Poor, P.J., Pessagno, K.L. and Paul, R.W. (2007). Exploring the hedonic value of ambient water quality: A local watershed-based study. *Ecological Economics*, 60(4): 797-806.
- Ridker, R. and Henning, J. (1967). The determinants of residential property values with special reference to air pollution. *Review of Economics and Statistics*, 49(2): 246-225.
- Rogers, A.L., Manwell, J.F. and Wright, S. (2006). Wind turbine acoustic noise. White paper prepared by the Renewable Energy Research Laboratory, University of Massachusetts at Amherst, Wind Turbine Noise Issues, 1-26.
- Rosen, S. (1974). Hedonic prices and implicit markets: Product differentiation in pure competition. *The Journal of Political Economy*, 82(1): 34-55.
- Simons, R.A., Bowen, W. and Sementelli, A. (1997). The effect of underground storage tanks on residential property values in Cuyahoga County, Ohio. *Journal of Real Estate Research*, 14(1-2): 29-42.
- Sieros, G., Chaviaropoulos, P., Sørensen, J.D., Bulder, B.H. and Jamieson, P. (2012). Upscaling wind turbines: theoretical and practical aspects and their impact on the cost of energy. *Wind Energy*, 15(1): 3-17.
- Simpson, E.H. (1951). The interpretation of interaction in contingency tables. *Journal of the Royal Statistical Society B*, 13(2): 238-241.
- Sims, S. and Dent, P. (2007). Property stigma: wind farms are just the latest fashion. *Journal of Property Investment and Finance*, 25(6): 626-651.
- Sims, S., Dent, P. and Oskrochi, G.R. (2008). Modelling the impact of wind farms on house prices in the UK. *International Journal of Strategic Property Management*, 12: 251-269.
- Steinnes, D.N. (1992). Measuring the economic value of water quality – The case of lakeshore land. *The Annals of Regional Science*, 26(2): 171-176.

- Sterzinger, G., Beck, F., Kostiuk, D. (2003). The effect of wind development on local property values. Renewable Energy Policy Project, Washington DC, US.
- Theebe, M.A.J. (2004). Planes, trains, and automobiles: The impact of traffic noise on house prices. *The Journal of Real Estate Finance and Economics*, 28(2-3): 209-234.
- Tiebout, C. (1956). A pure theory of local expenditure. *Journal of Political Economy*, 64(5): 416-424.
- Tietenberg, T. and Lewis, L. (2009). *Environmental and Natural Resource Economics*. Pearson Education, Boston, U.S.
- Tisdell, C.A. (2010). *Resource and Environmental Economics - Modern Issues and Applications*. World Scientific, Singapore.
- van der Horst, D. (2007). NIMBY or not? Exploring the relevance of location and the politics of voiced opinions in renewable energy siting controversies. *Energy Policy*, 35(5): 2705-2714.
- Wolsink, M. (2000). Windpower and the NIMBY-myth: institutional capacity and the limited significance of public support. *Renewable Energy*, 21(1): 49-64.
- Wolsink, M. (2007), Windpower implementation: The nature of public attitudes: Equity and fairness instead of 'backyard motives'. *Renewable and Sustainable Energy Reviews*, 11(6): 1188-1207.

APPENDIX

TABLE A1

Summary statistics – Property sales according to city districts, 1992-2010

	<i>n</i>	Percentage
Hauenhorst	220	100.0
<i>Pre-announcement</i>	98	44.5
<i>Post-announcement</i>	122	55.5
<i>Pre-construction</i>	115	52.3
<i>Post-construction</i>	105	47.7
<i>Sales</i>	197	89.5
<i>Resales</i>	23	10.5
Mesum	470	100.0
<i>Pre-announcement</i>	284	60.4
<i>Post-announcement</i>	186	39.6
<i>Pre-construction</i>	308	65.5
<i>Post-construction</i>	162	34.5
<i>Sales</i>	406	86.4
<i>Resales</i>	64	13.6
Neuenkirchen	556	100.0
<i>Pre-announcement</i>	310	55.8
<i>Post-announcement</i>	246	44.2
<i>Pre-construction</i>	353	63.5
<i>Post-construction</i>	203	36.5
<i>Sales</i>	466	83.8
<i>Resales</i>	90	16.2
St. Arnold	159	100.0
<i>Pre-announcement</i>	74	46.5
<i>Post-announcement</i>	85	53.5
<i>Pre-construction</i>	96	60.4
<i>Post-construction</i>	63	39.6
<i>Sales</i>	133	83.6
<i>Resales</i>	26	16.4

TABLE A2
Model 1A – Statistics of the GWR model coefficients

	Minimum	25% Quartile	Median	75% Quartile	Maximum
<i>Intercept</i>	-18.180	-9.341	-.745	7.149	14.470
<i>ln Lot size</i>	.713	.820	1.041	1.078	1.192
<i>Ground value</i>	-.012	.002	.003	.008	.023
<i>Waterfront</i>	.110	.195	.250	.359	.466
<i>ln Income</i>	-1.132	-.463	.747	1.210	2.240
<i>Street noise</i>	-.305	-.163	-.064	.001	.140
<i>Visibility</i>	-.126	-.067	-.015	.047	.131
<i>Shadowing</i>	-.349	-.159	-.064	-.017	.068
<i>ln Wind farm</i>	-.083	.066	.123	.217	.783
<i>ln Railroads</i>	-.106	-.023	.005	.050	.195
<i>ln Major road</i>	-.097	-.004	.057	.075	.155
<i>ln Road</i>	-.177	-.096	-.081	-.032	.236
<i>ln CBD</i>	-.081	-.020	.012	.059	.184
<i>ln Commercial area</i>	-.253	-.054	-.012	.051	.238
<i>ln Supermarket</i>	-.330	-.254	-.218	-.104	-.017
<i>ln Transmission line</i>	-.145	-.066	-.010	.014	.112
<i>ln 1st school</i>	-.452	-.102	-.008	.039	.185
<i>ln 2nd school</i>	-.182	-.019	.064	.110	.222

TABLE A3
Model 1B – Statistics of the GWR model coefficients

	Minimum	25% Quartile	Median	75% Quartile	Maximum
<i>Intercept</i>	-18.330	-3.032	-.411	7.609	16.090
<i>ln Lot size</i>	.701	.798	1.048	1.082	1.205
<i>Ground value</i>	-.013	.003	.005	.012	.023
<i>Waterfront</i>	.230	.296	.344	.400	.618
<i>ln Income</i>	-1.424	-.239	.428	1.067	2.248
<i>Street noise</i>	-.293	-.177	-.063	.002	.159
<i>Visibility</i>	-.161	-.069	-.037	.040	.129
<i>Shadowing</i>	-.435	-.241	-.127	-.080	.042
<i>Distance < 2 km</i>	-.297	-.131	-.071	.276	.432
<i>Distance 2-3 km</i>	-.471	-.384	-.205	-.009	.119
<i>ln Railroads</i>	-.105	-.034	-.006	.031	.166
<i>ln Major road</i>	-.114	-.002	.045	.065	.155
<i>ln Road</i>	-.184	-.100	-.078	-.032	.238
<i>ln CBD</i>	-.110	-.048	-.019	.018	.172
<i>ln Commercial area</i>	-.251	-.084	-.025	.099	.240
<i>ln Supermarket</i>	-.323	-.231	-.200	-.106	.057
<i>ln Transmission line</i>	-.148	-.065	-.043	.009	.088
<i>ln 1st school</i>	-.159	-.083	.007	.056	.181
<i>ln 2nd school</i>	-.245	-.064	.047	.098	.217

TABLE A4
Model 2 – Statistics of the GWR model coefficients

	Minimum	25% Quartile	Median	75% Quartile	Maximum
<i>Intercept</i>	-22.830	-19.280	-16.850	-15.710	-12.020
<i>ln Lot size</i>	.895	.964	1.062	1.099	1.124
<i>Ground value</i>	-.001	.000	.001	.003	.004
<i>Waterfront</i>	.088	.233	.282	.341	.454
<i>Type duplex house</i>	.073	.084	.088	.096	.112
<i>Type untilled parcel</i>	-.199	-.174	-.153	-.145	-.116
<i>ln Income</i>	.217	.237	.261	.340	.392
<i>Unemployment</i>	.021	.046	.071	.078	.087
<i>Street noise</i>	-.106	-.088	-.066	-.046	.013
<i>Post-announcement</i>	-.189	-.130	-.099	-.058	.053
<i>Post-construction</i>	-.147	-.089	-.062	-.017	.057
<i>ln Railroads</i>	-.070	.039	.053	.071	.141
<i>ln Major road</i>	-.021	-.003	.002	.025	.049
<i>ln Road</i>	-.090	-.078	-.050	-.041	-.022
<i>ln Forest</i>	-.016	.010	.039	.058	.082
<i>ln Lake</i>	-.021	-.006	.000	.038	.079
<i>ln CBD</i>	-.071	-.042	-.028	-.004	.003
<i>ln Commercial area</i>	-.065	-.012	.002	.009	.127
<i>ln Supermarket</i>	-.139	-.074	-.043	.004	.031
<i>ln Transmission line</i>	-.227	-.130	-.029	.032	.126
<i>ln 1st school</i>	-.147	-.114	-.027	-.012	.057
<i>ln 2nd school</i>	-.098	-.064	-.030	-.011	.117



E.ON Energy Research Center



List of FCN Working Papers

2012

Ghosh G., Shortle J. (2012). Managing Pollution Risk through Emissions Trading, FCN Working Paper No. 1/2012, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, January.

Palzer A., Westner G., Madlener M. (2012). Evaluation of Different Hedging Strategies for Commodity Price Risks of Industrial Cogeneration Plants, FCN Working Paper No. 2/2012, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, March.

Sunak Y., Madlener R. (2012). The Impact of Wind Farms on Property Values: A Geographically Weighted Hedonic Pricing Model, FCN Working Paper No. 3/2012, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, May.

2011

Sorda G., Sunak Y., Madlener R. (2011). A Spatial MAS Simulation to Evaluate the Promotion of Electricity from Agricultural Biogas Plants in Germany, FCN Working Paper No. 1/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, January.

Madlener R., Hauertmann M. (2011). Rebound Effects in German Residential Heating: Do Ownership and Income Matter?, FCN Working Paper No. 2/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, February.

Garbuzova M., Madlener R. (2011). Towards an Efficient and Low-Carbon Economy Post-2012: Opportunities and Barriers for Foreign Companies in the Russian Market, FCN Working Paper No. 3/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, February (revised July 2011).

Westner G., Madlener R. (2011). The Impact of Modified EU ETS Allocation Principles on the Economics of CHP-Based District Heating Networks. FCN Working Paper No. 4/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, February.

Madlener R., Ruschhaupt J. (2011). Modeling the Influence of Network Externalities and Quality on Market Shares of Plug-in Hybrid Vehicles, FCN Working Paper No. 5/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, March.

Juckenack S., Madlener R. (2011). Optimal Time to Start Serial Production: The Case of the Direct Drive Wind Turbine of Siemens Wind Power A/S, FCN Working Paper No. 6/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, March.

Madlener R., Sicking S. (2011). Assessing the Economic Potential of Microdrilling in Geothermal Exploration, FCN Working Paper No. 7/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, April.

Bernstein R., Madlener R. (2011). Responsiveness of Residential Electricity Demand in OECD Countries: A Panel Cointegration and Causality Analysis, FCN Working Paper No. 8/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, April.

Michelsen C.C., Madlener R. (2011). Homeowners' Preferences for Adopting Residential Heating Systems: A Discrete Choice Analysis for Germany, FCN Working Paper No. 9/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, May (revised January 2012).

Madlener R., Glensk B., Weber V. (2011). Fuzzy Portfolio Optimization of Onshore Wind Power Plants. FCN Working Paper No. 10/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, May.

- Glensk B., Madlener R. (2011). Portfolio Selection Methods and their Empirical Applicability to Real Assets in Energy Markets. FCN Working Paper No. 11/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, May.
- Kraas B., Schroedter-Homscheidt M., Pulvermüller B., Madlener R. (2011). Economic Assessment of a Concentrating Solar Power Forecasting System for Participation in the Spanish Electricity Market, FCN Working Paper No. 12/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, May.
- Stocker A., Großmann A., Madlener R., Wolter M.I., (2011). Sustainable Energy Development in Austria Until 2020: Insights from Applying the Integrated Model "e3.at", FCN Working Paper No. 13/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, July.
- Kumbaroğlu G., Madlener R. (2011). Evaluation of Economically Optimal Retrofit Investment Options for Energy Savings in Buildings. FCN Working Paper No. 14/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, September.
- Bernstein R., Madlener R. (2011). Residential Natural Gas Demand Elasticities in OECD Countries: An ARDL Bounds Testing Approach, FCN Working Paper No. 15/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, October.
- Glensk B., Madlener R. (2011). Dynamic Portfolio Selection Methods for Power Generation Assets, FCN Working Paper No. 16/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Michelsen C.C., Madlener R. (2011). Homeowners' Motivation to Adopt a Residential Heating System: A Principal-Component Analysis, FCN Working Paper No. 17/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Razlaf J., Madlener R. (2011). Performance Measurement of CCS Power Plants Using the Capital Asset Pricing Model, FCN Working Paper No. 18/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Himpler S., Madlener R. (2011). Repowering of Wind Turbines: Economics and Optimal Timing, FCN Working Paper No. 19/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Hackbarth A., Madlener R. (2011). Consumer Preferences for Alternative Fuel Vehicles: A Discrete Choice Analysis, FCN Working Paper No. 20/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Heuser B., Madlener R. (2011). Geothermal Heat and Power Generation with Binary Plants: A Two-Factor Real Options Analysis, FCN Working Paper No. 21/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Rohlf's W., Madlener R. (2011). Multi-Commodity Real Options Analysis of Power Plant Investments: Discounting Endogenous Risk Structures, FCN Working Paper No. 22/2011, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December (revised July 2012).

2010

- Lang J., Madlener R. (2010). Relevance of Risk Capital and Margining for the Valuation of Power Plants: Cash Requirements for Credit Risk Mitigation, FCN Working Paper No. 1/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, February.
- Michelsen C., Madlener R. (2010). Integrated Theoretical Framework for a Homeowner's Decision in Favor of an Innovative Residential Heating System, FCN Working Paper No. 2/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, February.
- Harmsen - van Hout M.J.W., Herings P.J.-J., Dellaert B.G.C. (2010). The Structure of Online Consumer Communication Networks, FCN Working Paper No. 3/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, March.

- Madlener R., Neustadt I. (2010). Renewable Energy Policy in the Presence of Innovation: Does Government Pre-Commitment Matter?, FCN Working Paper No. 4/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, April (revised June 2010 and December 2011).
- Harmsen-van Hout M.J.W., Dellaert B.G.C., Herings, P.J.-J. (2010). Behavioral Effects in Individual Decisions of Network Formation: Complexity Reduces Payoff Orientation and Social Preferences, FCN Working Paper No. 5/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, May.
- Lohwasser R., Madlener R. (2010). Relating R&D and Investment Policies to CCS Market Diffusion Through Two-Factor Learning, FCN Working Paper No. 6/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, June.
- Rohlfs W., Madlener R. (2010). Valuation of CCS-Ready Coal-Fired Power Plants: A Multi-Dimensional Real Options Approach, FCN Working Paper No. 7/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, July.
- Rohlfs W., Madlener R. (2010). Cost Effectiveness of Carbon Capture-Ready Coal Power Plants with Delayed Retrofit, FCN Working Paper No. 8/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, August (revised December 2010).
- Gampert M., Madlener R. (2010). Pan-European Management of Electricity Portfolios: Risks and Opportunities of Contract Bundling, FCN Working Paper No. 9/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, August.
- Glensk B., Madlener R. (2010). Fuzzy Portfolio Optimization for Power Generation Assets, FCN Working Paper No. 10/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, August.
- Lang J., Madlener R. (2010). Portfolio Optimization for Power Plants: The Impact of Credit Risk Mitigation and Margining, FCN Working Paper No. 11/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, September.
- Westner G., Madlener R. (2010). Investment in New Power Generation Under Uncertainty: Benefits of CHP vs. Condensing Plants in a Copula-Based Analysis, FCN Working Paper No. 12/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, September.
- Bellmann E., Lang J., Madlener R. (2010). Cost Evaluation of Credit Risk Securitization in the Electricity Industry: Credit Default Acceptance vs. Margining Costs, FCN Working Paper No. 13/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, September (revised May 2011).
- Ernst C.-S., Lunz B., Hackbarth A., Madlener R., Sauer D.-U., Eckstein L. (2010). Optimal Battery Size for Serial Plug-in Hybrid Vehicles: A Model-Based Economic Analysis for Germany, FCN Working Paper No. 14/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, October (revised June 2011).
- Harmsen - van Hout M.J.W., Herings P.J.-J., Dellaert B.G.C. (2010). Communication Network Formation with Link Specificity and Value Transferability, FCN Working Paper No. 15/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Paulun T., Feess E., Madlener R. (2010). Why Higher Price Sensitivity of Consumers May Increase Average Prices: An Analysis of the European Electricity Market, FCN Working Paper No. 16/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Madlener R., Glensk B. (2010). Portfolio Impact of New Power Generation Investments of E.ON in Germany, Sweden and the UK, FCN Working Paper No. 17/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Ghosh G., Kwasnica A., Shortle J. (2010). A Laboratory Experiment to Compare Two Market Institutions for Emissions Trading, FCN Working Paper No. 18/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Bernstein R., Madlener R. (2010). Short- and Long-Run Electricity Demand Elasticities at the Subsectoral Level: A Cointegration Analysis for German Manufacturing Industries, FCN Working Paper No. 19/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Mazur C., Madlener R. (2010). Impact of Plug-in Hybrid Electric Vehicles and Charging Regimes on Power Generation Costs and Emissions in Germany, FCN Working Paper No. 20/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.

- Madlener R., Stoverink S. (2010). Power Plant Investments in the Turkish Electricity Sector: A Real Options Approach Taking into Account Market Liberalization, FCN Working Paper No. 21/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Melchior T., Madlener R. (2010). Economic Evaluation of IGCC Plants with Hot Gas Cleaning, FCN Working Paper No. 22/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Lüschen A., Madlener R. (2010). Economics of Biomass Co-Firing in New Hard Coal Power Plants in Germany, FCN Working Paper No. 23/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Madlener R., Tomm V. (2010). Electricity Consumption of an Ageing Society: Empirical Evidence from a Swiss Household Survey, FCN Working Paper No. 24/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Tomm V., Madlener R. (2010). Appliance Endowment and User Behaviour by Age Group: Insights from a Swiss Micro-Survey on Residential Electricity Demand, FCN Working Paper No. 25/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Hinrichs H., Madlener R., Pearson P. (2010). Liberalisation of Germany's Electricity System and the Ways Forward of the Unbundling Process: A Historical Perspective and an Outlook, FCN Working Paper No. 26/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.
- Achtnicht M. (2010). Do Environmental Benefits Matter? A Choice Experiment Among House Owners in Germany, FCN Working Paper No. 27/2010, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, December.

2009

- Madlener R., Mathar T. (2009). Development Trends and Economics of Concentrating Solar Power Generation Technologies: A Comparative Analysis, FCN Working Paper No. 1/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Madlener R., Latz J. (2009). Centralized and Integrated Decentralized Compressed Air Energy Storage for Enhanced Grid Integration of Wind Power, FCN Working Paper No. 2/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November (revised September 2010).
- Kraemer C., Madlener R. (2009). Using Fuzzy Real Options Valuation for Assessing Investments in NGCC and CCS Energy Conversion Technology, FCN Working Paper No. 3/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Westner G., Madlener R. (2009). Development of Cogeneration in Germany: A Dynamic Portfolio Analysis Based on the New Regulatory Framework, FCN Working Paper No. 4/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November (revised March 2010).
- Westner G., Madlener R. (2009). The Benefit of Regional Diversification of Cogeneration Investments in Europe: A Mean-Variance Portfolio Analysis, FCN Working Paper No. 5/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November (revised March 2010).
- Lohwasser R., Madlener R. (2009). Simulation of the European Electricity Market and CCS Development with the HECTOR Model, FCN Working Paper No. 6/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Lohwasser R., Madlener R. (2009). Impact of CCS on the Economics of Coal-Fired Power Plants – Why Investment Costs Do and Efficiency Doesn't Matter, FCN Working Paper No. 7/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Holtermann T., Madlener R. (2009). Assessment of the Technological Development and Economic Potential of Photobioreactors, FCN Working Paper No. 8/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.
- Ghosh G., Carriazo F. (2009). A Comparison of Three Methods of Estimation in the Context of Spatial Modeling, FCN Working Paper No. 9/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.

Ghosh G., Shortle J. (2009). Water Quality Trading when Nonpoint Pollution Loads are Stochastic, FCN Working Paper No. 10/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.

Ghosh G., Ribaud M., Shortle J. (2009). Do Baseline Requirements hinder Trades in Water Quality Trading Programs?, FCN Working Paper No. 11/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.

Madlener R., Glensk B., Raymond P. (2009). Investigation of E.ON's Power Generation Assets by Using Mean-Variance Portfolio Analysis, FCN Working Paper No. 12/2009, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, November.

2008

Madlener R., Gao W., Neustadt I., Zweifel P. (2008). Promoting Renewable Electricity Generation in Imperfect Markets: Price vs. Quantity Policies, FCN Working Paper No. 1/2008, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, July (revised May 2009).

Madlener R., Wenk C. (2008). Efficient Investment Portfolios for the Swiss Electricity Supply Sector, FCN Working Paper No. 2/2008, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, August.

Omam I., Kowalski K., Bohunovsky L., Madlener R., Stagl S. (2008). The Influence of Social Preferences on Multi-Criteria Evaluation of Energy Scenarios, FCN Working Paper No. 3/2008, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, August.

Bernstein R., Madlener R. (2008). The Impact of Disaggregated ICT Capital on Electricity Intensity of Production: Econometric Analysis of Major European Industries, FCN Working Paper No. 4/2008, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, September.

Erber G., Madlener R. (2008). Impact of ICT and Human Skills on the European Financial Intermediation Sector, FCN Working Paper No. 5/2008, Institute for Future Energy Consumer Needs and Behavior, RWTH Aachen University, September.