



Correction to: The middle Miocene palynofloras of the Salihpaşalar lignite mine (Yatağan Basin, Southwest Anatolia): environmental characterisation and comparison with palynofloras from adjacent basins

Johannes M. Bouchal^{1,2}

Published online: 23 November 2019

© Senckenberg Gesellschaft für Naturforschung and Springer-Verlag GmbH Germany, part of Springer Nature 2019

Correction to: Palaeobiodiversity and Palaeoenvironments.
<https://doi.org/10.1007/s12549-018-0345-0>

There was an error in the caption of Fig. 10, below the correct caption:

Fig. 10 LM overview (a, d, g, j, m), SEM overview (b, e, h, k, n) and SEM detail (c, f, i, l, o, p) micrographs of Amaranthaceae, Droseraceae, Polygonaceae, Sapotaceae and Oleaceae pollen. **a–c** *Drosera* sp. (S153636). **d–f** *Persicaria* sp./*Persicarioipollenites pliocenicus* (S153634). **g–i** Amaranthaceae gen. indet. 3(S153636). **j–l** Sapotaceae gen. indet. (S153631), EV. **m–o** Oleaceae gen. indet. 1 (S153623), EV. Abbreviations: PV, polar view; EV, equatorial view. Scale bars, 10 µm (a, b, d, e, g, h, j, k, m, n), 1 µm (c, f, i, l, o)

This erratum refers to a contribution to the special issue “Taking the Orient Express? The role of Anatolia in mediterranean Neogene palaeobiogeography”.

The online version of the original article can be found at <https://doi.org/10.1007/s12549-018-0345-0>

✉ Johannes M. Bouchal
johannes.bouchal@nrm.se

¹ Department of Palaeobiology, Swedish Museum of Natural History, 10405 Stockholm, Sweden

² Department of Palaeontology, University of Vienna, 1090 Vienna, Austria