

# The physics of inertial fusion

---

BEAM PLASMA INTERACTION,  
HYDRODYNAMICS,  
HOT DENSE MATTER

STEFANO ATZENI

*Università di Roma 'La Sapienza' and INFN, Italy*

JÜRGEN MEYER-TER-VEHN

*Max-Planck-Institut für Quantenoptik, Garching, Germany*

CLARENDON PRESS - OXFORD

2004

---

# Contents

---

|          |                                                  |          |            |                                                       |           |
|----------|--------------------------------------------------|----------|------------|-------------------------------------------------------|-----------|
| <b>1</b> | <b>Nuclear fusion reactions</b>                  | <b>1</b> | <b>1.7</b> | $\mu$ -catalysed fusion                               | 25        |
| 1.1      | Exothermic nuclear reactions: fission and fusion | 2        | 1.8        | Historical note                                       | 27        |
| 1.2      | Fusion reaction physics                          | 3        | <b>2</b>   | <b>Thermonuclear fusion and confinement</b>           | <b>31</b> |
| 1.2.1    | Cross section, reactivity, and reaction rate     | 3        | 2.1        | Thermonuclear fusion                                  | 32        |
| 1.2.2    | Fusion cross section parametrization             | 5        | 2.1.1      | Beam fusion versus thermonuclear fusion               | 32        |
| 1.2.3    | Penetration factors for non-resonant reactions   | 7        | 2.1.2      | Ideal ignition temperature                            | 32        |
| 1.3      | Some important fusion reactions                  | 10       | 2.2        | Plasma confinement                                    | 34        |
| 1.3.1    | Main controlled fusion fuels                     | 12       | 2.2.1      | Magnetic confinement                                  | 34        |
| 1.3.2    | Advanced fusion fuels                            | 13       | 2.2.2      | Inertial confinement                                  | 34        |
| 1.3.3    | p-p cycle                                        | 14       | 2.3        | Thermonuclear ignition: MCF versus ICF                | 35        |
| 1.3.4    | CNO cycle                                        | 14       | 2.4        | Lawson-type and $n\tau T$ ignition conditions for MCF | 36        |
| 1.3.5    | CC reactions                                     | 14       | 2.4.1      | Power balance and energy confinement time             | 36        |
| 1.4      | Maxwell-averaged fusion reactivities             | 14       | 2.4.2      | Lawson-type criterion                                 | 36        |
| 1.4.1    | Gamow form for non-resonant reactions            | 15       | 2.4.3      | $n\tau T$ ignition condition                          | 37        |
| 1.4.2    | Reactivity of resonant reactions                 | 17       | 2.5        | Conditions for ignition and high gain in ICF          | 38        |
| 1.4.3    | Reactivities for controlled fusion fuels         | 18       | 2.5.1      | Confinement parameter $\rho R$                        | 38        |
| 1.5      | Fusion reactivity in very high density matter    | 21       | 2.5.2      | Burn efficiency                                       | 40        |
| 1.5.1    | Electron screened, weakly coupled plasmas        | 22       | 2.5.3      | The burn parameter $H_B$                              | 41        |
| 1.5.2    | Strongly coupled plasma                          | 23       | 2.6        | General requirements for IFE energy production        | 41        |
| 1.5.3    | Crystalline solids: pycnonuclear limit           | 23       | 2.6.1      | Gain required for IFE reactor                         | 41        |
| 1.6      | Spin polarization of reacting nuclei             | 24       | 2.6.2      | Admitted fuel mass                                    | 42        |
|          |                                                  |          | 2.6.3      | High fuel compression                                 | 43        |
|          |                                                  |          | 2.6.4      | Hot spot ignition and propagating burn                | 43        |

|          |                                                    |           |          |                                                    |            |
|----------|----------------------------------------------------|-----------|----------|----------------------------------------------------|------------|
| 2.7      | Fuel cycles                                        | 44        | 4.2.2    | Ignition condition                                 | 82         |
| 2.7.1    | DT cycle and tritium breeding                      | 44        | 4.2.3    | Self-heating time                                  | 85         |
| 2.7.2    | Deuterium and advanced fuels                       | 45        | 4.3      | Dynamics of hot spot generation                    | 87         |
|          |                                                    |           | 4.4      | Hot spot evolution and burn propagation            | 89         |
|          |                                                    |           | 4.4.1    | Early evolution and analytical ignition criterion  | 89         |
|          |                                                    |           | 4.4.2    | Self-regulating burn waves                         | 92         |
|          |                                                    |           | 4.4.3    | Regimes of thermonuclear burn propagation          | 92         |
| <b>3</b> | <b>Inertial confinement by spherical implosion</b> | <b>47</b> | 4.5      | Volume ignition of optically thick fuel            | 93         |
| 3.1      | Simulation of a spherical implosion                | 48        | 4.6      | Full burn simulations and burn efficiency          | 96         |
| 3.1.1    | Target and laser pulse                             | 49        | 4.7      | Ignition of pure deuterium                         | 97         |
| 3.1.2    | The implosion diagram                              | 50        | 4.8      | In summary                                         | 98         |
| 3.1.3    | Hollow shell targets driven by shaped pulses       | 51        |          |                                                    |            |
| 3.1.4    | Irradiation and implosion                          | 54        | <b>5</b> | <b>Energy gain</b>                                 | <b>101</b> |
| 3.1.5    | Implosion stagnation and hot spot generation       | 57        | 5.1      | Hot spot ignition model                            | 102        |
| 3.1.6    | Fuel ignition and burn                             | 61        | 5.1.1    | Target gain, fuel gain, coupling efficiency $\eta$ | 102        |
| 3.1.7    | Summary of simulation results                      | 63        | 5.1.2    | Hot spot                                           | 103        |
| 3.1.8    | Optimizing target gain                             | 65        | 5.1.3    | Cold fuel: isentrope parameter $\alpha$            | 104        |
| 3.2      | Symmetry and stability                             | 65        | 5.1.4    | Isobaric configuration: pressure $p$               | 105        |
| 3.2.1    | Long-wavelength perturbations                      | 66        | 5.2      | Gain curves of the isobaric model                  | 106        |
| 3.2.2    | Rayleigh–Taylor instabilities                      | 69        | 5.2.1    | Dependence on $\eta, \alpha,$ and $p$              | 107        |
| 3.3      | Fusion target energy output                        | 69        | 5.2.2    | Model gain curves versus detailed computations     | 109        |
| 3.4      | Historical note                                    | 70        | 5.3      | Limiting gain curves                               | 110        |
| 3.5      | Bibliographical note                               | 72        | 5.3.1    | Gain curve for a given fuel mass                   | 110        |
|          |                                                    |           | 5.3.2    | Analytic derivation of the limiting gain           | 111        |
| <b>4</b> | <b>Ignition and burn</b>                           | <b>75</b> | 5.3.3    | Minimum energy to burn a given fuel mass           | 114        |
| 4.1      | Power balance of an igniting sphere                | 76        | 5.3.4    | Shortcomings and extensions of the model           | 116        |
| 4.1.1    | Fusion power deposition                            | 77        |          |                                                    |            |
| 4.1.2    | Charged fusion products                            | 77        |          |                                                    |            |
| 4.1.3    | Neutrons                                           | 78        |          |                                                    |            |
| 4.1.4    | Thermal conduction                                 | 79        |          |                                                    |            |
| 4.1.5    | Bremsstrahlung                                     | 79        |          |                                                    |            |
| 4.1.6    | Mechanical work                                    | 80        |          |                                                    |            |
| 4.2      | Central ignition of pre-assembled fuel             | 81        |          |                                                    |            |
| 4.2.1    | Self-heating condition                             | 81        |          |                                                    |            |

|          |                                                             |            |     |                                                 |     |
|----------|-------------------------------------------------------------|------------|-----|-------------------------------------------------|-----|
| 5.4      | Constrained gain curves and target design                   | 117        |     | 6.3.7 Isothermal rarefaction wave               | 147 |
|          | 5.4.1 Ablation pressure and velocity of the imploding shell | 119        | 6.4 | Radial flows with $u(r, t) \propto r$           | 148 |
|          | 5.4.2 Scaling of ignition energy with implosion velocity    | 119        |     | 6.4.1 Homogeneous adiabatic flow                | 149 |
|          | 5.4.3 Laser power—laser energy window                       | 121        |     | 6.4.2 Kidder's cumulative implosion             | 150 |
| 5.5      | Gain curves for non-isobaric configurations                 | 123        |     | 6.4.3 Stagnating flow                           | 152 |
|          | 5.5.1 Isochoric assemblies with hot spot                    | 123        | 6.5 | Dimensional analysis                            | 157 |
|          | 5.5.2 Volume-ignited optically thick DT fuel                | 124        |     | 6.5.1 $\Pi$ -Theorem                            | 158 |
|          | 5.5.3 Comparing different configurations and fuels          | 126        |     | 6.5.2 Example: point explosion                  | 159 |
| <b>6</b> | <b>Hydrodynamics</b>                                        | <b>129</b> | 6.6 | Symmetry groups and similarity solutions        | 161 |
| 6.1      | Ideal gas dynamics                                          | 130        |     | 6.6.1 Some elements of Lie group theory of DE   | 161 |
|          | 6.1.1 Basic equations in conservative form                  | 130        |     | 6.6.2 Lie group of 1D hydrodynamics             | 163 |
|          | 6.1.2 Physical limitations                                  | 130        |     | 6.6.3 Classes of invariant solutions            | 164 |
|          | 6.1.3 Euler representation                                  | 131        |     | 6.6.4 Scale-invariant solutions                 | 167 |
|          | 6.1.4 One-dimensional Lagrange representation               | 132        |     | 6.6.5 Solutions exponential in time             | 167 |
| 6.2      | Shocks                                                      | 134        |     | 6.6.6 $S_3$ and $S_4$ symmetry                  | 168 |
|          | 6.2.1 Discontinuities                                       | 134        |     | 6.6.7 New solutions by projection               | 168 |
|          | 6.2.2 Hugoniot condition                                    | 135        | 6.7 | Scale-invariant similarity solutions            | 170 |
|          | 6.2.3 Shock in ideal gas                                    | 136        |     | 6.7.1 Similarity coordinates                    | 171 |
|          | 6.2.4 Weak shocks                                           | 136        |     | 6.7.2 Particle trajectories and characteristics | 172 |
|          | 6.2.5 Strong shocks                                         | 137        |     | 6.7.3 Conservation of mass and entropy          | 173 |
|          | 6.2.6 Rarefaction shocks and shock stability                | 137        |     | 6.7.4 Reduction to ODE                          | 174 |
| 6.3      | Plane isentropic flow                                       | 138        |     | 6.7.5 Synopsis of solutions in the $U, C$ plane | 176 |
|          | 6.3.1 Isentropic flow                                       | 139        |     | 6.7.6 Singular points                           | 177 |
|          | 6.3.2 Characteristics and Riemann invariants                | 139        |     | 6.7.7 Shock boundaries                          | 181 |
|          | 6.3.3 Simple waves                                          | 141        |     | 6.7.8 Central explosions ( $P_6$ flow)          | 182 |
|          | 6.3.4 Centred rarefaction                                   | 143        |     | 6.7.9 Cumulative implosions ( $P_5$ flow)       | 185 |
|          | 6.3.5 Isentropic compression to arbitrary density           | 144        |     | 6.7.10 Uniform gas compression                  | 187 |
|          | 6.3.6 Rarefaction in Lagrange coordinates                   | 146        |     | 6.7.11 Guderley's imploding shock wave          | 188 |
|          |                                                             |            |     | 6.7.12 Imploding non-isentropic shells          | 190 |

|          |                                                  |            |          |                                                    |            |
|----------|--------------------------------------------------|------------|----------|----------------------------------------------------|------------|
| 6.7.13   | Stagnation pressure of imploding shells          | 191        | 7.7.3    | X-ray ablation pressure and mass ablation rate     | 221        |
| 6.7.14   | Implications for ICF target implosions           | 192        | 7.7.4    | Supersonic X-ray heating                           | 223        |
| <b>7</b> | <b>Thermal waves and ablative drive</b>          | <b>195</b> | 7.8      | Stationary laser-driven ablation                   | 224        |
| 7.1      | Transport by electrons and photons               | 196        | 7.8.1    | The role of the critical density                   | 224        |
| 7.1.1    | General discussion                               | 196        | 7.8.2    | Scaling of laser-driven stationary ablation        | 225        |
| 7.1.2    | Diffusion and heat conduction                    | 196        | 7.8.3    | The conduction layer                               | 226        |
| 7.2      | Electron heat conduction                         | 198        | 7.9      | Stationary ablation fronts in accelerated frame    | 227        |
| 7.2.1    | Fokker–Planck treatment                          | 198        | 7.9.1    | Solutions for plane geometry                       | 227        |
| 7.2.2    | Steep temperature gradients and flux limitation  | 199        | 7.9.2    | Numerical results                                  | 229        |
| 7.3      | Radiative transport                              | 201        | 7.10     | Spherical rocket drive                             | 230        |
| 7.3.1    | Spectral intensity and transfer equation         | 201        | 7.10.1   | The rocket equations                               | 231        |
| 7.3.2    | Local thermal equilibrium and Kirchhoff's law    | 202        | 7.10.2   | Spherical implosion parameter                      | 231        |
| 7.3.3    | Diffusion approximation                          | 203        | 7.10.3   | Implosion velocity and hydrodynamic efficiency     | 232        |
| 7.3.4    | Two-temperature grey approximation               | 204        | 7.10.4   | Implosion velocity and in-flight aspect ratio      | 234        |
| 7.3.5    | Radiative heat conduction                        | 204        | <b>8</b> | <b>Hydrodynamic stability</b>                      | <b>237</b> |
| 7.4      | Non-stationary thermal waves                     | 205        | 8.1      | Fluid instabilities and ICF: a preview             | 238        |
| 7.4.1    | Different types of thermal waves                 | 205        | 8.1.1    | Rayleigh–Taylor instability                        | 238        |
| 7.4.2    | Self-similar thermal waves: dimensional analysis | 206        | 8.1.2    | RTI and ICF                                        | 241        |
| 7.5      | Self-regulating heating wave                     | 209        | 8.1.3    | Richtmyer–Meshkov instability                      | 242        |
| 7.5.1    | The supersonic heating wave                      | 209        | 8.1.4    | Kelvin–Helmoltz instability                        | 243        |
| 7.5.2    | The ablative heating wave                        | 210        | 8.2      | Stability of plane interfaces                      | 243        |
| 7.5.3    | Application to laser-driven ablation             | 210        | 8.2.1    | Potential flow equations for incompressible fluids | 243        |
| 7.6      | Ablative heat wave                               | 213        | 8.2.2    | Fluid boundaries                                   | 245        |
| 7.6.1    | The general solution                             | 213        | 8.2.3    | Small perturbations: linearized equations          | 246        |
| 7.6.2    | Application to high-Z wall                       | 214        | 8.2.4    | Normal mode analysis and dispersion relation       | 247        |
| 7.7      | Stationary ablation                              | 216        | 8.2.5    | Classical RTI growth rate                          | 249        |
| 7.7.1    | Deflagration and detonation                      | 217        | 8.2.6    | Influence of viscosity and compressibility on RTI  | 250        |
| 7.7.2    | X-ray driven ablation                            | 219        |          |                                                    |            |

|     |                                                                                       |     |          |                                                                  |            |
|-----|---------------------------------------------------------------------------------------|-----|----------|------------------------------------------------------------------|------------|
|     | 8.2.7 KHI growth rate                                                                 | 251 |          | 8.6.4 3D versus 2D non-linear RTI evolution                      | 285        |
|     | 8.2.8 Time evolution                                                                  | 252 |          |                                                                  |            |
|     | 8.2.9 RTI of layers of finite thickness and feedthrough                               | 253 | 8.7      | Non-linear evolution of multi-mode perturbations                 | 286        |
|     | 8.2.10 RMI growth rate                                                                | 255 |          | 8.7.1 Preview and relevance to ICF targets design                | 286        |
|     | 8.2.11 Non-uniform acceleration                                                       | 256 |          | 8.7.2 Growth saturation of a full spectrum of modes              | 287        |
| 8.3 | RTI in fluids with arbitrary density profile                                          | 257 |          | 8.7.3 Model for weakly non-linear evolution after saturation     | 289        |
|     | 8.3.1 Linearized perturbation equations                                               | 257 |          | 8.7.4 Turbulent mixing                                           | 290        |
|     | 8.3.2 General instability condition                                                   | 259 | 8.8      | RTI and target design                                            | 291        |
|     | 8.3.3 The classical RTI growth rate                                                   | 259 |          | 8.8.1 Perturbation growth at the ablation front                  | 292        |
|     | 8.3.4 Density gradient                                                                | 260 |          | 8.8.2 Perturbation growth at the inner shell surface             | 294        |
| 8.4 | RTI at an ablation front                                                              | 261 |          | 8.8.3 Target stability analysis by models and fluid codes        | 295        |
|     | 8.4.1 Isobaric flow model                                                             | 262 |          | 8.8.4 Reducing target sensitivity to RTI                         | 297        |
|     | 8.4.2 Discussion in terms of the Froude number and of the conductivity exponent $\nu$ | 264 | 8.9      | Bibliographical note                                             | 298        |
|     | 8.4.3 Perturbation equations                                                          | 266 |          |                                                                  |            |
|     | 8.4.4 Results of self-consistent treatments                                           | 268 | <b>9</b> | <b>Hohlraum targets</b>                                          | <b>301</b> |
|     | 8.4.5 Comparison with experiments and simulations                                     | 271 | 9.1      | General concept                                                  | 302        |
| 8.5 | Stability of spherical boundaries                                                     | 274 | 9.2      | Conversion into X-rays                                           | 304        |
|     | 8.5.1 Perturbation equation for a cavity                                              | 275 |          | 9.2.1 Laser beam conversion                                      | 304        |
|     | 8.5.2 Stability of a spherical cavity. Cavity oscillations                            | 275 |          | 9.2.2 Ion beam conversion                                        | 306        |
|     | 8.5.3 Classical RTI at implosion stagnation                                           | 277 | 9.3      | Radiation confinement                                            | 308        |
|     | 8.5.4 Ablative RTI of decelerating ICF shells                                         | 278 |          | 9.3.1 Hohlraum temperature                                       | 308        |
| 8.6 | Non-linear evolution of single-mode perturbations                                     | 279 |          | 9.3.2 Flux balance                                               | 309        |
|     | 8.6.1 RTI bubble evolution for $A_t = 1$                                              | 280 |          | 9.3.3 Wall albedo and re-emission number                         | 310        |
|     | 8.6.2 Asymptotic bubble and spike behaviour for arbitrary $A_t$                       | 283 |          | 9.3.4 Re-emission experiments and observed hohlraum temperatures | 311        |
|     | 8.6.3 Linear saturation amplitude of a single RTI mode                                | 284 | 9.4      | Geometrical symmetrization                                       | 312        |
|     |                                                                                       |     |          | 9.4.1 Spherical asymmetry modes                                  | 312        |
|     |                                                                                       |     |          | 9.4.2 View factor method                                         | 313        |
|     |                                                                                       |     |          | 9.4.3 Transfer between concentric spheres                        | 314        |
|     |                                                                                       |     | 9.5      | Hohlraum target simulations                                      | 315        |
|     |                                                                                       |     |          | 9.5.1 A hohlraum target for heavy ion fusion                     | 315        |

|           |        |                                                                   |            |           |        |                                                           |            |
|-----------|--------|-------------------------------------------------------------------|------------|-----------|--------|-----------------------------------------------------------|------------|
|           | 9.5.2  | Radiatively driven capsule with optimized opacity                 | 318        |           | 10.6.2 | Quasi-classical derivation of Kramers cross section       | 347        |
| 9.6       |        | Hohlraum target experiments                                       | 320        |           | 10.6.3 | Bremsstrahlung emission and absorption                    | 348        |
|           | 9.6.1  | Experiments on hohlraum symmetry                                  | 321        |           | 10.6.4 | Radiative capture and photo-ionization                    | 349        |
|           | 9.6.2  | Shock wave experiments with hohlraum targets                      | 321        |           | 10.6.5 | Line emission and absorption                              | 350        |
| <b>10</b> |        | <b>Hot dense matter</b>                                           | <b>323</b> |           | 10.6.6 | Doppler and Stark broadening                              | 352        |
| 10.1      |        | Atoms in dense plasma                                             | 324        |           | 10.6.7 | Sum rule and spectral spreading of oscillator strength    | 354        |
|           | 10.1.1 | The screened hydrogenic model                                     | 324        |           | 10.6.8 | Unresolved transition arrays and super-transition arrays  | 355        |
|           | 10.1.2 | The average ion model                                             | 326        |           | 10.7   | Opacity                                                   | 356        |
|           | 10.1.3 | Pressure ionization                                               | 326        |           | 10.7.1 | Planck and Rosseland mean opacity                         | 356        |
|           | 10.1.4 | Continuum lowering                                                | 327        |           | 10.7.2 | Explicit formulas for fully ionized plasma                | 356        |
| 10.2      |        | Ideal dense plasma                                                | 328        |           | 10.7.3 | Photon scattering                                         | 357        |
|           | 10.2.1 | Thermodynamic relations                                           | 328        |           | 10.7.4 | Maximum opacity limit                                     | 357        |
|           | 10.2.2 | Ideal gas and Saha ionization                                     | 329        |           | 10.7.5 | Opacity calculations                                      | 358        |
|           | 10.2.3 | Fermi gas                                                         | 330        |           | 10.7.6 | Results of simple LTE opacity models                      | 358        |
| 10.3      |        | Thomas–Fermi theory                                               | 332        |           | 10.7.7 | Opacity experiments                                       | 361        |
|           | 10.3.1 | Basic TF equations                                                | 332        | 10.8      |        | Non-LTE plasma                                            | 363        |
|           | 10.3.2 | TF electron equation of state                                     | 333        |           | 10.8.1 | Non-LTE ionization                                        | 363        |
|           | 10.3.3 | Explicit formula for TF pressure-ionization                       | 335        |           | 10.8.2 | Non-LTE opacity                                           | 364        |
|           | 10.3.4 | Total binding energy of neutral atoms in the TF statistical model | 336        | 10.9      |        | Electron collisions                                       | 365        |
| 10.4      |        | Ion EOS model                                                     | 336        |           | 10.9.1 | Collision times in dilute plasma                          | 365        |
|           | 10.4.1 | Phonon EOS of solids                                              | 337        |           | 10.9.2 | Collision frequency in warm dense matter for $T \leq T_F$ | 367        |
|           | 10.4.2 | Cowan’s model for a fluid EOS                                     | 338        |           | 10.9.3 | Collisional ionization of inner-shell electrons           | 368        |
| 10.5      |        | Global equations of state                                         | 339        |           | 10.9.4 | Collisional ionization rate in plasma                     | 369        |
|           | 10.5.1 | General discussion                                                | 339        |           | 10.9.5 | Three-body recombination                                  | 370        |
|           | 10.5.2 | QEOS: A general purpose equation of state                         | 342        | <b>11</b> |        | <b>Beam-target interaction</b>                            | <b>371</b> |
|           | 10.5.3 | Correction for chemical bonding                                   | 343        | 11.1      |        | Elements of plasma physics                                | 372        |
|           | 10.5.4 | QEOS examples                                                     | 343        |           | 11.1.1 | Transverse electromagnetic waves                          | 373        |
| 10.6      |        | Radiative processes                                               | 345        |           | 11.1.2 | Longitudinal dispersion                                   | 374        |
|           | 10.6.1 | Micro-reversability and detailed balance                          | 345        |           |        |                                                           |            |

|        |                                                                       |     |           |                                                       |            |
|--------|-----------------------------------------------------------------------|-----|-----------|-------------------------------------------------------|------------|
| 11.1.3 | Langmuir waves                                                        | 376 | 11.5.9    | Stopping of charged fusion products in burning plasma | 396        |
| 11.1.4 | Ion-acoustic waves                                                    | 377 | 11.6      | The effective charge $Z_{\text{eff}}$ of heavy ions   | 399        |
| 11.2   | Collisional absorption of laser light in plasma                       | 377 | 11.6.1    | Semi-empirical description of $Z_{\text{eff}}(v)$     | 399        |
| 11.2.1 | Absorption coefficient                                                | 378 | 11.6.2    | Ionization and recombination processes                | 400        |
| 11.2.2 | Model for collisional absorption                                      | 379 | 11.6.3    | Measurements of $Z_{\text{eff}}$ behind target        | 401        |
| 11.2.3 | Dependence on wavelength                                              | 380 | 11.6.4    | Projectile radiation measured in flight               | 403        |
| 11.3   | Resonance absorption                                                  | 381 | 11.7      | Ion stopping powers and ranges in cold and hot matter | 404        |
| 11.3.1 | Coupling of light and plasma waves in density gradients               | 381 | 11.7.1    | Stopping in partially ionized matter                  | 404        |
| 11.3.2 | Theoretical absorption curve                                          | 382 | 11.7.2    | Ion ranges in cold matter                             | 405        |
| 11.3.3 | Comparison with experiment                                            | 382 | 11.7.3    | Enhanced $d\epsilon/dx$ in plasma                     | 405        |
| 11.4   | Light absorption and scattering by wave excitation                    | 383 | 11.7.4    | Examples of $d\epsilon/dx$ and $R$ in dense plasma    | 406        |
| 11.4.1 | The ponderomotive force                                               | 383 | <b>12</b> | <b>Fast ignition</b>                                  | <b>409</b> |
| 11.4.2 | Three-wave coupling and parametric instabilities                      | 385 | 12.1      | Concepts and perspectives                             | 410        |
| 11.4.3 | Parametric decay                                                      | 386 | 12.2      | Ignition conditions and fuel energy gain              | 411        |
| 11.4.4 | Two-plasmon decay                                                     | 386 | 12.2.1    | The one-dimensional isochoric model                   | 411        |
| 11.4.5 | Stimulated Brillouin scattering                                       | 387 | 12.2.2    | Ignition windows                                      | 412        |
| 11.4.6 | Stimulated Raman scattering                                           | 388 | 12.2.3    | Admitted beam particle ranges                         | 413        |
| 11.4.7 | Hot electrons                                                         | 388 | 12.2.4    | Fuel gain of fast ignition targets                    | 413        |
| 11.5   | Theory of ion beam energy loss in plasma                              | 389 | 12.3      | New perspectives by fast ignition                     | 413        |
| 11.5.1 | Stopping fast ions by binary collisions                               | 389 | 12.3.1    | Injected triggers                                     | 413        |
| 11.5.2 | Projectile wakefield in the dielectric approach                       | 391 | 12.3.2    | Non-spherical configurations                          | 414        |
| 11.5.3 | Stopping power in plasma                                              | 392 | 12.3.3    | Burn of a DT-seeded deuterium target                  | 415        |
| 11.5.4 | Excitation of plasma waves by fast ions ( $v_p/v_{\text{th}} \gg 1$ ) | 393 | 12.4      | Laser plasma physics at relativistic intensities      | 416        |
| 11.5.5 | The Bethe formula                                                     | 394 | 12.4.1    | Laser fast ignition                                   | 416        |
| 11.5.6 | Stopping power for slow ions ( $v_p \leq v_{\text{th}}$ )             | 394 | 12.4.2    | Relativistic laser plasma interaction                 | 417        |
| 11.5.7 | Non-linear friction force                                             | 395 |           |                                                       |            |
| 11.5.8 | Approximate plasma stopping formula for arbitrary $v_p$               | 396 |           |                                                       |            |



|        |                                                  |     |                   |                                 |            |
|--------|--------------------------------------------------|-----|-------------------|---------------------------------|------------|
| 12.4.3 | Self-focusing and electron beam generation       | 418 | 12.6              | Emerging fast ignition concepts | 425        |
| 12.4.4 | Channels and beams observed                      | 419 | 12.6.1            | Cone-guided fast ignition       | 425        |
| 12.4.5 | Mechanisms of electron acceleration              | 420 | 12.6.2            | Cone-guided target experiments  | 426        |
| 12.5   | Electron beam transport through overdense plasma | 421 | 12.6.3            | Proton beam fast ignition       | 427        |
| 12.5.1 | Laser hole boring                                | 422 | <b>Appendix</b>   |                                 | <b>429</b> |
| 12.5.2 | Alfven current limit and Weibel instability      | 423 | A.                | Units and conversion of units   | 429        |
| 12.5.3 | Beam filamentation and anomalous stopping        | 424 | B.                | Physical constants              | 430        |
| 12.5.4 | Electron transport experiments                   | 425 | C.                | Frequently used symbols         | 431        |
|        |                                                  |     | D.                | Acronyms                        | 433        |
|        |                                                  |     | <b>References</b> |                                 | <b>435</b> |
|        |                                                  |     | <b>Index</b>      |                                 | <b>453</b> |