

[HTML] The prevalence and correlates of adult ADHD in the United States: results from the National Comorbidity Survey Replication

[HTML] [van nih.gov](#)..., L Adler, R Barkley, J **Biederman**... - The American journal ..., 2006 - ncbi.nlm.nih.gov
OBJECTIVE Despite growing interest in adult attention-deficit/hyperactivity disorder (**ADHD**), little is known about prevalence or correlates. METHODS A screen for adult **ADHD** was included in a probability sub-sample (n= 3199) of 18–44 year old respondents in the ...

[Geciteerd door 914](#) - [Verwante artikelen](#) - [Alle 19 versies](#)

[HTML] The worldwide prevalence of ADHD: a systematic review and metaregression analysis

[HTML] [van psychiatryonline.org](#)..., MÃ de Lima, B Horta, J **Biederman**... - American Journal of ..., 2007 - Am Psychiatric Assoc

Objective: The worldwide prevalence estimates of attention deficit hyperactivity disorder (**ADHD**)/hyperkinetic disorder (HD) are highly heterogeneous. Presently, the reasons for this discrepancy remain poorly understood. The purpose of this study was to determine the ...

[Geciteerd door 685](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 13 versies](#)

Functional impairments in adults with self-reports of diagnosed ADHD: A controlled study of 1001 adults in the community.

J **Biederman**, SV Faraone, TJ Spencer... - Journal of Clinical ..., 2006 - psycnet.apa.org

1. Objective: The objective of this study was to evaluate functional impairments in a nonreferred sample of adults identifying themselves as having been diagnosed with attention-deficit/hyperactivity disorder (**ADHD**) by a clinician in their community. Method: ...

[Geciteerd door 184](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

What is the prevalence of adult ADHD? Results of a population screen of 966 adults

..., J **Biederman** - Journal of Attention Disorders, 2005 - jad.sagepub.com

Abstract To provide a better estimate of the prevalence of **ADHD** in adulthood, the authors complete a telephone survey of 966 randomly selected adults. They compute two diagnoses from the survey data. Participants meeting Diagnostic and Statistical Manual of Mental ...

[Geciteerd door 196](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

Impact of executive function deficits and attention-deficit/hyperactivity disorder (ADHD) on academic outcomes in children.

[PDF] [van lhs.se](#)J **Biederman**, MC Monuteaux, AE Doyle... - Journal of Consulting ..., 2004 - psycnet.apa.org

Abstract 1. The association between executive function deficits (EFDs) and functional outcomes were examined among children and adolescents with attention-deficit/hyperactivity disorder (**ADHD**). Participants were children and adolescents with (n= ...

[Geciteerd door 201](#) - [Verwante artikelen](#) - [Alle 19 versies](#)

Cognitive-behavioral therapy for ADHD in medication-treated adults with continued symptoms

[PDF] [van wisc.edu](#)..., CL Winett, TE Wilens, J **Biederman** - ... Research and Therapy, 2005 - Elsevier

Abstract The purpose of the present study was to examine the potential efficacy, patient acceptability, and feasibility of a novel, cognitive-behavioral therapy (CBT) for adults with attention-deficit hyperactivity disorder (**ADHD**) who have been stabilized on medications ...

[Geciteerd door 193](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Impact of comorbidity in adults with attention deficit/hyperactivity disorder.](#)

J **Biederman** - Journal of Clinical Psychiatry, 2004 - psycnet.apa.org

... **Biederman**, Joseph. Journal of Clinical Psychiatry, Vol 65(Suppl3), 2004, 3-7. Abstract. Persistence of attention-deficit/hyperactivity disorder (**ADHD**) into adulthood and male-to-female ratios of this disorder in childhood and adulthood have been controversial issues in the **ADHD** ...

[Geciteerd door 153](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Characteristics of adolescents and young adults with ADHD who divert or misuse their prescribed medications](#)

..., A Swezey, MC Monuteaux, J **Biederman** - Journal of the American ..., 2006 - Elsevier

OBJECTIVE: Little is known about the risks and characteristics of attention-deficit/hyperactivity disorder (**ADHD**) patients who misuse or divert their stimulant medications. As part of a 10-year longitudinal study of youths with **ADHD**, the authors ...

[Geciteerd door 113](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[Are endophenotypes based on measures of executive functions useful for molecular genetic studies of ADHD?](#)

[PDF] [van du.edu](#)..., J Peart, J **Biederman** - Journal of Child ..., 2005 - Wiley Online Library

Background: Behavioral genetic studies provide strong evidence that attention-deficit/hyperactivity disorder (**ADHD**) has a substantial genetic component. Yet, due to the complexity of the **ADHD** phenotype, questions remain as to the specific genes that ...

[Geciteerd door 118](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Relapse prevention in pediatric patients with ADHD treated with atomoxetine: a randomized, double-blind, placebo-controlled study](#)

..., DE Faries, S Zhang, J **Biederman** - Journal of the American ..., 2004 - Elsevier

OBJECTIVE: Attention-deficit/hyperactivity disorder (**ADHD**) is typically treated over extended periods; however, few placebo-controlled, long-term studies of efficacy have been reported. METHOD: In a global multicenter study, children and adolescents who ...

[Geciteerd door 109](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[\[HTML\] Comparing the efficacy of medications for ADHD using meta-analysis](#)

[HTML] [van nih.gov](#)SV Faraone, J **Biederman**, TJ Spencer... - Medscape General ..., 2006 -.ncbi.nlm.nih.gov

Objective Medications used to treat attention-deficit/hyperactivity disorder (**ADHD**) have been well researched, but comparisons among drugs are hindered by the absence of direct comparative trials. Methods We analyzed recent published literature on the ...

[Geciteerd door 104](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Validity of pilot Adult ADHD Self-Report Scale \(ASRS\) to Rate Adult ADHD symptoms.](#)

..., RC Kessler, MJ Howes, J **Biederman**... - Annals of Clinical ..., 2006 - psycnet.apa.org

1. Background: The goal of this study was to validate the pilot Adult **ADHD** Self-Report Scale (pilot ASRS) versus standard clinician ratings on the **ADHD** Rating Scale (**ADHD** RS).

Method: Sixty adult **ADHD** patients took the self-administered **ADHD** RS and then raters ...

[Geciteerd door 66](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[\[HTML\] Stimulant therapy and risk for subsequent substance use disorders in male adults with ADHD: a naturalistic controlled 10-year follow-up study](#)

[HTML] [van psychiatryonline.org](#)J **Biederman**, M Monuteaux... - American Journal of ..., 2008 - Am

Psychiatric Assoc

Objective: The extant literature does not provide definite answers pertaining to whether stimulant treatment increases, decreases, or does not affect the risk for subsequent substance use disorders in youths with attention deficit hyperactivity disorder (**ADHD**). The ...

[Geciteerd door 85](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 14 versies](#)

Lisdexamfetamine dimesylate and mixed amphetamine salts extended-release in children with ADHD: a double-blind, placebo-controlled, crossover analog ...

J **Biederman**, SW Boellner, A Childress... - Biological ..., 2007 - Elsevier

BACKGROUND: Lisdexamfetamine dimesylate is a therapeutically inactive prodrug in which d-amphetamine is covalently bound to l-lysine, a naturally occurring amino acid.

Pharmacologically active d-amphetamine is released from lisdexamfetamine following ...

[Geciteerd door 79](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

Atomoxetine alone or combined with fluoxetine for treating ADHD with comorbid depressive or anxiety symptoms

[HTML] [van elsevierhealth.com](#)..., H Gao, D Michelson, J **Biederman** - Journal of the American ..., 2005 - Elsevier

OBJECTIVE: Symptoms of depression and anxiety are commonly comorbid with attention-deficit/hyperactivity disorder (**ADHD**). The authors assessed the safety and effectiveness of atomoxetine monotherapy compared with combined atomoxetine/fluoxetine therapy in a ...

[Geciteerd door 75](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

Further evidence of dopamine transporter dysregulation in ADHD: a controlled PET imaging study using altropane

[HTML] [van nih.gov](#)TJ Spencer, J **Biederman**, BK Madras... - Biological ..., 2007 - Elsevier

BACKGROUND: The dopamine transporter (DAT) is known to be a key regulator of dopamine, and recent studies of genetics, treatment, and imaging have highlighted the role of DAT in attention-deficit/hyperactivity disorder (**ADHD**). The findings of in vivo ...

[Geciteerd door 62](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

Attention and executive systems abnormalities in adults with childhood ADHD: a DT-MRI study of connections

[HTML] [van oxfordjournals.org](#)N Makris, SL Buka, J **Biederman**... - Cerebral ..., 2008 - Oxford Univ Press

Abstract Attention-deficit/hyperactivity disorder (**ADHD**) is hypothesized to be due, in part, to structural defects in brain networks influencing cognitive, affective, and motor behaviors.

Although the current literature on fiber tracts is limited in **ADHD**, gray matter abnormalities ...

[Geciteerd door 74](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

Does prolonged therapy with a long-acting stimulant suppress growth in children with ADHD?

TJ Spencer, SV Faraone, J **Biederman**... - Journal of the American ..., 2006 - Elsevier

OBJECTIVE: To investigate whether prolonged therapy with a long-acting stimulant affects growth in children with attention-deficit/hyperactivity disorder (**ADHD**). METHOD: One hundred seventy-eight children ages 6 to 13 years received OROS methylphenidate (...

[Geciteerd door 61](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[The long-term longitudinal course of oppositional defiant disorder and conduct disorder in ADHD boys: findings from a controlled 10-year prospective longitudinal ...](#)

J Biederman, CR Petty, C Dolan... - Psychological ..., 2008 - Cambridge Univ Press
Background. A better understanding of the long-term scope and impact of the co-morbidity with oppositional defiant disorder (ODD) and conduct disorder (CD) in attention deficit hyperactivity disorder (ADHD) youth has important clinical and public health implications.

[Geciteerd door 57](#) - [Verwante artikelen](#) - [Alle 14 versies](#)

[Association between the 5HT1B receptor gene \(HTR1B\) and the inattentive subtype of ADHD](#)

JW Smoller, J Biederman, L Arbeitman... - Biological ..., 2006 - Elsevier
Background Preclinical and genetic studies have implicated the 5HT1B receptor gene (HTR1B) in attention-deficit/hyperactivity disorder (ADHD). Association with a single nucleotide polymorphism (SNP; G861C) has been observed, but more extensive linkage ...

[Geciteerd door 54](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Long-term safety and effectiveness of mixed amphetamine salts extended release in adults with ADHD.](#)

J Biederman, TJ Spencer, TE Wilens, RH Weisler... - CNS spectrums, 2005 - ukpmc.ac.uk
OBJECTIVE: Assess the long-term safety and effectiveness of mixed amphetamine salts extended release (MAS XR) in adults with attention-deficit/hyperactivity disorder (ADHD) combined subtype. METHODS: A 24-month, open-label extension of a 4-week, multicenter ...

[Geciteerd door 40](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 2 versies](#)

[Long-term tolerability and effectiveness of once-daily mixed amphetamine salts \(Adderall XR\) in children with ADHD](#)

JJ Mcgough, J Biederman, SB Wigal... - Journal of the American ..., 2005 - Elsevier
OBJECTIVE: To evaluate the long-term tolerability and effectiveness of extended-release mixed amphetamine salts (MAS XR; Adderall XR®) in children with attention-deficit/hyperactivity disorder (ADHD). METHOD: This was a 24-month, multicenter, open- ...

[Geciteerd door 52](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Blood pressure changes associated with medication treatment of adults with attention-deficit/hyperactivity disorder.](#)

..., PG Hammerness, J Biederman... - Journal of Clinical ..., 2005 - psycnet.apa.org
... Wilens, Timothy E.; Hammerness, Paul G.; Biederman, Joseph; Kwon, Anne; Spencer, Thomas J.; Clark, Sarah; Scott, Megan; Podolski, Amy; Ditterline ... evaluate the effects of medications used in the treatment of adults with attention-deficit/hyperactivity disorder (ADHD) on blood ...

[Geciteerd door 73](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Stability of executive function deficits into young adult years: a prospective longitudinal follow-up study of grown up males with ADHD](#)

J Biederman, CR Petty, R Fried... - Acta Psychiatrica ..., 2007 - Wiley Online Library
Objective: Although individuals with attention deficit-hyperactivity disorder (ADHD) commonly exhibit deficits in executive functions that greatly increase the morbidity of the disorder, all available information on the subject is cross sectional. Method: Males (n= 85) ...

[Geciteerd door 49](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[The age-dependent decline of attention deficit hyperactivity disorder: a meta-analysis of follow-up studies](#)

SV Faraone, J **Biederman**... - Psychological medicine, 2006 - Cambridge Univ Press
... the validity of this diagnosis in adults. Our prior research suggest that studies of syndromatic persistence may give an overly optimistic view of the long-term outcome of **ADHD** (**Biederman** et al. 2000). We found that, at the age ...

[Geciteerd door 361](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Substance use among ADHD adults: implications of late onset and subthreshold diagnoses](#)

..., K Antshel, T Spencer, J **Biederman** - The American ..., 2007 - Wiley Online Library
Diagnosing **ADHD** in adults is difficult when the diagnostician cannot establish an onset prior to the DSM-IV criterion of age seven or if the number of symptoms does not achieve the DSM threshold for diagnosis. These diagnostic issues are an even larger concern for ...

[Geciteerd door 49](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[The CBCL as a screen for psychiatric comorbidity in paediatric patients with ADHD](#)

[HTML] [van bmj.com](#) J **Biederman**, MC Monuteaux, E Kendrick... - Archives of disease in ..., 2005 - adc.bmj.com

Aims: To examine the informativeness of the Child Behavior Checklist (CBCL) as a screening tool to identify comorbid and non-comorbid cases of attention deficit hyperactivity disorder (**ADHD**) in a paediatrically referred population. It was hypothesised that specific ...

[Geciteerd door 45](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[Do stimulants protect against psychiatric disorders in youth with ADHD? A 10-year follow-up study](#)

[HTML] [van pediatricdigest.mobi](#) J **Biederman**, MC Monuteaux, T Spencer... - ..., 2009 - pediatricdigest.mobi

OBJECTIVE: Little is known about the effect of stimulant treatment in youth with attention-deficit/hyperactivity disorder (**ADHD**) on the subsequent development of comorbid psychiatric disorders. We tested the association between stimulant treatment and the ...

[Geciteerd door 51](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Effect of comorbid symptoms of oppositional defiant disorder on responses to atomoxetine in children with ADHD: a meta-analysis of controlled clinical trial data](#)

J **Biederman**, TJ Spencer, JH Newcorn, H Gao... - ..., 2007 - Springer

Abstract Rationale Up to 60% of children with attention-deficit/hyperactivity disorder (**ADHD**) suffer from comorbid affective or behavioral impairments, the most common condition being oppositional defiant disorder (ODD), which occurs in 40–60% of children with **ADHD**. ...

[Geciteerd door 44](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[New insights into the comorbidity between ADHD and major depression in adolescent and young adult females](#)

J **Biederman**, SW Ball, MC Monuteaux... - Journal of the American ..., 2008 - Elsevier

OBJECTIVE: The main aim of this study was to evaluate the association between attention-deficit/hyperactivity disorder (**ADHD**) and major depression (MD) in adolescent and young adult females. METHOD: Subjects were females with (n= 140) and without (n= 122) **ADHD** ...

[Geciteerd door 42](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[Absence of gender effects on attention deficit hyperactivity disorder: findings in nonreferred subjects](#)

J **Biederman**, A Kwon, M Aleardi... - The American journal of ..., 2005 - cat.inist.fr
... **BIEDERMAN** Joseph ; KWON Anne ; ALEARDI Megan ; CHOUINARD Virginie-Anne ; MARINO Teresa ; COLE Heather ; MICK Eric ; FARAONE Stephen V. ; ... study, the authors found that, compared with referred boys with attention deficit hyperactivity disorder (**ADHD**), girls are ...
[Geciteerd door 132](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Are girls with ADHD at risk for eating disorders? Results from a controlled, five-year prospective study](#)

[[PDF](#)] [van pbworks.com](#) J **Biederman**, SW Ball, MC Monuteaux... - ... of Developmental & ..., 2007 - journals.lww.com
Objective: To evaluate the association between attention-deficit/hyperactivity disorder (**ADHD**) and eating disorders in a large adolescent population of girls with and without **ADHD**. Method: We estimated the incidence of lifetime eating disorders (either anorexia or ...
[Geciteerd door 40](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[The clinical characteristics of unipolar vs. bipolar major depression in ADHD youth](#)

J Wozniak, T Spencer, J **Biederman**... - Journal of affective ..., 2004 - Elsevier
OBJECTIVE: To investigate the characteristics of unipolar vs. bipolar depression in youth using a sample of children referred for a study on attention deficit hyperactivity disorder (**ADHD**). METHODS: We compared children with unipolar depression (N= 109) to those ...
[Geciteerd door 36](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Do Individuals with ADHD Self-Medicate with Cigarettes and Substances of Abuse? Results from a Controlled Family Study of ADHD](#)

..., MC Monuteaux, J **Biederman** - The American ..., 2007 - Wiley Online Library
Studies report increased rates of cigarette and substance use in youths with Attention-Deficit/Hyperactivity Disorder (**ADHD**), though the mechanism of risk remains unclear. The present study tests the hypothesis that **ADHD** individuals "self-medicate" ...
[Geciteerd door 37](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Double-blind, placebo-controlled study of the efficacy and safety of lisdexamfetamine dimesylate in adults with attention-deficit/hyperactivity disorder.](#)

..., S Krishnan, Y Zhang, J **Biederman** - The Journal of clinical ..., 2008 - ukpmc.ac.uk
... Or filter your current search. **Biederman** J, Find all citations by this author (default). ... OBJECTIVE: To evaluate the efficacy and safety of 30, 50, and 70 mg/day lisdexamfetamine dimesylate compared with placebo in adults with attention-deficit/hyperactivity disorder (**ADHD**). ...
[Geciteerd door 51](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 3 versies](#)

[Long-term cardiovascular effects of mixed amphetamine salts extended release in adults with ADHD.](#)

RH Weisler, J **Biederman**, TJ Spencer... - CNS spectrums, 2005 - ukpmc.ac.uk
OBJECTIVE: To assess long-term cardiovascular effects of mixed amphetamine salts extended release (MAS XR) in adults with attention-deficit/hyperactivity disorder (**ADHD**) combined subtype. METHODS: 223 otherwise healthy adults (> or= 18 years of age) with ...
[Geciteerd door 31](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 2 versies](#)

[A naturalistic study of the effects of pharmacotherapy on substance use disorders among ADHD adults](#)

SV Faraone, J **Biederman**, TE Wilens... - Psychological ..., 2007 - Cambridge Univ Press
Background Studies of adults with attention deficit hyperactivity disorder (**ADHD**) show an elevated prevalence of substance use disorders (SUDs) and the substance abuse literature shows that **ADHD** is elevated in substance users. Some researchers postulate that ...

[Geciteerd door 35](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Personality traits among ADHD adults: implications of late-onset and subthreshold diagnoses](#)

[HTML] [van nih.gov](#)..., A Kunwar, J Adamson, J **Biederman** - Psychol ..., 2009 - Cambridge Univ Press
Background. Diagnosing attention deficit hyperactivity disorder (**ADHD**) in adults is difficult when diagnosticians cannot establish onset prior to the DSM-IV criterion of age 7 or if the number of symptoms does not achieve the DSM threshold for diagnosis. Previous work ...

[Geciteerd door 34](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Is attention deficit hyperactivity disorder a valid diagnosis in the presence of high IQ? Results from the MGH Longitudinal Family Studies of ADHD](#)

..., R Fried, L Seidman, J **Biederman** - Journal of Child ..., 2007 - Wiley Online Library
Background: The aim of this study was to assess the validity of diagnosing attention deficit/hyperactivity disorder (**ADHD**) in high IQ children and to further characterize the clinical features associated with their **ADHD**. Methods: We operationalized giftedness/high ...

[Geciteerd door 36](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[The Massachusetts General Hospital studies of gender influences on attention-deficit/hyperactivity disorder in youth and relatives.](#)

J **Biederman**, SV Faraone - The Psychiatric clinics of North America, 2004 - ukpmc.ac.uk
... biederman@helix.mgh.harvard.edu. Find all citations in this journal (default). ... DOI: 10.1016/j.psc.2003.12.004. Abstract, Highlight Terms. With the single exception of SUDs, no statistically significant gender-by **ADHD** interactions were identified in the multiple, outcomes ...

[Geciteerd door 47](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 6 versies](#)

[ADHD and Dyscalculia](#)

[PDF] [van spdsupport.org](#)..., K Herzig, N Navsaria, J **Biederman** - Journal of learning ..., 2005 - ldx.sagepub.com

Abstract The familial relationship between dyscalculia and attention-deficit/hyperactivity disorder (**ADHD**) was assessed. We conducted a familial risk analysis using probands with and without **ADHD** of both genders and their first-degree relatives. Participants were ...

[Geciteerd door 32](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[Characterizing impaired driving in adults with attention-deficit/hyperactivity disorder: A controlled study.](#)

..., JM Martin, JF Coughlin, J **Biederman** - Journal of Clinical ..., 2006 - psycnet.apa.org
... Joseph F.; **Biederman**, Joseph. Journal of Clinical Psychiatry, Vol 67(4), Apr 2006, 567-574. doi: 10.4088/JCP.v67n0407. Abstract. Objective: We sought to confirm previously documented findings that individuals with attention-deficit/hyperactivity disorder (**ADHD**) demonstrate ...

[Geciteerd door 33](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Age-dependent expression of attention-deficit/hyperactivity disorder symptoms.](#)

E Mick, SV Faraone, J **Biederman** - The Psychiatric clinics of North ..., 2004 - ukpmc.ac.uk
... Or filter your current search. **Biederman** J. Department of Psychiatry, Massachusetts General Hospital, Boston 02114, USA. ... The authors' research indicates that most adults with **ADHD** continue to struggle with substantial number of **ADHD** symptoms and high levels of dysfunction ...
[Geciteerd door 56](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 6 versies](#)

[Stimulant treatment of adult attention-deficit/hyperactivity disorder.](#)

T Spencer, J **Biederman**... - The Psychiatric clinics of ..., 2004 - ncbi.nlm.nih.gov
... Spencer T, **Biederman** J, Wilens T. Pediatric Psychopharmacology Unit, Massachusetts General Hospital, Boston, MA 02114, USA. Though only recently recognized as a valid disorder in adults, the clinical picture of adult **ADHD** is highly reminiscent of childhood **ADHD**, with ...
[Geciteerd door 40](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Attention-deficit/hyperactivity disorder: a selective overview](#)

J **Biederman** - Biological psychiatry, 2005 - Elsevier
... Adults with retrospectively defined childhood-onset and persistent **ADHD** show a pattern of psychologic dysfunction, psychosocial disability, psychiatric comorbidity, and school failure that resembles the well-known features of childhood **ADHD** (**Biederman** et al 2004). ...
[Geciteerd door 465](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[Treatment of ADHD With Stimulant Medications: Response to Nissen Perspective in< xh: i> The New England Journal of Medicine</xh: i>.](#)

J **Biederman**, TJ Spencer, TE Wilens, JB Prince... - 2006 - psycnet.apa.org
Abstract 1. Comments on an article by Steven E. Nissen (see record 2006-04488-001).
Nissen, in his perspective and in his public comments trivialized **ADHD**, dismissed it as overdiagnosed and overtreated, and asserted that its treatment with stimulant medication ...
[Geciteerd door 26](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Training raters to assess adult ADHD: reliability of ratings](#)

..., D Kelsey, D Michelson, J **Biederman** - Journal of Attention ..., 2005 - jad.sagepub.com
Abstract The standardization of **ADHD** ratings in adults is important given their differing symptom presentation. The authors investigated the agreement and reliability of rater standardization in a large-scale trial of atomoxetine in adults with **ADHD**. Training of 91 ...
[Geciteerd door 29](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Sexually dimorphic effects of four genes \(COMT, SLC6A2, MAOA, SLC6A4\) in genetic associations of ADHD: a preliminary study](#)

[HTML] [van nih.gov](#) J **Biederman**, JW Kim, AE Doyle... - American Journal of ..., 2008 - Wiley Online Library
A growing body of literature finds gender differences in **ADHD**. However, little is known about the causes of these differences. One possibility is that **ADHD** risk genes have sexually dimorphic effects. We have investigated four **ADHD** candidate genes (COMT, SLC6A2, ...
[Geciteerd door 28](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Functional outcomes in the treatment of adults with ADHD](#)

..., SG Ball, AJ Allen, J **Biederman** - Journal of attention ..., 2008 - jad.sagepub.com
Objective: **ADHD** is associated with significant functional impairment in adults. The present study examined functional outcomes following 6-month double-blind treatment with either atomoxetine or placebo. Method: Patients were 410 adults (58.5% male) with DSM-IV— ...
[Geciteerd door 27](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Investigation of variation in SNAP-25 and ADHD and relationship to co-morbid major depressive disorder](#)

JW Kim, J **Biederman**, L Arbeitman... - American Journal of ..., 2007 - Wiley Online Library
Investigation of variation in SNAP-25 and **ADHD** and relationship to co-morbid major depressive disorder-Kim-2007-American Journal of Medical Genetics Part B: Neuropsychiatric Genetics-Wiley Online Library
[Geciteerd door 28](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Absence of association with DAT1 polymorphism and response to methylphenidate in a sample of adults with ADHD](#)

[HTML] [van nih.gov](#)E Mick, J **Biederman**, T Spencer... - American Journal of ..., 2006 - Wiley Online Library
A polymorphism in the dopamine transporter gene (DAT1) has been previously associated with **ADHD** and methylphenidate has been hypothesized to block the dopamine transporter. The goal of this study was to examine whether a 40-bp variable number of tandem repeats ...
[Geciteerd door 26](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[\[PDF\] Long-term, open-label extension study of guanfacine extended release in children and adolescents with ADHD](#)

[PDF] [van mbldownloads.com](#)J **Biederman**, RD Melmed, A Patel... - CNS ..., 2008 - mbldownloads.com
FOCUS POINTS • Guanfacine is a noradrenergic agonist that is believed to improve symptoms of attention-deficit/hyperactivity disorder (**ADHD**) through selective actions at α 2A-adrenoceptors in the prefrontal cortex. • Evidence from short-term studies support ...
[Geciteerd door 26](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Attention-deficit/hyperactivity disorder in adults](#)

[PDF] [van chaotic-design.com](#)..., SV Faraone, J **Biederman** - JAMA: the journal of the ..., 2004 - Am Med Assoc
... References. 1. Faraone SV, Sergeant J, Gillberg C, **Biederman** J. The worldwide prevalence of **ADHD**: is it an American condition? W Psychiatry. 2003;2:104-113. ... TE, **Biederman** J, Spencer TJ. Presenting **ADHD** symptoms and subtypes in clinically referred adults with **ADHD**. ...
[Geciteerd door 138](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[Nonstimulant treatment of adult attention-deficit/hyperactivity disorder.](#)

T Spencer, J **Biederman**... - The Psychiatric Clinics of ..., 2004 - ncbi.nlm.nih.gov
... disorder. Spencer T, **Biederman** J, Wilens T. Pediatric Psychopharmacology Unit, Massachusetts General Hospital, Boston, MA 02114, USA. A substantial literature supports the viability of nonstimulant treatments for **ADHD**. ...
[Geciteerd door 43](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[A comparison of once-daily and divided doses of modafinil in children with attention-deficit/hyperactivity disorder: a randomized, double-blind, and placebo-controlled ...](#)

J **Biederman**, JM Swanson, SB Wigal... - The Journal of clinical ..., 2006 - cat.inist.fr
... Auteur(s) / Author(s). Modafinil **ADHD** Study Group, ETATS-UNIS **BIEDERMAN** Joseph (1) ; SWANSON James M. (2) ; WIGAL Sharon B. (2) ; BOELLNER Samuel W. (3) ; EARL Craig Q. (4) ; LOPEZ Frank A. (5) ; Affiliation(s) du ou des auteurs / Author(s) Affiliation(s). ...
[Geciteerd door 33](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[CITAAT] Joint analysis of DRD5 marker concludes association with ADHD confined to the predominantly inattentive and combined subtypes

..., SL Smalley, SF Nelson, J **Biederman**... - Am J Hum Genet, 2004

[Geciteerd door 24](#) - [Verwante artikelen](#)

Discordance between psychometric testing and questionnaire-based definitions of executive function deficits in individuals with ADHD

J **Biederman**, CR Petty, R Fried... - Journal of Attention ..., 2008 - jad.sagepub.com

Objective: One suspected source of negative outcomes associated with **ADHD** has been deficits in executive functions. Although both psychometrically defined and self-reported executive function deficits (EFDs) have been shown to be associated with poor academic ...

[Geciteerd door 23](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Educational and occupational underattainment in adults with attention-deficit/hyperactivity disorder: A controlled study.

J **Biederman**, CR Petty, R Fried... - Journal of Clinical ..., 2008 - psycnet.apa.org

... **Biederman**, Joseph; Petty, Carter R.; Fried, Ronna; Kaiser, Roselinde; Dolan, Chrystina R.; Schoenfeld, Steven; Doyle, Alys E ... Objective: Attention-deficit/hyperactivity disorder (**ADHD**) has been consistently associated with intellectual, educational, and employment deficits. ...

[Geciteerd door 30](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[HTML] Presenting ADHD symptoms, subtypes, and comorbid disorders in clinically referred adults with ADHD

[\[HTML\] van nih.gov](#)TE Wilens, J **Biederman**, SV Faraone... - The Journal of clinical ..., 2009 -.ncbi.nlm.nih.gov

Objective Despite the increasing presentation of **ADHD** in adults, many practitioners remain reluctant to assess individuals for **ADHD**, in part related to the relative lack of data on the presenting symptoms of **ADHD** in adulthood. Comorbidity among adults with **ADHD** is also ...

[Geciteerd door 24](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

The reliability and validity of self-and investigator ratings of ADHD in adults

..., SJ Glatt, BK Marchant, J **Biederman** - Journal of attention ..., 2008 - jad.sagepub.com

Objective: Little information is available comparing self-versus investigator ratings of symptoms in adult **ADHD**. The authors compared the reliability, validity, and utility in a sample of adults with **ADHD** and also as an index of clinical improvement during treatment ...

[Geciteerd door 24](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Family-based association analysis of a statistically derived quantitative traits for ADHD reveal an association in DRD4 with inattentive symptoms in ADHD individuals

J Lasky-Su, C Lange, J **Biederman**... - American Journal of ..., 2008 - Wiley Online Library

Family-based association analysis of a statistically derived quantitative traits for **ADHD** reveal an association in DRD4 with inattentive symptoms in **ADHD** individuals-Lasky-Su-2007-American Journal of Medical Genetics Part B: Neuropsychiatric Genetics-Wiley ...

[Geciteerd door 23](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

CBCL clinical scales discriminate ADHD youth with structured-interview derived diagnosis of oppositional defiant disorder (ODD)

J **Biederman**, SW Ball, MC Monuteaux... - Journal of Attention ..., 2008 - jad.sagepub.com

Objective: To evaluate the association between the clinical scales of the child behavior checklist (CBCL) and the comorbid diagnosis of oppositional defiant disorder (ODD) in a large sample of youth with attention deficit hyperactivity disorder (ADHD). Method: The ...
[Geciteerd door 20](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[A preliminary study of dopamine D4 receptor genotype and structural brain alterations in adults with ADHD](#)

[PDF] [van martinos.org](#)..., M Helliesen, E Mick, J **Biederman** - American Journal of ..., 2008 - Wiley Online Library
Monuteaux, MC, Seidman, LJ, Faraone, SV, Makris, N., Spencer, T., Valera, E., Brown, A., Bush, G., Doyle, AE, Hughes, S., Helliesen, M., Mick, E. and **Biederman**, J.(2008), A preliminary study of dopamine D4 receptor genotype and structural brain alterations in ...
[Geciteerd door 23](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Is oppositional defiant disorder a meaningful diagnosis in adults?: Results from a large sample of adults with ADHD](#)

T Harpold, J **Biederman**, M Gignac... - The Journal of ..., 2007 - journals.lww.com
Abstract We examined the prevalence and clinical characteristics of oppositional defiant disorder (ODD) in a sample of clinically referred adults with attention deficit hyperactivity disorder (ADHD). Subjects were consecutively referred adults with a DSM-III R/IV ...
[Geciteerd door 21](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Stability of executive function deficits in girls with ADHD: a prospective longitudinal followup study into adolescence](#)

J **Biederman**, CR Petty, AE Doyle... - Developmental ..., 2007 - Taylor & Francis
Neuropsychological deficits in the executive system are major sources of morbidity in individuals with attention-deficit/hyperactivity disorder (ADHD). We conducted a 5-year longitudinal study of girls with (N= 140) and without (N= 122) ADHD, aged 6–18 years at ...
[Geciteerd door 23](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Multivariate genomewide linkage scan of neurocognitive traits and ADHD symptoms: suggestive linkage to 3q13](#)

..., JW Smoller, S Purcell, J **Biederman**... - American Journal of ..., 2008 - Wiley Online Library
Family and twin studies suggest that a range of neurocognitive traits index the inherited liability to ADHD; however, the utility of such measures as endophenotypes in molecular genetic studies remains largely untested. The current article examined whether the inclusion of ...
[Geciteerd door 21](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[\[HTML\] An open-label trial of OROS methylphenidate in adults with late-onset ADHD](#)

[HTML] [van cnsspectrums.com](#)J **Biederman**, E Mick, T Spencer, C Surman... - CNS ..., 2006 - cnsspectrums.com
Abstract Introduction: Many adults with current impairing symptoms of attention-deficit/hyperactivity disorder (ADHD) do not report an age at onset before 7 years of age and cannot, therefore, be assigned the full Diagnostic and Statistical Manual of Mental ...
[Geciteerd door 18](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 3 versies](#)

[Assessing the Validity of the Quality of Life Enjoyment and Satisfaction Questionnaire—Short Form in Adults With ADHD](#)

..., T Spencer, HF Zhang, J **Biederman** - Journal of attention ..., 2008 - jad.sagepub.com
Objective: The authors assessed the psychometric properties of the Quality of Life Enjoyment and Satisfaction Questionnaire—Short Form (Q-LES-QSF) in adults with **ADHD**.
Method: One hundred fifty **ADHD** and 134 non-**ADHD** adults from a case-control study and ...
[Geciteerd door 18](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Young adult outcome of attention deficit hyperactivity disorder: a controlled 10-year follow-up study](#)

[\[PDF\] van umn.edu](#)J **Biederman**, MC Monuteaux, E Mick... - Psychological ..., 2006 - Cambridge Univ Press
... METHOD Subjects Subjects were derived from a longitudinal case- control family study of **ADHD** (**Biederman** et al. 1992, 1996). ... 1985; Fischer et al. 2002). Our findings are also consistent with studies of adults with **ADHD** (**Biederman** et al. 1995, 2004). ...
[Geciteerd door 290](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[New developments in the treatment of ADHD.](#)

J **Biederman**, AF Arnsten, SV Faraone... - The Journal of clinical ..., 2006 - ncbi.nlm.nih.gov
1. J Clin Psychiatry. 2006 Jan;67(1):148-59. New developments in the treatment of **ADHD**.
Biederman J, Arnsten AF, Faraone SV, Doyle AE, Spencer TJ, Wilens TE, Weiss MD, Safren SA, Culpepper L. Dept. of Psychiatry, Massachusetts ...
[Geciteerd door 19](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Influence of parental SUD and ADHD on ADHD in their offspring: preliminary results from a pilot-controlled family study](#)

TE Wilens, AL Hahesey, J **Biederman**... - American Journal ..., 2005 - informahealthcare.com
As part of a pilot-controlled family-based study of the children of parents with and without substance use disorders (SUD), the influence of parental SUD and **ADHD** on the risk for **ADHD** in offspring was evaluated. Using structured psychiatric interviews, 96 families (183 ...
[Geciteerd door 18](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Further evidence of association between two NET single-nucleotide polymorphisms with ADHD](#)

JW Kim, J **Biederman**, CL McGrath, AE Doyle... - Molecular ..., 2007 - nature.com
Abstract The norepinephrine transporter (NET) gene is an attractive candidate gene for attention-deficit hyperactivity disorder (**ADHD**). Noradrenergic systems are critical to higher brain functions such as attention and executive function, which are defective in **ADHD**. ...
[Geciteerd door 18](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Effects of stimulant medication on neuropsychological functioning in young adults with attention-deficit/hyperactivity disorder.](#)

J **Biederman**, LJ Seidman, CR Petty... - Journal of Clinical ..., 2008 - psycnet.apa.org
... **Biederman**, Joseph; Seidman, Larry J.; Petty, Carter R.; Fried, Ronna; Doyle, Alysia E.; Cohen, Daniel R.; Kenealy, Deborah C.; Faraone, Stephen ... on executive function deficits in a group of adolescents and young adults with attention-deficit/hyperactivity disorder (**ADHD**; DSM-III ...
[Geciteerd door 17](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[A study of how socioeconomic status moderates the relationship between SNPs encompassing BDNF and ADHD symptom counts in ADHD families](#)

[PDF] [van colorado.edu](#)... , AE Doyle, JW Smoller, NM Laird, J **Biederman** - Behavior genetics, 2007 - Springer
Abstract Recent animal research suggests that brain-derived neurotrophic factor (BDNF), may mediate response to different environmental stimuli. In this paper, we evaluated the possible role of BDNF as a moderator of attention deficit hyperactivity disorder (**ADHD**) in ...
[Geciteerd door 19](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Impulsive behavior in adults with attention deficit/hyperactivity disorder: characterization of attentional, motor and cognitive impulsiveness](#)

... , M Van Der Linden, J **Biederman**... - Journal of the ... , 2007 - Cambridge Univ Press
... Decreased functional activity of the dopaminergic and nor- adrenergic systems has also been implicated in the patho- genesis of **ADHD** (**Biederman** & Faraone, 2005b). ... **Biederman**, J. & Faraone, SV (2005a). What is the prevalence of adult **ADHD**? ...
[Geciteerd door 86](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[... Child Behavior Checklist-Pediatric Bipolar Disorder profile predicts a subsequent diagnosis of bipolar disorder and associated impairments in ADHD youth growing up ...](#)

J **Biederman**, CR Petty, MC Monuteaux... - The Journal of clinical ... , 2009 - ncbi.nlm.nih.gov
OBJECTIVE: To examine the predictive utility of the Child Behavior Checklist-Pediatric Bipolar Disorder (CBCL-PBD) profile to help identify children at risk for bipolar disorder.
METHOD: Subjects were ascertained from 2 identically designed longitudinal case-control ...
[Geciteerd door 17](#) - [Verwante artikelen](#)

[Efficacy and tolerability of long-term, open-label, mixed amphetamine salts extended release in adolescents with ADHD.](#)

TJ Spencer, J **Biederman**, TE Wilens - Cns Spectrums, 2005 - ukpmc.ac.uk
Objective: Assess long-term tolerability and efficacy of once-daily mixed amphetamine salts extended release (MAS XR) for attention-deficit/hyperactivity disorder (**ADHD**) in adolescents (13-17 years of age). Methods: Efficacy of MAS XR (10-60 mg/day) in 138 ...
[Geciteerd door 14](#) - [Verwante artikelen](#) - [In cache](#)

[Atomoxetine and adult attention-deficit/hyperactivity disorder: the effects of comorbidity.](#)

... , FW Reimherr, SJ Glatt, J **Biederman** - The Journal of clinical ... , 2006 - ukpmc.ac.uk
... Or filter your current search. **Biederman** J. Department of Psychiatry, Harvard Medical School, Massachusetts General Hospital, Boston, USA ... to the highly selective norepinephrine transporter inhibitor, atomoxetine, among adults with attention-deficit/hyperactivity disorder (**ADHD**) ...
[Geciteerd door 28](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 3 versies](#)

[A randomized, placebo-controlled trial of OROS methylphenidate in adults with attention-deficit/hyperactivity disorder](#)

J **Biederman**, E Mick, C Surman, R Doyle... - Biological ... , 2006 - Elsevier
... Like its pediatric counterpart, **ADHD** in adults is associated with a wide range of emotional and functional impairments impacting all aspects of the subject's life (**Biederman** and Faraone, unpublished data; **Biederman** et al 2004). ...
[Geciteerd door 139](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Meta-analysis of the efficacy of methylphenidate for treating adult attention-deficit/hyperactivity disorder](#)

..., M Aleari, C Pagano, J **Biederman** - Journal of clinical ..., 2004 - journals.lww.com
... Faraone, Stephen V. PhD*†‡; Spencer, Thomas MD*†; Aleari, Megan*; Pagano, Christine*;
Biederman, Joseph MD*†. Article Outline. Collapse Box ... Abstract: This article reviews the efficacy of methylphenidate (MPH) for adult attention-deficit/hyperactivity disorder (**ADHD**). ...
[Geciteerd door 224](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Can self-reported behavioral scales assess executive function deficits?: A controlled study of adults with ADHD](#)

J **Biederman**, CR Petty, R Fried... - The Journal of ..., 2007 - journals.lww.com
Abstract One of the suspected sources of negative outcomes associated with attention-deficit/hyperactivity disorder (**ADHD**) has been a deficit in executive functions (EFD). Although self-report questionnaires purport to assess behavioral concomitants of EFDs, ...
[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[Investigation of parent-of-origin effects in ADHD candidate genes](#)

..., SV Faraone, J **Biederman**... - American Journal of ..., 2007 - Wiley Online Library
Kim, JW, Waldman, ID, Faraone, SV, **Biederman**, J., Doyle, AE, Purcell, S., Arbeitman, L., Fagerness, J., Sklar, P. and Smoller, JW (2007), Investigation of parent-of-origin effects in **ADHD** candidate genes. American Journal of Medical Genetics Part B: Neuropsychiatric ...
[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[A simulated workplace experience for nonmedicated adults with and without ADHD.](#)

J **Biederman**, E Mick, R Fried, M Aleari... - Psychiatric services (..., 2005 - ukpmc.ac.uk
Eighteen nonmedicated adults with attention-deficit hyperactivity disorder (**ADHD**) and 18 who did not have **ADHD** were evaluated in a full-day simulated workplace experience. It was hypothesized that adults with **ADHD** would evidence greater impairments on simulated ...
[Geciteerd door 13](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 4 versies](#)

[Attention-deficit/hyperactivity disorder: diagnosis, lifespan, comorbidities, and neurobiology](#)

TJ Spencer, J **Biederman**... - Ambulatory Pediatrics, 2007 - Elsevier
... Table. Follow-Up Studies of **ADHD** Study, Baseline Mean Age, Follow-Up Mean Age, Follow-Up Diagnostic Criteria, Persistence N%. DSM-II Diagnosis at Baseline. ... Hart (28), 9.4, 11.4, DSM-III-R, 90, 85. Hart (28), 9.4, 12.4, DSM-III-R, 92, 84. **Biederman** (78), 10.5, 14.5, DSM- ...
[Geciteerd door 218](#) - [Verwante artikelen](#) - [Alle 19 versies](#)

[A large, double-blind, randomized clinical trial of methylphenidate in the treatment of adults with attention-deficit/hyperactivity disorder](#)

T Spencer, J **Biederman**, T Wilens, R Doyle... - Biological ..., 2005 - Elsevier
... based on a prevalence rate of **ADHD** children of 5%–10% (Faraone et al 2003) and an estimated persistence rate of 50%–60% into adulthood (Barkley et al 2002; Faraone and **Biederman**, unpublished data) suggest that **ADHD** may afflict as many as 2%–4% of adults. ...
[Geciteerd door 195](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[How informative are parent reports of attention-deficit/hyperactivity disorder symptoms for assessing outcome in clinical trials of long-acting treatments? A pooled ...](#)

[HTML] van [pediatricsdigest.mobi](#) J Biederman, SV Faraone, MC Monuteaux... - Pediatrics, 2004 - Am Acad Pediatrics

... Textbook of Psychiatry. Washington, DC: American Psychiatric Press; 1988. ↵ Greene RW, Biederman J, Faraone SV, et al. Social impairment in girls with ADHD: patterns, gender comparisons, and correlates. J Am Acad Child Adolesc Psychiatry. 2001;40:704-710. ...

[Geciteerd door 53](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Atomoxetine treatment in children and adolescents with attention-deficit/hyperactivity disorder and comorbid oppositional defiant disorder](#)

JH Newcorn, TJ Spencer, J Biederman... - Journal of the American ..., 2005 - Elsevier

... As many as 60% of children with ADHD also have impairments associated with comorbid mood, anxiety, or behavioral disorders (Biederman et al., 1991). Among children with ADHD, the most common comorbid condition is oppositional defiant disorder (ODD), which occurs in ...

[Geciteerd door 122](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[Joint Analysis of the DRD5 Marker Concludes Association with Attention-Deficit/Hyperactivity Disorder Confined to the Predominantly Inattentive and ...](#)

[HTML] van [nih.gov](#) ..., SL Smalley, SF Nelson, J Biederman... - The American Journal of ..., 2004 - Elsevier

... 2002). The exact etiology of ADHD is unknown, but it is widely recognized to have a significant genetic component, as demonstrated by family (Biederman et al. 1992), twin (Silberg et al. 1996), and adoption (Cadoret and Stewart 1991) studies. ...

[Geciteerd door 148](#) - [Verwante artikelen](#) - [Alle 14 versies](#)

[Attention-deficit/hyperactivity disorder in adults: a survey of current practice in psychiatry and primary care](#)

..., CB Montano, J Biederman - Archives of Internal ..., 2004 - Am Med Assoc

... Stephen V. Faraone, PhD; Thomas J. Spencer, MD; C. Brendan Montano, MD; Joseph Biederman, MD. Arch Intern Med. 2004;164:1221-1226. ABSTRACT Background Recognition and treatment of attention-deficit/hyperactivity disorder (ADHD) in adults in psychiatry and ...

[Geciteerd door 82](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Temporal stability of ADHD in the high-IQ population: Results from the MGH longitudinal family studies of ADHD](#)

..., A Doyle, R Fried, L Seidman, J Biederman - Journal of the American ..., 2008 - Elsevier

Method To further explore the diagnostic validity of ADHD in this population, we studied two cohorts of high-IQ youths, both with and without ADHD, across a 4.5-year period. Results Compared to those without ADHD, high-IQ youths with ADHD had significantly higher ...

[Geciteerd door 15](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[How persistent is ADHD? A controlled 10-year follow-up study of boys with ADHD](#)

[HTML] van [nih.gov](#) J Biederman, CR Petty, M Evans, J Small... - Psychiatry research, 2010 - Elsevier

Abstract The main aim of this study was to examine the age-dependent persistence of attention-deficit hyperactivity disorder (ADHD) in boys transitioning from adolescence into early adulthood attending to different definitions of persistence. We conducted a 10-year ...

[Geciteerd door 17](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

Gender effects on attention-deficit/hyperactivity disorder in adults, revisited

J **Biederman**, SV Faraone, MC Monuteaux... - Biological ..., 2004 - Elsevier
... September of 1993 to February of 1999. This study did not include any of the subjects analyzed in our prior report of adult **ADHD** (**Biederman** et al 1994) evaluated in the early 1990s. Control subjects were nonreferred parents of ...

[Geciteerd door 180](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

Adults With ADHD and Sleep Complaints

..., M Aleari, C Pagano, J **Biederman** - Journal of Attention ..., 2006 - jad.sagepub.com
Objective: **ADHD** and sleep-disordered breathing are both prevalent in adulthood. Because both conditions may be responsible for similar symptoms of cognitive impairment, the authors investigate whether their presentation may overlap in adults diagnosed with ...

[Geciteerd door 14](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

In vivo neuroreceptor imaging in attention-deficit/hyperactivity disorder: a focus on the dopamine transporter

TJ Spencer, J **Biederman**, BK Madras... - Biological ..., 2005 - Elsevier
... be measured. SPECT Imaging Studies in **ADHD**. Table 1 lists the published DAT binding studies in **ADHD** patients and control subjects. The ... Positron Emission Tomography Imaging Studies in **ADHD**. Positron emission tomography ...

[Geciteerd door 105](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[HTML] Diagnosing adult attention deficit hyperactivity disorder: are late onset and subthreshold diagnoses valid?

[\[HTML\]](#) van psychiatryonline.org S Faraone, J **Biederman**, T Spencer... - American Journal of ..., 2006 - Am Psychiatric Assoc
0.

[Geciteerd door 165](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 10 versies](#)

Donepezil in the treatment of ADHD-like symptoms in youths with pervasive developmental disorder

..., TJ Spencer, D Geller, J **Biederman**... - Journal of attention ..., 2006 - jad.sagepub.com
Background: Recent studies reported **ADHD**-like symptoms and cognitive deficits in pervasive developmental disorder (PDD). Because work in dementia documents improvement in executive function deficits with the acetylcholinesterase inhibitor ...

[Geciteerd door 14](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

An analysis of patient adherence to treatment during a 1-year, open-label study of OROS® methylphenidate in children with ADHD

SV Faraone, J **Biederman**... - Journal of attention ..., 2007 - jad.sagepub.com
Objective: Treatment adherence is an important aspect of **ADHD** symptom management, but there are many factors that may influence adherence. Method: This analysis assessed adherence to OROS methylphenidate during a 1-year, open-label study in children. ...

[Geciteerd door 14](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Neuropsychological functioning in relatives of girls with and without ADHD

AE Doyle, J **Biederman**, LJ Seidman... - Psychological ..., 2005 - Cambridge Univ Press

Results. The neuropsychological battery as a whole distinguished affected and unaffected **ADHD** relatives from controls. The Wechsler Oral Arithmetic subtest, the Stroop Word, Color and Color- Word subscales were impaired in affected **ADHD** relatives, as were the WRAT-R ...
[Geciteerd door 14](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Patterns and predictors of attention-deficit/hyperactivity disorder persistence into adulthood: results from the national comorbidity survey replication](#)

RC Kessler, LA Adler, R Barkley, J **Biederman**... - Biological ..., 2005 - Elsevier
... It is much more clear, though, that many childhood cases, as high as 60% in some studies, continue to have clinically significant symptoms of **ADHD** as adults whether or not they are defined as meeting full criteria for adult **ADHD** (**Biederman** et al 2000; Rasmussen and Gillberg ...
[Geciteerd door 220](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[CITAAT] Pharmacotherapy of ADHD in adults

..., TE Wilens, TJ Spencer, J **Biederman** - ... and Treatment. 3rd ed. New York, ..., 2006
[Geciteerd door 15](#) - [Verwante artikelen](#)

[PDF] [Advances in the neurobiology of ADHD](#)

[\[PDF\] van paragon-conventions.net](#)J **Biederman** - Primary Psychiatry, 2007 - paragon-conventions.net
... Page 19. Seidman et al, Biological Psychiatry. 2006; In Press MRI findings in Adult with **ADHD**
Page 20. Volume Reductions in Adult **ADHD** **Biederman**, Makris, Valera et al. Psychol Med. In Press. Volumetric reductions in light blue (frontal and cerebellar regions) Superior frontal ...
[Geciteerd door 12](#) - [Verwante artikelen](#) - [HTML-versie](#) - [Alle 4 versies](#)

[HTML] [Differences in brain chemistry in children and adolescents with attention deficit hyperactivity disorder with and without comorbid bipolar disorder: a proton ...](#)

[\[HTML\] van psychiatryonline.org](#)CM Moore, J **Biederman**, J Wozniak... - American Journal of ..., 2006 - Am Psychiatric Assoc
0. Sign In | POL Subscriptions. Home; DSM Library: DSM-IV-TR®; DSM-IV-TR® Handbook of Differential Diagnosis; DSM Cases. Books: The American Psychiatric Publishing Textbook of Psychiatry; Gabbard's Treatments of Psychiatric ...
[Geciteerd door 50](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 5 versies](#)

[Genetic risk for conduct disorder symptom subtypes in an ADHD sample: specificity to aggressive symptoms](#)

MC Monuteaux, J **Biederman**, AE Doyle... - Journal of the American ..., 2009 - Elsevier
OBJECTIVE: Recent studies have suggested an association between candidate genes (ie, COMT, SLC6A4) and conduct disorder (CD). However, it is not clear if these relations extend to CD within the context of attention-deficit/hyperactivity disorder (**ADHD**). Also, it is ...
[Geciteerd door 13](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[HTML] [Risperidone treatment for ADHD in children and adolescents with bipolar disorder](#)

[\[HTML\] van nih.gov](#)J **Biederman**, P Hammerness, R Doyle... - Neuropsychiatric ..., 2008 - ncbi.nlm.nih.gov
Objective Children and adolescents with bipolar disorder are also at high risk of having comorbid attention-deficit hyperactivity disorder (**ADHD**). The objective of this study was to estimate improvement in **ADHD** symptoms in children with bipolar disorder. Methods This ...
[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[HTML] Impact of psychometrically defined deficits of executive functioning in adults with attention deficit hyperactivity disorder

[HTML] van psychiatryonline.orgJ Biederman, C Petty, R Fried... - American Journal of ..., 2006 - Am Psychiatric Assoc
0.

[Geciteerd door 99](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 7 versies](#)

[PDF] A laboratory driving simulation for assessment of driving behavior in adults with ADHD: a controlled study

[PDF] van biomedcentral.comJ Biederman, R Fried, MC Monuteaux... - Annals of general ..., 2007 - biomedcentral.com

Abstract Background: It is now estimated that attention deficit-hyperactivity disorder (ADHD) afflicts at least 4% of adults in the United States and is associated with high levels of morbidity and functional impairment. One key area of dysfunction associated with ADHD is ...

[Geciteerd door 13](#) - [Verwante artikelen](#) - [HTML-versie](#) - [Alle 22 versies](#)

Comparing ADHD in velocardiofacial syndrome to idiopathic ADHD

..., A Doyle, E Mick, J Biederman - Journal of attention ..., 2007 - jad.sagepub.com

Objective: Background: Children with velocardiofacial syndrome (VCFS), a contiguous deletion syndrome, have an increased prevalence of attention deficit/hyperactivity disorder (ADHD). Method: The authors compared youth with VCFS+ ADHD (from the SUNY ...

[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Stimulants and sudden death: what is a physician to do?

[HTML] van pediatricdigest.mobi..., JB Prince, TJ Spencer, J Biederman - Pediatrics, 2006 - pediatricdigest.mobi

... Milberger S, Biederman J, Faraone S, Chen L, Jones J. ADHD is associated with early initiation of cigarette smoking in children and adolescents. J Am Acad Child Adolesc Psychiatry.1997;36 :37- 44. ...

[Geciteerd door 50](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[CITAAT] Psychopharmacology of Adults with ADHD

J Biederman... - Primary Psychiatry, 2004 - MBL COMMUNICATIONS

[Geciteerd door 12](#) - [Verwante artikelen](#)

[CITAAT] Is cigarette smoking a gateway drug to subsequent alcohol and illicit drug use disorders? A controlled study of youths with and without ADHD

J Biederman, M Monuteaux, E Mick, T Wilens... - Biol Psychiatry, 2006

[Geciteerd door 12](#) - [Verwante artikelen](#)

Psychopathology in females with attention-deficit/hyperactivity disorder: a controlled, five-year prospective study

J Biederman, MC Monuteaux, E Mick, T Spencer... - Biological ..., 2006 - Elsevier

... Methods and Materials. Subjects. Subjects were derived from a longitudinal case-control family study of ADHD described previously (Biederman et al 1999). At baseline, we studied female subjects aged 6-18 years with (N=140 ...

[Geciteerd door 80](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[Association between attention-deficit/hyperactivity disorder and sleep impairment in adulthood: evidence from a large controlled study](#)

..., JJ Adamson, C Petty, J **Biederman**... - The Journal of clinical ..., 2009 - cat.inist.fr
... Carter (1) ; **BIEDERMAN** Joseph (1) ; KENEALY Deborah C. (1) ; LEVINE Madeleine (1) ; MICK Eric (1) ; FARAONE Stephen V. (2) ; Affiliation(s) du ou des auteurs / Author(s) Affiliation(s). (1)
Clinical and Research Program in Pediatric Psychopharmacology and Adult **ADHD**, ...
[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Efficacy and safety of modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder: results of a randomized, double-blind, ...](#)

[\[HTML\]](#) [van pediatricdigest.mobi](#)J **Biederman**, JM Swanson, SB Wigal... - Pediatrics, 2005 - Am Acad Pediatrics
... 19. Swanson JM, Greenhill LL, **Biederman** J. Modafinil in children with **ADHD**: a randomized, placebo-controlled study. ... Boston, MA: HealthAct; 1999. 29. **Biederman** J, Lopez F, Swanson JM, Boellner S, for the Modafinil **ADHD** Study Group. ...
[Geciteerd door 78](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[The influence of sex on the course and psychiatric correlates of ADHD from childhood to adolescence: a longitudinal study](#)

[\[HTML\]](#) [van nih.gov](#)..., E Mick, SV Faraone, J **Biederman** - Journal of Child ..., 2010 - Wiley Online Library
Background: Little is known about the influence of sex on the course of attention-deficit/hyperactivity disorder (**ADHD**) and its comorbid psychiatric conditions. The purpose of this study was to examine the effect of sex on the course and psychiatric correlates of ...
[Geciteerd door 11](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[\[HTML\] Dopamine transporter 3'UTR VNTR genotype is a marker of performance on executive function tasks in children with ADHD](#)

[\[HTML\]](#) [van biomedcentral.com](#)..., E Sonuga-Barke, A Doyle, J **Biederman**... - BMC ..., 2008 - biomedcentral.com
Background Attention-Deficit/Hyperactivity Disorder (**ADHD**) is a heterogeneous disorder from both clinical and pathogenic viewpoints. Executive function deficits are considered among the most important pathogenic pathways leading to **ADHD** and may index part of ...
[Geciteerd door 12](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 17 versies](#)

[\[HTML\] The effects of attention-deficit/hyperactivity disorder on employment and household income](#)

[\[HTML\]](#) [van nih.gov](#)J **Biederman**... - Medscape General Medicine, 2006 - ncbi.nlm.nih.gov
... 2. Faraone SV, Sergeant J, Gillberg C, **Biederman** J. The worldwide prevalence of **ADHD**: Is it an American condition? World Psychiatry. 2003;2:104-113. [PMC free article] [PubMed]. 3. Rowland AS, Lesesne CA, Abramowitz AJ. ...
[Geciteerd door 56](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[An open-label trial of risperidone in children and adolescents with bipolar disorder](#)

J **Biederman**, E Mick, J Wozniak... - Journal of Child & ..., 2005 - liebertonline.com
... Mania. Clinical ratings of improvement are also shown for the subset of subjects with impairment at baseline on either major depression, **ADHD**, or conduct symptoms.
This analysis showed that 55% of 314 **BIEDERMAN** ET AL. ...

[Geciteerd door 61](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Is cigarette smoking a gateway to alcohol and illicit drug use disorders? A study of youths with and without attention deficit hyperactivity disorder

[PDF] [van wisc.edu](#)J **Biederman**, MC Monuteaux, E Mick, TE Wilens... - Biological ..., 2006 - Elsevier

... Because **ADHD** has been associated with dysregulated dopaminergic systems ([Faraone and **Biederman** 1998] and [Faraone et al 2001]), it may be that the nicotinic effect on brain dopamine that enhances the reward to other drugs (Lindsay and Rainey 1997) is magnified by ...

[Geciteerd door 64](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

Dorsolateral prefrontal and anterior cingulate cortex volumetric abnormalities in adults with attention-deficit/hyperactivity disorder identified by magnetic resonance ...

[PDF] [van martinus.org](#)..., G Bush, M Aleardi, SV Faraone, J **Biederman** - Biological ..., 2006 - Elsevier

... Approximately 30–60% of individuals diagnosed with **ADHD** in youth have symptoms that persist into adulthood ([**Biederman** 1998] and [**Biederman** et al 2000]) and epidemiological data indicates that approximately 4% of adults in the USA are afflicted with **ADHD** (Kessler et al ...

[Geciteerd door 125](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[CITAAT] The course and outcome of ADHD

E Mick, SV Faraone, J **Biederman**... - Primary ..., 2004 - MBL COMMUNICATIONS

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

The acute effect of methylphenidate in Brazilian male children and adolescents with ADHD: a randomized clinical trial

..., C Ketzner, MA Parente, J **Biederman**... - Journal of Attention ..., 2004 - jad.sagepub.com

Objective: To evaluate the acute efficacy of methylphenidate (MPH) in Brazilian male children and adolescents with **ADHD**. Method: In a 4-day, double-blind, placebo-controlled, randomized, fix dose escalating, parallel-group trial, 36 **ADHD** children and adolescents ...

[Geciteerd door 10](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

Reexamining the familial association between asthma and ADHD in girls

..., L Gallo, H Murphy, J **Biederman** - Journal of Attention ..., 2005 - jad.sagepub.com

Abstract The objective of this study is to further evaluate the association between asthma and **ADHD**, addressing issues of familiarity in female probands. A case control study of referred **ADHD** proband girls, controls, and relatives are used. Participants include 140 ...

[Geciteerd door 10](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

A randomized, double-blind, placebo-controlled study of guanfacine extended release in children and adolescents with attention-deficit/hyperactivity disorder

[HTML] [van pediatricdigest.mobi](#)J **Biederman**, RD Melmed, A Patel... - ..., 2008 - pediatricdigest.mobi

... trials are needed to evaluate more fully the effectiveness and safety of GXR in children and adolescents with **ADHD**, including the ... Craig McCarthy, MD, Ward Smith, MD, William Terry, MD, Daniel Wynn, MD, Jill Zwiig, DO, Louise Beckett, MD, Joseph **Biederman**, MD, Charles ...

[Geciteerd door 95](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[PDF] Association Between Attention-Deficit/Hyperactivity Disorder and Bulimia Nervosa: Analysis of 4 Case-Control Studies.

[\[PDF\] van massgeneral.org](#)..., ET Randall, J **Biederman** - Journal of Clinical ..., 2006 - massgeneral.org
... without **ADHD** (N = 122) 0 Boys with **ADHD** (N = 140) 0 Boys without **ADHD** (N = 120) 0 Adult studies **Biederman** et al, 199419 Women with **ADHD** (N = 42) 5 (12) Women without **ADHD** (N = 110) 3 (3) Men with **ADHD** (N = 59) 2 (3) Men without **ADHD** (N = 97) 0 **Biederman** et al ...
[Geciteerd door 23](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

A comparison of once-daily extended-release methylphenidate formulations in children with attention-deficit/hyperactivity disorder in the laboratory school (the ...

[\[HTML\] van pediatricdigest.mobi](#)..., E Sonuga-Barke, LL Greenhill, J **Biederman**... - Pediatrics, 2004 - Am Acad Pediatrics
... of the most appropriate once-daily stimulant treatment for the child with **ADHD**. ... Acknowledgments. This study was funded by Celltech Pharmaceuticals Inc. We thank the following clinical investigators, who participated in this study: Joseph **Biederman** (Massachusetts General ...
[Geciteerd door 138](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

Functional neuroanatomy of working memory in adults with attention-deficit/hyperactivity disorder

[\[PDF\] van martinus.org](#)EM Valera, SV Faraone, J **Biederman**... - Biological ..., 2005 - Elsevier
... Puig-Antich 1987) was administered. Previous work in our laboratory has shown that childhood diagnoses of **ADHD** can be made in a reliable and valid manner using this method (**Biederman** et al 1990; Faraone et al 2000a). ...
[Geciteerd door 96](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

Heterogeneity of irritability in attention-deficit/hyperactivity disorder subjects with and without mood disorders

[\[PDF\] van altcancerweb.com](#)..., T Spencer, J Wozniak, J **Biederman** - Biological psychiatry, 2005 - Elsevier
... mood disorders. To this end, we examined the prevalence of irritability endorsed on structured diagnostic interview in two large and well-characterized samples of boys and girls with **ADHD** (**Biederman** et al 2002). We hypothesized ...
[Geciteerd door 67](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

Linkage analysis of attention deficit hyperactivity disorder

..., K Klein, AJ Rezac, J **Biederman** - American Journal of ..., 2008 - Wiley Online Library
... Faraone SV, Sergeant J, Gillberg C, **Biederman** J. 2003. The worldwide prevalence of **ADHD**: Is it an American condition? World Psychiatry 2: 104–113. PubMed. Faraone SV, Perlis RH, Doyle AE, et al. 2005. Molecular genetics of attention deficit hyperactivity disorder. ...
[Geciteerd door 47](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

Efficacy and tolerability of lisdexamfetamine dimesylate (NRP-104) in children with attention-deficit/hyperactivity disorder: A Phase III, multicenter, randomized, double- ...

[\[HTML\] van elsevierhealth.com](#)J **Biederman**, S Krishnan, Y Zhang, JJ McGough... - Clinical ..., 2007 - Elsevier
... E-mail: jbiederman@partners.org March 2007 463. References. SV Faraone, J. Sergeant, C. Gillberg and J. **Biederman**, The worldwide prevalence of **ADHD**: Is it an American condition?, World Psychiatry 2 (2003), pp. 104–113. LL Greenhill, S. Pliszka, MK Dulcan et al. ...

[Geciteerd door 108](#) - [Verwante artikelen](#) - [Alle 14 versies](#)

Clinical correlates of bipolar disorder in a large, referred sample of children and adolescents

[HTML] [van journalofpsychiatricresearch.com](http://journalofpsychiatricresearch.com) J Biederman, SV Faraone, J Wozniak... - Journal of psychiatric ..., 2005 - Elsevier
... Faraone et al., 2003 and Faraone et al., 1997a). However, the combination of atypical features and the high comorbidity with **ADHD** led some to question the validity of BPD in children (Biederman et al., 1998 and Klein et al., 1998). ...

[Geciteerd door 85](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Open-label, 8-week trial of olanzapine and risperidone for the treatment of bipolar disorder in preschool-age children

[PDF] [van altcancerweb.com](http://altcancerweb.com) J Biederman, E Mick, P Hammerness, T Harpold... - Biological ..., 2005 - Elsevier
... in 30 youth (6–17 years of age) with bipolar disorder, we recently documented a clinical response to risperidone monotherapy (Biederman 2005 ... If subjects were currently receiving stimulants for comorbid **ADHD**, they would have been continued only if the patient had been on a ...

[Geciteerd door 95](#) - [Verwante artikelen](#) - [Alle 17 versies](#)

Attention deficit hyperactivity disorder: a worldwide concern

J Biederman... - The Journal of nervous and mental ..., 2004 - journals.lww.com
... Faraone SV, Sergeant J, Gillberg C, Biederman J (2003) The worldwide prevalence of **ADHD**: Is it an American condition? World Psychiatry. 2:104-113. Cited Here...
Faraone SV, Spencer T, Aleardi M, Pagano C, Biederman ...

[Geciteerd door 18](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Short-and long-term cardiovascular effects of mixed amphetamine salts extended-release in adolescents with ADHD.

..., TJ Spencer, J Biederman - CNS spectrums, 2005 - ncbi.nlm.nih.gov
Objective: Assess cardiovascular effects of once-daily mixed amphetamine salts extended release (MAS XR) in adolescents (13-17 years of age) with attention-deficit/hyperactivity disorder (**ADHD**). Methods: Blood pressure (BP), pulse, and electrocardiograms were ...

[Geciteerd door 9](#) - [Verwante artikelen](#)

Cortical thinning of the attention and executive function networks in adults with attention-deficit/hyperactivity disorder

[HTML] [van oxfordjournals.org](http://oxfordjournals.org) N Makris, J Biederman, EM Valera, G Bush... - Cerebral ..., 2007 - Oxford Univ Press
... Barkley RA. . Behavioral inhibition, sustained attention, and executive functions: constructing a unifying theory of **ADHD**. Psychol Bull 1997;121:65-94. ... Biederman J. . Attention-deficit/hyperactivity dis.

[Geciteerd door 139](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[CITAAT] Mixed Amphetamine Salts Extended-Release in Children with ADHD: A Double-Blind, Placebo-Controlled, Crossover Analog Classroom Study

LD Biederman - Biol Psychiatry, 2007

[Geciteerd door 10](#) - [Verwante artikelen](#)

[An open-label study of the tolerability of mixed amphetamine salts in adults with attention-deficit/hyperactivity disorder and treated primary essential hypertension](#)

..., TJ Spencer, M Gignac, J **Biederman** - The Journal of clinical ..., 2006 - cat.inist.fr
... Paul G. (1) ; PODOLSKI Amy (1) ; WHITLEY Julia (1) ; SPENCER Thomas J. (1) ; GIGNAC Martin (3) ; **BIEDERMAN** Joseph (1) ; ... of the stimulant medication mixed amphetamine salts (MAS XR) in adults with attention-deficit/hyperactivity disorder (**ADHD**) whose hypertension has ...
[Geciteerd door 18](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Symptoms versus impairment](#)

[\[PDF\]](#) [van sfg-adhs.ch](#) ..., JJ Hudziak, J **Biederman**... - Journal of Attention ..., 2006 - jad.sagepub.com
... This project comprises two longitudinal case-control family studies of **ADHD** (**Biederman** et al., 1992, 1999). ... Conversely, one can also show few **ADHD** symptoms and still suffer significant maladjustment, a finding similarly reported by Angold et al. (1999) and **Biederman** et al. ...
[Geciteerd door 77](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Convergence between the Achenbach Youth Self-Report and Structured Diagnostic Interview diagnoses in ADHD and non-ADHD youth](#)

..., E Mick, J **Biederman** - The Journal of nervous and ..., 2007 - journals.lww.com
Abstract We evaluated the convergence of Achenbach youth self-report (YSR) scales with attention-deficit hyperactivity disorder (**ADHD**) and psychiatric comorbidity derived from self-report structured interviews. Subjects were 251 youths older than 12 years assessed with ...
[Geciteerd door 9](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[The CBCL predicts DSM bipolar disorder in children: a receiver operating characteristic curve analysis](#)

[\[PDF\]](#) [van uvm.edu](#) ..., JJ Hudziak, M Monuteaux, J **Biederman** - Bipolar ..., 2005 - Wiley Online Library
... **Biederman** J, Mennin D, Russell R. Bipolar and antisocial disorders among relatives of **ADHD** children: parsing familial subtypes of illness. ... **Biederman** J et al. The clinical characteristics of unipolar versus bipolar major depression in **ADHD** youth. J Affect Disord 2004; 82 (Suppl. ...
[Geciteerd door 57](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[A randomized, double-blind study of continuation treatment for attention-deficit/hyperactivity disorder after 1 year](#)

..., A Zuddas, DE Faries, S Zhang, J **Biederman** - Biological ..., 2007 - Elsevier
... Background. The efficacy of atomoxetine in maintaining symptom response following 1 year of treatment was assessed in children and adolescents (n = 163) with DSM-IV defined attention-deficit/hyperactivity disorder (**ADHD**). Methods. ... **ADHD** Diagnostic Subtype, n (%), ...
[Geciteerd door 46](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[Meta-analysis of genome-wide linkage scans of attention deficit hyperactivity disorder](#)

[\[HTML\]](#) [van nih.gov](#) ..., T Banaschewski, J **Biederman**... - American Journal of ..., 2008 - Wiley Online Library
... Kaixin Zhou 1 ; Astrid Dempfle 2 ; Mauricio Arcos-Burgos 3,4 ; Steven C. Bakker 5 ; Tobias Banaschewski 6 ; Joseph **Biederman** 7 ; Jan Buitelaar 8 ; ... Special Issue: Special Issue on the Genetics of **ADHD** Dedicated to the Memory of Richard Todd. ...
[Geciteerd door 61](#) - [Verwante artikelen](#) - [Alle 20 versies](#)

[Psychopathology in the offspring of parents with bipolar disorder: a controlled study](#)

A Henin, J **Biederman**, E Mick, GS Sachs... - Biological ..., 2005 - Elsevier
... Comparison subjects were ascertained from a sample of control families participating in family studies of attention-deficit/hyperactivity disorder (**ADHD**), described in previous publications (**Biederman** et al 1998 and **Biederman** et al 1999). ...

[Geciteerd door 73](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

[Risk of substance use disorders in adolescents with bipolar disorder](#)

TE Wilens, J **Biederman**, A Kwon, J Ditterline... - Journal of the American ..., 2004 - Elsevier
... For example, a prospective study of children and adolescents with and without attention-deficit/hyperactivity disorder (**ADHD**) found that early-onset BPD was a risk factor for SUD independently of **ADHD** (**Biederman** et al., 1997b). West et al. ...

[Geciteerd door 74](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[\[HTML\] Sex differences in the functional neuroanatomy of working memory in adults with ADHD](#)

[\[HTML\] van psychiatryonline.org](#) EM Valera, A Brown, J **Biederman**... - American Journal of ..., 2010 - Am Psychiatric Assoc

Eve M Valera, Ph. D.; Ariel Brown, Ph. D.; Joseph **Biederman**, MD; Stephen V. Faraone, Ph. D.; Nikos Makris, MD, Ph. D.; Michael C. Monuteaux, Sc. D.; Susan Whitfield-Gabrieli, Ph. D.; Michael Vitulano, BA; Michael Schiller, BA; Larry J. Seidman, Ph. D.

[Geciteerd door 13](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 7 versies](#)

[Further evidence of unique developmental phenotypic correlates of pediatric bipolar disorder: findings from a large sample of clinically referred preadolescent children ...](#)

[\[HTML\] van jad-journal.com](#) J **Biederman**, SV Faraone, J Wozniak... - Journal of affective ..., 2004 - Elsevier
... We reported strikingly consistent findings using similar assessment methodology in a sample of children ascertained for **ADHD** who had comorbid BPD (**Biederman** et al., 1996). This work also showed that children satisfying ...

[Geciteerd door 83](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[DSM-IV subtypes of ADHD in a Chinese outpatient sample.](#)

L Yang, YF Wang, QJ Qian, J **Biederman**... - Journal of the ..., 2004 - ukpmc.ac.uk
Search by Subject Search using Medical Subject Headings (< b> MeSH), a controlled vocabulary for indexing life sciences content.< br/> Note that some records do not have MeSH. These include Patents and the latest PubMed and PubMed Central records.

[Geciteerd door 9](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 8 versies](#)

[A randomized, double-blind, placebo-controlled study of modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder](#)

LL Greenhill, J **Biederman**, SW Boellner... - Journal of the American ..., 2006 - Elsevier
... This sample size was based on the assumption of variability in this assessment similar to that observed in a preliminary study of modafinil in **ADHD** (**Biederman** et al., 2003). To allow for study dropouts, planned enrollment was 180 patients. ...

[Geciteerd door 55](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

[HTML] Focus Points

[\[HTML\] van primarypsychiatry.com](#) RH Weisler, J **Biederman**, TJ Spencer... - CNS ..., 2006 - primarypsychiatry.com

Primary Psychiatry: A psychiatric journal educating physicians about matters of applied psychiatry. We specialize in content on addictive disorders, anxiety disorders, ADHD, autism, bipolar, eating disorders and other psychological issues.

[Geciteerd door 84](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 6 versies](#)

Neuropsychological studies of late onset and subthreshold diagnoses of adult attention-deficit/hyperactivity disorder

SV Faraone, J **Biederman**, A Doyle, K Murray... - Biological ..., 2006 - Elsevier

... As a result, despite data showing adult **ADHD** to have a high prevalence (Faraone and **Biederman** 2005 and Kessler et al 2006) and well described neurobiological features (Faraone 2004a and Faraone 2004b), adult **ADHD** has not received the same level of clinical attention ...

[Geciteerd door 50](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[HTML] Structural brain magnetic resonance imaging of limbic and thalamic volumes in pediatric bipolar disorder

[\[HTML\] van psychiatryonline.org](#)..., VS Caviness, J **Biederman** - American Journal of ..., 2005 - Am Psychiatric Assoc

0.

[Geciteerd door 108](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 7 versies](#)

A prospective follow-up study of pediatric bipolar disorder in boys with attention-deficit/hyperactivity disorder

[\[PDF\] van rioverde.ws](#) J **Biederman**, E Mick, SV Faraone... - Journal of affective ..., 2004 - Elsevier

... Institutes of Health. References. **Biederman**, 1998 J. **Biederman**, Resolved: Mania is mistaken for **ADHD** in prepubertal children, J. Am. Acad. Child Adolesc. Psychiatry 37 (1998), pp. 1091–1096 (discussion 1096–9). **Biederman** et ...

[Geciteerd door 45](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

A quick and reliable screening measure for OCD in youth: reliability and validity of the obsessive compulsive scale of the Child Behavior Checklist

..., B Coffey, C Petty, F Vivas, J **Biederman** - Comprehensive ..., 2006 - Elsevier

... of non-OCD siblings participating in the same family-genetic studies of OCD (N = 17), and Tourette's disorder (N = 14) and probands from a contemporaneous family-genetic study of youth with and without DSM-III-R attention deficit hyperactivity disorder (**ADHD**) (N = 33) (PI, JB ...

[Geciteerd door 19](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

Psychiatric disorders and behavioral characteristics of pediatric patients with both epilepsy and attention-deficit hyperactivity disorder

[\[HTML\] van nih.gov](#)..., D DeMaso, B Bourgeois, J **Biederman** - Epilepsy & Behavior, 2007 - Elsevier

... The rate of anxiety disorders in children with **ADHD**, IQ >80, and no epilepsy has been reported by **Biederman** et al. as 30% in a sample of 280 children [11]. ... The rate of ODD in children with **ADHD**, IQ >80, and no epilepsy has been reported by **Biederman** et al. ...

[Geciteerd door 30](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Bupropion SR for the treatment of substance-abusing outpatient adolescents with attention-deficit/hyperactivity disorder and mood disorders](#)

..., JB Prince, SLV Patten, J **Biederman** - Journal of Child & ..., 2005 - liebertonline.com
... Stowell and Estroff, 1992; Hovens et al., 1994). **ADHD** is highly comorbid with other psychiatric disorders, including mood disorders (**Biederman** et al. 1991; Pliszka, 2000). Pliszka estimated that depression may occur up to ...

[Geciteerd door 44](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[Neuropsychological functioning in youth with bipolar disorder](#)

[PDF] [van rioverde.ws](#)..., R Fried, A Swezey, L Snyder, J **Biederman** - Biological ..., 2005 - Elsevier
... a disabling condition characterized by extreme affective and behavioral dysregulation, aggression, severe irritability, and a chronic course (**Biederman** 2003 ... that 60%–90% of youth with BPD meet criteria for comorbid attention-deficit/hyperactivity disorder (**ADHD**; Borchardt and ...

[Geciteerd door 78](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

[Characteristics of adults with attention deficit hyperactivity disorder plus substance use disorder: the role of psychiatric comorbidity](#)

..., H Moore, SV Faraone, J **Biederman** - The American ..., 2005 - Wiley Online Library
... 9 Faraone SV, Sergeant J, Gillberg C, **Biederman** J. The worldwide prevalence of **ADHD**: is it an American condition? World Psychiatry. 2003;2: 104–113. 10 Murphy K, Barkley RA. ... 14 Wilens T, **Biederman** J, Mick E. Does **ADHD** affect the course of substance abuse? ...

[Geciteerd door 34](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[\[PDF\] Efficacy of atomoxetine in adult attention-deficit/hyperactivity disorder: a drug-placebo response curve analysis](#)

[PDF] [van biomedcentral.com](#)SV Faraone, J **Biederman**, T Spencer... - Behav Brain ..., 2005 - biomedcentral.com

... 4. Wernicke JF, Kratochvil C: Safety profile of atomoxetine in the treatment of children and adolescents with **ADHD**. Journal of Clinical Psychiatry 2002, 63:50-55. 5. Faraone SV, **Biederman** J, Spencer TJ, Wilens TE: The drug-placebo response curve: a new method for ...

[Geciteerd door 33](#) - [Verwante artikelen](#) - [HTML-versie](#) - [Alle 16 versies](#)

[Effects of once-daily osmotic-release methylphenidate on blood pressure and heart rate in children with attention-deficit/hyperactivity disorder: results from a one-year ...](#)

TE Wilens, J **Biederman**, M Lerner - Journal of clinical ..., 2004 - journals.lww.com
... Wilens, Timothy E. MD*; **Biederman**, Joseph MD*; Lerner, Marc MD†; Concerta Study Group. ... Objective: Studies of vital signs in children and adolescents with attention-deficit/hyperactivity disorder (**ADHD**) receiving stimulants indicate a variable effect on blood pressure (BP) and ...

[Geciteerd door 51](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Effects of atomoxetine on growth after 2-year treatment among pediatric patients with attention-deficit/hyperactivity disorder](#)

[HTML] [van pediatricsdigest.mobi](#)..., D Ruff, D Michelson, J **Biederman** - Pediatrics, 2005 - Am Acad Pediatrics

... 19. **Biederman** J, Faraone S, Spencer TJ. Extended release mixed amphetamine salts in **ADHD**: growth parameter analysis. Presented at the 156th Annual Meeting of the American Psychiatric Association; May 17–22, 2003; San Francisco, CA. 20. Tanner JM, Davies PS. ...

[Geciteerd door 44](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Family based association analysis of statistically derived quantitative traits for drug use in ADHD and the dopamine transporter gene](#)

J Lasky-Su, J **Biederman**, AE Doyle, T Wilens... - Addictive behaviors, 2006 - Elsevier
OBJECTIVE: To determine whether SNPs within the dopamine transporter gene (DAT) are associated with quantitative phenotypes generated from drug frequency variables in an ADHD sample. METHOD: 35 SNPs were genotyped in and around DAT. We developed a ...
[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Atomoxetine and Stroop task performance in adult attention-deficit/hyperactivity disorder](#)

SV Faraone, J **Biederman**, T Spencer... - Journal of Child & ... , 2005 - liebertonline.com
... Spencer T, **Biederman** J, Wilens T, Prince J, Hatch M, Jones J, Harding M, Faraone SV, Seidman L: Effectiveness and tolerability of tomoxetine in adults with attention-deficit/hyperactivity disorder ...
Taylor CJ, Miller DC: Neuropsychological assessment of attention in ADHD adults. ...
[Geciteerd door 27](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[\[HTML\] PET study examining pharmacokinetics, detection and likeability, and dopamine transporter receptor occupancy of short-and long-acting oral methylphenidate](#)

[\[HTML\] van psychiatryonline.org](#)TJ Spencer, J **Biederman**... - American Journal of ... , 2006 - Am Psychiatric Assoc
0.
[Geciteerd door 103](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 8 versies](#)

[\[PDF\] Aripiprazole in the treatment of pediatric bipolar disorder: a systematic chart review](#)

[\[PDF\] van mbldownloads.com](#)J **Biederman**, MA McDonnell, J Wozniak... - CNS ... , 2005 - mbldownloads.com
... Gender (% male) 32 78 ADHD=attention-deficit/hyperactivity disorder. **Biederman** J, McDonnell MA, Wozniak J, Spencer T, Alvardi M, Falzone R, Mick E. CNS Spectr. Vol 10, No 2. 2005. Page 7. zole was particularly striking ...
[Geciteerd door 46](#) - [Verwante artikelen](#) - [HTML-versie](#) - [Alle 3 versies](#)

[Impact of gender and age on executive functioning: do girls and boys with and without attention deficit hyperactivity disorder differ neuropsychologically in preteen and ...](#)

[\[PDF\] van martinus.org](#)LJ Seidman, J **Biederman**... - Developmental ... , 2005 - Taylor & Francis
... 1990; Seidman, **Biederman**, Faraone, Weber, & Ouellette, 1997) and adulthood (Seidman, **Biederman**, Weber, Hatch, & Faraone, 1998) and are found in nonreferred siblings of ADHD patients who have been diagnosed with ADHD (Seidman, **Biederman**, Monuteaux, Weber, & ...
[Geciteerd door 87](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[\[PDF\] Modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder: results of a randomized, double-blind, placebo-controlled, ...](#)

[\[PDF\] van altcancerweb.com](#)... , CQ Earl, JG Jiang, J **Biederman** - Journal of Clinical ... , 2006 - altcancerweb.com
... MD; Andrew Sedillo, MD; Craig Q. Earl, Ph.D.; John G. Jiang, Ph.D.; and Joseph **Biederman**, MD pediatric population, with an estimated prevalence of about 5% among school-aged children.1 Characterized by inattention, hyperactivity, and impulsivity, ADHD has widespread ...

[Geciteerd door 59](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Alcohol, drugs, and attention-deficit/hyperactivity disorder: a model for the study of addictions in youth

[PDF] [van youblisher.com](#)..., J **Biederman** - Journal of Psychopharmacology, 2006 - jop.sagepub.com ... **Biederman** et al., 1997; Wilens et al., 1997a; Wilens et al., 1999; Wilens et al., in press). For example, prospective studies of children show that early-onset BPD highly comorbid with **ADHD** is a risk for SUD independently of **ADHD** (**Biederman** et al., 1997; Wilens et al., 2005). ...

[Geciteerd door 49](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

Attention-deficit/hyperactivity disorder endophenotypes

[PDF] [van colorado.edu](#)AE Doyle, EG Willcutt, LJ Seidman, J **Biederman**... - Biological ..., 2005 - Elsevier ... Elsevier Inc. Permissions & Reprints. Advancing the neuroscience of **ADHD**. Attention-Deficit/Hyperactivity ... Neuropsychological Endophenotypes for **ADHD**. Association with **ADHD**—Executive Functions. A large literature indicates that ...

[Geciteerd door 117](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

A Laboratory School Comparison of Mixed Amphetamine Salts Extended Release (Adderall XR®) and Atomoxetine (Strattera®) in school-aged children with attention ...

..., JT McCracken, J **Biederman**... - Journal of attention ..., 2005 - jad.sagepub.com ... Swanson, 2002; Wolraich et al., 2001). Alterations in noradrenergic and dopaminergic pathways associated with control of attention and impulsivity are implicated in the pathophysiology of **ADHD** (**Biederman** & Spencer, 1999). ...

[Geciteerd door 77](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Functional magnetic resonance imaging of methylphenidate and placebo in attention-deficit/hyperactivity disorder during the multi-source interference task

[PDF] [van harvard.edu](#)..., M Aleari, E Mick, J **Biederman** - Archives of general ..., 2008 - Am Med Assoc ... Seidman, PhD; Nikos Makris, MD, PhD; Craig Surman, MD; Megan Aleari, MS; Eric Mick, ScD; Joseph **Biederman**, MD. ... structural abnormalities, and biochemical abnormalities of the dorsal anterior midcingulate cortex (daMCC) in attention-deficit/hyperactivity disorder (**ADHD**). ...

[Geciteerd door 66](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

Effect of prior stimulant treatment for attention-deficit/hyperactivity disorder on subsequent risk for cigarette smoking and alcohol and drug use disorders in adolescents

[HTML] [van nih.gov](#)..., D Westerberg, J **Biederman** - Archives of Pediatrics ..., 2008 - Am Med Assoc ... BA; Michael C. Monuteaux, ScD; Stephen V. Faraone, PhD; Mary Schillinger, BA; Diana Westerberg, BA; Joseph **Biederman**, MD. ... on subsequent risk for cigarette smoking and substance use disorders (SUDs) in adolescents with attention-deficit/hyperactivity disorder (**ADHD**). ...

[Geciteerd door 30](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

Reexamining tic persistence and tic-associated impairment in Tourette's disorder: findings from a naturalistic follow-up study

BJ Coffey, J **Biederman**, D Geller... - The Journal of ..., 2004 - journals.lww.com ... Coffey, Barbara J. MD, MS*†; **Biederman**, Joseph MD*; Geller, Daniel MD*; Frazier, Jean MD*; Spencer, Tom MD*; Doyle, Robert MD*; Gianini, Loren BA*; Small, Amy BA*; Frisone ... 1999) reported that less than 50% of youth with attention deficit hyperactivity disorder (**ADHD**) in a ...

[Geciteerd door 39](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[HTML] Familial risk analyses of attention deficit hyperactivity disorder and substance use disorders

[\[HTML\] van psychiatryonline.org](#) J Biederman, C Petty, T Wilens... - American Journal of ..., 2008 - Am Psychiatric Assoc
0.

[Geciteerd door 45](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 7 versies](#)

Guanfacine extended release in children and adolescents with attention-deficit/hyperactivity disorder: a placebo-controlled trial

..., T Wigal, J Donahue, A Lyne, J Biederman - Journal of the American ..., 2009 - Elsevier
... Dr. Biederman has also received research support from the Stanley Medical Research Institute, Eli Lilly, the Heinz C. Prechter Foundation ... GXR), a selective α 2A -adrenoceptor agonist, with placebo in children and adolescents with attention-deficit/hyperactivity disorder (ADHD). ...

[Geciteerd door 56](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

Towards conceptualizing a neural systems-based anatomy of attention-deficit/hyperactivity disorder

N Makris, J Biederman... - Developmental ..., 2009 - content.karger.com
... External Resources 2. Faraone SV, Sergeant J, Gillberg C, Biederman J: The worldwide prevalence of ADHD: is it an American condition? World Psychiatry 2003;2:104–113. External Resources 3. Faraone SV, Biederman J: Prevalence of Adult ADHD in the United States. ...

[Geciteerd door 37](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[CITAAT] Economic impact of adult ADHD

J Biederman... - Program and abstracts of the American Psychiatric ..., 2005

[Geciteerd door 7](#) - [Verwante artikelen](#)

[CITAAT] Adolescent predictors of functional outcome in adult ADHD: A population survey

..., J Biederman - Program and abstracts of the American Psychiatric ..., 2005

[Geciteerd door 7](#) - [Verwante artikelen](#)

How cardinal are cardinal symptoms in pediatric bipolar disorder? An examination of clinical correlates

[\[PDF\] van altcancerweb.com](#) J Wozniak, J Biederman, A Kwon, E Mick... - Biological ..., 2005 - Elsevier
... This finding was replicated in an additional 129 referred children (Biederman et al 2004). In another sample of ADHD boys with comorbid bipolar disorder, 74% met criteria for mania due to irritability (Biederman et al 1996). ...

[Geciteerd door 55](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

A double-blind comparison of galantamine hydrogen bromide and placebo in adults with attention-deficit/hyperactivity disorder: a pilot study

J Biederman, E Mick, S Faraone... - Journal of clinical ..., 2006 - journals.lww.com
... 1984;82:338-342. Cited Here... 8. Biederman J, Monuteaux M, Seidman L, et al. Impact of executive function deficits and ADHD on academic outcomes in children. J Consult Clin Psychol. 2004;72:757-766. Cited Here... 9. Levin ED, Westman EC, Stein RM, et al. ...

[Geciteerd door 14](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

Short-and long-term cardiovascular effects of mixed amphetamine salts extended release in children

RL Findling, J **Biederman**, TE Wilens... - The Journal of ..., 2005 - Elsevier
... Robert L. Findling MD Corresponding Author Contact Information , E-mail The Corresponding Author , Joseph **Biederman** MD, Timothy E. Wilens MD ... release formulation (MAS XR; Adderall XR®) in children age 6 to 12 years with attention-deficit/hyperactivity disorder (**ADHD**). ...

[Geciteerd door 41](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Childhood antecedent disorders to bipolar disorder in adults: a controlled study

A Henin, J **Biederman**, E Mick... - Journal of affective ..., 2007 - Elsevier
... Indeed, comorbidity with disorders such as **ADHD** may be a hallmark of a pernicious, childhood form of bipolar disorder, which may be highly familial (**Biederman** et al., 1996, Borchardt and Bernstein, 1995, Faraone et al., 1997b and West et al., 1995a), and associated with a ...

[Geciteerd door 34](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Towards further understanding of the co-morbidity between attention deficit hyperactivity disorder and bipolar disorder: a MRI study of brain volumes

[PDF] [van martinus.org](#)J **Biederman**, N Makris, EM Valera... - Psychological ..., 2008 - Cambridge Univ Press
... Introduction Studies of adults (Sachs et al. 2000) and children (**Biederman** et al. 2000a, b, 2003) with attention deficit hyperactivity disorder (**ADHD**) and bipolar disorder (BPD) have documented a substantial and bidirectional overlap between these disorders. ...

[Geciteerd door 42](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Anatomic brain magnetic resonance imaging of the basal ganglia in pediatric bipolar disorder

..., MR Herbert, LJ Seidman, J **Biederman**... - Journal of affective ..., 2007 - Elsevier
... In addition, an exploratory MANOVA analysis was performed to assess the effects of age group, Tanner stage, mood state, medication type, and presence of **ADHD** or psychosis on these basal ganglia volumes. ... Comorbid diagnoses, **ADHD**, 35 (76.1), 20 (80.0), 15 (71.4). ...

[Geciteerd door 24](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

A prospective open-label treatment trial of ziprasidone monotherapy in children and adolescents with bipolar disorder

J **Biederman**, E Mick, T Spencer... - Bipolar ..., 2007 - Wiley Online Library
... Randomized, placebo-controlled trial of mixed amphetamine salts for symptoms of comorbid **ADHD** in pediatric bipolar disorder after mood stabilization with divalproex sodium. Am J Psychiatry 2005; 162: 58-64. ... 26 Wozniak J, **Biederman** J, Kiely K et al. ...

[Geciteerd door 33](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Informativeness of Maternal Reports on the Diagnosis of ADHD

J **Biederman**, SW Ball, E Mick... - Journal of Attention ..., 2007 - jad.sagepub.com
Objective: We evaluated correlates of the diagnosis of **ADHD** in youth by informant source. Method: Ninety-four pairs of mother reports and youth self-reports on **ADHD** were independently assessed, using diagnostic interviews from a large study of youth of both ...

[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Predictors of persistent ADHD: An 11-year follow-up study](#)

J **Biederman**, CR Petty, A Clarke... - Journal of Psychiatric ..., 2011 - Elsevier

OBJECTIVE: Despite the existence of several follow-up studies of children with **ADHD** followed up into adulthood, there is limited information on whether patterns of persistence and remission in **ADHD** can be predicted over the long term. The main aim of this study ...

[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Long-term effects of extended-release mixed amphetamine salts treatment of attention-deficit/hyperactivity disorder on growth](#)

SV Faraone, J **Biederman**... - Journal of Child & ..., 2005 - liebertonline.com

... with **ADHD**, not complications of stimulant treatment. Using similar methodology in a different sample, **Biederman** et al. (2003) studied 124 female **ADHD** children and 116 female controls. They found no deficits in age-adjusted ...

[Geciteerd door 37](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Does social class predict substance problems in young adults with ADHD?](#)

..., TE Wilens, J **Biederman** - The American Journal ..., 2007 - Wiley Online Library

The relationship between social class and substance use problems is unclear. We aimed to clarify this association in a sample of young adult males with and without attention-deficit/hyperactivity disorder (**ADHD**). We included 69 **ADHD** and 78 control subjects. ...

[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Modafinil improves symptoms of attention-deficit/hyperactivity disorder across subtypes in children and adolescents](#)

J **Biederman**... - The Journal of pediatrics, 2008 - Elsevier

... Available online 25 October 2007. Objective. This secondary analysis evaluated the efficacy of modafinil in children and adolescents by subtype of attention-deficit/hyperactivity disorder (**ADHD**) using pooled data from 3 double-blind, placebo-controlled studies. Study design. ...

[Geciteerd door 20](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Cigarette smoking associated with attention deficit hyperactivity disorder](#)

[HTML] [van nih.gov](#)..., R Sawtelle, L Utzinger, J **Biederman** - The Journal of ..., 2008 - Elsevier

... Objective. To evaluate the association between attention deficit hyperactivity disorder (**ADHD**) and severity of physical dependence on nicotine in a controlled study of adolescents and young adults with **ADHD**. Study design. ... **ADHD** Symptoms and Subtypes. ...

[Geciteerd door 19](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Behavior differences in drivers with attention deficit hyperactivity disorder: The driving behavior questionnaire](#)

..., J Gilbert, JF Coughlin, J **Biederman**... - Accident Analysis & ..., 2005 - Elsevier

... In addition, **ADHD** has high rates of comorbidity with other psychiatric disorders including anxiety, antisocial and mood disorders (**Biederman**, 2004). Comorbid **ADHD** in particular is believed to be a significant risk factor for substance abuse disorders (Wilens, 2004 and Mick et ...

[Geciteerd door 29](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Comparison of parent and teacher reports of attention-deficit/hyperactivity disorder symptoms from two placebo-controlled studies of atomoxetine in children](#)

J **Biederman**, H Gao, AK Rogers... - Biological psychiatry, 2006 - Elsevier

... therefore have typically been based only on teacher reports (**Biederman** et al 2004). The problems with relying solely on teacher reports in clinical trials are two-fold. One is that teachers are not always available or willing to participate in the collection of **ADHD** symptom ratings. ...

[Geciteerd door 18](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Effect of stimulants on height and weight: a review of the literature](#)

SV Faraone, J **Biederman**, CP Morley... - Journal of the American ... , 2008 - Elsevier

... Dr. **Biederman** has received research support from, is a speaker for, or is on the advisory boards of Shire, Eli Lilly ... Methylphenidate (MPH) and amphetamine (AMP) are effective treatments for attention-deficit/hyperactivity disorder (**ADHD**), a fact that has been established in ...

[Geciteerd door 56](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[\[HTML\] Laboratory-observed behavioral disinhibition in the young offspring of parents with bipolar disorder: A high-risk pilot study](#)

[\[HTML\] van psychiatryonline.org](#)DR Hirshfeld-Becker, J **Biederman**... - American Journal of ... , 2006 - Am Psychiatric Assoc

0.

[Geciteerd door 15](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 6 versies](#)

[The longitudinal course of comorbid oppositional defiant disorder in girls with attention-deficit/hyperactivity disorder: findings from a controlled 5-year prospective ...](#)

J **Biederman**, CR Petty, MC Monuteaux... - ... of Developmental & ... , 2008 - journals.lww.com

... Address for reprints: Joseph **Biederman**, MD, Clinical and Research Program in Pediatric Psychopharmacology Yawkey Center Suite 6A ... impact of the comorbidity with oppositional defiant disorder (ODD) in girls with attention-deficit/hyperactivity disorder (**ADHD**) has important ...

[Geciteerd door 18](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Assessing cannabis use in adolescents and young adults: what do urine screen and parental report tell you?](#)

M Gignac, TE Wilens, J **Biederman**... - Journal of Child & ... , 2005 - liebertonline.com

... One study was a 10-year follow-up study of boys with and without **ADHD**, and the other study was a 5-year follow-up of girls with and without **ADHD**. The details of the original baseline assessments have been de- scribed elsewhere (**Biederman** et al. 1996; **Bie- derman** et al. ...

[Geciteerd door 22](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[Omega-3 fatty acid monotherapy for pediatric bipolar disorder: a prospective open-label trial](#)

[\[PDF\] van infonaturel.ca](#)J Wozniak, J **Biederman**, E Mick... - European ... , 2007 - Elsevier

... with the use of atypical antipsychotics, (Frazier et al., 2001, Frazier et al., 1999, Delbello et al., 2002, **Biederman** et al., 2005a and **Biederman** et al ... Kappa coefficients for individual diagnoses included: **ADHD** (0.88), CD (1.0), ODD (0.90), major depression (1.0), and mania (0.95). ...

[Geciteerd door 44](#) - [Verwante artikelen](#) - [Alle 12 versies](#)

[Using self-reported data to assess the validity of driving simulation data](#)

..., JF Coughlin, ME Kafritsen, J **Biederman** - Behavior research ... , 2006 - Springer

... **ADHD** is distinguished by impairments in attention and/or impulse control, contributing to significant difficulties in academic, social, and occupational functions (**Biederman** & Faraone, 2004). All **ADHD** participants met full DSM ...

[Geciteerd door 34](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Hypericum perforatum \(St John's Wort\) for attention-deficit/hyperactivity disorder in children and adolescents](#)

[PDF] [van nwsources.com](#)..., RL McCarty, NS Weiss, J **Biederman**... - JAMA: the journal of ..., 2008 - Am Med Assoc

... Pediatrics . 2000;105(5):1158–1170, pmid:10836893. Free Full Text. 2. Faraone SV,; Sergeant J,; Gillberg C,; **Biederman** J. . The worldwide prevalence of **ADHD**: is it an American condition? World Psychiatry . 2003;2(2):104–113, pmid:16946911. ...

[Geciteerd door 29](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

[Examining the association between pediatric bipolar disorder and anxiety disorders in psychiatrically referred children and adolescents](#)

..., J Gilbert, J Wood, L Smith, J **Biederman** - Journal of affective ..., 2005 - Elsevier
... Our group previously reported that at least 50% of children and adolescents with BPD have comorbidity with multiple (> 2) anxiety disorders (**Biederman** et al., 1997). ... **ADHD**) and smaller sized sample (BPD = 93, **ADHD** = 81). ...

[Geciteerd door 34](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Neuropsychological functioning in girls with attention-deficit/hyperactivity disorder with and without learning disabilities.](#)

[PDF] [van martinus.org](#)LJ Seidman, J **Biederman**, EM Valera... - ..., 2006 - psycnet.apa.org
... Faraone, **Biederman**, Monuteaux, Doyle, & Seidman, 2001). LDs, when combined with **ADHD**, have a specific role in school failure (Faraone, **Biederman**, Monuteaux, et al., 2001). Because LDs (without **ADHD**) can also manifest ...

[Geciteerd door 43](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[\[HTML\] Adult psychiatric outcomes of girls with attention deficit hyperactivity disorder: 11-year follow-up in a longitudinal case-control study](#)

[HTML] [van psychiatryonline.org](#)J **Biederman**, CR Petty... - American Journal of ..., 2010 - Am Psychiatric Assoc

0.

[Geciteerd door 31](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 9 versies](#)

[Anterior Cingulate Volumetric Alterations in Treatment-Naïve Adults With ADHD](#)

[PDF] [van martinus.org](#)..., LJ Seidman, EM Valera, J **Biederman**... - Journal of Attention ..., 2010 - jad.sagepub.com

Objective: We sought to examine preliminary results of brain alterations in anterior cingulate cortex (ACC) in treatment-naïve adults with **ADHD**. The ACC is a central brain node for the integration of cognitive control and allocation of attention, affect and drive. Thus its ...

[Geciteerd door 9](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Utility of an abbreviated questionnaire to identify individuals with ADHD at risk for functional impairments](#)

[HTML] [van nih.gov](#)J **Biederman**, CR Petty, R Fried, AE Doyle... - Journal of psychiatric ..., 2008 - Elsevier
OBJECTIVE: To discern whether a subset of items from the 99-item Current Behavior Scale (CBS) of behaviorally defined Executive Function Deficits (EFDs) in adults with Attention-Deficit/Hyperactivity Disorder (**ADHD**) can identify a group at risk for poor outcome. ...

[Geciteerd door 5](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[CITAAT] **Breaking news: the social and economic impact of ADHD**

J **Biederman** - ... at: Attention Deficit Hyperactivity Disorder (ADHD) ..., 2004

[Geciteerd door 5](#) - [Verwante artikelen](#)

The familial association between cigarette smoking and ADHD: A study of clinically referred girls with and without ADHD, and their families

..., TE Wilens, M Fraire, J **Biederman** - Nicotine & tobacco ..., 2008 - ntr.oxfordjournals.org

Abstract Attention-deficit/hyperactivity disorder (ADHD) is a strong risk factor for smoking.

Since both ADHD and smoking are familial disorders, one way to further our understanding

of this association is to examine the familial relationship between them. Our aim was to ...

[Geciteerd door 5](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[HTML] **Comparative acute efficacy and tolerability of OROS and immediate release formulations of methylphenidate in the treatment of adults with attention-deficit/ ...**

[HTML] [van biomedcentral.com](#) J **Biederman**, E Mick, C Surman, R Doyle... - BMC ..., 2007 -

biomedcentral.com

... Kessler RC, Adler L, Barkley R, **Biederman** J, Conners CK, Demler O, Faraone SV, Greenhill

LL, Howes MJ, Secnik K, Spencer T, Ustun TB, Walters EE, Zaslavsky AM: The prevalence and

correlates of adult ADHD in the United States: Results from the national comorbidity ...

[Geciteerd door 18](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 16 versies](#)

Psychopharmacological interventions

J **Biederman**... - Child and Adolescent Psychiatric Clinics of ..., 2008 - Elsevier

... Currently stimulants and atomoxetine are the most established treatments for attention deficit

hyperactivity disorder (ADHD); more than 170 controlled studies with more than 9000 subjects

have documented their efficacy in 50% to 70% of subjects. ...

[Geciteerd door 39](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[CITAAT] **Amphetamine treatment of ADHD in adults with primary essential hypertension**

TE Wilens, J **Biederman**, A Podolski - Program and abstracts of the American ..., 2005

[Geciteerd door 5](#) - [Verwante artikelen](#)

[CITAAT] **Using meta-analysis to draw conclusions about ADHD medication effects**

SV Faraone, J **Biederman**, T Spencer, M Aleari... - 17th ECNP Congress. ..., 2004

[Geciteerd door 5](#) - [Verwante artikelen](#)

Treating attention-deficit/hyperactivity disorder with a stimulant transdermal patch: the clinical art

[HTML] [van pediatricdigest.mobi](#)..., FA López, SE Jacob, J **Biederman**... - Pediatrics, 2007 - Am Acad

Pediatrics

... hyperactivity disorder Previous Section. REFERENCES. ↵ Spencer T, **Biederman** J,

Wilens T, Harding M, O'Donnell D, Griffin S. Pharmacotherapy of ADHD across the life

cycle. J Am Acad Child Adolesc Psychiatry.1996;35 :409– 432. ...

[Geciteerd door 17](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Correspondence of parent and teacher reports in medication trials](#)

SV Faraone, J **Biederman**... - European child & adolescent ..., 2005 - Springer
... 1987). Several studies have reported on the informativeness of parental reports in the diagnosis of **ADHD** youth (Touliatos and Lindholm 1981; **Biederman** et al. 1990, 1993; Verhulst et al. ... Using only six symptoms required for an **ADHD** diagnosis, **Biederman** et al. ...
[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Patterns of comorbidity in panic disorder and major depression: findings from a nonreferred sample](#)

J **Biederman**, C Petty, SV Faraone... - Depression and ..., 2005 - Wiley Online Library
... Clinical correlates of **ADHD** in females: Findings from a large group of girls ascertained from pediatric and psychiatric referral sources. J Am Acad Child Adolesc Psychiatry 38:966-975.
Biederman J, Mick E, Faraone SV, Braaten E, Doyle A, Spencer T, Wilens TE, Frazier E ...
[Geciteerd door 17](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Complexity analysis of spontaneous brain activity in attention-deficit/hyperactivity disorder: diagnostic implications](#)

..., J Escudero, N García-Campos, J **Biederman**... - Biological ..., 2009 - Elsevier
... Background. Attention-deficit/hyperactivity disorder (**ADHD**) is defined as the most common neurobehavioral disorder of childhood, but an objective diagnostic test is not available yet to date. ... Conclusions. Results support the role of a frontal hypoactivity in the diagnosis of **ADHD**. ...
[Geciteerd door 19](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[Efficacy and safety of mixed amphetamine salts extended release \(Adderall XR\) in the management of attention-deficit/hyperactivity disorder in adolescent patients: a ...](#)

[HTML] van clinicaltherapeutics.com TJ Spencer, TE Wilens, J **Biederman**, RH Weisler... - Clinical ..., 2006 - Elsevier
... Spencer, MD1; Timothy E. Wilens, MD1; Joseph **Biederman**, MD1; Richard H. Weisler, MD2; Stephanie C. Read, MS3 ... Inc., Wayne, Pennsylvania ABSTRACT Background: The ability to recognize and diagnose attention-deficit/hyperactivity disorder (**ADHD**) has increased in recent ...
[Geciteerd door 39](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Efficacy and safety of mixed amphetamine salts extended release \(adderall XR\) in the management of oppositional defiant disorder with or without comorbid attention- ...](#)

[HTML] van clinicaltherapeutics.com TJ Spencer, HB Abikoff, DF Connor, J **Biederman**... - Clinical ..., 2006 - Elsevier
... Spencer, MD1; Howard B. Abikoff, PhD2; Daniel E Connor, MDa; Joseph **Biederman**, MD1; Steven R. Pliszka, MD4; Samuel Boellner, MDS ... ODD is reportedly present in 40% to 70% of children and adolescents with attention-deficit/hyperactivity disorder (**ADHD**). Objective: The ...
[Geciteerd door 38](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Symptoms versus impairment: The case for respecting DSM-IV's Criterion D](#)

[PDF] van psybc.com ..., L Lewandowski, J Hudziak, J **Biederman**... - The **ADHD** ..., 2005 - Guilford Press
The number and intensity of presenting symptoms have forever driven the formulation of clinical diagnoses and research criteria. Whether these symptoms cause actual impairment has often taken a back seat in the diagnostic process, perhaps because most assume a ...
[Geciteerd door 10](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[Mania, glutamate/glutamine and risperidone in pediatric bipolar disorder: a proton magnetic resonance spectroscopy study of the anterior cingulate cortex](#)

[HTML] [van nih.gov](#)CM Moore, J **Biederman**, J Wozniak, E Mick... - Journal of affective ..., 2007 - Elsevier ... Atypical antipsychotics have been shown to be effective in the treatment of BPD in children and adolescents (**Biederman** et al., 2005, Delbello et al., 2002 and Chang and Ketter, 2000). ... All of the subjects studied had co-morbid **ADHD**. ...
[Geciteerd door 19](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Absence of gender differences in pediatric bipolar disorder: findings from a large sample of referred youth](#)

J **Biederman**, A Kwon, J Wozniak, E Mick... - Journal of affective ..., 2004 - Elsevier ... **ADHD**, 54, 70%, 200, 91%, $\chi^2(1)=13.7$, $p<0.001$ Although irritability is a common symptom in childhood psychopathology, the type of irritability seen in BPD youth is very severe, persistent and highly disabling, and often associated with violence (**Biederman** et al., 2003). ...
[Geciteerd door 15](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Predictors, clinical characteristics, and outcome of conduct disorder in girls with attention-deficit/hyperactivity disorder: a longitudinal study](#)

..., LM Gross, J **Biederman** - Psychological ..., 2007 - Cambridge Univ Press ... 2002). Our group documented an association between attention- deficit/hyperactivity disorder (**ADHD**) and CD (**Biederman** et al. 1999), consistent with pre- vious reports from both clinical and non-clinical samples of girls with **ADHD** (Faraone et al. 1991; Neuman et al. ...
[Geciteerd door 20](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[CITAAT] The internal consistency and validity of the Attention-Deficit/Hyperactivity Disorder Rating Scale (ADHD-RS) with adult ADHD prompts as assessed during a ...

LA Adler, TJ Spencer, J **Biederman**, S Kollins... - J **ADHD** Relate Disord, 2009
[Geciteerd door 4](#) - [Verwante artikelen](#)

[\[HTML\] Efficacy and safety of modafinil film-coated tablets in children and adolescents with or without prior stimulant treatment for attention-deficit/hyperactivity ...](#)

[HTML] [van nih.gov](#)SB Wigal, J **Biederman**, JM Swanson... - ... care companion to ..., 2006 - ncbi.nlm.nih.gov ... A randomized, placebo-controlled study of once-daily atomoxetine in the school setting in children with **ADHD**. J Am Acad Child Adolesc Psychiatry. 2005. 44:647-655. [PubMed]; **Biederman** J, Spencer T, Wilens T. Evidence-based pharmacotherapy for attention-deficit ...
[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Can bipolar disorder-specific neuropsychological impairments in children be identified?](#)

A Henin, E Mick, J **Biederman**, R Fried... - Journal of consulting ..., 2007 - psycnet.apa.org ... **ADHD** itself has been associated with neuropsy- chological dysfunction, especially in the areas of executive control and inhibition ... Marti- nussen, Hayden, Hogg-Johnson, & Tannock, 2005; Nigg, Blaskey, Huang-Pollock, & Rappley, 2002; Seidman, **Biederman**, Faraone, Weber ...
[Geciteerd door 24](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[... in the Treatment of Adults with Subthreshold and/or Late Onset Attention-Deficit Hyperactivity Disorder-Not Otherwise Specified \(ADHD-NOS\): A Prospective Open- ...](#)

..., N Gebhard, C Williams, J **Biederman** - CNS neuroscience ..., 2010 - Wiley Online Library
Atomoxetine in the Treatment of Adults with Subthreshold and/or Late Onset Attention-Deficit Hyperactivity Disorder-Not Otherwise Specified (ADHD-NOS): A Prospective Open-Label 6-Week Study-Surman-2010-CNS Neuroscience & Therapeutics-Wiley Online Library
[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[A randomized, single-blind, substitution study of OROS methylphenidate \(Concerta\) in ADHD adults receiving immediate release methylphenidate](#)

..., M Kotarski, CG Williams, J **Biederman** - Journal of Attention ..., 2011 - jad.sagepub.com
Objective: The main aim of this study was to examine the efficacy, tolerability, and compliance of an extended-release formulation of methylphenidate (OROS-MPH) in adults with **ADHD** receiving immediate-release methylphenidate (IR-MPH). Method: Participants ...
[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Risk for switch from unipolar to bipolar disorder in youth with ADHD: A long term prospective controlled study](#)

[\[HTML\]](#) [van nih.gov](#) J **Biederman**, CR Petty, D Byrne, P Wong... - Journal of affective ..., 2009 - Elsevier
BACKGROUND: To investigate whether **ADHD** is a risk factor for switches from unipolar to bipolar disorder over time. METHODS: Data from two large controlled longitudinal family studies of boys and girls with and without **ADHD** and their siblings were used. Subjects (n ...
[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Executive functioning in high-IQ adults with ADHD](#)

..., R Fried, LJ Seidman, J **Biederman** - Psychological ..., 2010 - Cambridge Univ Press
Background. To examine the association between psychological tests of executive functioning and functional outcomes among high-IQ adults with attention deficit hyperactivity disorder (**ADHD**). ... Method. Subjects were high-IQ adults with (n=64) and without **ADHD** (n=53). ...
[Geciteerd door 7](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[An open trial of adjunctive donepezil in attention-deficit/hyperactivity disorder](#)

..., A Kwon, TJ Spencer, J **Biederman** - Journal of Child & ..., 2005 - liebertonline.com
... Barkley RA: Behavioral inhibition, sustained attention, and executive functions: Constructing a unifying theory of **ADHD**. Psychol Bull 121:65-94, 1997b. **Biederman** J, Faraone S, Milberger S, Guite J, Mick E, Chen L, Mennin D, Marris A, Ouellette C, Moore P, Spencer T ...
[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Family based association study of pediatric bipolar disorder and the dopamine transporter gene \(SLC6A3\)](#)

E Mick, JW Kim, J **Biederman**... - American Journal of ..., 2008 - Wiley Online Library
... 522 individuals with 2 parents in 332 nuclear families recruited for genetic studies of pediatric psychopathology at the Clinical and Research Program in Pediatric Psychopharmacology and Adult **ADHD** at Massachusetts General Hospital [Wozniak et al., 2005; **Biederman** et al ...
[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[CITAAT] Does prolonged stimulant therapy suppress growth in children with ADHD? Analysis of data from 21 months of therapy with once-daily OROS® MPH

T Spencer, SV Faraone, J Biederman, M Lerner... - J Am Acad Child Adolesc ... , 2006

[Geciteerd door 4](#) - [Verwante artikelen](#)

[CITAAT] Prevalence of adult ADHD in the United States

..., J Biederman - American Psychiatric Association annual meeting, New ... , 2008

[Geciteerd door 4](#) - [Verwante artikelen](#)

A controlled longitudinal 5-year follow-up study of children at high and low risk for panic disorder and major depression

J Biederman, C Petty... - Psychological ... , 2006 - Cambridge Univ Press

... Psychiatric assessments of the children at baseline relied on DSM-III-R criteria as described previously (Biederman et al. ... k coefficients for individual diagnoses included: attention-deficit hyperactivity disorder (ADHD, 0.88), conduct disorder (CD, 1.0), oppositional defiant dis ...

[Geciteerd door 28](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

Further evidence of an association between adolescent bipolar disorder with smoking and substance use disorders: a controlled study

[HTML] [van nih.gov](#) TE Wilens, J Biederman, JJ Adamson... - Drug and alcohol ... , 2008 - Elsevier

... Systematic studies of BPD children have found high rates of attention deficit/hyperactivity disorder (ADHD), anxiety disorders (panic, and obsessive ... al., 2000] and [Geller et al., 2006]), and conduct disorder (CD) ([Geller et al., 1995] , [Kovacs and Pollock, 1995] , [Biederman et al ...

[Geciteerd door 31](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

Examining the relationship between obsessive-compulsive disorder and attention-deficit/hyperactivity disorder in children and adolescents: a familial risk analysis

..., F Vivas, J Johnson, D Pauls, J Biederman - Biological ... , 2007 - Elsevier

... including ADHD with Tourette's syndrome (TS); (Pauls et al 1986a); ADHD with TS, learning disabilities (LD), and speech disorders (Pauls et al 1993); ADHD with major depressive disorder, conduct disorder, and anxiety disorders (Biederman et al 1992); ADHD with anxiety ...

[Geciteerd door 13](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Does referral bias impact findings in high-risk offspring for anxiety disorders? A controlled study of high-risk children of non-referred parents with panic disorder/ ...

J Biederman, MC Monuteaux, SV Faraone... - Journal of affective ... , 2004 - Elsevier

... The non-referred parents derived from an opportunistic sample of identically designed case-control family studies of male and female youth and without attention-deficit hyperactivity disorder (ADHD) (Biederman et al., 1992; Biederman et al., 1999 and Biederman et al., 2002). ...

[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Family-based genome-wide association scan of attention-deficit/hyperactivity disorder

[HTML] [van jaacap.com](#) ..., X Hu, S Loo, RD Todd, J Biederman... - Journal of the American ... , 2010 - Elsevier

... PDF (180 K) | Objective. Genes likely play a substantial role in the etiology of attention-deficit/hyperactivity disorder (**ADHD**). However ... We have conducted a third, independent, multisite GWAS of DSM-IV-TR **ADHD**. Method. Families ...

[Geciteerd door 13](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Further evidence for co-segregation between pediatric obsessive compulsive disorder and attention deficit hyperactivity disorder: a familial risk analysis](#)

[RTF] [van afpb.asso.fr](#) ... , F Vivas, J Johnson, D Pauls, J **Biederman** - Biological ... , 2007 - Elsevier ... Since OCD and **ADHD** are both familial conditions ([**Biederman** et al 1992], [**Biederman** et al 1995], [**Biederman** et al 1996] and [Pauls et al 2002]) family studies can help to clarify the nature of their association by examining patterns of aggregation in first-degree relatives. ...

[Geciteerd door 15](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Cardiovascular effects of longer-term, high-dose OROS methylphenidate in adolescents with attention deficit hyperactivity disorder](#)

... , M McCreary, J Becker, J **Biederman** - The Journal of ... , 2009 - Elsevier ... Available online 25 April 2009. Objective. To examine the effects of high doses of extended-release methylphenidate (OROS MPH) on cardiovascular variables in adolescents with attention deficit hyperactivity disorder (**ADHD**). Study design. ...

[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[Prospective open-label pilot trial of mirtazapine in children and adolescents with social phobia](#)

C Mrakotsky, B Masek, J **Biederman**... - Journal of anxiety ... , 2008 - Elsevier ... inhibition is a stable early childhood symptom that is predictive for later onset of social phobia (**Biederman** et al ... Patients with comorbid Attention Deficit Hyperactivity Disorder (**ADHD**), Oppositional Defiant Disorder (ODD), Learning Disorders, and Depressive Disorder NOS were ...

[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[The child behavior checklist broad-band scales predict subsequent psychopathology: A 5-year follow-up](#)

[HTML] [van nih.gov](#) ... , S LaCasse, SV Faraone, J **Biederman** - Journal of anxiety ... , 2008 - Elsevier ... **Biederman**, Monuteaux, Kendrick, Klein, & Faraone, 2005; Chen, Faraone, **Biederman**, & Tsuang, 1994; Edelbrock & Costello, 1988; Faraone, Althoff, Hudziak, Monuteaux, & **Biederman**, 2005; Geller ... (2002) found that Externalizing problems predicted **ADHD**, conduct disorders ...

[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[A post hoc subgroup analysis of an 18-day randomized controlled trial comparing the tolerability and efficacy of mixed amphetamine salts extended release and ...](#)

J **Biederman**, SB Wigal, TJ Spencer, JJ McGough... - Clinical ... , 2006 - Elsevier ... Psychopharmacol Bull.1998;34:47-53. 28. **Biederman** J, Heiligenstein JH, Faries DE, et al, for the Atomoxetine **ADHD** Study Group. Efficacy of atomoxetine versus placebo in school-age girls with attention-deficit/hyperactivity disorder. Pediatrics. 2002;110:e75. 29. Barkley RA. ...

[Geciteerd door 17](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[\[PDF\] Lack of association between behavioral inhibition and psychosocial adversity factors in children at risk for anxiety disorders](#)

[PDF] [van msu.edu](#) DR Hirshfeld-Becker, J **Biederman**... - American Journal of ... , 2004 - msu.edu

... Using the same methods that were used in the present study, **Biederman** and colleagues (16, 17) found that among clinically referred youths with **ADHD** and comparison youngsters, the risk for **ADHD** (16, 17) and associated comorbidity, including mood and anxiety disorders ...

[Geciteerd door 25](#) - [Verwante artikelen](#) - [HTML-versie](#) - [Alle 6 versies](#)

Are cognitive deficits in attention deficit/hyperactivity disorder related to the course of the disorder? A prospective controlled follow-up study of grown up boys with ...

J **Biederman**, CR Petty, SW Ball, R Fried... - Psychiatry research, 2009 - Elsevier

... Briefly, subjects were derived from a longitudinal case-control family study of Caucasian boys aged 6-17 years with (N = 140) and without (N = 120) DSM-III-R **ADHD** ([**Biederman** et al., 1992] and [**Biederman** et al., 1996]) ascertained from pediatric and psychiatric sources. ...

[Geciteerd door 11](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

A randomized, 3-phase, 34-week, double-blind, long-term efficacy study of osmotic-release oral system-methylphenidate in adults with attention-deficit/hyperactivity ...

J **Biederman**, E Mick, C Surman... - Journal of clinical ..., 2010 - journals.lww.com

... Reprints: Joseph **Biederman**, MD, Massachusetts General Hospital, 55 Fruit St, YAW 6A, Boston, MA 02114 (e-mail: jbiederman@partners.org). ... The available literature provides converging evidence that attention-deficit/hyperactivity disorder (**ADHD**) is a valid clinical entity; an ...

[Geciteerd door 9](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Childhood antecedents to panic disorder in referred and nonreferred adults

J **Biederman**, C Petty, SV Faraone... - Journal of Child & ..., 2005 - liebertonline.com

... For example, studies of children with attention-deficit/hyperactivity disorder (**ADHD**) (**Biederman** et al. ... Page 3. The nonreferred group derived from an opportunistic sample originally ascertained through family studies of probands with and without **ADHD** (**Biederman** et al. 2002). ...

[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

Task-induced fatigue and collisions in adult drivers with attention deficit hyperactivity disorder

..., JF Coughlin, R Fried, J **Biederman** - Traffic injury ..., 2007 - Taylor & Francis

... Faraone, SV, Sergeant, J, Gillberg, C and **Biederman**, J. 2003. The Worldwide Prevalence of **ADHD**: Is It an American Condition?. World Psychiatry, Vol. 2: 104-113. View all references) and four percent of adults (Barkley, 2004. Barkley, R A. 2004. ...

[Geciteerd door 20](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Is adult attention deficit hyperactivity disorder a valid diagnosis in the presence of high IQ?

..., R Fried, L Seidman, J **Biederman** - Psychological ..., 2009 - Cambridge Univ Press

... of **ADHD** in adulthood both similarly suggest that affective (37-59%), anxiety (47%), substance abuse (16-47%) and antisocial personality (13%) disorders are all common psychiatric co-morbidities, at greatly elevated rates compared to non-**ADHD** adults (**Biederman** et al. ...

[Geciteerd door 11](#) - [Verwante artikelen](#) - [Alle 13 versies](#)

[CITAAT] A controlled study of functional impairments in 500 ADHD adults

..., J **Biederman** - Presented as a report session at: 157th Annual ..., 2004

[Geciteerd door 3](#) - [Verwante artikelen](#)

[CITAAT] Modafinil pediatric formulation has early and sustained effect in ADHD

J Biederman, TE Wilens... - Program and abstracts of the 158th Annual ... , 2005

[Geciteerd door 3](#) - [Verwante artikelen](#)

[CITAAT] Adult ADHD NOS: Is it a valid disorder

..., J Biederman - Program and abstracts of the American Psychiatric ... , 2005

[Geciteerd door 3](#) - [Verwante artikelen](#)

[CITAAT] Functional impairments in adult ADHD implications for diagnosis

..., J Biederman - 158th Annual meeting of the American Psychiatric ... , 2005

[Geciteerd door 3](#) - [Verwante artikelen](#)

[CITAAT] Impact of psychiatric comorbidity and concomitant use of antidepressants on the efficacy of OROS® MPH in adults with ADHD: a randomized double-blind ...

J Biederman, E Mick, C Surman - 160th Annual Meeting of the American ... , 2007

[Geciteerd door 3](#) - [Verwante artikelen](#)

Psychopathology in the young offspring of parents with bipolar disorder: a controlled pilot study

DR Hirshfeld-Becker, J Biederman, A Henin... - Psychiatry research, 2006 - Elsevier ... et al., 1990 and Kessler et al., 1996), panic disorder (Chen and Dilsaver, 1995 and Calabrese et al., 2003), and history of ADHD and other ... data from a large pre-existing sample of young children of parents with and without panic disorder or major depression (Biederman et al ...

[Geciteerd door 23](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

No seizure exacerbation from risperidone in youth with comorbid epilepsy and psychiatric disorders: a case series

..., D Raches, BF Bourgeois, J Biederman - Journal of child and ... , 2004 - liebertonline.com ... Heydrich, MD,1 Gahan J. Pandina, Ph.D.,2 Carl A. Fleisher,1 Olivia Hsin, BA,1 Darcy Raches, BA,1 Blaise F. Bourgeois, MD,1 and Joseph Biederman, MD3 ... Diagnoses included attention-deficit hyperactivity disorder (ADHD), learning disorder, and impulse control disorder. ...

[Geciteerd door 14](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

A naturalistic 10-year prospective study of height and weight in children with attention-deficit hyperactivity disorder grown up: sex and treatment effects

[HTML] van nih.gov J Biederman, TJ Spencer, MC Monuteaux... - The Journal of ... , 2010 - Elsevier

... These findings support the extant literature on this topic, extend it into young adulthood, and can inform patients, clinicians, and parents about the growth trajectories of children with ADHD.

References. 1 SV Faraone, J. Biederman, CP Morley and TJ Spencer, Effect of stimulants ...

[Geciteerd door 7](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Cortical gray matter differences identified by structural magnetic resonance imaging in pediatric bipolar disorder

[HTML] van nih.gov ..., MR Herbert, L Seidman, J Biederman... - Bipolar ... , 2005 - Wiley Online Library

... Frazier, JA, Breeze, JL, Makris, N., Giuliano, AS, Herbert, MR, Seidman, L., **Biederman, J.**, Hodge, SM, Dieterich, ME, Gerstein, ED ... equivalents, GAF score, YMRS score, duration of illness, presence or absence of attention deficit hyperactivity disorder (**ADHD**), presence or ...

[Geciteerd door 54](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Childhood and adolescent mental health](#)

..., SV Faraone, AM Wilson, J **Biederman** - The Journal of clinical ..., 2007 - cat.inist.fr
... MONUTEAUX Michael C. (1 2) ; SPENCER Thomas J. (1 2) ; FARAONE Stephen V. (3) ; WILSON Angela M. (1) ; **BIEDERMAN** Joseph (1 ... Objective: Since attention-deficit/hyperactivity disorder (**ADHD**) is a well-documented risk factor for smoking and bupropion has been shown ...

[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[Deriving phenotypes for molecular genetic studies of substance use disorders: A family study approach](#)

..., TE Wilens, MC Monuteaux, J **Biederman** - Drug and alcohol ..., 2007 - Elsevier
... recruited into six contemporaneous studies of four psychiatric conditions in children and adults: **ADHD** ([Faraone et al., 2001], [S. Faraone et al., 2000] and [SV Faraone et al., 2000]), panic disorder (PD) and depression (MD) ([Rosenbaum et al., 1991] and [**Biederman** et al ...

[Geciteerd door 7](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[Specificity in the familial aggregation of overt and covert conduct disorder symptoms in a referred attention-deficit hyperactivity disorder sample](#)

..., D Blacker, SL Buka, J **Biederman** - Psychological ..., 2004 - Cambridge Univ Press
... The study of boys (**Biederman** et al. 1992) with **ADHD** was Familial specificity of overt and covert conduct disorder symptoms ... Page 4. composed of 140 **ADHD** probands (with 174 siblings and 280 parents) and 120 non-**ADHD** control probands. The study of girls (**Biederman** et al. ...

[Geciteerd door 17](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Evidence for an association of the dopamine D5 receptor gene on age at onset of attention deficit hyperactivity disorder](#)

J Lasky-Su, J **Biederman**, N Laird... - Annals of human ..., 2007 - Wiley Online Library
... Family studies have shown that relatives of **ADHD** individuals have higher rates of **ADHD** and other psychiatric illnesses compared with control families, providing evidence that **ADHD** and related illnesses segregate in families (Doyle et al. 2001; **Biederman** et al. ...

[Geciteerd door 10](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Effect of dopamine transporter gene \(SLC6A3\) variation on dorsal anterior cingulate function in attention-deficit/hyperactivity disorder](#)

[HTML] [van nih.gov](#) AB Brown, J **Biederman**, EM Valera... - American Journal of ..., 2010 - Wiley Online Library

... Attention deficit/hyperactivity disorder (**ADHD**) affects up to 10% of children [Faraone et al., 2003], and 5% of adults worldwide [Faraone and **Biederman**, 2005]. **ADHD** is increasingly recognized as a brain disorder, with alterations found across the lifespan in studies of both ...

[Geciteerd door 13](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[HTML] [Evidence for genetic association of RORB with bipolar disorder](#)

[HTML] [van biomedcentral.com](#) ..., R Kuczynski, A Doyle, J **Biederman**... - BMC ..., 2009 - biomedcentral.com

... **Biederman** J, Faraone SV, Mick E, Williamson S, Wilens TE, Spencer TJ, Weber W, Jetton J, Kraus I, Pert J, et al.: Clinical correlates of **ADHD** in females: findings from a large group

of girls ascertained from pediatric and psychiatric referral sources. ...

[Geciteerd door 15](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 15 versies](#)

[Antecedents to panic disorder in nonreferred adults.](#)

J **Biederman**, CR Petty, SV Faraone... - The Journal of clinical ..., 2006 - ncbi.nlm.nih.gov
... **Biederman** J, Petty CR, Faraone SV, Hirshfeld-Becker DR, Henin A, Brauer L, Kaufman B, Rosenbaum JF. ... who were derived from a sample originally ascertained through family studies of probands with and without attention-deficit/hyperactivity disorder (**ADHD**); data were ...

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[On genome-wide association studies for family-based designs: an integrative analysis approach combining ascertained family samples with unselected controls](#)

[HTML] [van nih.gov](#) ..., B Franke, B Neale, J **Biederman**... - The American Journal of ..., 2010 - Elsevier
... 5, Clinical and Research Programs in Pediatric Psychiatry and Adult **ADHD**, Psychiatry Department, Massachusetts General Hospital, Boston, MA 02114, USA. ... We applied these data to families that were collected by the International Multicenter **ADHD** Genetics (IMAGE) project. ...

[Geciteerd door 9](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[Effect of candidate gene polymorphisms on the course of attention deficit hyperactivity disorder](#)

J **Biederman**, CR Petty, KS Ten Haagen, J Small... - Psychiatry research, 2009 - Elsevier
... may have a higher familial loading than remitting forms of the disorder ([**Biederman** et al., 1995] and [Manshadi et al., 1983]): the risk of **ADHD** among children of **ADHD** adults was much higher than the risk for **ADHD** among relatives of children with **ADHD** (**Biederman** et al ...

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[\[HTML\] Perinatal factors affecting expression of obsessive compulsive disorder in children and adolescents](#)

[HTML] [van nih.gov](#) ..., E Reichert, D Pauls, J **Biederman** - Journal of Child and ..., 2008 - ncbi.nlm.nih.gov
... Petty C. Vivas F. Johnson J. Pauls D. **Biederman** J. Examining the relationship between obsessive compulsive disorder and attention deficit ... Contributions of parental alcoholism, prenatal substance exposure, and genetic transmission to child **ADHD** risk: A female twin study. ...

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Parsing the familiarity of oppositional defiant disorder from that of conduct disorder: A familial risk analysis](#)

[HTML] [van nih.gov](#) ..., J Small, SV Faraone, J **Biederman** - Journal of psychiatric ..., 2009 - Elsevier
... 2. Methods. 2.1. Subjects. Subjects were derived from a longitudinal case-control family study of boys with **ADHD** ([**Biederman** et al., 1992], [**Biederman** et al., 1996a] and [**Biederman** et al., 2006]). At baseline, we ascertained ...

[Geciteerd door 7](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

[\[HTML\] Olanzapine versus placebo in the treatment of adolescents with bipolar mania](#)

[HTML] [van psychiatryonline.org](#) ..., W Xu, R Dittmann, J **Biederman** - American Journal of ..., 2007 - Am Psychiatric Assoc
0.

[Geciteerd door 107](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 8 versies](#)

[CITAAT] Ten-year follow-up study of males with ADHD

J Biederman, E Mick... - Scientific poster presented at CINP, 2004

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[CITAAT] P. 6.018 Modafinil as therapy for ADHD in children: A 4-week, double-blind, placebo-controlled study

J Biederman, JM Swanson, SW Boellner... - European ..., 2004 - Elsevier

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

Pediatric bipolar disorder in a spanish sample: features before and at the time of diagnosis

[\[PDF\] van fundacionaliciakoplowitz.org...](#), A Figueroa-Quintana, J Biederman - Journal of affective ..., 2009 - Elsevier

... Also, children with bipolar disorder may be misdiagnosed with other comorbid conditions such as **ADHD**, anxiety disorders, oppositional defiant disorder ... disorder, underdiagnosis and misdiagnosis are likely to occur ([Tillman et al., 2004], [Geller et al., 2002], [Biederman et al ...

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

[CITAAT] Diagnostic efficiency of symptom items for identifying adult ADHD

SV Faraone, J Biederman... - J ADHD Relat Disord, 2010

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] ADHD in Adults

TE Wilens, J Prince, J Biederman... - Attention Deficit ..., 2007 - Informa HealthCare

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[PDF] ADHD

[\[PDF\] van iss.it](#)J Biederman, LJ Seidman, CR Petty - J Dev Behav Pediatr, 2008 - iss.it

Objective: The main goal of this study was to evaluate the impact of stimulant medication on executive function deficits in a group of adolescents and young adults with attention-deficit/hyperactivity disorder (**ADHD**; DSM-III-R criteria).

[Geciteerd door 2](#) - [Verwante artikelen](#) - [HTML-versie](#) - [Alle 5 versies](#)

Multivariate genomewide linkage scan of neurocognitive traits and ADHD symptoms: Suggestive linkage to 3q13

..., JW Smoller, S Purcell, J Biederman... - American Journal of ..., 2009 - Wiley Online Library

The previously published version of this article [Am J Med Genet Part B Neuropsychiatr Genet 147B: 1399–1411] correctly stated that the multivariate P-value at 3q13 surpassed the threshold for suggestive linkage; however, it incorrectly reported this P-value as 0.009 ...

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

Are stimulants effective in the treatment of executive function deficits? Results from a randomized double blind study of OROS-methylphenidate in adults with ADHD

J Biederman, E Mick, R Fried, N Wilner... - European ..., 2011 - Elsevier

The objective of this study was to evaluate the association between executive function deficits (EFDs) and response to methylphenidate treatment in **ADHD** in adults. We

conducted a 6-week, parallel design, randomized, placebo controlled study in adults with ...

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[CITAAT] ADHD: Applying practice guidelines to improve patient outcome and executive function

J Biederman, SA Safren, LJ Seidman - Journal of Clinical Psychiatry, 2006

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Long-term safety and efficacy of Adderall XR for adult ADHD

J Biederman, TJ Spencer, TE Wilens - 157th Annual Meeting of the American ..., 2004

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Neuropsychology and neurobiology of ADHD across the lifespan

..., G Bush, SV Faraone, J Biederman - 2006 - ... at the 34th annual meeting of the ...

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Predictors of insomnia in children and adolescents with ADHD

..., CB Surman, J Biederman - Proceedings of the 53rd Meeting of the American ..., 2007

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] A controlled study of functional impairments in 500 ADHD adults

J Biederman... - Annual Meeting of the American Psychiatric ..., 2004

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Mixed amphetamine salts XR: cardiovascular safety in adolescents with ADHD

TE Wilens, TJ Spencer, J Biederman, RH Weisler... - 158th Annual Meeting of ..., 2005

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Long-term safety and efficacy of mixed amphetamine salts extended-release for adult ADHD. Syllabus and scientific proceedings: in summary form

J Biederman, T Spencer, AK Chrisman, T Wilens... - 157th Annual Meeting of ..., 2004

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] ADHD symptom improvement in children treated with lisdexamfetamine dimesylate (LDX)

..., A Childress, S Krishnan, J Biederman - 53rd annual meeting of the ..., 2006

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Efficacy and safety of lisdexamfetamine dimesylate (LDX; NRP104) in school-aged children with ADHD

..., S Krishnan, A Childress, J Biederman - ... and abstracts of the 19th US ..., 2006

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Efficacy and safety of lisdexamfetamine dimesylate (LDX; NRP104) in 6-12-year-olds with ADHD

J Biederman, S Krishnan, R Findling... - ... and abstracts of the 19th US ..., 2006

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Characteristics of adults with ADHD plus SUD: role of psychiatric comorbidity

..., S Tanguay, R Chase, S Faraone, J Biederman - Am J Addict, 2005

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] How informative are parent reports of ADHD symptoms for assessing outcome in clinical trials of long-acting treatments? A pooled analysis of parents' and ...

J Biederman, S Faraone, M Monuteaux... - Pediatrics, 2004

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Cognitive-behavioral therapy for residual ADHD in adults

..., MW Otto, T Wilens, S Sprich, J Biederman... - ... Association 2004 Annual ..., 2004

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Modafinil as therapy for ADHD in children: an 8-week, open-label study

J SWANSON, J Biederman, SW Boellner, C Earl... - Scientific Proceedings of ..., 2004

[Geciteerd door 2](#) - [Verwante artikelen](#)

[CITAAT] Randomized, double-blind study of Guanfacine extended-release in children aged 6 to 17 years with Attention-Deficit/Hyperactivity Disorder (ADHD)

..., T Wigal, J Donahue, A Lyne, J Biederman - Poster presented at the ..., 2007

[Geciteerd door 2](#) - [Verwante artikelen](#)

[An open study of adjunct OROS-methylphenidate in children who are atomoxetine partial responders: II. Tolerability and pharmacokinetics](#)

[\[HTML\] van nih.gov](#)..., MK Martelon, K Brodziak, J Biederman... - Journal of Child and ..., 2009 - liebertonline.com

... J Clin Psychiatry 67:32-37, 2006. Wilens TE, Spencer TJ, Biederman J: Short- and long-term cardiovascular effects of mixed amphetamine salts extended release in adolescents with ADHD. CNS Spectrums 10(Suppl 15):22-30, 2005. ...

[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Atomoxetine in children with attention-deficit hyperactivity disorder with prior stimulant therapy: a prospective open-label study](#)

..., G Joshi, S Zeitlin, J Biederman - European child & ..., 2009 - Springer

... P. Hammerness 4 R. Doyle 4 M. Kotarski 4 A. Georgiopoulos 4 G. Joshi 4 S. Zeitlin 4 J. Biederman
Clinical and Research Program in Pediatric Psychopharmacology and Adult ADHD,

Massachusetts General Hospital and Harvard Medical School, Boston, MA, USA ...

[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

Clinical outcomes of laboratory-observed preschool behavioral disinhibition at five-year follow-up

[\[HTML\] van nih.gov](#) DR Hirshfeld-Becker, J **Biederman**, A Henin... - Biological ..., 2007 - Elsevier

... others have suggested that childhood BD may be linked to dysregulatory disorders including attention-deficit/hyperactivity disorder (**ADHD**), other disruptive ... As described in earlier reports ([**Biederman** et al 2001a] and [Rosenbaum et al 2000]), we recruited three groups: 1) 131 ...

[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

The heavy burden of psychiatric comorbidity in youth with autism spectrum disorders: A large comparative study of a psychiatrically referred population

..., M Kotarski, S Walls, J **Biederman** - Journal of autism and ..., 2010 - Springer

... G. Joshi 4 C. Petty 4 J. Wozniak 4 A. Henin 4 R. Fried 4 J. **Biederman** Harvard Medical School, Boston, MA ... using structured interviews that reported a high prevalence of various psychiatric disorders including attention-deficit/hyperactivity disorder (**ADHD**), anxiety disorders ...

[Geciteerd door 7](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Executive functioning in offspring at risk for depression and anxiety

JA Micco, A Henin, J **Biederman**... - Depression and ..., 2009 - Wiley Online Library

... Micco, JA, Henin, A., **Biederman**, J., Rosenbaum, JF, Petty, C., Rindlaub, LA, Murphy, M. and Hirshfeld-Becker, DR (2009 ... **ADHD**=attention-deficit/hyperactivity disorder, **PD**=panic disorder, **MDD**=major depressive disorder; **SES**=socioeconomic status, assessed using the ...

[Geciteerd door 10](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Evidence-based pharmacotherapy for attention-deficit hyperactivity disorder

J **Biederman**, T Spencer... - The International Journal ..., 2004 - Cambridge Univ Press

... Furthermore, a recent report provides statistical evidence documenting that the use of stimulants and other pharmacological treatments for **ADHD** significantly decreased the risk for subsequent substance-use disorders in **ADHD** youth (**Biederman** et al., 1999). ...

[Geciteerd door 126](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

Impact of executive function deficits in youth with bipolar I disorder: A controlled study

J **Biederman**, CR Petty, J Wozniak, TE Wilens... - Psychiatry research, 2011 - Elsevier

... Pediatric BPD is frequently comorbid with **ADHD** ([**Biederman** et al., 2000], [Geller et al., 2000] and [Kim & Miklowitz, 2002]) and **ADHD** is well known to be associated with EFDs ([Pennington & Ozonoff, 1996], [Seidman et al., 2001] and [Seidman et al., 2006]). ...

[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

Neural substrates of impaired sensorimotor timing in adult attention-deficit/hyperactivity disorder

[\[PDF\] van martinus.org](#)..., TJ Spencer, SV Faraone, J **Biederman**... - Biological ..., 2010 - Elsevier

... Background. Timing abilities are critical to the successful management of everyday activities and personal safety, and timing abnormalities have been argued to be fundamental to impulsiveness, a core symptom of attention-deficit/hyperactivity disorder (**ADHD**). ... **ADHD** (n = 21), ...

[Geciteerd door 7](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[Plasma and brain concentrations of oral therapeutic doses of methylphenidate and their impact on brain monoamine content in mice](#)

[HTML] [van nih.gov](#)..., JQ Ren, D McCarthy, TJ Spencer, J **Biederman**... - ..., 2009 - Elsevier
... Methylphenidate is one of the most frequently prescribed medications for the treatment of attention deficit hyperactivity disorder (**ADHD**). ... and [Teter et al., 2003]) causing serious and persisting concerns about the potential addictive properties of this compound ([**Biederman** et al ...
[Geciteerd door 7](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Adaptive phase I study of OROS methylphenidate treatment of attention deficit hyperactivity disorder with epilepsy](#)

[HTML] [van nih.gov](#)..., A Torres, B Bourgeois, J **Biederman** - Epilepsy & Behavior, 2010 - Elsevier
... Abstract. Objective. The goal of this study was to pilot a randomized controlled trial of OROS methylphenidate (OROS-MPH) to treat attention deficit hyperactivity disorder (**ADHD**) plus epilepsy. Methods. ... OROS-MPH reduced **ADHD** symptoms more than did placebo treatment. ...
[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Familial risk analysis of the association between attention-deficit/hyperactivity disorder and psychoactive substance use disorder in female adolescents: a controlled ...](#)

[HTML] [van nih.gov](#)J **Biederman**, CR Petty... - Journal of Child ..., 2009 - Wiley Online Library
... Subjects. Subjects were derived from a longitudinal case-control family study of **ADHD** described previously (**Biederman** et al., 1999; **Biederman** et al., 2006). At baseline, we studied female probands aged 6-18 years with (N ...
[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Characterizing non-OCD anxiety disorders in psychiatrically referred children and adolescents](#)

..., C Menard, C Zar-Kessler, J **Biederman** - Journal of affective ..., 2008 - Elsevier
... disorder, agoraphobia, and panic disorder. Youth with disruptive behavior disorders include diagnosis of **ADHD** (N = 602), oppositional defiant disorder (N = 483), or conduct disorder (N = 156). Demographic information for the ...
[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[Parsing the associations between prenatal exposure to nicotine and offspring psychopathology in a nonreferred sample](#)

[HTML] [van nih.gov](#)J **Biederman**, MC Monuteaux, SV Faraone... - Journal of Adolescent ..., 2009 - Elsevier
... Despite these limitations, our results document the independent effect of maternal smoking during pregnancy on both **ADHD** and CD in a nonreferred sample with strict statistical control of confounding factors. ... [4] S. Milberger, J. **Biederman** and S. Faraone et al., Is maternal ...
[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

[Familial transmission of derived phenotypes for molecular genetic studies of substance use disorders](#)

[HTML] [van nih.gov](#)..., TE Wilens, MC Monuteaux, J **Biederman** - Drug and alcohol ..., 2008 - Elsevier
... We used data from families recruited into six contemporaneous studies of four psychiatric conditions in children and adults: **ADHD** ([Faraone et al., 2000a], [Faraone et al., 2000b] and [Faraone et al., 2001a]), panic disorder (PD) and depression (MD) ([**Biederman** et al., 2001a ...
[Geciteerd door 5](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[A prospective open-label trial of extended-release carbamazepine monotherapy in children with bipolar disorder](#)

..., C Williams, S Walls, J **Biederman** - Journal of Child and ... , 2010 - liebertonline.com ... 2005). Equally important is the observation that treatment with CBZ-ER may have significant anti-**ADHD** effects, considering that very high rates of **ADHD** co-morbidity are associated with pediatric BD (**Biederman** et al. 1996; Wozniak et al. ...

[Geciteerd door 5](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[Disruptive behavior disorders in offspring of parents with major depression: Associations with parental behavior disorders](#)

[HTML] [van nih.gov](#) ..., A Beilin, JF Rosenbaum, J **Biederman** - Journal of affective ..., 2008 - Elsevier ... without ADD. In a large, case-controlled study of boys with **ADHD**, the first-degree relatives of **ADHD** probands were at greater risk for MDD compared to relatives of control children without **ADHD** (**Biederman** et al., 1992). Similarly ...

[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Comparison of open-label, 8-week trials of olanzapine monotherapy and topiramate augmentation of olanzapine for the treatment of pediatric bipolar disorder](#)

..., M Kotarski, L Hantsoo, J **Biederman** - Journal of child and ..., 2009 - liebertonline.com ... 2001; **Biederman** et al. 2005b; Tohen et al. 2006b; Tohen et al. 2007). ... While concomitant **ADHD** treatment was permitted, only 1 subject was on a stimulant medication, making it impossible to evaluate the utility of this concomitant medication in facilitating weight gain. ...

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Behavioral inhibition in preschool children at risk is a specific predictor of middle childhood social anxiety: a five-year follow-up](#)

DR Hirshfeld-Becker, J **Biederman**... - ... of Developmental & ..., 2007 - journals.lww.com ... up. Hirshfeld-Becker, Dina R. PhD; **Biederman**, Joseph MD; Henin, Aude PhD; Faraone, Stephen V. PhD; Davis, Stephanie BA; Harrington, Kara MS; Rosenbaum, Jerrold F. MD. Article Outline. Collapse Box Author Information. ...

[Geciteerd door 71](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

[Neurocognitive impairment in unaffected siblings of youth with bipolar disorder](#)

[HTML] [van nih.gov](#) ..., SV Faraone, J **Biederman** - Psychological ..., 2009 - Cambridge Univ Press ... youth with bipolar disorder AE Doyle*, J. Wozniak, TE Wilens, A. Henin, LJ Seidman, C. Petty, R. Fried, LM Gross, SV Faraone and J. **Biederman** ... All analyses controlled for age, sex and attention-deficit/hyperactivity disorder (**ADHD**). Results. ...

[Geciteerd door 5](#) - [Verwante artikelen](#) - [Alle 9 versies](#)

[Prescribing patterns for treatment of pediatric bipolar disorder in a specialty clinic](#)

[HTML] [van nih.gov](#) ..., J Wozniak, TE Wilens, J **Biederman** - Journal of child and ..., 2009 - liebertonline.com ... 2002; Wozniak et al. 2002; Harpold et al. 2005; Masi et al. 2007), and attention-deficit/hyperactivity disorder (**ADHD**) (Borchardt and Bernstein 1995; Geller et al. 1995; Lewinsohn et al. 1995; **Biederman** et al. 1996; West et al. 1995a; West et al. 1995b; Wozniak et al. ...

[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[\[HTML\] Family-based association study of the BDNF, COMT and serotonin transporter genes and DSM-IV bipolar-I disorder in children](#)

[\[HTML\] van biomedcentral.com](#)E Mick, J Wozniak, T Wilens, J **Biederman**... - BMC ..., 2009 - biomedcentral.com

... **Biederman** J, Mick E, Faraone SV, Van Patten S, Burback M, Wozniak J: A Prospective Follow Up Study of Pediatric Bipolar Disorder ... Geller B, Williams M, Zimmerman B, Frazier J, Beringer L, Warner K: Prepubertal and early adolescent bipolarity differentiate from **ADHD** by manic ...

[Geciteerd door 7](#) - [Verwante artikelen](#) - [In cache](#) - [Alle 13 versies](#)

[Effects of Stimulants on Height and Weight: A Review of the Literature.](#)

SV Faraone, J **Biederman**, CP Morley... - Journal of the American ..., 2008 - eric.ed.gov
EJ813966 - Effects of Stimulants on Height and Weight: A Review of the Literature.

[Geciteerd door 2](#) - [Verwante artikelen](#) - [In cache](#)

[Examination of concordance between maternal and youth reports in the diagnosis of pediatric bipolar disorder](#)

J **Biederman**, CR Petty, TE Wilens... - Bipolar ..., 2009 - Wiley Online Library
... Wilmington, DE: Jastak Associates, 1993. 15 Mennin D, **Biederman** J, Mick E, Faraone SV. Towards defining a meaningful anxiety phenotype for research in **ADHD** children. J Atten Disord 2000; 3: 192–199. CrossRef. 16 Hollingshead AB. Four Factor Index of Social Status. ...

[Geciteerd door 3](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[A controlled family study of children with DSM-IV bipolar-I disorder and psychiatric co-morbidity](#)

[\[HTML\] van nih.gov](#)..., A Coville, J **Biederman** - Psychological ..., 2010 - Cambridge Univ Press
... Hos- pital. Probands were recruited for studies of bipolar probands 6–17 years of age of both genders (Wozniak, 2005) and **ADHD** or non-**ADHD** control probands 6–17 years of age of both genders (**Biederman** et al. 1992, 1999 ...

[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

[Relationship of DAT1 and adult ADHD to task-positive and task-negative working memory networks](#)

AB Brown, J **Biederman**, E Valera, N Makris... - Psychiatry research. ..., 2011 - cat.inist.fr
Résumé/Abstract Alterations in working memory, default-mode network (DMN), and dopamine transporter have all been proposed as endophenotypes for attention-deficit/hyperactivity disorder (**ADHD**). Despite evidence that these systems are interrelated ...

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[A Prospective Open-Label Trial of Lamotrigine Monotherapy in Children and Adolescents with Bipolar Disorder](#)

J **Biederman**, G Joshi, E Mick... - CNS neuroscience ..., 2010 - Wiley Online Library
... showed that acute treatment with lamotrigine was associated with antimanic, antidepressant, antipsychotic, and anti-**ADHD** responses in ... Dr. Joseph **Biederman** is currently receiving research support from the following sources: Alza, AstraZeneca, Bristol Myers Squibb, Eli Lilly ...

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[Suggestive linkage of the child behavior checklist juvenile bipolar disorder phenotype to 1p21, 6p21, and 8q21](#)

[\[HTML\] van nih.gov](#)AE Doyle, J **Biederman**, MAR Ferreira... - Journal of the American ..., 2010 - Elsevier

... scales. The profile was first noted by **Biederman** et al. 11 to occur in youth with BPD and to differ from scores of those without the condition, including children with **ADHD** who showed only an elevated Attention Problems Scale. ...

[Geciteerd door 3](#) - [Verwante artikelen](#) - [Alle 10 versies](#)

Does ADHD moderate the manifestation of anxiety disorders in children?

..., C Petty, A Lamb, E Bristol, J **Biederman** - European child & ..., 2010 - Springer
Abstract The main aim of this study was to examine the moderating effects of attention deficit hyperactivity disorder (**ADHD**) on anxiety disorders in children. Data were analyzed from a large referred sample of children with anxiety disorder without comorbid **ADHD** (anxiety ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Representativeness of Participants in a Clinical Trial for Attention-Deficit/Hyperactivity Disorder? Comparison With Adults From a Large Observational Study

..., TJ SPENCER, NF CHU, J **BIEDERMAN** - The Journal of clinical ..., 2010 - cat.inist.fr
... R. (1) ; FARAONE Stephen V. (2) ; SPENCER Thomas J. (1) ; CHU Nicole F. (1) ; **BIEDERMAN** Joseph (1) ; Affiliation(s) du ou des auteurs / Author(s) Affiliation(s). (1) Clinical and Research Program in Pediatric Psychopharmacology and Adult **ADHD**, Massachusetts General ...

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[HTML] Are cognitive deficits in ADHD related to the course of the disorder? A prospective controlled follow-up study of grown up boys with persistent and remitting ...

[\[HTML\] van nih.gov](#) J **Biederman**, CR Petty, SW Ball, R Fried... - Psychiatry ..., 2009 - ncbi.nlm.nih.gov
Abstract To investigate the longitudinal course of cognitive functions in boys with persistent and remittent **ADHD** from childhood into young adult years. Males (n= 217) 15-31 years with and without **ADHD** were assessed at 3 time points over 10 years into young adulthood. ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

Does ADHD Predict Substance-Use Disorders? A 10-Year Follow-up Study of Young Adults With ADHD

[\[HTML\] van jaacap.com](#) ..., C Bateman, R Fried, C Petty, J **Biederman** - Journal of the American ..., 2011 - Elsevier

Objective High rates of substance-use disorders (SUD) have been found in samples of adolescents and adults with attention-deficit/hyperactivity disorder (**ADHD**). Predictors of SUD in children with **ADHD** who are at risk for the development of SUDs remain ...

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[HTML] Patterns and predictors of ADHD persistence into adulthood: Results from the National Comorbidity Survey Replication

[\[HTML\] van nih.gov](#) ..., LA Adler, R Barkley, J **Biederman**... - Biological ..., 2005 - ncbi.nlm.nih.gov
BACKGROUND Despite growing interest in adult **ADHD**, little is known about predictors of persistence of childhood cases into adulthood. METHODS A retrospective assessment of childhood **ADHD**, childhood risk factors, and a screen for adult **ADHD** were included in a ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

[CITAAT] Efficacy and safety of lisdexamfetamine (LDX) in children aged 6 to 12 years with attention-deficit/hyperactivity disorder (ADHD)

..., S Krishnan, J Biederman - 53rd Annual Meeting of the American ..., 2006

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Long term treatment with methylphenidate in adults with ADHD: results from a 6 month study

T Spencer, J Biederman, E Mick, J Martin... - Program and abstracts of the ..., 2006

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Improvements in symptoms of ADHD in school-aged children with lisdexamfetamine (SPD489/NRP104) and extended-release mixed amphetamine salts ...

J Biederman, S Boellner, A Childress, FA Lopez... - ... Association (APA) Annual ..., 2006

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Mixed amphetamine salts XR in adults with ADHD: 18-month interim analysis

J Biederman - 157th Annual Meeting of the American Psychiatric ..., 2004

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Dose-response efficacy of Adderall XR in adults with ADHD

SV Faraone, J Biederman, TJ Spencer - ... presented at: 157th Annual Meeting of the ..., 2004

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Efficacy and safety of lisdexamfetamine (NRP104) in children aged 6 to 12 years with attentiondeficit/hyperactivity disorder (ADHD)

J Biederman, S Krishnan, P Hodgkins... - ... at: 159th Annual Meeting of the ..., 2006

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] SV, Greenhill LL, Howes MJ, Secnik K, Spencer T, Ustun TB, Walters EE, Zaslavsky AM. The prevalence and correlates of adult ADHD in the United States: ...

RC Kessler, L Adler, R Barkley, J Biederman... - Am J Psychiatry, 2006

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Doseresponse efficacy of mixed amphetamine salts XR in adults with ADHD

S Faraone, J Biederman, T Spencer, TE Wilens... - 157th Annual Meeting of ..., 2004

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Efficacy and safety of guanfacine extended release for children and adolescents with ADHD

..., A Patel, J Konow, N Scherer, J Biederman - ... and abstracts of the 19th US ..., 2006

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] Efficacy and Safety of Modafinil Film-Coated Tablets in Children and Adolescents With ADHD: Results of a Randomized, Double-Blind, Placebo-Controlled, ...

J Biederman, JM Swanson, SB Wigal - Pediatrics, 2005

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] P. 1.090 Effectiveness of risperidone for the treatment of ADHD in children and adolescents with bipolar disorder

..., I Biederman - European Neuropsychopharmacology, 2004 - Elsevier

[Geciteerd door 1](#) - [Verwante artikelen](#)

[CITAAT] P. 7. d. 003 The validity of the quality of life enjoyment and satisfaction questionnaire in adults with ADHD

E Mick, J Biederman, T Spencer... - European ..., 2006 - Elsevier

[Geciteerd door 1](#) - [Verwante artikelen](#)

Cognitive Development in Adults With Attention-Deficit/Hyperactivity Disorder: A Controlled Study in Medication-Naive Adults Across the Adult Life Cycle

J Biederman, R Fried, CR Petty, J Wozniak... - The Journal of clinical ..., 2011 - cat.inist.fr
... BIEDERMAN Joseph (1) ; FRIED Ronna (1) ; PETTY Carter R. (1) ; WOZNIAK Janet (1) ; DOYLE Alysa E. (1) ; HENIN Aude (1) ; CORKUM Lyndsey (1 ... (1) Department of Psychiatry, Clinical and Research Programs in Pediatric Psychiatry and Adult ADHD at Massachusetts ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

Do executive function deficits predict later substance use disorders among adolescents and young adults?

..., R Fried, C Petty, C Bateman, J Biederman - Journal of the American ..., 2011 - Elsevier
... inhibition (impairments on this scale could be due to inhibitory difficulties and/or problems with reading and rapid naming; we consider rapid naming relevant to ADHD, given that such difficulties are also found in participants with ADHD, even in ... 5 Analyses by Biederman et al. ...

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Symptoms versus Impairment: The Case for Respecting" DSM-IV"

..., L Lewandowski, JJ Hudziak, J Biederman... - Journal of Attention ..., 2006 - eric.ed.gov
... Publication Date: 2006-00-00. Pages: 11. Pub Types: Journal Articles; Reports - Research.
Abstract: Diagnosing ADHD based primarily on symptom reports assumes that the number/frequency of symptoms is tied closely to the impairment imposed on an individual's ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [In cache](#)

Guanfacine Extended Release for Pediatric Attention Deficit/Hyperactivity Disorder?

WT Basco Jr, J Biederman, RD Melmed, A Patel - Pediatrics, 2008 - medscape.com
... Biederman J, Melmed RD, Patel A, et al. Pediatrics. ... This randomized, controlled trial examines whether extended-release guanfacine, a selective alpha 2 -adrenoceptor agonist, is effective for children and adolescents with attention deficit/hyperactivity disorder (ADHD). ...

[Geciteerd door 1](#) - [Verwante artikelen](#)

[Gray matter alterations in adults with attention-deficit/hyperactivity disorder identified by voxel based morphometry](#)

[HTML] [van biologicalpsychiatryjournal.com](#) LJ Seidman, J **Biederman**, L Liang, EM Valera... - Biological ..., 2010 - Elsevier

... Background: Gray and white matter volume deficits have been reported in many structural magnetic resonance imaging (MRI) studies of children with attention-deficit/hyperactivity disorder (ADHD); however, there is a paucity of structural MRI studies of adults with ADHD. ...

[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

[\[HTML\] DOES CONDUCT DISORDER MEDIATE THE DEVELOPMENT OF SUBSTANCE USE DISORDERS IN ADOLESCENTS WITH BIPOLAR DISORDER? A ...](#)

[HTML] [van nih.gov](#)..., M Schillinger, M Gignac, J **Biederman** - The Journal of clinical ..., 2009 - ncbi.nlm.nih.gov

... J Am Acad Child Adolesc Psychiatry. 2007 Feb;46(2):197-204. [PMC free article] [PubMed]. 17. Wilens TE, **Biederman** J, Milberger S, et al. Is bipolar disorder a risk for cigarette smoking in ADHD youth? Am J Addict. 2000;9(3):187-195. [PubMed]. 18. ...

[Geciteerd door 2](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[\[HTML\] A Randomized Placebo Controlled Trial Of Hypericum perforatum For Attention Deficit Hyperactivity Disorder In Children And Adolescents](#)

[HTML] [van nih.gov](#)..., RL McCarty, NS Weiss, J **Biederman**... - JAMA: the journal of ..., 2008 - ncbi.nlm.nih.gov

... American Academy of Pediatrics. Pediatrics. 2000 May;105(5):1158-1170. [PubMed]. 2. Faraone SV, Sergeant J, Gillberg C, **Biederman** J. The worldwide prevalence of ADHD: is it an American condition? World Psychiatry. 2003;2(2):104-113. [PMC free article] [PubMed]. 3 ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [Alle 2 versies](#)

[Child Behavior Checklist Clinical Scales Discriminate Referred Youth With Autism Spectrum Disorder: A Preliminary Study](#)

J **Biederman**, CR Petty, R Fried... - ... of Developmental & ..., 2010 - journals.lww.com

... **Biederman**, Joseph MD*; Petty, Carter R. MA*; Fried, Ronna EdD*; Wozniak, Janet MD*; Micco, Jamie A. PhD*; Henin, Aude PhD*; Doyle, Robert MD*; Joshi, Gagan MD*; Galdo, Maribel MSW*; Kotarski, Meghan MBA*; Caruso, Janet BA*; Yorks, Dayna BA*; Faraone, Stephen V ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

[CITAAT] P. 6.033 5 Year follow-up study of females with ADHD

E Mick, J **Biederman**... - European Neuropsychopharmacology, 2004 - Elsevier

[Verwante artikelen](#) - [Alle 2 versies](#)

[CITAAT] Prenatal Nicotine Exposure Mouse Model of ADHD

T Spencer, J **Biederman**... - Neurotoxicology and Teratology, 2011

[Stimulant treatment of adult ADHD](#)

..., J **Biederman** - ADHD in Adults: Characterization, ..., 2011 - books.google.com

Adult attention-deficit hyperactivity disorder (ADHD) has been increasingly recognized in the

clinical and scientific literature as a valid clinical entity (Spencer et al., 1994). Data from family aggregation, genetics, treatment response, neuropsychology, and neuroimaging ...

[Verwante artikelen](#)

[CITAAT] P. 1. i. 003 Examination of the effects of stimulant treatment across the adult lifecycle of adults with ADHD: a controlled study

J Biederman, R Fried, C Petty... - European ..., 2010 - Elsevier

[CITAAT] Multivariate genomewide linkage scan of neurocognitive traits and ADHD symptoms: Suggestive linkage to 3q13 **How to Cite this Article: Doyle AE, Ferreira ...**

..., EG Willcutt, JW Smoller, S Purcell, J Biederman... - American Journal of ..., 2009

[HTML] The CBCL-Pediatric Bipolar Disorder Profile Predicts a Subsequent Diagnosis of Bipolar Disorder and Associated Impairments in ADHD Youth Growing Up: A ...

[\[HTML\] van nih.gov](#) J Biederman, C Petty, MC Monuteaux... - The Journal of clinical ..., 2009 - ncbi.nlm.nih.gov
Objective To examine the predictive utility of the Child Behavior Checklist Pediatric Bipolar Disorder (CBCL-PBD) profile to help identify children at risk for bipolar disorder. Methods Subjects were ascertained from two identically designed longitudinal case-control family ...

[Verwante artikelen](#)

[PDF] Young Adults with Attention Deficit Hyperactivity Disorder (ADHD): The impact of secondary tasks on driving performance

[\[PDF\] van mit.edu](#) ..., JF Coughlin, R Fried, J Biederman - mit.edu

Abstract Objective: Young adults with Attention Deficit Hyperactivity Disorder (ADHD) are at higher risk for being involved in automobile crashes. Driving simulators have been used in a variety of contexts to categorize a number of deficits in performance exhibited by drivers ...

[Verwante artikelen](#) - [HTML-versie](#) - [Alle 2 versies](#)

Concordance between Cigarette Smoking and the Modified Fagerström Tolerance Questionnaire in Controlled Studies of ADHD

[\[HTML\] van nih.gov](#) ..., D Westerberg, J Biederman - The American ..., 2008 - Wiley Online Library

Our objective was to compare scores on a smoking questionnaire to a diagnosis of cigarette smoking. As part of follow-ups in studies of ADHD, we assessed for cigarette smoking using structured interviews and the modified Fagerström Tolerance Questionnaire (mFTQ). Data ...

[Verwante artikelen](#) - [Alle 9 versies](#)

[CITAAT] 8. a. 021 Comparative acute efficacy and tolerability of OROS and immediate release formulations of methylphenidate in the treatment of adults with ADHD

J Biederman, TJ Spencer... - European Neuropsychopharmacology, 2006 - Elsevier

Deficient emotional self-regulation and pediatric attention deficit hyperactivity disorder: a family risk analysis

J Biederman, T Spencer, A Lomedico... - Psychological ..., 2011 - Cambridge Univ Press

... J. **Biederman**, MD, Clinical and Research Program in Pediatric Psychopharmacology and Adult **ADHD**, Massachusetts General Hospital, Pediatric Psychopharmacology Unit, Yawkey Center for Outpatient Care, YAW-6A-6900, 32 Fruit Street, Boston, MA 02114-3139, USA. ...

[Alle 2 versies](#)

[CITAAT] Effects of ADHD in a simulated workplace environment

R Fried, J **Biederman**, E Mick - Program and abstracts of the American Psychiatric ..., 2005

[CITAAT] S. 14.01 Is pediatric mania a developmental subtype of bipolar disorder?

I **Biederman** - European Neuropsychopharmacology, 2004 - Elsevier

ADHD and the Misuse of Medications by Teens: Child and Psychiatry Viewpoint

..., MC Monuteaux, J **Biederman** - J Am Acad Child ..., 2006 - medscape.com

Summary To estimate the rate of misuse of medications prescribed for attention-deficit/hyperactivity disorder (**ADHD**), 7 relevant questions were posed to 55 subjects with **ADHD** (82% male, mean age 20.8 years) and to 43 controls (47% male, mean age 23 ...

Pediatric bipolar disorder in a Spanish sample: Results after 2.6 years of follow-up

[\[PDF\] van fundacionaliciakoplowitz.org...](#), A Figueroa-Quintana, J **Biederman** - Journal of affective ..., 2011 - Elsevier

... DelBello et al. (2007) also described co-occurring **ADHD** as a predictor of poor syndromic recovery. ... However, other authors found that BD patients treated with SSRIs recover earlier but have higher number or recurrences (**Biederman** et al., 2000). ...

[Verwante artikelen](#) - [Alle 5 versies](#)

[CITAAT] S. 10.01 Volumetric MRI in adults with ADHD

J **Biederman** - European Neuropsychopharmacology, 2007 - Elsevier

[CITAAT] P. 7. a. 004 Psychiatric outcomes of girls with ADHD grown up: a controlled 11-year follow-up study

J **Biederman**, C Petty, M Monuteaux... - European ..., 2010 - Elsevier

[Verwante artikelen](#)

... Moderated by Treatment with Antidepressants or Psychiatric Comorbidity? A Secondary Analysis from a Large Randomized Double Blind Study of Adults with ADHD

J **Biederman**, E Mick, T Spencer... - CNS Neuroscience ..., 2010 - Wiley Online Library
Aims: The main aim of this post hoc analysis was to evaluate whether response to osmotic release oral system (OROS) methylphenidate (OROS-MPH) was moderated by the concomitant use of antidepressants in attention-deficit/hyperactivity disorder (**ADHD**) ...

[Verwante artikelen](#)

[Response to Second Generation Antipsychotics in Youth with Comorbid Bipolar Disorder and Autism Spectrum Disorder](#)

G Joshi, J **Biederman**, J Wozniak... - CNS Neuroscience ..., 2010 - Wiley Online Library
... Gagan Joshi,1,2 Joseph **Biederman**,1,2 Janet Wozniak,1,2 Robert Doyle,1,2 Paul Hammerness,1,2 Maribel Galdo ... endpoint, depression symptomatology and severity were assessed with the Children's Depression Rating Scale—Revised (CDRS-R) [28], **ADHD** was assessed ...
[Verwante artikelen](#) - [Alle 2 versies](#)

[PDF] [Tips to individualize drug therapy](#)

[PDF] [van currentpsychiatry.com](#) TE Wilens, MDJ **Biederman**... - currentpsychiatry.com
... The **ADHD** Report 1997;5:8-10. 4. **Biederman** J. Attention-deficit/hyperactivity disorder: a life-span perspective. ... 9. Millstein RB, Wilens TE, **Biederman** J, Spencer, TJ. Presenting **ADHD** symptoms and subtypes in clinically referred adults with **ADHD**. ...
[Verwante artikelen](#) - [HTML-versie](#)

[Predictors of persistence in girls with attention deficit hyperactivity disorder: results from an 11-year controlled follow-up study](#)

J **Biederman**, CR Petty, KB O'Connor... - Acta Psychiatrica ..., 2011 - Wiley Online Library
... Fig. 3. Child behavior checklist at baseline. **Biederman** et al. 6 Page 7. persistence in girls with **ADHD** were highly dependent on the definition used. While 23% of the girls attained full remission in young adult years, the other 77% showed evidence of some form of persistence. ...

[The course and persistence of ADHD throughout the life-cycle](#)

J **Biederman** - **ADHD** in Adults: Characterization, Diagnosis, and ..., 2011 - books.google.com
An important step in understanding the significance and therapeutic needs of psychiatric syndromes is documenting the course of the disorder. Those individuals who have chronic forms of disorder generally suffer greater consequences as a result, have more severe ...
[Verwante artikelen](#)

[Stimulants and Sudden Death: What Is the Real Risk?: In Reply](#)

T Wilens, J **Biederman**, TJ Spencer... - Pediatrics, 2007 - Am Acad Pediatrics
... REFERENCES 1. Wilens TE, Prince JB, Spencer TJ, **Biederman** J. Stimulants and sudden death: what is a physician to do? Pediatrics. ... J Child Adolesc Psychopharmacol. 2006;16:33–36 3. Rusk J. FDA's Pediatric Advisory Committee does not back black box for **ADHD** drugs. ...
[Verwante artikelen](#) - [Alle 4 versies](#)

[Stimulant Treatment in Children and Later Diagnosis of Psychiatric Disorders](#)

WT Basco Jr, J **Biederman**, MC Monuteaux... - Pediatrics, 2009 - medscape.com
... This study by **Biederman** and colleagues looked specifically at diagnoses of other psychiatric disorders after diagnosis with **ADHD** to determine whether stimulant treatment was associated with lower risk of being diagnosed with major depression, multiple anxiety disorder ...

[HTML] [THE LONGITUDINAL COURSE OF COMORBID OPPOSITIONAL DEFIANT DISORDER IN GIRLS WITH ADHD: FINDINGS FROM A CONTROLLED 5-YEAR ...](#)

[HTML] [van nih.gov](#) J **Biederman**, CR Petty, MC Monuteaux... - ... of developmental and ..., 2008 - ncbi.nlm.nih.gov
Objective A better understanding of the long-term scope and impact of the comorbidity with oppositional defiant disorder (ODD) in girls with attention-deficit/hyperactivity disorder (**ADHD**) has important clinical and public health implications. However, most of the ...

[Verwante artikelen](#) - [Alle 2 versies](#)

[CITAAT] ADHD prevalence around the world: what are the real sources of variability in estimates? A systematic review and meta-regression analysis

..., M Silva de Lima, B Horta, J **Biederman**... - 52nd Annual Meeting of the ..., 2005

Comparative acute efficacy and tolerability of OROS and immediate release formulations of methylphenidate in the treatment of adults with attention-deficit/ ...

B Joseph, M Eric, S Craig, D Robert... - BMC ..., 2007 - en.scientificcommons.org
... daily to those of once daily OROS-MPH. Methods Subjects were outpatient adults satisfying full diagnostic criteria for DSM-IV **ADHD** between 19 and 60 years of age. Data from two independently conducted 6-week placebo ...

[In cache](#) - [Alle 2 versies](#)

[CITAAT] MARC LERNER, MD, KIMBERLY M. COOPER, MS, and BRENDA ZIMMERMAN, MS, ON BEHALF OF THE CONCERTA STUDY GROUP

..., SV FARAONE, J **BIEDERMAN** - Journal of the American ..., 2006 - Elsevier

[Verwante artikelen](#)

Efficacy and Safety of Lisdexamfetamine Dimesylate [LDX; NRP104] in Children Aged 6 to 12 Years with Attention-Deficit/Hyperactivity Disorder

J **Biederman**, H Mandler, S Krishnan... - ... of Developmental & ..., 2006 - journals.lww.com
... **Biederman**, Joseph1; Mandler, Hilary2; Krishnan, Suma3; Findling, Robert L.4. Article Outline. Collapse Box ... The objective of this study was to compare the efficacy and safety of LDX with placebo in school-aged children with attention-deficit/hyperactivity disorder (**ADHD**). ...

[HTML] Medications Used for Attention-Deficit/Hyperactivity Disorder

[\[HTML\] van psychiatryonline.org](#)T Spencer, J **Biederman**... - 2010 - Am Psychiatric Assoc
0.

[In cache](#)

Genome-wide copy number variation study associates metabotropic glutamate receptor gene networks with attention deficit hyperactivity disorder

..., C Seitz, SK Loo, SL Smalley, J **Biederman**... - Nature Genetics, 2011 - nature.com
... Attention deficit hyperactivity disorder (**ADHD**) is a common, heritable neuropsychiatric disorder of unknown etiology. ... We identified rare recurrent CNVs affecting glutamatergic neurotransmission genes that were overrepresented in multiple **ADHD** cohorts. Figures at a glance. ...

[CITAAT] Overall improvement of children with ADHD with lisdexamfetamine dimesylate (LDX; NRP104) and MAS XR

..., A Childress, S Krishnan, J **Biederman** - ... of the 19th US Psychiatric & ..., 2006

[PDF] JOURNAL OF PSYCHIATRIC RESEARCH

[\[PDF\] van rioverde.ws](#)J **Biederman**, SV Faraone, J Wozniak... - Journal of Psychiatric ..., 2005 - rioverde.ws

... al., 2003, 1997a). However, the combination of atypical features and the high comorbidity with **ADHD** led some to question the validity of BPD in children (**Biederman** et al., 1998; Klein et al., 1998). Because bipolar disorder ...

[Verwante artikelen](#) - [HTML-versie](#)

Brain Biochemical Effects of Methylphenidate Treatment Using Proton Magnetic Spectroscopy in Youth with Attention-Deficit Hyperactivity Disorder: A Controlled Pilot ...

P Hammerness, J **Biederman**, C Petty... - CNS Neuroscience ..., 2010 - Wiley Online Library
... J Am Acad Child Adolesc Psychiatry 2007;46:894–921. 2. Faraone SV, Sergeant J, Gillberg C, **Biederman** J. The worldwide prevalence of **ADHD**: Is it an American condition? World Psychiatry 2003;2: 104–113. 3. Valera EM, Faraone SV, Murray KE, Seidman LJ. ...

[Verwante artikelen](#) - [Alle 2 versies](#)

Pharmacologic Treatments for Pediatric Bipolar Disorder: A Review and Meta-Analysis

[[HTML](#)] [van jaacap.org](#)..., JR Wozniak, SV Faraone, J **Biederman** - Journal of the American ..., 2011 - Elsevier
... BA c , Carter R. Petty MA c , Janet R. Wozniak MD c , d , Stephen V. Faraone Ph.D. e and Joseph **Biederman** MD c ... c Clinical and Research Programs in Pediatric Psychopharmacology and Adult Attention-Deficit/Hyperactivity Disorder (**ADHD**) at Massachusetts General Hospital. ...

[Geciteerd door 3](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

S. 22.05 Effects of stimulant treatment on subsequent substance use disorders and other psychiatric disorders in ADHD youth grown up: a prospective 10 year follow- ...

J **Biederman** - European ..., 2009 - ...

No abstract is available. To read the body of this article, please view the PDF online. ... © 2009 Elsevier BV and ECNP. Published by Elsevier Inc. All rights reserved. ... Visit SciVerse ScienceDirect to see if you have access via your institution. ... Advertisements on this site do not ...

[In cache](#) - [Alle 2 versies](#)

Are Late-Onset and Subthreshold ADHD Valid Diagnoses? Psychiatry & Mental Health Viewpoint

I Kuo, SV Faraone, J **Biederman**... - Am J Psychiatry, 2006 - medscape.com
Summary This study was designed to evaluate the validity of the age of onset criteria, per the Diagnostic and Statistical Manual of Mental Disorders Fourth Edition (DSM-IV), for the diagnosis of attention-deficit/hyperactivity disorder (**ADHD**). Currently, a diagnosis of ...

[Alle 2 versies](#)

[CITAAT] Bipolar Disorder in Children

..., J **Biederman** - ... and behavioral pediatrics: ..., 2005 - Lippincott Williams & Wilkins

[Verwante artikelen](#) - [Alle 2 versies](#)

[CITAAT] Prenatal Nicotine Exposure Mouse Model of ADHD

J Zhu, T Spencer, J **Biederman**... - Neurotoxicology and Teratology, 2011 - Elsevier

[CITAAT] Differential Effect of ADHD and Bipolar Disorder Symptoms on Working Memory Network Abnormalities in Comorbid Subjects

AB Brown, J **Biederman**, EM Valera, N Makris... - Neuroimage, 2009 - Elsevier

Efficacy of atomoxetine in adult attention-Deficit/Hyperactivity Disorder: a drug-placebo response curve analysis

F Stephen, B Joseph, S Thomas... - Behavioral and ..., 2005 - en.scientificcommons.org
... Abstract Background The objective of this study was to evaluate the efficacy of atomoxetine, a new and highly selective inhibitor of the norepinephrine transporter, in reducing symptoms of attention-deficit/hyperactivity disorder (**ADHD**) among adults by using drug-placebo ...

[In cache](#) - [Alle 3 versies](#)

[CITAAT] ADHD symptom improvement is school-aged children with lisdexamfetamine dimesylate (LDX; NRP104) and MAS XR vs placebo

J **Biederman**, SW Boellner, A Childress, F Lopez... - ... of the 19th US Psychiatric & ..., 2006

[CITAAT] Five-Year Follow-up Study of Girls With ADHD

..., J **Biederman**

[Verwante artikelen](#) - [Alle 2 versies](#)

[CITAAT] P. 7. a. 002 A controlled family study of children with DSM-IV bipolar-I disorder

J **Biederman**, J Wozniak, S Faraone... - European ..., 2010 - Elsevier

A Laboratory Driving Simulation for Assessment of Driving Behavior in Adults with ADHD: A Controlled Study

[\[PDF\] van harvard.edu](#)..., S Schoenfeld, J **Biederman**... - Annals of General ..., 2007 - dash.harvard.edu
Background: It is now estimated that attention deficit-hyperactivity disorder (**ADHD**) afflicts at least 4% of adults in the United States and is associated with high levels of morbidity and functional impairment. One key area of dysfunction associated with **ADHD** is impaired ...

[Verwante artikelen](#)

Predictors of ADHD Persistence in Girls at 5-Year Follow-Up

..., SV Faraone, J **Biederman** - Journal of Attention ..., 2011 - jad.sagepub.com

Objective: The main aim of this study was to examine the age-dependent remission from **ADHD** in girls transitioning through childhood into adolescence and early adulthood.

Method: We conducted a 5-year prospective follow-up study of 123 girls with **ADHD** and ...

[Geciteerd door 1](#) - [Verwante artikelen](#) - [Alle 3 versies](#)

Mixed amphetamine salts extended release for the treatment of ADHD.

J **Biederman** - CNS spectrums, 2005 - psycnet.apa.org

Abstract 1. Attention-deficit/hyperactivity disorder (**ADHD**) is widely recognized as one of the most common psychiatric disorders initially diagnosed and treated in childhood; however, it is less widely recognized as a disorder that often persists into adolescence and adulthood ...

[Alle 2 versies](#)

[Does exposure to maternal smoking during pregnancy affect the clinical features of ADHD? Results from a controlled study](#)

J **Biederman**, CR Petty, PG Bhide... - World Journal of ..., 2011 - informahealthcare.com
Abstract Objectives. Exposure to maternal smoking during pregnancy may be a significant risk factor for attention-deficit/hyperactivity disorder (**ADHD**) independently of family history of **ADHD**. The main aim of this study was to examine whether the clinical profile of **ADHD** ...
[Verwante artikelen](#) - [Alle 2 versies](#)

[The prevalence and correlates of adult ADHD](#)

..., LA Adler, R Barkley, J **Biederman**... - **ADHD** in Adults: ..., 2011 - books.google.com
It has long been known that attention-deficit/hyperactivity disorder (**ADHD**) is one of the most common psychiatric disorders among children (Bird et al., 1988; Shekim et al., 1985). However, there is much less agreement about the extent to which **ADHD** persists into ...
[Verwante artikelen](#)

[Toward defining deficient emotional self-regulation in children with attention-deficit/hyperactivity disorder using the Child Behavior Checklist: a controlled study.](#)

..., H Batchelder, J Wozniak, J **Biederman** - Postgraduate ..., 2011 - ukpmc.ac.uk
... Or filter your current search. Wozniak J, Find all citations by this author (default). Or filter your current search. **Biederman** J. Clinical and Research Programs in Pediatric Psychopharmacology and Adult **ADHD**, Massachusetts General Hospital, Boston, MA 02114, USA. ...
[In cache](#)

[PDF] [Journal of ADHD](#)

[\[PDF\] van amazonaws.com](#) RA Barkley, SV Faraone, J **Biederman**... - 2010 - higherlogicdownload.s3.amazonaws.com ...
ABSTRACT Background: Recent reviews have argued that emotional impulsiveness (EI) and deficient emotional self-regulation are central components in attention-deficit/hyperactivity disorder (**ADHD**), not merely associated features or the consequence ...
[Verwante artikelen](#) - [Alle 4 versies](#)

[HTML] [Focus points• Bipolar and bipolar spectrum disorder are common in children.• Atypical neuroleptics have been found to be efficacious in the management of ...](#)

[\[HTML\] van cnsspectrums.com](#) J **Biederman**, MA McDonnell, J Wozniak... - CNS ..., 2005 - cnsspectrums.com ... 3). These included mood stabilizers/anticonvulsants (n=16 [39%]), central nervous system stimulants (n=14 [34%]), non-stimulant **ADHD** treatments (n ... 1. **Biederman** J, Mick E, Faraone SV, Spencer T, Wilens TE, Wozniak J. Pediatric mania: a developmental subtype of bipolar ...
[Verwante artikelen](#) - [In cache](#)

[CITAAT] CHRISTOPHER J. KRATOCHVIL, MD, JEFFREY H. NEWCORN, MD, L. EUGENE ARNOLD, MD, DAVID DUESENBERG, MD, GRAHAM J. EMSLIE, MD, ...

..., J **BIEDERMAN** - ... of the American Academy of Child ..., 2005 - The Academy
[Verwante artikelen](#)

[HTML] [Clinical Supplement](#)

[HTML] [van cnsspectrums.com](#) J Biederman - CNS Spectr, 2005 - cnsspectrums.com
... J Clin Psychiatry. 2002;63(suppl 12):10-15. 5. Faraone SV, Biederman J. A controlled study of functional impairments in 500 ADHD adults. Presented at: 157th Annual Meeting of the American Psychiatric Association; May 1-6, 2004; New York, NY. ...
[Verwante artikelen](#) - [In cache](#)

[A prospective open-label trial of quetiapine monotherapy in preschool and school age children with bipolar spectrum disorder](#)

..., B Glaeser, K Brethel, D Yorks, J Biederman - Journal of Affective ..., 2011 - Elsevier
... BPD and one of only two reports addressing the pharmacotherapy of BPD in children under age 6 years (Biederman et al ... Given the strong overlap of pediatric BPD with attention deficit hyperactivity disorder (ADHD), stimulant and non-stimulant anti-ADHD medications were ...
[Verwante artikelen](#) - [Alle 2 versies](#)

[CITAAT] P. 6.029 Efficacy in a 5 month trial of methylphenidate in adults with attention-deficit/hyperactivity disorder

T Spencer, J Biederman, E Mick... - European ..., 2004 - Elsevier

[Childhood and adolescent mental health: Modafinil film-coated tablets in children and adolescents with attention-deficit/hyperactivity disorder: Results of a randomized ...](#)

..., A Sedillo, CQ Earl, JG Jiang, J Biederman - The Journal of clinical ..., 2006 - cat.inist.fr
... Laurence L. (2) ; LOPEZ Frank A. (3) ; SEDILLO Andrew (4) ; EARL Craig Q. (5) ; JIANG John G. (5) ; BIEDERMAN Joseph (6) ; ... safety of a new formulation of modafinil (modafinil film-coated tablets) in children and adolescents with attention-deficit/hyperactivity disorder (ADHD). ...

[HTML] [Faculty Affiliations and Disclosures](#)

[HTML] [van primarypsychiatry.com](#) J Biederman, E Mick, SV Faraone... - Primary ..., 2004 - primarypsychiatry.com
... bipolar disorder. Similar findings were reported by Biederman and colleagues 11 in a longitudinal sample of children with attention-deficit/hyperactivity disorder (ADHD) and comorbid bipolar disorder. These investigators documented ...
[Verwante artikelen](#) - [In cache](#) - [Alle 2 versies](#)

[CITAAT] P. 1. i. 004 A randomized, three phase 34 week double-blind long-term efficacy study of extended-release methylphenidate in adults with ADHD

J Biederman... - European Neuropsychopharmacology, 2010 - Elsevier

[Genome-Wide Association Study of the Child Behavior Checklist Dysregulation Profile](#)

[HTML] [van jaacap.org](#) ..., S Smalley, J McCracken, J Biederman... - Journal of the American ..., 2011 - Elsevier
... E. Doyle Ph.D. 4 , Janet Wozniak MD 4 , Timothy E. Wilens MD 4 , Susan Smalley Ph.D. 3 , James McCracken MD 2 , Joseph Biederman MD 4 ... We have conducted a genome-wide association study of the CBCL-DP in children with attention-deficit/hyperactivity disorder (ADHD). ...
[Verwante artikelen](#) - [Alle 5 versies](#)

[Stimulants and Attention-Deficit/Hyperactivity Disorder—Reply](#)

..., SV Faraone, J **Biederman** - JAMA: The Journal of the ..., 2004 - Am Med Assoc
... Stephen V. Faraone, PhD; Joseph **Biederman**, MD. Massachusetts General Hospital Harvard Medical School. More author information. KEYWORDS: ATTENTION DEFICIT DISORDER WITH HYPERACTIVITY. In Reply: Although the stimulants used to treat **ADHD** have abuse ...

[CITAAT] P. 7. a. 003 The long term course of pediatric bipolar disorder: a five year longitudinal follow up study

J **Biederman**... - European Neuropsychopharmacology, 2010 - Elsevier

[\[HTML\] Deficient Emotional Self-Regulation and Adult Attention Deficit Hyperactivity Disorder: A Family Risk Analysis](#)

[\[HTML\]](#) van psychiatryonline.orgCBH Surman, J **Biederman**... - American Journal of ..., 2011 - Am Psychiatric Assoc
0.

[Verwante artikelen](#) - [In cache](#) - [Alle 4 versies](#)

[Pediatric Bipolar Disorder: The Promise of Psychopharmacotherapy](#)

J **Biederman** - Bipolar Psychopharmacotherapy, 2006 - Wiley Online Library
... This literature also suggests that juvenile-onset mania may be a risk factor for SUD. For example, a prospective study of children and adolescents with and without **ADHD** found that early-onset mania was a risk factor for SUD independently of **ADHD** (**Biederman** et al., 1997c). ...

[Verwante artikelen](#) - [Alle 4 versies](#)

[CITAAT] An Open-Label Trial of OROS Methylphenidate in Adults with Attention-Deficit/Hyperactivity Disorder—Not Otherwise Specified

MD Joseph **Biederman**, SD Eric Mick... - Headache

[Verwante artikelen](#)

[Absence of Unfavorable Effect of Atomoxetine on Growth in Pediatric Patients Is Still Not Demonstrated: In Reply](#)

TJ Spencer, J **Biederman**, JH Newcorn... - Pediatrics, 2006 - Am Acad Pediatrics
... Pediatrics. 2005;116(1). Available at: www.pediatrics.org/cgi/content/full/116/1/e74 2. Spencer TJ, **Biederman** J, Harding M, O'Donnell D, Faraone SV, Wilens TE. Growth deficits in **ADHD** children revisited: evidence for disorder-associated growth delays? ...

[Verwante artikelen](#) - [Alle 5 versies](#)

[CITAAT] Jim B. Tucker, MD

TE Wilens, J **Biederman**, S Brown - J. AM. ACAD. CHILD ADOLESC. ..., 2005

[Alle 2 versies](#)

[Credibility crisis in pediatric psychiatry](#)

J **Biederman** - Nature Neuroscience, 2008 - nature.com
... Joseph **Biederman** 1: The author is a Professor of Psychiatry at Harvard Medical School and Chief of Clinical and Research Programs in Pediatric Psychopharmacology and Adult **ADHD**, Massachusetts General Hospital, 55 Fruit Street, YAW 6A, Boston, Massachusetts 02114 ...

[Alle 3 versies](#)

Improvements in Symptoms of Attention-Deficit/Hyperactivity Disorder in School-Aged Children with Lisdexamfetamine Dimesylate [LDX; NRP104] and Mixed ...

J Biederman, SW Boellner, A Childress... - ... of Developmental & ..., 2006 - journals.lww.com
... Biederman, Joseph1; Boellner, Samuel W.2; Childress, Ann3; Lopez, Frank A.4; Krishnan, Suma5; Mandler, Hilary6. ... of LDX and mixed amphetamine salts extended-release (MAS XR) with placebo in school-aged children with attention-deficit/hyperactivity disorder (ADHD). ...

[PDF] Epidemiology and diagnosis

[\[PDF\] van unimaas.nl](#) J Biederman... - Lancet, 2005 - ub.unimaas.nl
... Other published work has indicated that low maternal education, low social class, and single parenthood are important adverse factors for ADHD.95–97 Biederman and co-workers93,98 showed that chronic conflict, reduced family cohesion, and exposure to parental ...
[Verwante artikelen](#) - [HTML-versie](#) - [Alle 7 versies](#)

High level of persistence of pediatric bipolar-I disorder from childhood onto adolescent years: A four year prospective longitudinal follow-up study

..., A Moses, SV Faraone, J Biederman - Journal of Psychiatric ..., 2011 - Elsevier
... et al., 2006]), selective treatment response to anti-manic agents ([Biederman et al., 2008], [Biederman et al., 2005b]), [Biederman et al ... features very similar to those observed in youth with bipolar disorder including high rates of psychiatric comorbidity with ADHD, antisocial and ...
[Verwante artikelen](#) - [Alle 3 versies](#)

[CITAAT] Assessment and Treatment of Attention-Deficit Hyperactivity Disorder

T SPENCER, J BIEDERMAN... - ... : Principles and Practice, 2010 - Oxford Univ Pr
[Verwante artikelen](#)

Methylphenidate and [mu] opioid receptor interactions: A pharmacological target for prevention of stimulant abuse

..., A Kachroo, LY Liu-Chen, J Biederman... - ..., 2011 - Elsevier
... Nat Neurosci 5, 13-14. Arnsten, AFT, 2006. Stimulants: Therapeutic Actions in ADHD. Neuropsychopharmacology 31, 2376-2383. ... J Pharmacol Exp Ther 279, 392-401. Balcioglu, A., Ren, JQ, McCarthy, D., Spencer, TJ, Biederman, J., Bhide, PG, 2009. ...
[Geciteerd door 1](#) - [Alle 3 versies](#)

Traumatic events and obsessive compulsive disorder in children and adolescents: Is there a link?

..., E Mancuso, K McCarthy, J Biederman... - Journal of anxiety ..., 2010 - Elsevier
... As a comparison group, we used data from two large, case-control family studies of boys and girls with and without attention-deficit hyperactivity disorder (ADHD) ascertained from psychiatric and pediatric settings (Biederman et al., 1992). ...
[Alle 3 versies](#)

Phenomenology of childhood psychosis: findings from a large sample of psychiatrically referred youth

J Biederman, C Petty, SV Faraone... - The Journal of nervous ..., 2004 - journals.lww.com
... Article Outline. Collapse Box Author Information. *Clinical and Research Programs in Pediatric

Psychopharmacology and Adult **ADHD**, Massachusetts General Hospital and ... Send reprint requests to Joseph **Biederman**, at 55 Fruit St., Boston, MA 02114. Collapse Box Abstract. ...

[Geciteerd door 22](#) - [Verwante artikelen](#) - [Alle 4 versies](#)

[Elevated rates of ADHD in mothers of children with co-morbid ADHD and epilepsy](#)

..., J Whitney, D Guild, J **Biederman** - 第十九届世界儿童及青 ..., 2010 - cpfd.cnki.com.cn

[摘要]: 正 Background Describe rates of maternal **ADHD** in children with co-morbid **ADHD** and epilepsy (**ADHD**+ **E**) and compare severity of **ADHD** symptoms in these mothers with (**FAM**+) and without (**FAM**-) additional relative (s) with epilepsy. Methods Mothers of ...

[In cache](#)

[Tratamiento del trastorno por déficit de atención con hiperactividad con un estimulante en parche transdérmico: el arte clínico](#)

..., RL Lindsay, FA López, SE Jacob, J **Biederman**... - Pediatrics, 2007 - elsevier.es

... Bibliografía. 1. Spencer T, **Biederman** J, Wilens T, Harding M, O Donnell D, Griffin S. Pharmacotherapy of **ADHD** across the life cycle. J Am Acad Child Adolesc Psychiatry. 1996;35:409-32. Pubmed 2. American Psychiatric Association. ...

[Verwante artikelen](#) - [Alle 2 versies](#)

[Childhood and Adolescent Mental Health](#)

J **BIEDERMAN**, CR PETTY... - The Journal of clinical ..., 2009 - cat.inist.fr

... Bipolar Disorder Profile Predicts a Subsequent Diagnosis of Bipolar Disorder and Associated Impairments in **ADHD** Youth Growing Up: A Longitudinal Analysis. Titre de regroupement. Childhood and Adolescent Mental Health. Auteur(s) / Author(s). **BIEDERMAN** Joseph (1 2 3 ...

[Hypericum perforatum \(millepertuis\) dans le deficit d'attention/hyperactivite chez les enfants et les adolescents: Un essai randomise et comparatif](#)

[\[HTML\] van ama-assn.org](#) ..., RL McCarty, NS Weiss, J **Biederman**... - JAMA- ..., 2008 - Am Med Assoc

... disorder. Pediatrics. 2000;105(5):1158-1170. FREE FULL TEXT. 2. Faraone SV, Sergeant J, Gillberg C, **Biederman** J. The worldwide prevalence of **ADHD**: is it an American condition? World Psychiatry. 2003;2(2):104-113. PUBMED. ...

[Verwante artikelen](#) - [In cache](#) - [Alle 2 versies](#)

[Clinical characteristics of comorbid obsessive-compulsive disorder and bipolar disorder in children and adolescents](#)

[\[HTML\] van nih.gov](#) ..., C Petty, F Vivas, D Yorks, J **Biederman**... - Bipolar ..., 2010 - Wiley Online Library

... Joshi G, Wozniak J, Petty C, Vivas F, Yorks D, **Biederman** J, Geller D. Clinical characteristics of comorbid obsessive ... disorder with comorbid obsessive-compulsive disorder; OCD + BPD = obsessive-compulsive disorder with comorbid bipolar disorder; **ADHD** = attention-deficit ...

[Geciteerd door 6](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

[CITAAT] P. 6.012 Effects of environmental conditioning on SKF 38393-induced grooming behavior and quinpirole-induced stereotyped behavior after long term

...

..., D Faries, S Zhang, J **Biederman** - European ..., 2004 - Elsevier

[CITAAT] P. 7. c. 005 Pharmacokinetics, detection, likeability and dislikeability of two formulations of long-acting oral methylphenidate

TJ Spencer, J **Biederman**, P Ciccone... - European ..., 2006 - Elsevier

Risperidone for the treatment of affective symptoms in children with disruptive behavior disorder: A post hoc analysis of data from a 6-week, multicenter, randomized, ...

J **Biederman**, E Mick, SV Faraone, J Wozniak... - Clinical ..., 2006 - Elsevier

... **Biederman** et al. Key words: risperidone, bipolar disorder, major de-pression, conduct disorder, children, disruptive behav-ior ... indisruptive behavioral disorders (DBDs) (eg, conduct disorder, oppositional defiant disorder, attentiondeficit hyperactivity disorder [**ADHD**]) in children ...

[Geciteerd door 12](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

MDe, Robert L. Findling, MDf, y Yaser Ramadan, MDa

LE Arnold, SEJ MDc... - Pediatrics (Ed esp), 2007 - elsevier.es

... BIBLIOGRAFÍA 1. Spencer T, **Biederman** J, Wilens T, Harding M, O'Donnell D, Griffin S. Pharmacotherapy of **ADHD** across the life cycle. J Am Acad Child Adolesc Psychiatry. 1996;35:409- 32. 2. American Psychiatric Association. ...

[Verwante artikelen](#)

Effects of parental anxiety disorders in children at high risk for panic disorder: a controlled study

J **Biederman**, C Petty, SV Faraone, A Henin... - Journal of affective ..., 2006 - Elsevier

... of MD Parents (N = 27), and Offspring of Controls (N = 103) are described in a follow-up analysis (**Biederman** et al ... Kappa coefficients for individual diagnoses included: **ADHD** (0.88), conduct disorder (CD; 1.0), oppositional defiant disorder (ODD; 0.90), major depression (1.0 ...

[Geciteerd door 21](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

Association of bipolar and substance use disorders in parents of adolescents with bipolar disorder

TE Wilens, J **Biederman**, J Adamson... - Biological ..., 2007 - Elsevier

... The κ coefficients for individual diagnoses included: attention-deficit/hyperactivity disorder (**ADHD**) (.88), conduct disorder (CD) (1.0), oppositional defiant disorder (ODD) (.90), antisocial personality disorder (ASPD) (.80), major depression (1.0), mania (.95), and SUD (1.0). ...

[Geciteerd door 13](#) - [Verwante artikelen](#) - [Alle 11 versies](#)

Posttraumatic stress disorder symptoms following media exposure to tragic events: Impact of 9/11 on children at risk for anxiety disorders

..., MH Pollack, J **Biederman**... - Journal of Anxiety ..., 2007 - Elsevier

... As described in earlier reports (**Biederman**, Faraone, et al., 2001; Rosenbaum et al., 2000), diagnostic information for the ... Kappa coefficients for individual diagnoses included: **ADHD** (.88), conduct disorder (1.0), oppositional defiant disorder (.90), antisocial personality disorder ...

[Geciteerd door 27](#) - [Verwante artikelen](#) - [Alle 8 versies](#)

Impact of obsessive-compulsive disorder on the antimanic response to olanzapine therapy in youth with bipolar disorder

..., D Geller, J Park, S Strauss, J **Biederman** - Bipolar ..., 2010 - Wiley Online Library

... 8 **Biederman** J, Faraone SV, Hatch M, Mennin D, Taylor A, George P. Conduct disorder with and without mania in a referred sample of **ADHD** children. J Affect Disord 1997; 44: 177-188. ...

Biederman J, Wozniak J et al. Is comorbidity with **ADHD** a marker for juvenile onset mania? ...

[Geciteerd door 4](#) - [Verwante artikelen](#) - [Alle 5 versies](#)

Pregnancy complications associated with childhood anxiety disorders

DR Hirshfeld-Becker, J **Biederman**... - Depression and ..., 2004 - Wiley Online Library
... who were at risk for anxiety disorders because of having at least one parent with panic disorder
[**Biederman** et al., 2001 ... and childhood mood (major depression, bipolar disorder, dysthymia)
and disruptive behavior (attention-deficit- hyperactivity disorder [**ADHD**], oppositional, or ...

[Geciteerd door 29](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Developmental trajectories of anxiety disorders in offspring at high risk for panic disorder and major depression

[HTML] [van nih.gov](#)J **Biederman**, CR Petty, DR Hirshfeld-Becker... - Psychiatry research, 2007 - Elsevier
... In early work, our group reported that parental panic disorder with agoraphobia increased the risk for both anxiety disorders and major depression in offspring (**Biederman** et al., 1991). Similar results were reported by Weissman et al. ... In addition, **Biederman** et al. ...

[Geciteerd door 19](#) - [Verwante artikelen](#) - [Alle 7 versies](#)

Cognitive-behavioral intervention with young anxious children

..., L Dufton, N Segool, J **Biederman** - Harvard review of ..., 2008 - informahealthcare.com
... 1 and Joseph **Biederman**, MD 1 1 Harvard Medical School and Massachusetts General Hospital, Boston, MA. † Correspondence: Dina R. Hirshfeld-Becker, MGH Pediatric Psychopharmacology, 185 Alewife Brook Pkwy., Suite 2100, Cambridge, MA, 02138. ABSTRACT, Section: ...

[Geciteerd door 16](#) - [Verwante artikelen](#) - [Alle 6 versies](#)

Parental predictors of pediatric panic disorder/agoraphobia: a controlled study in high-risk offspring

J **Biederman**, C Petty, SV Faraone... - Depression and ..., 2005 - Wiley Online Library
... J Child Psychol Psychiatry 35:1391–1408. Faraone S, **Biederman** J, Milberger S. 1995. How reliable are maternal reports of their children's psychopathology?: One year recall of psychiatric diagnoses of **ADHD** children. J Am Acad Child Adolesc Psychiatry 34:1001–1008. ...

[Geciteerd door 8](#) - [Verwante artikelen](#) - [Alle 6 versies](#)