

 Open access • Book Chapter • DOI:10.1007/978-3-030-11641-5_11

The Repercussions of Business Process Modeling Notations on Mental Load and Mental Effort — [Source link](#)

Michael Zimoch, Rüdiger Pryss, Thomas Probst, Winfried Schlee ...+1 more authors

Institutions: University of Ulm, Danube University Krems, University of Regensburg

Published on: 09 Sep 2018 - Business Process Management

Topics: Business Process Model and Notation, Business process modeling, Process modeling, Business process and Cognitive load

Related papers:

- [Business modeling with the support of multiple notations in requirements engineering](#)
- [Towards a More Cognitively Effective Business Process Notation for Requirements Engineering](#)
- [25R. eBPMN for Process Modeling: A design science/HIPS evaluation](#)
- [On the Requirement from Practice for Meaningful Variability in Visual Notation](#)
- [SBPMN - An easier business process modeling notation for business users](#)

Share this paper:    

View more about this paper here: <https://typeset.io/papers/the-repercussions-of-business-process-modeling-notations-on-3i3n83xs84>

The Repercussions of Business Process Modeling Notations on Mental Load and Mental Effort

Michael Zimoch¹, Rüdiger Pryss¹, Thomas Probst², Winfried Schlee³, and
Manfred Reichert¹

¹ Institute of Databases and Information Systems, Ulm University, Germany

² Dep for Psychotherapy and Biopsycho Health, Danube University Krems, Austria

³ Dep of Psychiatry and Psychotherapy, Regensburg University, Germany

{michael.zimoch, ruediger.pryss, manfred.reichert}@uni-ulm.de,
thomas.probst@donau-uni.ac.at, winfried.schlee@googlegmail.com

Abstract. Over the last decade, plenty business process modeling notations emerged for the documentation of business processes in enterprises. During the learning of a modeling notation, an individual is confronted with a cognitive load that has an impact on the comprehension of a notation with its underlying formalisms and concepts. To address the cognitive load, this paper presents the results from an exploratory study, in which a sample of 94 participants, divided into novices, intermediates, and experts, needed to assess process models expressed in terms of eight different process modeling notations, i.e., BPMN 2.0, Declarative Process Modeling, eGantt Charts, EPCs, Flow Charts, IDEF3, Petri Nets, and UML Activity Diagrams. The study focus was set on the subjective comprehensibility and accessibility of process models reflecting participant's cognitive load (i.e., mental load and mental effort). Based on the cognitive load, a factor reflecting the mental difficulty for comprehending process models in different modeling notations was derived. The results indicate that established modeling notations from industry (e.g., BPMN) should be the first choice for enterprises when striving for process management. Moreover, study insights may be used to determine which modeling notations should be taught for an introduction in process modeling or which notation is useful to teach and train process modelers or analysts.

Keywords: Business Process Modeling Notations, Cognitive Load, Mental Load, Mental Effort, Human-centered Design

1 Introduction

Business process models specify in terms of textual or graphical artifacts the business processes in an enterprise [1]. In this context, insights on the comprehension of process models demonstrate that *process model comprehension* plays an important role when analyzing and optimizing processes [2, 3]. As a result, enterprises are confronted with an influx of *process modeling notations* (e.g., *Business Process Model and Notation (BPMN) 2.0* [4], *Event-driven Process*

Chains (EPCs) [5], or *Flow Charts* [6]) for the documentation of their business processes within process models. However, for an effective use of process models, the latter must ensure that the processes of an enterprise are comprehended correctly by all involved stakeholders.

In prior research, we investigated process model comprehension in order to reveal factors fostering or thwarting respective comprehension [7, 8]. Furthermore, focusing on cognitive neuroscience and psychology, we proposed valuable lessons learned on how to optimize empirical studies for a deeper investigation on process model comprehension [9].

To enhance our previous work on process model comprehension, this work presents the results obtained from an exploratory process model comprehension study. In detail, a sample consisting of $n = 38$ novices, $n = 21$ intermediates, and $n = 35$ experts in the domain of process modeling are confronted with process models expressed in terms of eight different *process modeling notations*. The objective of the study was to evaluate the perceived *cognitive load* (i.e., effort being used in the working memory) of participants caused when comprehending respective *modeling notations*. Based on the results we obtained, we derived for each *process modeling notation* a *mental difficulty level*.

This work contributes to the field of process model comprehension in two ways. First, in research, we want to learn more about the cognitive load and adverse effects when comprehending process models in terms of different *modeling notations* [10]. The obtained insights can foster related empirical investigations in this context. Second, in practice, enterprises can be supported in making decision about the adoption of a particular *process modeling notation* or which modeling tool should be used when adopting process-oriented thinking.

The remainder of the paper is structured as follows: Section 2 introduces theoretical backgrounds. Study setting and operation are explained in Section 3. In Section 4, the obtained results are described empirically and discussed. Finally, Section 5 discusses related work, while Section 6 summarizes the paper and gives an outlook on future work.

2 Theoretical Background

The *cognitive load* can be defined as a multidimensional construct representing an individual's cognitive capacity used to work on or to solve a task as well as to address a problem [11]. Thereby, *cognitive load* has a causal dimension reflecting the interaction between task- (e.g., inherent difficulty of the task) and subject-specific characteristics (e.g., knowledge about a topic). Particularly, *cognitive load* is comprised of the assessment dimensions describing the measurable aspects *mental load* and *mental effort* [12, 13]. The *mental load* relates to a task, which indicates the cognitive capacity needed to cope with the complexity of a task. Juxtaposing *mental load*, the *mental effort* is subject-specific and refers to the invested cognitive capacity of an individual while working on a task [14].

In many fields (e.g., psychology, education), the observation as well as measurement of the *cognitive load* has become crucial. Reasons for this are that a reduced

cognitive load has a positive impact on the working memory, thus promoting information processing and assuring a greater success in learning processes [15]. In turn, a high *cognitive load* (i.e., overloading the working memory) inhibits information processing leading to confusion and a higher risk of making mistakes. As a consequence, *cognitive load* should be kept at an appropriate level [16]. Therefore, an appropriate level of *cognitive load* can be ensured from the ideal interplay of *mental load* and *mental effort*. Particularly, by designing tasks and presenting information in such way that an individual is not confronted with challenges, demanding more capacity in the working memory [17].

3 Study Setting

Any *process modeling notation* has its own strengths and weaknesses regarding, for example, model conformance checking or expressibility [23]. Considering this fact, enterprises are confronted with the important decision about which *process modeling notation* fulfills their requirements and covers all their needs. Some of the *process modeling notations* are offering an extensive syntax to express business processes in a fine-grained level. On the other, some *notations* provide only a limited set, which is, however, sufficient for correctness verification of process models [24]. For an effective use of *process modeling notations*, their formalisms and methodologies must be comprehended correctly. Thereby, the acquisition of knowledge about a *process modeling notation* represents a cognitive task. In this context, several aspects of a *modeling notation* are learned more easily and quickly, while, on the other, some aspects are difficult to learn, having different impact on the *cognitive load* of an individual. However, this effect cannot be generalized and, hence, is completely different between individuals. Especially

Notation	Brief Description	Spec.
BPMN 2.0 [4]	<i>BPMN</i> is a graphical notation for documenting business processes based on flowcharting techniques. Nowadays, BPMN is an established standard for process modeling.	
Declarative [18]	<i>Declarative Process Modeling</i> is an approach specifying in an implicit manner through the use of constraints the order of execution for a process model.	✓
eGantt [19]	<i>eGantt Chart</i> is an extension of the Gantt Chart with an emphasis to capture time characteristics of a process in a process model.	✓
EPC [5]	<i>EPC</i> is a flow chart type mainly used for the implementation and configuration of enterprise resource planning.	
Flow [6]	<i>Flow Chart</i> is a diagram for the graphical modeling of processes. <i>Flow Charts</i> are widely used and enable the creation of easy-to-understand process models.	
IDEF3 [20]	<i>IDEF3</i> is a method used for modeling of processes with a focus on the process flow as well as the state of objects and respective conditions.	✓
Petri Net [21]	<i>Petri Net</i> is a notation mainly used for the description of distributed systems and the only notation with an exact mathematical theory.	✓
UML Act. [22]	<i>UML Activity Diagram</i> documents activities as well as the control flow in a flowchart manner and are often used for process modeling.	

Table 1: Process Modeling Notations used in the Study

novices without any knowledge in process modeling are often confronted with difficulties how to properly comprehend *process modeling notations*. To address this issue, we conduct an exploratory comprehension study in which novices, intermediates, and experts from the domain. Thereby, we want to investigate the impact of *modeling notations* on the *cognitive load* (i.e., *mental load* and *mental effort*) of individuals. In detail, we agree on using the following *notations* as described in Table 1. Aside well-known *modeling notations* (e.g., *BPMN*), we chose *notations* that are rarely seen in the process repositories of enterprises (e.g., *IDEF3*). Table 1 contains an additional column *specific* (i.e., *Spec.*), stating whether the use of a *modeling notation* is more focused on particular aspects.

3.1 Study Planning

Participants. All participants have an academic background. In detail, students and research associates as well as professionals, who take a distance e-learning course, are invited for the study at Ulm University. There are no prerequisites for participating in the study and all participants are recruited on a voluntary basis. Further, all participants have given their consent.

Object. Participants need to assess eight different process models (cf. Table 1) regarding their subjective *comprehensibility* and *accessibility*. With this assessment, we want to draw conclusions about the perceived *mental load* and *mental effort* of the participants. Thereby, the process models reflect three different *levels of complexity* (i.e., *easy*, *medium*, and *hard*). To be more precise, the *easy process model* contains only basic modeling elements. With rising *level of complexity*, the total number of elements is increased and new elements, previously not contained in the process model, are added. For each *level of complexity*, process models are created using the mentioned eight *process modeling notations* respectively (cf. Table 1). As the semantic description of the process models is not relevant in this context, we use abstract labels (i.e., alphabetic letters) for the single modeling elements.¹ Furthermore, it is ensured that all process models are comparable within a specific *level of complexity*. Therefore, experts and novices in the domain of process modeling, who were not participating in the study, ranked and compared the used process models.

Instrumentation. There are three different questionnaires in the study. First, a *pre-study questionnaire* is used gathering demographic data (e.g., age, gender) and asking about prior knowledge on *process modeling notations*. In addition, participants were asked about their familiarity with specific *modeling notations*. Second, a *mid-study questionnaire* is used providing four items regarding the *mental load* (i.e., *comprehensibility* and *accessibility* of the process models): the ① process model is comprehensible, the ② process model is accessible, the ③ used modeling constructs (e.g., split and join) are comprehensible, and the ④ the process flow is understood properly. All items are rated on a 7-point Likert scale, ranging from 0 (i.e., strongly disagree) to 6 (i.e., strongly agree).

Third, a *post-study questionnaire* is used with four items capturing the *mental*

¹ Material: <https://www.dropbox.com/sh/4shyxdy2p4xsf71/AAAfY1EMfwr1uYA2BQ-g4z18a?dl=0>

effort of participants: the ① mental demand for performing the task is high, the ② task is complex, the ③ overall performance during the task, and the ④ effort level for performing the task. All items are rated on a 7-point Likert scale, ranging from 0 (i.e., strongly disagree) to 6 (i.e., strongly agree). In addition, in the *post-questionnaire* participants need to categorize the assessed process models according their subjective preferences regarding the *comprehensibility* as well as *accessibility*, beginning from the simplest to the most difficult process model. Finally, participants are able to leave qualitative feedback.

3.2 Study Design and Procedure

The design and procedure of the study is based on the guidelines set out by [25] on how to systematically plan, conduct, and evaluate studies. Precedent, a pilot study with four students and four research associates was conducted for the improvement of the process models and to ensure their comparability with each other. Moreover, the pilot study was used to eliminate potential ambiguities as well as misunderstandings. Further, the chosen language in the study is German. Within a period of two weeks, several sessions for conducting the study are offered to the participants. Each session took about 20 minutes and ran as follows: An introduction is given to the participants, in which the procedure of the study is explained and the study materials (i.e., process models, questionnaires) are handed out. Afterwards, the participants need to answer the *pre-study questionnaire*. Following this, they are asked to read and assess eight randomly selected process models. Thereby, it is ensured that participants need to assess each *modeling notation* in a study run. For each assessed process model, the participants have to answer statements regarding subjective *comprehensibility* and *accessibility* (i.e., *mental load*). After completing this step, participants answer the *post-study questionnaire*, providing information about perceived *mental effort* and they need to categorize assessed process models in a ranking system. The study procedure is illustrated in Figure 1.




Fig. 1: Study Design

4 Data Analysis and Interpretation

In total, data from 94 participants were collected. A median split is performed to categorize the participants into samples of novices, intermediates, and experts. Therefore, we determine the median for the number of process models a participant has analyzed and created during the last 12 months. Consequently, $n = 38$ novices, $n = 21$ intermediates, and $n = 35$ experts participate in the study. Each participant assesses eight randomly selected process models regarding subjective *comprehensibility* and *accessibility* (i.e., *mental load*), resulting in $n = 752$ assessed process models. Table 2 summarizes the detailed distribution of the assessed *process modeling notations* for each *level of complexity*.

		Process Modeling Notations							
		BPMN	Declarative	eGantt	EPC	Flow	IDEF3	Petri	UML Act.
Level	Easy	30	31	33	31	36	28	34	35
	Medium	29	32	33	36	28	35	33	31
	Hard	36	31	28	27	30	31	27	27

Table 2: Number of Assessed Process Models

4.1 Descriptive Statistics

The obtained data regarding the perceived *mental load* for each *process modeling notations* are presented in Table 3 as means for the entire sample size as well as each sample respectively (i.e., novices, intermediates, and experts). Higher values indicate less *mental load*. As described in Section 3.1, *mental load* is determined with four aggregated items. As a prerequisite, all response variables must show a high reliability [26]. For this purpose, *Cronbach's α* (i.e., several items are an accurate estimate of an accumulated item) is calculated.² For *mental load*, a Cronbach with $\alpha = 0.79$ was calculated.

		BPMN	Declarative	eGantt	EPC	Flow	IDEF3	Petri	UML Act.
		All	Easy	5.77	4.70	5.34	5.60	5.61	4.62
Medium	4.61		3.61	3.70	5.13	4.86	4.34	4.51	4.68
Hard	3.60		3.27	3.01	4.99	3.99	3.64	3.90	4.46
Nov.	Easy	5.76	5.12	5.03	5.18	5.43	4.47	5.87	5.60
	Medium	4.47	3.45	3.28	4.54	5.14	3.67	4.83	4.69
	Hard	3.22	3.20	2.98	4.63	2.72	2.42	4.10	4.35
Int.	Easy	5.84	4.21	5.43	5.78	5.63	4.88	5.33	5.70
	Medium	4.66	3.66	4.13	5.32	5.17	4.78	4.88	4.50
	Hard	4.53	3.47	3.45	5.55	5.29	4.80	3.95	4.92
Exp.	Easy	5.70	4.77	5.56	5.84	5.78	4.50	5.79	5.33
	Medium	4.71	3.71	3.68	5.54	4.26	4.56	3.81	4.84
	Hard	3.05	3.00	2.58	4.79	3.97	3.69	3.66	4.11

Table 3: Mental Load

Figures 2 - 4 depict the two-dimensional data (i.e., *process modeling notations*, *level of complexity*) regarding the *mental load* for the entire sample and each sample respectively (i.e., novices, intermediates, and experts) as radar charts. Thereby, higher values stand for less *mental load* on the used scale.

² According to [26], $\alpha > 0.6$ acceptable reliability; $0.7 < \alpha < 0.9$ good reliability




Fig. 2: Mental Load - All




Fig. 3: Mental Load - Novices




Fig. 4: Mental Load - Intermediates




Fig. 5: Mental Load - Experts

Regarding the *easy level of complexity* (cf. Figures 2 - 4), several *process modeling notations* (e.g., *BPMN*, *Petri Nets*, and *UML Activity Diagrams*) are close to the maximum of the scale (i.e., 6 - reflecting less *mental effort*). However, comparing the values obtained from each sample, there is an indication that *easy process models* expressed in *Declarative* or *IDEF3* appear to be more challenging to comprehend and, consequently, demand a higher *mental load* from the participants. In general, with rising *level of complexity*, an erratic decrease in the *mental load* is observable (cf. Table 2). In detail, instead of an uniform decrease of the values for the *mental load*, for several *modeling notations*, an abrupt decline can be seen in the samples. For example, there is a significant drop in the *mental load* between the *easy* and *medium BPMN process models* in each sample. For novices and intermediates, there is only a little decline in the *mental load* between the *medium* and *hard BPMN model*. However, experts show again a significant drop in the *mental load* for *BPMN process models*. Another example

concerns the process models expressed in terms of *EPCs*. There are only slight decreases in the *mental load*, which indicates that the comprehension of *EPC process models* appears to be feasible throughout the *levels of complexity*. Table 4 shows the *mental effort (ME)* for the entire sample as well as each sample respectively (i.e., novices, intermediates, and experts). *Mental effort* is determined by four aggravated items (cf. Section 3.1), here, *Cronbach* resulted in $\alpha = 0.83$. Higher values stand for less *mental effort*. The study task demands a moderate *mental effort* from all samples. Further, there are only minimal differences in the *mental effort* between novices, intermediates, and experts.

	All	Novices	Inter.	Experts
ME	2.84	2.76	2.89	2.94

Table 4: Mental Effort

4.2 Discussion

It is obvious that with rising *level of complexity* the *mental load* regarding the *process modeling notations* is decreasing (cf. Figure 2). Despite the comparability of the process models, however, it is interesting to see how the *mental load* is decreasing in a different manner between novices, intermediates, and experts. For example, the *mental load* from intermediates regarding the *medium* and *hard process model* is about the same. In turn, for novices and experts, the differences between these two *levels of complexity* are clearly discernible. The same can be observed regarding the *IDEF3 process models*. Further, the results provide a good indication about the *mental load* when comprehending process models in particular *modeling notations*. More complex process models expressed in *Declarative*, *IDEF3*, or *eGantt* appear to be more challenging to comprehend. Reason might be that these *notations* are not as widespread in practice as other *notations*. Often, amongst others, tertiary educational institutions are teaching more common *notations* widely used in practice such as *BPMN* and *EPCs*.

While there are different characteristics for the *mental load*, however, the *mental effort* needed for process model comprehension is approximately the same between novices, intermediates, and experts. Although the *mental effort* for comprehending a process model is on a moderate level, however, process model comprehension is a complex matter that needs to be taken into account.

Based on the study results, Figure 6 presents the derived *mental difficulty* for each *process modeling notation* and respective *level of complexity*. Therefore, for each process model, the percentage proportion is calculated based on the categorization the participants indicated in the *post-study questionnaire* (cf. Section 3.1). Therefore, we considered respective position of each process model as well as their *level of complexity*. The calculated percentage proportion serves as a factor used for multiplying the aggravated constructs *mental load* and *mental effort* to derive the *mental difficulty* [27].

As shown in Figure 6, regarding an *easy level of complexity*, almost all values, except for *Declarative* and *IDEF3*, are still in the green range. This means that




Fig. 6: Mental Difficulty

the comprehension of such process models should not be a challenge. With rising *level of complexity*, the values for the comprehension of process models tend towards the orange or red range respectively. However, none of the values is located completely in the red range and, consequently, it seems to be that process models can be comprehended independently of the *modeling notation* and *level of complexity*. In addition, the results confirm the further use of the widespread and established *modeling notations* such as *BPMN* and *EPCs*.

4.3 Threats to Validity

Study results can only be accurately interpreted when limitations are also discussed. *First*, the comparison of the different *process modeling notations* can also be seen as a comparison like the idiom apples and oranges. Particular *modeling notations* are usually not used for the direct modeling of business processes, but for other purposes (e.g., *Petri Nets* are mainly used for the verification of process models) and, hence, a direct comparison is difficult. *Second*, the classification of participants into the samples of novices, intermediates, and experts solely based on a median split by considering the number of process models a participant has analyzed and created during the last 12 months may be oversimplified. Hence, results might differ significantly with experts in process modeling with several years of experience. *Third*, the size of the process models might not be representative. In general, real world process models are usually much larger than the models we used in the study. *Fourth*, in addition, to ensure comparability between the process models, the latter are modeled only with basic modeling elements because some *modeling notations* don't have the expressiveness for the documentation of complex processes. *Fifth*, the respective level of complexity reflected by the process models constitutes another threat. The models might be considerably unbalanced between the level of complexity and, hence, working

memory capacity of participants, especially for novices, may be exceeded. *Seventh*, specific *process modeling notations* (e.g., *BPMN*) may be considered as easy to comprehend since these *notations* are more familiar than others (e.g., *IDEF3*), thus resulting in a positive impact on *mental load* and *mental effort*.

5 Related Work

A review of existing business *process modeling notations* in literature is presented in [23]. Further, the authors present a framework for the classification of *modeling notations* according their purpose. [28] discusses an evaluation of *modeling notations* and proposes a meta-model to capture the concepts of the evaluated *notations*. In turn, [29] compares and discusses different process modeling methods based on aspects like process model representation and tool support.

Concerning research on *process model comprehension*, [30] gives insights into subject-specific characteristics (e.g., theoretical knowledge) influencing *process model comprehension*. In turn, [31] evaluates different *process modeling notations* with respect to their comprehensibility. A discussion about factors having an influence on the *comprehension of process models* is presented in [32].

Regarding cognitive aspects, a measure to determine the cognitive complexity for process models is proposed in [33]. Further, [34] shows an approach to reduce the *cognitive load* when comprehending process models by applying patterns for improving the model comprehensibility. The empirical assessment of participants' *mental effort*, while creating or comprehending process models, is demonstrated in [35]. The *mental effort* needed between inexperienced and experienced modelers to create process models is investigated in [36].

Altogether, there are several works regarding the comparison of *process modeling notations*. However, to the best of our knowledge, none of the discussed works deal with such a comparison of *process modeling notations*, while taking the *cognitive load* (i.e., *mental load* and *mental effort*) of participants into account.

6 Summary and Outlook

This paper presented the impact of different *process modeling notations* on the *cognitive load* (i.e., *mental load* and *mental effort*) of $n = 38$ novices, $n = 21$ intermediates, and $n = 35$ experts in the domain of process modeling. Therefore, study participants needed to comprehend and assess process models of different *levels of complexity* (i.e., *easy*, *medium*, *hard*) in terms of eight different *modeling notations*, i.e., *BPMN 2.0*, *Declarative Process Modeling*, *eGantt Charts*, *EPCs*, *Flow Charts*, *IDEF3*, *Petri Nets*, and *UML Activity Diagrams*. We gathered information related to the *mental effort* and *mental load* (i.e., *cognitive load*) of participants while performing the study task. Based on the *cognitive load*, we derived a factor representing the *mental difficulty* for each *process modeling notation*. The high availability of *process modeling notations* resulted in a strong demand from enterprises to compare and evaluate these *notations* in

order to find an appropriate one covering the needs of an enterprise. The presented *mental difficulty* may support enterprises in making this decision considering the perceived *cognitive load* of an individual, while comprehending process models expressed in terms of different *modeling notations*. In addition, the results from this paper may help in answering questions about which *modeling notations* should be supported with a greater emphasis in modeling tools. Further, the results show that the use of established *modeling notations* (e.g., *BPMN*) is recommendable for enterprises and future process modelers as well as analysts. Future research is needed in order to determine more precise indications about an individuals *cognitive load* while comprehending process models. Besides an in-depth statistical analysis of the results, for example, instead of using abstract labels the process model elements could be described with concrete labels. Further, participants should be confronted with process models from real projects expressed in terms of the assessed *modeling notations*. Finally, *cognitive load* is only one factor having an effect on the comprehension of process models expressed in different *modeling notations* and, therefore, the consideration of additional factors (e.g., *expressiveness, level of automation*) will be subject of future studies.

References

1. Nowak, A., et al.: Flexible Information Design for Business Process Visualizations. In: 5th Int'l Conf on Service-Oriented Comp and App (SOCA'12). (2012) 1–8
2. Bandara, W., Indulska, M., Chong, S., Sadiq, S.: Major Issues in Business Process Management: An Expert Perspective. (2007) 1240–1251
3. Gulla, J.A., Brasethvik, T.: On the Challenges of Business Modeling in Large-Scale Reengineering Projects. In: Int'l Conf on Requirements Engineering. (2000) 17–26
4. OMG: Business Process Management & Notation 2.0 (2018) www.bpmn.org, last visited on 2018/02/27.
5. van der Aalst, W.M.P.: Formalization and Verification of Event-driven Process Chains. In: Inf & Soft Tech. (1999) 639–650
6. Schultheiss, L.A., Heiliger, E.: Techniques of Flow-Charting. In: Proc 1963 Clinic on Library Applications of Data Processeing. (1963) 62–78
7. Zimoch, M., et al.: Cognitive Insights into Business Process Model Comprehension: Preliminary Results for Experienced and Inexperienced Individuals. In: Proc BPMDS'17. (2017) 137–152
8. Zimoch, M., et al.: Using Insights from Cognitive Neuroscience to Investigate the Effects of Event-Driven Process Chains on Process Model Comprehension. In: Proc 1st Int'l Conf on Cognitive Business Process Management. (2017) 446–459
9. Zimoch, M., et al.: Eye Tracking Experiments on Process Model Comprehension: Lessons Learned. In: Proc BPMDS'17. (2017) 153–168
10. Zugal, S., Pinggera, J., Weber, B.: Assessing Process Models with Cognitive Psychology. In: EMISA. Volume 190. (2011) 177–182
11. Paas, F., et al.: Cognitive Load Measurement as a Means to Advance Cognitive Load Theory. In: Educational Psychologist. Volume 38. (2003) 63–71
12. Wickens, C.D.: Multiple Resources and Mental Workload. In: Human Factors. Volume 50. (2008) 449–455
13. Paas, F.G., Van Merriënboer, J.J.: The Efficiency of Instructional Conditions: An Approach to Combine Mental Effort and Performance Measures. In: Human Factors. Volume 35. (1993) 737–743

14. Krell, M.: Evaluating an Instrument to Measure Mental Load and Mental Effort Considering Different Sources of Validity Evidence. In: *Cogent Education*. Volume 4. (2017)
15. Sweller, J.: Cognitive Load During Problem Solving: Effects on Learning. In: *Cognitive Science*. Volume 12. (1988) 257–285
16. Ayres, P.: Impact of Reducing Intrinsic Cognitive Load on Learning in a Mathematical Domain. In: *Applied Cognitive Psychology*. Volume 20. (2006) 287–298
17. Baddeley, A.: Working Memory. In: *Science*. Volume 255. (1992) 556–559
18. van Der Aalst, W.M., et al.: Declarative Workflows: Balancing Between Flexibility and Support. In: *Comp Sci-Res and Dev*. Volume 23. (2009) 99–113
19. Lanz, A., Kolb, J., Reichert, M.: Enabling Personalized Process Schedules with Time-Aware Process Views. In: *International Conference on Advanced Information Systems Engineering*. (2013) 205–216
20. Kim, C.H., Yim, D.S., Weston, R.: An Integrated Use of IDEFO, IDEF3 and Petri Net Methods in Support of Business Process Modelling. In: *Proc Inst of Mech Eng, Part E: J of Process Mech Eng*. (2001) 317–329
21. Murata, T.: Petri Nets: Properties, Analysis and Applications. In: *Proceedings of the IEEE*. Volume 77. (1989) 541–580
22. Dumas, M., Ter Hofstede, A.H.: UML Activity Diagrams as a Workflow Specification Language. In: *Int'l Conf on the UML*. (2001) 76–90
23. Aguilar-Saven, R.S.: Business Process Modelling: Review and Framework. In: *International Journal of Production Economics*. Volume 90. (2004) 129–149
24. White, S.A.: Process Modeling Notations and Workflow Patterns. In: *Workflow Handbook*. (2004) 265–294
25. Wohlin, C., Runeson, P., Höst, M., Ohlsson, M.C., Regnell, B., Wesslen, A.: *Experimentation in Software Engineering - An Introduction*. Kluwer (2000)
26. Kline, P.: *Handbook of Psychological Testing*. Volume 2. Routledge (1999)
27. Sweller, J.: Cognitive Load Theory, Learning Difficulty, and Instructional Design. In: *Learning and Instruction*. Volume 4. (1994) 295–312
28. List, B., Korherr, B.: An Evaluation of Conceptual Business Process Modelling Languages. In: *Proc Symp on Applied Computing (SAC'06)*. (2006) 1532–1539
29. Wang, W., Ding, H., Dong, J., Ren, C.: A Comparison of Business Process Modeling Methods. In: *Int'l Conf on SOLI'06*. (2006) 1136–1141
30. Mendling, J., Recker, J., Reijers, H.A., Leopold, H.: An Empirical Review of the Connection Between Model Viewer Characteristics and the Comprehension of Conceptual Process Models. In: *Information Systems Frontiers*. (2018) 1–25
31. Kiepuszewski, B., Hofstede, A.H.M.T., Bussler, C.: On Structured Workflow Modelling. In: *Proc 12th Int'l Conf on Adv Inf Systems Engineering*. (2000) 431–445
32. Mendling, J., Strembeck, M., Recker, J.: Factors of Process Model Comprehension-Findings from a Series of Experiments. In: *Decis. Support Syst.* (2012) 195–206
33. Gruhn, V., Laue, R.: Adopting the Cognitive Complexity Measure for Business Process Models. In: *5th Int'l Conf on Cog Inf (ICCI'06)*. (2006) 236–241
34. Gruhn, V., Laue, R.: Reducing the Cognitive Complexity of Business Process Models. In: *8th Int'l Conf on Cognitive Informatics (ICCI'09)*. (2009) 339–345
35. Zugal, S., Pinggera, J., Reijers, H., Reichert, M., Weber, B.: Making the Case for Measuring Mental Effort. In: *EESSMod'12*. (2012)
36. Martini, M., et al.: The Impact of Working Memory and the Process of Process Modelling on Model Quality: Investigating Experienced versus Inexperienced Modellers. In: *Scientific Reports*. Volume 6. (2016)