

The Role of Frame-Based Representation on the Semantic Web

Ora Lassila¹ & Deborah McGuinness²

¹Software Technology Laboratory, Nokia Research Center

²Knowledge Systems Laboratory, Stanford University

Abstract

A new architecture for the World Wide Web is emerging, known as the *Semantic Web*. In broad terms, it encompasses efforts to populate the Web with content which has formal semantics. This will enable automated agents to reason about Web content, and produce an intelligent response to unforeseen situations.

We believe that in order to build the Semantic Web, the sharing of ontological information is required. This allows agents to reach *partial shared understanding* and thus interoperate. We acknowledge that the World Wide Web Consortium's RDF formalism (and the DARPA Agent Markup Language as its extension) can be seen as adhering to the frame-based representation paradigm, and we will further elaborate on the suitability of this paradigm for building ontologies as well as representing and sharing knowledge on the Web.

The paper will discuss required and desirable features of ontological languages, giving examples of the possible usage of frame-based representation and ontologies on the Semantic Web.

Introduction: Frame-based Representation Systems

The term "Semantic Web" encompasses efforts to build a new world wide web (WWW) architecture that augments content with formal semantics thereby producing content suitable for automated systems to consume, as opposed to content intended for human consumption [Berners-Lee et al 2001]. The Semantic Web will allow us to use more automated functions (reasoning, information and service discovery, autonomous agents, etc.) on the Web, easing the workload of humans. (We probably need not repeat the well-known example here of using a search engine and getting back thousands of "hits" which then need to be pruned by hand). The Semantic Web will also pave the way for true "device independence" and customization of information content for individual users, since the information on the Web would now be contained in a "raw form" and any (context-dependent) presentation could be rendered on demand.

The success of the deployment of the Semantic Web will largely depend on whether useful ontologies will emerge [McGuinness 2001], allowing shared agreements about vocabularies for knowledge representation [KR]. Considering the Web community at large (as largely disjoint from the KR community), the acceptance for any particular KR technology or paradigm is of critical importance. It is the authors' belief that the simplicity (and ease of understanding) of frame-based representation would make it the paradigm of choice for knowledge representation when building the Semantic Web – given that we are attempting the deployment of "real" KR on a WWW-wide scale. If we offer the Web community a frame-based representation system that allows people to start modeling and (most importantly) *sharing* their models, some of these models will grow into useful ontologies (partially through a process of "natural selection") and we have taken a step closer to our goal. This observation appears to be shared by other efforts as well – we will provide our perspective on the developments to date and expand on them with our vision.

The concept of a *frame* was proposed in the 1970's [Minsky 1975], and frame systems subsequently gained ground as basic tools for representing knowledge [Fikes & Kehler 1985, Karp 1992, Chaudhri et al

1998]. The fundamental idea of a frame system is rather simple: A frame represents an object or a concept. Attached to the frame is a collection of attributes (slots), potentially having types (or value restrictions) and potentially filled initially with values. When a frame is being used the values of slots can be altered to make the frame correspond to the particular situation at hand. According to an interpretation by Minsky, the slots of a frame might represent questions most likely to arise in a hypothetical situation represented by the frame.

Frames are closely related to an earlier structure-based KR technique, called *semantic networks* [Woods 1975] which, in turn, are based on the idea of human associative memory [Quillian 1967]. Semantic networks may simply be thought of as data structures of nodes – "concepts" – and links – "associations" – between them. If one thinks of frames as concepts, and when other frames are used to fill slots we have an analogous framework. The notion of semantic networks also led to the early work on *description logics* [DL, Nardi et al forthcoming] as we know them today with the introduction of KL-ONE [Brachman 1977]. This work began with an emphasis on making term definitions in semantic networks more precise. Description logics provide representation and reasoning languages with precise semantics. They also limit language expressiveness so that reasoners can be built that can provide complete (and sound) inference in a tractable manner.

Soon after its inception, the notion of a frame system was criticized as not introducing anything new to the field of KR; for example, Pat Hayes has said, "most of 'frames' is just a new syntax for first-order logic" [Hayes 1979]. Although this statement is easy to accept, it doesn't diminish the value of frame systems as easy-to-understand tools for *simple* KR (starting from what might be called "structural modeling"). An example of a frame-based system that argues both these points is Ontolingua [Farquhar et al. 1997]. It provides a frame-based syntax but then translates all information into KIF, which is just a first order logic encoding of the information [KIF]. Ontolingua has also been coupled with a theorem prover (initially ATP, later JTP) that provides reasoning (however, it can not guarantee tractability).

There also exists a connection between frame systems and object-oriented programming (OOP) [Hynynen & Lassila 1989, Lassila 1990], particularly if we think of the "structural modeling" aspect mentioned above. The basic vocabulary is different, but what the terms denote are approximately the same, see table below:

| OOP Systems | Frame Systems | Description Logics |
|------------------------------|-----------------------------|------------------------------|
| instance | frame, instance, individual | instance, individual |
| attribute, instance variable | slot | role, attribute ¹ |
| value | filler | filler |
| class, type | frame, schema | class, concept |

From the adoption viewpoint, it can be observed that many people understand OOP even if they have never heard of frame systems. We can think of frame systems very pragmatically through a "heuristic" interpretation (they are vehicles for storing knowledge and performing inferences), and depart from Minsky's "metaphysical" interpretation.

In comparison to OOP systems, frame systems – as indicated above – typically embody some notion of *reasoning*. Frame system reasoning may sometimes be incomplete (i.e., there is no guarantee that everything that could be deduced from a given set of information may be deduced) and frame systems do not typically make guarantees about the computational tractability of their inference. Description logic-based systems typically provide information (many times proofs) concerning the tractability of their inference and if they do not provide complete inference, they typically provide a detailed discussion of what

¹ The term "attribute" has sometimes been used to distinguish single valued roles from multi-valued roles. Attributes in these systems have a maximum cardinality of 1.

kind of reasoning can be computed (e.g., [Borgida & Patel-Schneider 1994] and also provide precise semantics (typically denotational semantics) for the meanings of term expressions.²

RDF and What Is Missing From It

The lack of means of sharing information with formal semantics inspired the development of the World Wide Web Consortium's Resource Description Framework (RDF) metadata standard [Lassila & Swick 1999, Lassila 1998]. Expanding from the traditional notion of document metadata (such as something like library catalog information), RDF is suitable for describing any Web resources, and as such provides interoperability between applications that exchange "semantic" information on the Web.

In the RDF model, knowledge is represented as *directed labeled graphs* (DLGs) where nodes and arcs are named using URIs (Universal Resource Identifiers) [Berners-Lee et al 1998]. Consequently, RDF can describe not just things on the Web (such as pages, parts of pages, or collections of pages) but also things not on the Web as long as they can be named using some URI scheme. Instead of viewing RDF as DLGs (in this respect they resemble semantic networks), one can take a more object-oriented view and think of RDF as a frame-based representation system by viewing the graphs as consisting of object/attribute/value triples (or resource/property/value triples in RDF vocabulary). In comparison, to extend the "translation" from the previous section, at the lowest level, object-oriented programming systems, frame systems, description logic-based systems, and RDF have much in common but again the terms we use are all different:

| OOP Systems | Frame Systems | Description Logics | RDF |
|------------------------------|-----------------------------|---------------------------|-----------------------|
| instance | frame, instance, individual | instance, individual | resource ³ |
| attribute, instance variable | slot | role, attribute | property |
| value | filler | filler | property value |
| class, type | frame, schema | class, concept | class |

Descriptions in RDF can span multiple resources: values of properties can be other resources, and it is therefore possible to describe arbitrary relationships between multiple composite resources with structure. Properties themselves are also named by URIs and can be described: what are the permitted values of a particular property, which types of resources can it describe, and what is its relationship to other properties. Meaning in RDF comes from specific terms and concepts being defined and then named by URIs. Because URIs can be made unique, two systems can define some concept (say, "person") and can each use a different URI to name it to avoid "clashes"; on the other hand, two systems agreeing on a common concept will use the same URI and effectively "share" semantics.

On top of the basic RDF model is layered an extensible, object-oriented type system (known as RDF Schema) [Brickley & Guha 2000]. The meta-constructs for the type system are terms and concepts named by URIs, so effectively RDF itself is used in representing and defining classes and properties.⁴ Class definitions can be derived from multiple superclasses. Property definitions can specify domain and range

² Note that there also exist procedural languages which have been augmented with some type of reasoning capability (such as production rules). Given that this paper is focused on *representation*, these procedural languages (e.g., R++ [Litman et al 2001]) are considered out of scope.

³ The term "resource" is used for all nodes of an RDF DLG (including classes).

⁴ See the Appendix for a simple example of RDF Schema.

constraints. One can also think of RDF Schema as a set of ontological modeling primitives on top of RDF. As such, the RDF Schema still needs work. Some of this has recently emerged in the form of the OIL system [Bechhofer et al 2000, Fensel et al 2001, OIL] and work continues within DARPA's DAML program [Hendler & McGuinness 2000]. Additionally, there is a new axiomatic semantics for RDF, RDFS, and the language resulting from the DAML program [Fikes & McGuinness 2001, McGuinness et al 2001].

Ontologies

Ontologies have been around for many years. Merriam Webster, for example, dates ontology circa 1721 and provides two definitions (1) a branch of metaphysics concerned with the nature and relations of being and (2) a particular theory about the nature of being or the kinds of existents. These definitions provide an abstract philosophical notion of ontology. Ontologies slowly moved into a more mathematical and precise domain and the notion of a formal ontology existed since at least 1900. Smith [Smith 1998] points out that the philosopher Husserl distinguished them from formal logic [Husserl 1900] by 1900.

Ontologies have been gaining interest and acceptance in broader audiences. Guarino [Guarino 1998] provides a nice collection of fields that embrace ontologies including knowledge engineering, knowledge representation, qualitative modeling, language engineering, database design, information retrieval and extraction, and knowledge management and organization. That collection put together in early 1998 did not even include as much emphasis from the Web as is seen today. We would also include areas of library science [Dublin Core 1999], ontology-enhanced search (e.g., eCyc [eCyc] and FindUR [McGuinness 1998]), and possibly the largest one, e-commerce. Today's use of ontologies on the web has a different slant from the previous philosophical notions however. One widely cited definition of an ontology is Gruber's "A specification of a conceptualization" [Gruber 1993]. We will use this notion and expand upon it in our use of the term.

People (and computational agents) typically have some notion or conceptualization of the meaning of terms. Software programs sometimes provide a specification of the inputs and outputs of a program, which could be used as a specification of the program. Similarly ontologies can be used to provide a concrete specification of term names and term meanings. Within this line of thought though – where an ontology is a specification of the conceptualization of a term – there is much room for variation. Web ontologies may be viewed as a spectrum of detail in their specification. One might visualize a simple (linear) spectrum of definitions in Figure 1 below.




Figure 1: An Ontology Spectrum⁵

One of the simplest notions of a possible ontology may be a controlled vocabulary – i.e., a finite list of terms. Catalogs are an example of this category. Catalogs can provide an unambiguous interpretation of terms – for example, every use of a term (say, "car") will use exactly the same identifier (say, 25).

Another potential ontology specification is a glossary (a list of terms and meanings). The meanings are specified as natural language statements. This provides more information since humans can read the

⁵ This spectrum arose out of a conversation in preparation for an ontology panel at AAAI '99. The panelists (Lehman, McGuinness, Ushold, and Welty), chosen because of their years of experience in ontologies found that they encountered many forms of specifications some people might call ontologies. McGuinness refined the picture.

natural language statements. Typically interpretations are not unambiguous and thus these specifications are not adequate for computer agents. They may still be combined with identifiers.

Thesauri provide some additional semantics in their relations between terms. They provide information such as synonym relationships. In many cases their relationships may be interpreted unambiguously by agents. Typically thesauri do not provide an explicit hierarchy (although with narrower and broader term specifications, one could deduce a hierarchy).

Early Web specifications of term hierarchies, such as Yahoo's, provide a general notion of generalization and specialization. Yahoo, for example, provides a small number of top-level categories such as apparel and then dresses as a kind of (women's) apparel. A small number of people consider the previous categories (of catalogues, glossaries, and thesauri) to be ontologies but many prefer to have an explicit hierarchy included before something is considered an ontology. Yahoo does provide an explicit hierarchy, however it is not a strict subclass or "is-a" hierarchy. This point was distinguished on the spectrum since it seems to capture many of the "naturally occurring ontologies" on the Web. In these hierarchies it is typically the case that an instance of a more specific class is also an instance of the more general class but that is not enforced 100% of the time. For example, the general category "apparel" includes a subcategory "women" (which should more accurately be titled "women's apparel") that then includes subcategories "accessories" and "dresses". It is the case that every instance of a dress is an instance of apparel (and probably an instance of women's dress). It is not the case that a fragrance (an instance of a women's accessory) is an instance of apparel, thus fragrance is not "is-a" related to apparel. This mixing of categories is not unique to Yahoo – it appears in many Web classification schemes⁶.

Beyond informal "is-a" hierarchies, we move to formal "is-a" hierarchies. These include strict subclass relationships. In these systems if A is a superclass of B, then if an object is a subclass of B, it is necessarily the case that it is a subclass of A as well. Similarly, for formal instance relationships, if A is a superclass of B, then if an object is an instance of B, then it is necessarily the case that it is an instance of A as well. Thus, in the above example, fragrance would be required to be an instance of apparel or it would not be allowed to be placed below it in the hierarchy. Strict subclass hierarchies are necessary for exploitation of inheritance. The next point on the ontology spectrum includes formal instance relationships. Some classification schemes only include class names while others include ground individual content. This point includes instances as well.

Moving beyond strict subclass and instance relationships, we consider frames. Here classes include property information. For example, the apparel class may include properties of "price" and "isMadeFrom". A specific dress may have a price of \$50 and may be made of cotton. Properties become interesting when they are specified at a general class level and then inherited by subclasses and instances. In a consumer hierarchy, a general category like consumer product might have a price property associated with it. Possibly apparel would be the high level category that has "isMadeFrom" associated with it. All subclasses of these categories would inherit these properties.

A more expressive point in the ontology spectrum includes value restrictions. Here we may place restrictions on what can fill a property. For example, "price" might be restricted to be a number (or a number in a certain range) and "isMadeFrom" may be restricted to be a kind of material. Here we can see a possible problem with a classification scheme that does not support strict "is-a" or subclass relationships. For example, if fragrance were a subclass of apparel, it would inherit the property "isMadeFrom" and the value restriction of material that was stated.

⁶ Some prominent hierarchies such as Yahoo have renamed their classes to broad disjunctive categories such as "Apparel, Accessories, and Shoes" presumably in order to provide for more strict subclass relationships. Disjunctive categories make inheritance more problematic however with class-specific properties.

As ontologies need to express more information, their expressive requirements grow. For example, we may want to fill in the value of one property based on a mathematical equation using values from other properties. Many ontologies allow some statement of disjointness of classes – i.e., it is impossible to be an instance of A and simultaneously be an instance of B if A and B are disjoint classes. Some languages allow ontologists to state arbitrary logical statements. Very expressive ontology languages such as that seen in Ontolingua or CycL allow ontologists to specify first order logic constraints between terms.

In this paper, we will require the following properties to hold in order to consider something an ontology:

1. Finite controlled (extensible) vocabulary
2. Unambiguous interpretation of classes and term relationships
3. Strict hierarchical subclass relationships between classes

We consider the following properties typical but not mandatory:

4. Property specification on a per-class basis
5. Individual inclusion in the ontology
6. Value restriction specification on a per-class basis

Finally, the following properties may be desirable but not mandatory nor typical:

7. Specification of disjoint classes, inverse relationships, part-whole relationships
8. Specification of arbitrary logical relationships between terms

Uses of Frame-Based Representation on the Semantic Web

What is the purpose of the Semantic Web? The authors would like to believe that, given the current state and design of the Web (i.e., intended for human audiences which makes automating tasks difficult), the Semantic Web will allow us to use more automated functions (reasoning, information discovery, autonomous agents, etc.) on the Web.

As indicated earlier, the success of the Semantic Web depends on the emergence of shared ontologies. Why do we consider this important? The fact that we share vocabularies and models allows us to interoperate; given a "base ontology" shared by two agents, each agent can extend this ontology yet "partial understanding" can be achieved (much like in OOP systems, a base class defines "common" functionality). We believe that this partial understanding will actually advance the Web from its current state to what might be called the "Semantic Web".

One potential base ontology candidate in the domain of products and services is called UNSPSC or Universal Standard Products and Services Classification [UNSPSC]. This is being built as a joint effort between the United Nations Development Program and Dun & Bradstreet. The two organizations merged their separate commodity classification codes into a single open distributed system. UNSPSC provides a classification scheme (with associated numbers) that may be an appropriate top five layers for applications in services in products. For example, Category 53 ("Apparel and Luggage") has a subclass family 5310 ("Clothing") which in turn contains a subclass 531020 ("Dresses and skirts and saris and kimonos"), which in turn has a subclass commodity of 53102002 ("Women's dresses or skirts or saris or kimonos"). Many B2B applications today are attempting to extend the UNSPSC for their own purposes so that they can conveniently interconnect with other Web sites also using the coding scheme. While this ontology is not expected to be complete enough for any single application, it is expected to be a reasonable top level or umbrella structure for most services and products applications.

Given the automation aspect, the Semantic Web represents a radical departure from the current browsing paradigm of the Web. Indeed, we can foresee applications and usage situations where browsing is not a viable alternative, for example when application domains are too large or diverse. On the other hand, one might argue that browsing still takes place, but by automated agents and not by human users. If we can represent information about Web-based services in a formal manner, the discovery of additional functionality needed by agents becomes easier. Generally, the process of matching one agent's description of "missing" functionality with descriptions of services offered by other agents we call "service discovery", and resembles the act of advertising and querying. It is becoming an increasingly important aspect of distributed information systems.

A number of mechanisms for *low-level* service discovery are emerging (examples include Sun's Jini and Microsoft's Universal Plug and Play [e.g., Richard 2000]); these mechanisms attack the problem at a syntactic level, and rely heavily on standardization of a predetermined set of functionality descriptions. Standardization, unfortunately, can only take us half way towards our goal of automated agents on the Web, as our ability to anticipate all possible future needs is limited. The Semantic Web offers a possibility to elevate the mechanisms of service discovery to a "semantic" level. Here a more sophisticated description of functionality is possible, and the shared understanding between the consumer and the producer can be reached via the exchange of ontologies, which provide the necessary vocabulary for discussion.

More importantly, it will also be possible to reach a "partial match" between a request and an advertisement [e.g., Sycara et al 1999], yet be able to take advantage of the service thus discovered. An agent could thus enhance its functionality in the following manner:

1. Exchange of ontologies (thereby providing partial understanding)
2. Partial match of needs with services offered
3. Composition of exact required functionality from partially matched discovered services (using, for example, automated planning or configuration techniques).

This approach takes information system interoperability beyond what mere standardization or simple interface sharing enables, since it would be based on "deeper" descriptions of service functionality and can be performed ad hoc and on demand.

Conclusions

The Semantic Web can be viewed as the next generation of the World Wide Web architecture, an essential part of which is the content producers' ability to share the ontological information that defines the formal semantics of the Web content. Through shared ontological commitments reasoning agents are able to reach *partial shared understanding* and thus interoperate.

In this article we have discussed frame-based representation as a suitable paradigm for building ontologies, and the World Wide Web Consortium's RDF-formalism (and its extensions, such as the DARPA Agent Markup Language) as a manifestation of frame-based representation for the Web. The emergence of the Semantic Web is largely predicated on the broader "Web community" *accepting and deploying* distributed knowledge representation technologies, and in this context the ease-of-understanding of the KR paradigm is of paramount importance. Frame systems, with their close kinship to more widely understood object-oriented technologies, may well prove to be the "right" paradigm.

References

[Bechhofer et al 2000]


Sean Bechhofer, Jeen Broekstra, Stefan Decker, Michael Erdmann, Dieter Fensel, Carole Goble, Frank van Harmelen, Ian Horrocks, Michel Klein, Deborah

- McGuinness, Enrico Motta, Peter Patel-Schneider, Steffen Staab, and Rudi Studer, "An informal description of Standard Oil and Instance OIL", available on-line as <http://www.ontoknowledge.org/oil/downl/oil-whitepaper.pdf>
- [Berners-Lee et al 1998] Tim Berners-Lee, Roy Fielding, and Larry Masinter, "Uniform Resource Identifiers (URI): Generic Syntax", Internet Draft Standard RFC 2396, August 1998; available on-line as <http://www.isi.edu/in-notes/rfc2396.txt>.
- [Berners-Lee et al 2001] Tim Berners-Lee, James Hendler, and Ora Lassila, "Semantic Web", *Scientific American*, May 2001.
- [Borgida & Patel-Schneider 1994] Alex Borgida and Peter Patel-Schneider, "A Semantics and Complete Algorithm for Subsumption in the CLASSIC Description Logic", *Journal of Artificial Intelligence Research*, Vol 1, pp 277-308, 1994.
- [Brachman 1977] Ronald J. Brachman, *A Structural Paradigm for Representing Knowledge*, Ph.D. thesis, Harvard University, USA, 1977.
- [Brachman & Schmolze 1985] Ronald J. Brachman, James G. Schmolze, "An Overview of the KL-ONE Knowledge Representation System", *Cognitive Science*, Vol 9(2), pp 171-216, 1985.
- [Brickley & Guha 2000] Dan Brickley & R.V.Guha, "Resource Description Framework (RDF) Schema Specification 1.0", W3C Candidate Recommendation 27 March 2000, World Wide Web Consortium, Cambridge (MA); available on-line as <http://www.w3.org/TR/rdf-schema/>.
- [Chaudhri et al 1998] Vinay Chaudhri, Adam Farquhar, Richard Fikes, Peter Karp, and James Rice; "OKBC: A Programmatic Foundation for Knowledge Base Interoperability", AAAI 1998.
- [DL] <http://dl.kr.org/>
- [Dublin Core 1999] "Dublin Core Metadata Element Set, Version 1.1: Reference Description", Dublin Core Metadata Initiative, 1999; available on-line as <http://purl.org/dc/documents/rec-dces-19990702.htm>
- [eCyc] <http://www.e-Cyc.com/>
- [Farquhar et al 1997] Adam Farquhar, Richard Fikes, and James Rice; "The Ontolingua Server: a Tool for Collaborative Ontology Construction", *Intl. Journal of Human-Computer Studies* 46, 1997
- [Fensel et al 2001] Dieter Fensel, Ian Horrocks, Frank van Harmelen, Deborah L. McGuinness, and Peter F. Patel-Schneider. "OIL: An Ontology Infrastructure for the Semantic Web". *IEEE Intelligent Systems*, Vol. 16, No. 2, March/April 2001,
- [Fikes & Kehler 1985] Richard Fikes & Tom Kehler, "The Role of Frame-Based Representation in Reasoning", *CACM* 28(9): 904-920 (1985).
- [Fikes & McGuinness 2001] Richard Fikes & Deborah L. McGuinness, "An Axiomatic Semantics for RDF, RDF Schema, and DAML+OIL", KSL Technical Report KSL-01-01, Stanford University, 2001; available on-line as <http://www.ksl.stanford.edu/people/dlm/daml-semantic/abstract-axiomatic-semantic.html>.
- [Guarino 1998] Nicola Guarino, "Formal Ontology and Information Systems". In the Proceedings of Formal Ontology in Information Systems, June 1998. Also in *Frontiers in Artificial Intelligence and Applications*, IOS-Press, Washington, DC, 1998.
- [Gruber 1993] Tom R. Gruber, "A translation approach to portable ontologies". *Knowledge Acquisition*, 5(2):199-220, 1993.
- [Hayes 1979] Patrick J. Hayes, "The Logic of Frames", in D. Metzger (ed.), *Frame Conceptions and Text Understanding*, 46-61, Walter de Gruyter and Co., Berlin, 1979.
- [Hendler & McGuinness 2000] James Hendler and Deborah McGuinness, "The DARPA Agent Markup Language". *IEEE Intelligent Systems Trends and Controversies*, November/December 2000. Available from <http://www.ksl.stanford.edu/people/dlm/papers/ieee-daml01-abstract.html>

- [Husserl 1900] Edmund Husserl, *Logische Untersuchungen*, First edition Halle: Niemeyer, 1900/01.
- [Hynynen & Lassila 1989] Juha Hynynen & Ora Lassila, "On the Use of Object-Oriented Paradigm in a Distributed Problem Solver", *AI Communications* 2(3/4): 142-151 (1989).
- [Karp 1992] Peter D. Karp, "The design space of frame knowledge representation systems", Technical Report 520, SRI International AI Center; available on line as <ftp://www.ai.sri.com/pub/papers/karp-freview.ps.Z>
- [KIF] <http://logic.stanford.edu/kif/kif.html>
- [KR] <http://www.kr.org/>
- [Lassila 1990] Ora Lassila, "Frames or Objects, or Both?", Workshop Notes from the 8th National Conference on AI (AAAI-90): Object-Oriented Programming in AI, Boston (MA), 1990; also appeared as Report TKO-B67, Department of Computer Science, Helsinki University of Technology, Espoo (Finland), 1991.
- [Lassila 1998] Ora Lassila, "Web Metadata: A Matter of Semantics", *IEEE Internet Computing* 2(4): 30-37 (1998).
- [Lassila & Swick 1999] Ora Lassila & Ralph Swick, "Resource Description Framework (RDF) Model and Syntax Specification", W3C Recommendation 22 February 1999, World Wide Web Consortium, Cambridge (MA); available on-line as <http://www.w3.org/TR/REC-rdf-syntax/>.
- [Litman et. al 2001] Diane J. Litman, Peter F. Patel-Schneider, Anil K. Mishra, James M. Crawford, and Daniel L. Dvorak. R++: Adding Path-Based Rules to C++. *IEEE Transactions on Knowledge and Data Engineering*, to appear 2001.
- [McGuinness 1998] Deborah L. McGuinness, "Ontological Issues for Knowledge-Enhanced Search". In the Proceedings of Formal Ontology in Information Systems, June 1998. Also in *Frontiers in Artificial Intelligence and Applications*, IOS-Press, Washington, DC, 1998.
- [McGuinness 2001] Deborah L. McGuinness, "Ontologies Come of Age". To appear in Dieter Fensel, Jim Hendler, Henry Lieberman, and Wolfgang Wahlster, editors. *The Semantic Web: Why, What, and How*, MIT Press, 2001.
- [McGuinness et al 2001] Deborah L. McGuinness, Richard Fikes, Lynn Andrea Stein, and James Hendler, "DAML-ONT: An Ontology Language for the Semantic Web". To appear in Dieter Fensel, Jim Hendler, Henry Lieberman, and Wolfgang Wahlster, editors. *The Semantic Web: Why, What, and How*, MIT Press, 2001.
- [Minsky 1975] Marvin Minsky, "A Framework for Representing Knowledge", in Patrick Henry Winston (ed.), *The Psychology of Computer Vision*, McGraw-Hill, New York, 1975.
- [Nardi et al forthcoming] Daniele Nardi, Franz Baader, Deborah McGuinness, and Peter Patel-Schneider, editors. *The Handbook of Description Logics*, Cambridge University Press, forthcoming.
- [OIL] <http://www.ontoknowledge.org/oil/>
- [Quillian 1967] M. Ross Quillian, "Word Concepts: A Theory and Simulation of some Basic Semantic Capabilities", *Behavioral Science* 12: 410-430 (1967).
- [Richard 2000] Golden G. Richard III, "Service Advertisement and Discovery: Enabling Universal Device Cooperation", *IEEE Internet Computing* 4(5): (2000).
- [Smith 1998] Barry Smith, "Basic Concepts of Formal Ontologies", in N. Guarino (Ed.) *Formal Ontology in Information Systems*, IOS Press, 1998.
- [Sycara et al 1999] Katia Sycara, Matthias Klusch, Seth Widoff & Jianguo Lu: "Dynamic Service Matchmaking Among Agents in Open Information Environments", in: A. Ouksel, A. Sheth (eds.): *ACM SIGMOD Record* (Special Issue on Semantic Interoperability in Global Information Systems), 28(1): 47-53 (March 1999)
- [UNSPSC] <http://www.unspsc.org/>

Appendix: An RDF Example

Below is an example of a class hierarchy in RDF. The graph is a fragment from a larger ontology: it defines two classes and one property.⁷ The XML fragment is the serialization of the graph.



```

<rdfs:Class rdf:ID="apparel">
  <rdfs:label>Apparel</rdfs:label>
</rdfs:Class>

<rdf:Property rdf:ID="isMadeOf">
  <rdfs:label>is made of</rdfs:label>
  <rdfs:domain rdf:resource="#apparel" />
</rdf:Property>

<rdfs:Class rdf:ID="dress">
  <rdfs:subClassOf rdf:resource="#apparel" />
  <rdfs:label>Dress</rdfs:label>
</rdfs:Class>

```

⁷ Note that node (resource and property) URIs are written as XML qualified names, and that the namespace URIs are not shown.