

Yale University

EliScholar – A Digital Platform for Scholarly Publishing at Yale

Cowles Foundation Discussion Papers

Cowles Foundation

3-1-1978

The Structure of Neutral Monotonic Social Functions

Julian H. Blau

Donald J. Brown

Follow this and additional works at: <https://elischolar.library.yale.edu/cowles-discussion-paper-series>



Part of the [Economics Commons](#)

Recommended Citation

Blau, Julian H. and Brown, Donald J., "The Structure of Neutral Monotonic Social Functions" (1978).
Cowles Foundation Discussion Papers. 718.
<https://elischolar.library.yale.edu/cowles-discussion-paper-series/718>

This Discussion Paper is brought to you for free and open access by the Cowles Foundation at EliScholar – A Digital Platform for Scholarly Publishing at Yale. It has been accepted for inclusion in Cowles Foundation Discussion Papers by an authorized administrator of EliScholar – A Digital Platform for Scholarly Publishing at Yale. For more information, please contact elischolar@yale.edu.

COWLES FOUNDATION FOR RESEARCH IN ECONOMICS

AT YALE UNIVERSITY

Box 2125, Yale Station
New Haven, Connecticut 06520

COWLES FOUNDATION DISCUSSION PAPER NO. 485

Note: Cowles Foundation Discussion Papers are preliminary materials circulated to stimulate discussion and critical comment. Requests for single copies of a Paper will be filled by the Cowles Foundation within the limits of the supply. References in publications to Discussion Papers (other than mere acknowledgment by a writer that he has access to such unpublished material) should be cleared with the author to protect the tentative character of these papers.

THE STRUCTURE OF NEUTRAL MONOTONIC SOCIAL FUNCTIONS

Julian H. Blau and Donald J. Brown

March 3, 1978

THE STRUCTURE OF NEUTRAL MONOTONIC SOCIAL FUNCTIONS[†]

by

Julian H. Blau and Donald J. Brown[‡]

February 15, 1978

Abstract

In [6], Guha gave a complete characterization of path independent social decision functions which satisfy the independence of irrelevant alternatives condition, the strong Pareto principle, and UII, i.e., unanimous indifference implies social indifference. These conditions necessarily imply that a path independent social decision function is neutral and monotonic. In this paper, we extend Guha's characterization to the class of neutral monotonic social functions. We show that neutral monotonic social functions and their specializations to social decision functions, path independent social decision functions, and social welfare functions can be uniquely represented as a collection of overlapping simple games, each of which is defined on a nonempty set of concerned individuals.

Moreover, each simple game satisfies certain intersection conditions depending on the number of social alternatives; the number of individuals belonging to the concerned set under consideration; and the collective rationality assumption.

[†]This preliminary draft is being duplicated for private circulation only, and is not to be quoted without the authors' permission.

[‡]This research was supported in part by a NSF grant and a Yale University Senior Faculty Fellowship.

We also provide a characterization of neutral, monotonic and anonymous social decision functions, where the number of individuals in society exceeds the (finite) number of social alternatives, that generalizes both the representation theorem of May [10] and the representation theorems of Ferejohn and Grether [5].

THE STRUCTURE OF NEUTRAL MONOTONIC SOCIAL FUNCTIONS

by

Julian H. Blau and Donald J. Brown

1. Introduction

The axiomatic analysis of the aggregation of individual preferences, initiated by Arrow [1], has led to partial characterizations of special classes of social functions, collective choice rules which aggregate profiles of weak orderings into asymmetric social preferences.

The most celebrated result being Arrow's own Possibility Theorem, where it is shown that any social welfare function, a social function whose range is the family of weak orderings, which satisfies the independence of irrelevant alternatives condition and the weak Pareto principle must be dictatorial.⁽¹⁾ That is, under these conditions, there exists some individual who if he prefers the social alternative a over the social alternative b , then the social preference is a over b .

Blau and Deb [2] have shown that any social decision function, a social function whose range is the family of acyclic preferences, which is neutral and monotonic has a veto hierarchy.⁽²⁾ A veto hierarchy is a finite partition V_1, V_2, \dots, V_t of the set of individuals such that: each V_i is nonempty; each member of V_1 has a veto; for $r \geq 2$, each member of V_r has a veto when all members of $\bigcup_{i=1}^{r-1} V_i$ are indifferent.

Guha [6] has given a complete characterization of path independent social decision functions, a social function whose range is the family of quasi-transitive preferences, which satisfy the independence of irrelevant

alternatives condition, the strong Pareto principle, and UII, i.e., if there is unanimous indifference between a and b , then a and b are socially indifferent. Under these conditions, he has shown that each nonempty set of concerned individuals contains an oligarchy. An individual is concerned about the pair of alternatives $\{a, b\}$ if he is not indifferent between them. A subset of a concerned set of individuals is an oligarchy if each person in the oligarchy has a veto, i.e., if he prefers a to b then society does not prefer b to a , and if everyone in the oligarchy prefers a to b then the social preference is a over b . Guha also established the converse of this result.

In this paper, we extend Guha's characterization to the class of neutral monotonic social functions.⁽³⁾ We show that neutral monotonic social functions and their specializations to path independent social decision functions, social welfare functions, and social decision functions can be uniquely represented as a collection of overlapping simple games, each of which is defined on a nonempty set of concerned individuals.

Moreover, each simple game satisfies certain intersection conditions depending on the number of social alternatives; the number of individuals belonging to the concerned set under consideration; and the collective rationality assumption. These results are given in Theorems (1) through (4).

Characterizations of simple majority rule and several of its variants, e.g., relative and absolute special majority rules, can also be found in the social choice literature. Here the classic result is due to May [10] who shows that, for two alternatives, a social function is simple majority rule iff it is strongly monotonic, neutral, and anonymous.

As is well known, if there are at least three social alternatives then simple majority rule need not be a social decision function, i.e., the so-called "paradox of voting". Ferejohn and Grether [5] proved that if the number of individuals exceeds the number of alternatives, then the relative special majority rule defined by θ , where society prefers a over b iff the fraction of concerned individuals who prefer a over b exceeds θ , is a social decision function iff $\theta \geq \frac{m-1}{m}$, where m is the number of social alternatives.

In Theorem (5), we extend the analysis of Ferejohn and Grether, pertaining to relative and absolute special majority rule, to neutral monotonic social decision functions, where the number of individuals exceeds the number of alternatives, and there is a finite number of alternatives.

The remainder of our paper consists of four propositions which, in conjunction with the theorems, are intended to make clear the relationships between our approach and previous partial characterizations of social decision functions that have appeared in the literature.

Decisive sets have played a prominent role in the analysis of social decision functions.⁽⁴⁾ In fact, the dictator in Arrow's Theorem is an instance of a minimal decisive set. Therefore in Proposition (1), we identify the simple game in our representation which corresponds to the family of decisive sets.

In Proposition (2), we describe the veto-hierarchy in our representation of social decision functions, path independent social decision functions, and social welfare functions which are neutral and monotonic. This proposition shows the connection between our approach and the work of Blau and Deb, cited earlier.

Social decision functions are often assumed to be strongly monotonic or anonymous. These conditions are investigated in Propositions (3) and (4), respectively.

Proposition (3), together with Theorem (4), gives a characterization of strongly monotonic and neutral social decision functions which is comparable to the Possibility Theorem of Mas-Colell and Sonnenschein [9].

Proposition (4) generalizes the previously cited papers of May and Ferejohn and Grether, where we have weakened May's strong monotonicity assumption and the positive responsiveness of Ferejohn and Grether to monotonicity and retained their assumptions of neutrality and anonymity.

II. Definitions and Notation

The set of social alternatives will be denoted as A .

P is a preference relation on A if P is an asymmetric binary relation on A , i.e., xPy and yPx cannot both be true. If they are both false, we write xIy , while xRy means that xPy or xIy . A preference relation is called acyclic if for all $x_1, x_2, \dots, x_n \in A$; $x_1Px_2, x_2Px_3, \dots, x_{n-1}Px_n \Rightarrow x_1Rx_n$. A preference relation is called quasi-transitive if P is transitive. A preference relation is called a weak ordering if R is transitive. A preference relation is called a strict ordering if it is quasi-transitive and for all $x, y \in A$; either xPy or yPx .

\mathcal{B} is the set of all preference relations on A .

\mathcal{C} is the set of all acyclic preferences on A .

\mathcal{Q} is the set of all quasi-transitive orderings on A .

\mathcal{R} is the set of all weak orderings on A .

\mathcal{S} is the set of all strict orderings on A .

I is the set of individuals in society. A profile is a function mapping I into \mathcal{R} , hence (by definition) a member of \mathcal{R}^I .

A social function is a mapping of \mathcal{R}^I into \mathcal{B} . A social decision function is a mapping of \mathcal{R}^I into \mathcal{C} . A path independent social decision function is a mapping of \mathcal{R}^I into \mathcal{Q} . A social welfare function is a mapping of \mathcal{R}^I into \mathcal{R} .

If σ is a social function and p a profile, then $\sigma(p)$ is a preference relation. Moreover, if p is a profile then $p(i)$ is the preference relation of the i^{th} individual. If p is a profile and $a, b \in A$, denote by $p(a > b)$ the set of individuals who prefer a to b , i.e., $ap(i)b$ iff $i \in p(a > b)$. If p is a profile and $a, b \in A$, then

$p(a \succ b) \cup p(b \succ a)$ is the set of concerned individuals (with respect to the profile p and the pair of alternatives $\{a, b\}$).

If σ is a social function and $J \subset I$, then J is said to be decisive (with respect to σ) if for all profiles p ; $J \subset p(a \succ b) \Rightarrow a\sigma(p)b$, for all $a, b \in A$.

In the course of our discussions, we shall assume that every social function σ satisfies the following condition of neutrality and monotonicity:

Let p, q be profiles, and $a, b, x, y \in A$. If $p(a \succ b) \subseteq q(x \succ y)$ and $q(y \succ x) \subseteq p(b \succ a)$, then $a\sigma(p)b$ implies $x\sigma(q)y$. The set inclusions above permit equality. If they are restricted to equality, then the altered statement defines independence and neutrality. If, in addition, $a = x$ and $b = y$, then we have independence alone. We refer the interested reader to (2) where this condition was first introduced into the social choice literature.

If J is a nonempty subset of I , then a simple game on J is a collection of subsets of J , Γ_J , such that:

- (a) $A \subset \Gamma_J, A \subset B \Rightarrow B \subset \Gamma_J$.
- (b) $A \subset \Gamma_J \Rightarrow A^c \not\subset \Gamma_J$, where A^c is the complement of A in J .

The null (simple) game on J is the empty collection of subsets of J .

If Γ_J is a simple game on J , then $\Gamma_J^x = \{E \subset J \mid E^c \subset \Gamma_J\}$.

Γ_J is often referred to as the family of winning coalitions and we shall call Γ_J^x the family of losing coalitions. Note that under our definitions, in a given simple game Γ_J , it may be true that a coalition $E \subset J$ is neither winning nor losing.

If there are a finite number of social alternatives, i.e., $|A| < \infty$, then an acyclic majority on J is a simple game on J, Γ_J , such that any empty intersection of coalitions in Γ_J has at least $|A| + 1$ members.

A prefilter on J is a simple game on J, Γ_J , such that $\cap \Gamma_J \neq \emptyset$. Note that if $|A| < \infty$, then every prefilter is an acyclic majority, but not conversely. In addition, we require prefilters not to be the null game.

A filter on J is a prefilter on J, Γ_J , such that $E, F \in \Gamma_J \Rightarrow E \cap F \in \Gamma_J$.

An ultrafilter on J is a filter on J, Γ_J , such that for all $E \subset J$, either $E \in \Gamma_J$ or $E^c \in \Gamma_J$.

We now present the central notion of our paper, the direct sum of simple games.

A direct sum of simple games is an indexed family $\{\Gamma_J\}_{J \in 2^I}$ such that:

- (i) Γ_J is a simple game (possibly null),
- (ii) For all $K, L \in 2^I$; if $K \subset L$, then $\Gamma_L \cap 2^K \subseteq \Gamma_K$,
- (iii) For all $K, L \in 2^I$; if $K \subset L$, then $\Gamma_K^* \subseteq \Gamma_L^*$.

If $|A| < \infty$, then a direct sum of acyclic majorities is an indexed family of $\{\Gamma_J\}_{J \in 2^I}$ such that

- (i)' Γ_J is an acyclic majority (possibly a prefilter),
- (ii)' same as (ii) above,
- (iii)' same as (iii) above.

Every direct sum of simple games, $\Gamma = \{\Gamma_J\}_{J \in 2^I}$, generates an aggregation rule μ_Γ , where for every profile p and alternatives $a, b \in A$;
 $\mu_\Gamma(p) \ni b$ iff $p(a > b) \in \Gamma_{p(a > b) \cup p(b > a)}$. That is, the set of individuals who prefer a over b is a winning coalition in the simple game defined on the set of individuals concerned about the pair $\{a, b\}$.

III. Theorems⁽⁵⁾

Theorem (1). (a) If Γ is a direct sum of simple games, then μ_Γ , the aggregation rule generated by Γ , is a neutral monotonic social function.

(b) If σ is a neutral monotonic social function, then there exists a unique direct sum of simple games, Γ , such that $\sigma = \mu_\Gamma$.

Proof. (a) If Γ is a direct sum of simple games then it is obvious that μ_Γ is a neutral social function. Hence we need only show that μ_Γ is monotonic. Let $p, q \in \mathcal{R}^I$ and $a, b \in A$. There are three cases:
 (i) $q(a > b) \supset p(a > b)$, $q(b > a) = p(b > a)$, and $a \mu_\Gamma(p)b$. Let $K = p(a > b) \cup p(b > a)$ and let $L = q(a > b) \cup q(b > a)$, then $K \subset L$, $q(b > a) = p(b > a) \in \Gamma_K^*$. Hence $q(b > a) \in \Gamma_L^*$, i.e., $q(a > b) \in \Gamma_L$. Therefore $a \mu_\Gamma(q)b$.
 (ii) $q(a > b) = p(a > b)$, $q(b > a) \subset p(b > a)$, and $a \mu_\Gamma(p)b$. Let $K = q(a > b) \cup q(b > a)$ and $L = p(a > b) \cup p(b > a)$, then $K \subset L$. $q(a > b) = p(a > b) \in \Gamma_L \cap \mathcal{P}^K$. Hence $q(a > b) \in \Gamma_K$. Therefore $a \mu_\Gamma(q)b$.
 (iii) $q(a > b) \supset p(a > b)$, $q(b > a) \subset p(b > a)$, and $a \mu_\Gamma(p)b$. There exists a profile $r \in \mathcal{R}^I$ such that $br(i)a$ iff $bq(i)a$ and $ar(i)b$ iff $ap(i)b$. Then by case (ii); $a \mu_\Gamma(r)b$. We can then apply case (i) to profiles r and q . Hence $a \mu_\Gamma(q)b$.

(b) Suppose σ is a neutral monotonic social function, then $\sigma: \mathcal{R}^I \rightarrow \mathcal{B}$. Given any profile $p \in \mathcal{R}^J$, we can extend it to a profile $q \in \mathcal{R}^I$ where $q(i) = p(i)$ for all $i \in J$ and $q(i)$ is universal indifference for all $i \in I/J$. Hence $\sigma: \mathcal{R}^J \rightarrow \mathcal{B}$ is well defined. If we further restrict σ to profiles of strict orders, i.e., members of

S^J , then $\sigma: S^J \rightarrow \mathcal{B}$, the restriction of σ to S^J which we denote as $\sigma|S^J$, is completely determined by its decisive sets. This follows from the observation that if Γ_J is the family of decisive sets of $\sigma|S^J$, then $E \in \Gamma_J$ iff there exists some profile $p \in S^J$ and $a, b \in A$ such that $a\sigma(p)b$ and $E = \{i \in J \mid a p(i) b\}$. If $\Gamma = \{\Gamma_J\}_{J \subseteq I}$, then we shall show that $\sigma = \mu_\Gamma$; that each Γ_J is a simple game; and that Γ is a direct sum of the Γ_J .

Suppose $q \in \mathcal{R}^I$ and $a, b \in A$ and let $J = q(a > b) \cup q(b > a)$. There exists $p \in S^J$ such that $a p(i) b \iff a q(i) b$. Hence $a \mu_{\Gamma_J}(p) b \iff a \mu_\Gamma(p) b \iff a \mu_\Gamma(q) b$. But $a \sigma(q) b \iff a \sigma(p) b \iff a \mu_{\Gamma_J}(p) b$. Therefore, $a \sigma(q) b \iff a \mu_\Gamma(q) b$.

Suppose for some $J \subseteq I$, that Γ_J is not proper. Then there exists $K \subseteq J$ such that K and J/K are both in Γ_J . For some pair of alternatives $a, b \in A$, we consider the profile $q \in S^J$ where $q(a > b) = K$ and $q(b > a) = J/K$. Then $a \sigma(q) b$ and $b \sigma(q) a$, which contradicts social asymmetry. Γ_J is monotonic for every J , since by definition families of decisive sets are monotonic. To show that Γ is the direct sum of the Γ_J , we suppose $K \subseteq L$ and consider some $E \in \Gamma_L \cap \mathcal{R}^K$. There exists a profile $p \in S^L$ such that $p(a > b) = E$ and $p(b > a) = L/K$ for some $a, b \in A$. Hence $a \sigma(q) b$ where $q \in \mathcal{R}^I$ and $p(a > b) = q(a > b)$, $p(b > a) = q(b > a)$. Consider the profile $r \in \mathcal{R}^I$ where $r(a > b) = E$ and $r(b > a) = K/E$, then by monotonicity, $a \sigma(r) b$. Let s be the profile in S^K where $r(a > b) = s(a > b)$ and $r(b > a) = s(b > a)$, then $a \mu_{\Gamma_K}(s) b$. That is, $E \in \Gamma_K$. Now we consider some E in Γ_K^* . Hence there exists some $F \in \Gamma_K$ such that $E = K/F$. Consider the profile $r \in \mathcal{R}^I$ where $r(a > b) = F$ and

$r(b > a) = E$. Then $a\sigma(r)b$. Let s be the profile in \mathcal{R}^I where $s(a > b) = F \cup L/K$ and $s(b > a) = E$, then by monotonicity $a\sigma(s)b$. Let q be the profile in S^L where $s(a > b) = q(a > b)$ and $s(b > a) = q(b > a)$. Then $a\mu_{\Gamma}(q)b$. That is, $E \in \Gamma_L^*$.

Suppose $\sigma = \mu_{\tilde{\Gamma}}^L$ where $\tilde{\Gamma} \neq \Gamma$. Then for some $J \subset I$, $\tilde{\Gamma}_J/\Gamma_J \neq \emptyset$. If $E \in \tilde{\Gamma}_J/\Gamma_J$, then we construct a profile $s \in \mathcal{R}^I$ where everyone in E prefers x to y , everyone in J/E prefers y to x , and everyone in I/J is indifferent between x and y . Then $x\mu_{\tilde{\Gamma}}(s)y$ and $\neg x\mu_{\Gamma}(s)y$, a contradiction.

Proposition (1). Let $\{\Gamma_J\}_{J \subset I}$ be a direct sum of simple games and μ_{Γ} the neutral monotonic social function generated by Γ .

- (a) μ_{Γ} is a null social function iff Γ_I is the null game. ⁽⁶⁾
- (b) Γ_I is the family of decisive sets for μ_{Γ} .

Proof: (a) If μ_{Γ} is not the null social function, then there exists $a, b \in A$ and a profile $p \in \mathcal{R}^I$ such that $a\mu_{\Gamma}(p)b$. Since $p(b > a) \in \Gamma_J^*$ where $J = p(a > b) \cup p(b > a)$, $p(b > a) \in \Gamma_I^*$ by (iii). Hence Γ_I is not empty. The converse is immediate.

(b) If μ_{Γ} is not the null social function, then there exists $E \in \Gamma_I$, by part (a). By monotonicity, any such E is decisive. Suppose some $E \subset I$ is decisive, then consider the profile $q \in S^I$ where for some $a, b \in A$; $E = \{i \in I \mid aq(i)b\}$ and for all $i \in I/E$, $bq(i)a$. In this case, $a\mu_{\Gamma}(q)b$ and therefore $E \in \Gamma_I$.

If μ_{Γ} is the null social function, then μ_{Γ} has no decisive sets. But by part (a), in this case $\Gamma_I = \emptyset$.

Lemma. Let $R = P \cup I$ be a weak ordering on A and let C be a minimal cycle on A , i.e., $C = \{(x_1, x_2), (x_2, x_3), \dots, (x_n, x_1)\}$ where $x_i \neq x_j$ if $i \neq j$. If $C/I \neq \emptyset$, then $Q = P \cup (I \cap C)$ can be extended to a strict ordering, \tilde{Q} , over A .

Proof: $Q \subset P \cup I = R$ and $Q \subset P \cup C$. Any Q -cycle is an R -cycle and therefore an I -cycle, since R is a weak ordering. But it is also a $(P \cup C)$ -cycle. Since the cycle is a subset of I , it is disjoint from P , and therefore is a subset of C . Since C is minimal, the cycle is C . But then C is a subset of I , which is false, since $C/I \neq \emptyset$. Therefore Q is acyclic. I defines an equivalence relation on A and we denote by \hat{A} the family of indifference or equivalence classes defined by I . R induces a strict order, \hat{P} , on \hat{A} . Since Q is acyclic on A , it is acyclic on any subset of A . Hence Q is acyclic on every equivalence class $[b]$. Therefore Q can be extended to a strict order on $[b]$, call this extension $Q_{[b]}$. \hat{P} and the family of strict orders $\{Q_{[b]}\}_{b \in A}$ generate a strict order, \tilde{Q} , over A which extends Q , where for all $a, b \in A$; $a \tilde{Q} b$ if $a P b$ and $a \tilde{Q} b$ if $a I b$ and $a Q_{[b]} b$.

Theorem (2). (a) If Γ is a direct sum of filters, then μ_Γ , the aggregation rule generated by Γ , is a path independent social decision function.

(b) If σ is a neutral monotonic path independent social decision function, then there exists a unique direct sum of filters, Γ , such that $\sigma = \mu_\Gamma$.

Proof: (a) μ_Γ is a neutral monotonic social function by part (a) of Theorem (1). Suppose for some profile $p \in \mathcal{R}^I$, there exists distinct x_1, x_2, x_3 such that $x_1 \mu_\Gamma(p) x_2$ and $x_2 \mu_\Gamma(p) x_3$. Let C be the cycle $\{(x_1, x_2), (x_2, x_3), (x_3, x_1)\}$ and J_ℓ the set of concerned individuals for the ℓ^{th} pair in the cycle C . If $J = \bigcup_{\ell=1}^3 J_\ell$, then for each $i \in J$ we apply the Lemma and obtain a strict ordering \tilde{Q}_i over A . Let q be the profile in \mathcal{R}^I where $q(i) = \tilde{Q}_i$ for $i \in J$ and $q(i) = p(i)$ for $i \in I/J$. Since μ_Γ is monotonic, $x_1 \mu_\Gamma(q) x_2$ and $x_2 \mu_\Gamma(q) x_3$. If $s \in \mathcal{S}^J$ where $s(i) = q(i)$ for all $i \in J$, then $x_1 \mu_\Gamma(s) x_2$ and $x_2 \mu_\Gamma(s) x_3$. Hence $s(x_1 > x_2) \in \Gamma_J$ and $s(x_2 > x_3) \in \Gamma_J$. Since Γ_J is a filter, $E = s(x_1 > x_2) \cap s(x_2 > x_3) \in \Gamma_J$. If $F = \{i \in J \mid x_1 s(i) x_3\}$, then $E \subset F$ and $F \in \Gamma_J$. That is, $x_1 \mu_{\Gamma_J}(s) x_3$, hence $x_1 \mu_\Gamma(q) x_3$. By monotonicity, $x_1 \mu_\Gamma(p) x_3$.

(b) By part (b) of Theorem (1), we know that $\sigma = \mu_\Gamma$ where Γ is a unique direct sum of simple games, $\{\Gamma_J\}_{J \subset I}$. Suppose $\Gamma_L \neq \emptyset$ and $E \in \Gamma_L, F \in \Gamma_L$. Let $G = E \cap F$ and $K = E \cup F$. If x, y, z are distinct elements of A , then consider the acyclic profile over $\{x, y, z\}$ given by:

$$E/G : z \ x \ y$$

$$G : x \ y \ z$$

$$F/G : y \ z \ x$$

$$L/K : z \ y \ x$$

We extend the acyclic preferences of each individual in L to a strict order over A . This defines a profile $s \in \mathcal{S}^L$. Then extend s to a profile $p \in \mathcal{R}^I$ by making individuals in I/L universally indifferent.

But $s(x \succ y) = E$ and $s(y \succ z) = F$, hence $x \mu_{\Gamma_L}(s)y$ and $y \mu_{\Gamma_L}(s)z$.

This implies that $x \mu_{\Gamma_L}(p)y$ and $y \mu_{\Gamma_L}(p)z$. Since $\mu_{\Gamma_L} = \sigma$ and σ is a path independent social decision function, $x \mu_{\Gamma_L}(p)z$. That is, $x \mu_{\Gamma_L}(s)z$.

But $G = s(x \succ z)$ and therefore $G \in \Gamma_L$.

Theorem (3). (a) If Γ is a direct sum of ultrafilters, then μ_{Γ} , the aggregation rule generated by Γ , is a social welfare function.

(b) If σ is a neutral monotonic social welfare function, then there exists a unique direct sum of ultrafilters, Γ , such that $\sigma = \mu_{\Gamma}$.

Proof: (a) μ_{Γ} is a path independent social decision function by part (a) of Theorem (2). Suppose for some profile $p \in \mathcal{R}^I$, there exists distinct x_1, x_2, x_3 such that $\neg x_1 \mu_{\Gamma}(p)x_2$ and $\neg x_2 \mu_{\Gamma}(p)x_3$. Let C be the cycle $\{(x_3, x_2), (x_2, x_1), (x_1, x_3)\}$ and J_ℓ the set of concerned individuals for the ℓ^{th} pair in the cycle C . If $J = \bigcup_{\ell=1}^3 J_\ell$, then for each $i \in J$ we apply the Lemma and obtain a strict ordering \tilde{Q}_i over A . Let q be the profile in \mathcal{R}^I where $q(i) = \tilde{Q}_i$ for $i \in J$ and $q(i) = p(i)$ for $i \in I/J$. Since μ_{Γ} is monotonic, $\neg x_1 \mu_{\Gamma}(q)x_2$ and $\neg x_2 \mu_{\Gamma}(q)x_3$. If $s \in \mathcal{S}^J$ where $s(i) = q(i)$ for all $i \in J$, then $\neg x_1 \mu_{\Gamma_J}(s)x_2$ and $\neg x_2 \mu_{\Gamma_J}(s)x_3$. Hence $s(x_1 \succ x_2) \notin \Gamma_J$ and $s(x_2 \succ x_3) \notin \Gamma_J$. But Γ_J

is an ultrafilter and therefore $s(x_2 > x_1) \in \Gamma_J$ and $s(x_3 > x_2) \in \Gamma_J$, since they are respectively the complements of $s(x_1 > x_2)$ and $s(x_2 > x_3)$. Hence $s(x_2 > x_1) \cap s(x_3 > x_2) \in \Gamma_J$, which implies that $x_3 \mu_{\Gamma_J}(s)x_1$, or $\neg x_1 \mu_{\Gamma_J}(s)x_3$. Hence $\neg x_1 \mu_{\Gamma}(q)x_3$, by monotonicity $\neg x_1 \mu_{\Gamma}(p)x_3$.

(b) By part (b) of Theorem (2), we know that $\sigma = \mu_{\Gamma}$ where Γ is a unique direct sum of filters, $\{\Gamma_J\}_{J \subset I}$. Suppose $\Gamma_L \neq \emptyset$ and $L = E \cup E^c$. Consider the acyclic profile:

$$E : y \ x \ z$$

$$E^c : x \ z \ y$$

We extend the acyclic preferences of each individual in L to a strict order over A . This defines a profile $s \in S^L$. Then extend s to a profile $p \in \mathcal{R}^I$ by making individuals in I/L universally indifferent. Since Γ_L is a filter, $L \in \Gamma_L$. Hence $x \mu_{\Gamma_L}(s)z$ which implies that $x \mu_{\Gamma}(p)z$. If either $x \mu_{\Gamma}(p)y$ or $y \mu_{\Gamma}(p)x$, then $E^c \in \Gamma_J$ or $E \in \Gamma_J$. If $\neg x \mu_{\Gamma}(p)y$ and $\neg y \mu_{\Gamma}(p)x$, then $y \mu_{\Gamma}(p)z$ and $E \in L$. This follows from the transitivity of $\mu_{\Gamma}(p)$, i.e., μ_{Γ} is a social welfare function.

Theorem (4). (a) If $\{\Gamma_J\}_{J \subset I}$ is a direct sum of prefilters, then μ_{Γ} , the aggregation rule generated by Γ , is a neutral monotonic social decision function.

(b) If σ is a neutral monotonic social decision function and $|A| \geq |I|$, then there exists a unique direct sum of prefilters, Γ , such that $\sigma = \mu_{\Gamma}$.

Proof: (a) μ_{Γ} is a neutral monotonic social function by part (a) of Theorem (1). Suppose for some profile $p \in \mathcal{R}^I$, that $\mu_{\Gamma}(p)$ has a minimal social cycle $C = \{(x_1, x_2), (x_2, x_3), \dots, (x_n, x_1)\}$. Let J_ℓ be the set of concerned individuals for the ℓ^{th} pair in the cycle C and $J = \bigcup_{\ell=1}^n J_\ell$. For each $i \in J$, we apply the Lemma and obtain the strict ordering \tilde{Q}_i over A . Let q be the profile in \mathcal{R}^I where $q(i) = \tilde{Q}_i$ for $i \in J$ and $q(i) = p(i)$ for $i \in I/J$. Since μ_{Γ} is monotonic, C is also a social cycle for $\mu_{\Gamma}(q)$. Hence C is a social cycle for $\mu_{\Gamma_J}(s)$ where $s \in S^J$ and $s(i) = q(i)$ for all $i \in J$. Therefore, $s(x_i > x_{i+1}) \in \Gamma_J$ for all i , where $x_{n+1} \equiv x_1$. Since Γ_J is a prefilter there exists some individual $i_0 \in \bigcap_{i=1}^n s(x_i > x_{i+1})$. Hence i_0 has cyclic preferences, which is a contradiction.

(b) By part (b) of Theorem (1), we know that $\sigma = \mu_{\Gamma}$ where Γ is a unique direct sum of simple games. Suppose for some J that $\Gamma_J \neq \emptyset$ and Γ_J is not a prefilter. Then there exists a finite family of $\{E_\ell\}_{\ell=1}^n$, where $E_\ell \in \Gamma_J$ for all ℓ , and $\bigcap_{\ell=1}^n E_\ell = \emptyset$. Then consider the acyclic latin square profile below:

$$\begin{aligned}
 E_1 &: x_1 x_2 \\
 E_2 &: x_2 x_3 \\
 &\vdots \\
 E_n &: x_n x_1
 \end{aligned}$$

We extend the acyclic profiles of each individual in $E = \bigcup_{\ell=1}^n E_\ell$ to a strict order over A . This defines a profile $s \in S^E$. Then we extend s to a profile $p \in \mathcal{R}^I$ by making individuals in I/E universally indifferent. Since Γ is a direct sum and $E \subset J$, $E_i \in \Gamma_J \cap 2^E$ for all i , we conclude that each E_i is in Γ_E . But for all i , $E_i = s(x_i > x_{i+1})$. Hence $x_i \mu_{\Gamma_E}(s) x_{i+1}$. Therefore $x_i \mu_{\Gamma}(p) x_{i+1}$ and C is a social cycle for $\mu_{\Gamma}(p)$, which contradicts the assumption that μ_{Γ} is a social decision function.

Proposition (2). Let I be finite; Γ a direct sum of simple games; μ_{Γ} the neutral monotonic social function generated by Γ .

(a) If Γ is a direct sum of prefilters, then $\{V_r\}_1^t$ is a veto hierarchy for μ_{Γ} , where $V_1 = \bigcap \Gamma_I$ and $V_j = \bigcap_{I/j-1} \bigcup_1^{j-1} V_r$ for $j = 2, \dots, t$.

(b) If Γ is a direct sum of filters, then $\{V_r\}_1^t$ is a hierarchy of oligarchies for μ_{Γ} .

(c) If Γ is a direct sum of ultrafilters, then $\{V_r\}_1^t$ is a hierarchy of dictators for μ_{Γ} .

Proof: (a) Suppose $i \in V_1$ and i does not have a veto, then for some $a, b \in A$ and profile $q \in \mathcal{R}^I$; $aq(i)b$ and $b\mu_{\Gamma}(q)a$. By monotonicity $b\mu_{\Gamma}(p)a$ where $p \in S^I$ and $ap(i)b$, $p(b > a) = I/\{i\}$. But $b\mu_{\Gamma}(p)a$ implies $b\mu_{\Gamma_I}(p)a$ which means $I/\{i\} \in \Gamma_I$, contradicting the assumption that $i \in V_1 = \bigcap \Gamma_I$. Hence i has a veto.

Suppose $i \in V_2$ and i does not have a veto when all members of V_1 are indifferent. Then using the same argument as above, we get a contradiction. Therefore, members of V_2 have a veto when everyone in V_1 is indifferent. Proceeding in this fashion we see that $\{V_r\}_1^t$ is a veto hierarchy for μ_Γ .

(b) Since I is finite and the Γ_J are filters, if $\Gamma_J \neq \emptyset$, we see that $V_1 = \bigcap \Gamma_I \in \Gamma_I$. By Proposition (1), Γ_I is the family of decisive sets for μ_Γ . Hence V_1 is an oligarchy. Suppose everyone in V_1 is indifferent. If $\Gamma_{I/V_1} \neq \emptyset$, then $V_2 = \bigcap \Gamma_{I/V_1} \in \Gamma_{I/V_1}$. Hence by monotonicity, V_2 is an oligarchy when everyone in V_1 is indifferent. Proceeding in this fashion, we see that $\{V_r\}_1^t$ is a hierarchy of oligarchies for μ_Γ .

(c) Since I is finite and the Γ_J are ultrafilters, if $\Gamma_J \neq \emptyset$, we see that each $\bigcap \Gamma_J$ is a singleton. That is, the oligarchies exhibited in part (b) are dictators.

Proposition (3). Let $\Gamma = \{\Gamma_J\}_{J \subset I}$ be a direct sum of simple games and μ_Γ the neutral monotonic social function generated by Γ . If μ_Γ is strongly monotonic, then for every J such that Γ_J is a prefilter and $|J| \geq 3$, $\bigcap \Gamma_J = \{i_1\}$ for some $i_1 \in J$.

Proof: If Γ_J is a prefilter, then $\bigcap \Gamma_J \neq \emptyset$. Let $i_1 \in \bigcap \Gamma_J$ and $i_2, i_3 \in J$. By strong monotonicity, $\{i_1, i_2\} \in \Gamma_J$, hence no other members of J belong to $\bigcap \Gamma_J$. But, again by strong monotonicity, $\{i_1, i_3\} \in \Gamma_J$, hence no other members of J belong to $\bigcap \Gamma_J$. Thus only $i_1 \in \bigcap \Gamma_J$.

Theorem (5): Let $|A| < |I|$ and A be finite.

(a) If $\{\Gamma_J\}_{J \subset I}$ is a direct sum of acyclic majorities, then μ_Γ , the aggregation rule generated by Γ , is a neutral monotonic social decision function.

(b) If σ is a neutral monotonic social decision function, then there exists a unique direct sum of acyclic majorities, Γ , such that $\sigma = \mu_\Gamma$.

Proof: Suppose $|A| = m$ and for some profile $p \in \mathcal{R}^I$, that $\mu_\Gamma(p)$ has a minimal social cycle $C = \{(x_1, x_2), (x_2, x_3), \dots, (x_n, x_1)\}$. (Note $n \leq m$.)

Let J_ℓ be the set of concerned individuals for the ℓ^{th} pair in the cycle C and $J = \bigcup_{\ell=1}^n J_\ell$. For each $i \in J$, we apply the Lemma and obtain the

strict ordering \tilde{Q}_i over A . Let q be the profile in \mathcal{R}^I where $q(i) = \tilde{Q}_i$ for $i \in J$ and $q(i) = p(i)$ for $i \in I/J$. Since μ_Γ is monotonic, C is also a social cycle for $\mu_\Gamma(q)$. Hence C is a social cycle for $\mu_\Gamma(s)$ where $s \in \mathcal{S}^J$ and $s(i) = q(i)$ for all $i \in J$.

Therefore, $s(x_i > x_{i+1}) \in I'_J$ for all i , where $x_{n+1} \equiv x_1$. If

there exists some individual $i_0 \in \bigcap_{i=1}^n s(x_i > x_{i+1})$, then i_0 has cyclic preferences, a contradiction. If $\bigcap_{i=1}^n s(x_i > x_{i+1}) = \emptyset$, then Γ_J is

not an acyclic majority. Therefore μ_Γ is a social decision function.

(b) By part (b) of Theorem (1), we know that $\sigma = \mu_\Gamma$ where Γ is a unique direct sum of simple games. Suppose for some J that $\Gamma_J \neq \emptyset$ and I'_J is not an acyclic majority. Then there exists a finite family of

$\{E_\ell\}_{\ell=1}^n$ where $E_\ell \in \Gamma_J$ for all ℓ ; $\bigcap_{\ell=1}^n E_\ell = \emptyset$; and $n \leq m$. Consider the acyclic latin square profile below:

$$E_1 : x_1 x_2$$

$$E_2 : x_2 x_3$$

⋮

$$E_n : x_n x_1$$

We extend the acyclic profiles of each individual in $E = \bigcup_{\ell=1}^n E_\ell$ to a strict order over A . This defines a profile $s \in S^E$. Then we extend s to a profile $p \in \mathcal{R}^I$ by making individuals in I/E universally indifferent. Since Γ is a direct sum of $E \subset J$, $E_i \in \Gamma_J \cap 2^E$ for all i ; we conclude that each $E_i \in \Gamma_E$. But for all i , $E_i = s(x_i > x_{i+1})$. Hence $x_i \mu_{\Gamma_E}(s) x_{i+1}$. Therefore $x_i \mu_{\Gamma}(p) x_{i+1}$ and C is a social cycle for $\mu_{\Gamma}(p)$, which contradicts the assumption that μ_{Γ} is a social decision function.

Proposition (4). Let $|A| < |I|$ and A be finite. Let $\{\Gamma_J\}_{J \subset I}$ be a direct sum of acyclic majorities and μ_{Γ} the neutral monotonic social decision function generated by Γ . If $|A| = m$ then μ_{Γ} is anonymous iff

- (a) For each J such that $\Gamma_J \neq \emptyset$ there exists an integer r such that $E \in \Gamma_J$ iff $|E| \geq r$ and $r > \frac{m-1}{m} |J|$.
- (b) If $|J| \leq |A|$ and $\Gamma_J \neq \emptyset$, then $r = |J|$.

Proof: Suppose μ_{Γ} is anonymous and $\Gamma_J \neq \emptyset$. Clearly all the minimal decisive sets in Γ_J have the same cardinality, which we will call r . If $r \leq \frac{m-1}{m} |J|$ and $|J| > |A|$, then there exists $p \in S^J$ such that $\mu_{\Gamma}(p)$ has a social cycle. This profile is constructed in Craven's paper [3]. Hence if $|J| > |A|$, then $r > \frac{m-1}{m} |J|$. If $|J| \leq |A|$ and $\Gamma_J \neq \emptyset$, then Γ_J is a prefilter. But the only anonymous prefilter on J is $\{J\}$, i.e., $r = |J|$.

The converse is immediate.

Department of Mathematics, Antioch College

Cowles Foundation for Research in Economics, Yale University.

Acknowledgements: A preliminary version of this paper was presented by the second author at the 1977 Public Choice Meetings in New Orleans. He would like to thank Jerry Kelley, Peter Fishburn, and Charles Plott for their comments on this earlier version.

Footnotes

- (1) In addition, Arrow assumed that $|A| \geq 3$ and $|I| < \infty$, where A is the set of social alternatives and I is the set of individuals in society.
- (2) Blau and Deb also assume that $|I| \leq |A|$ and $|I| < \infty$.
- (3) Our Theorem (2), characterizing neutral monotonic path independent social decision functions, was first proved by Guha, under the stronger hypotheses mentioned in the text.
- (4) Readers interested in this literature should see (4), (7), or (8).
- (5) We shall assume throughout the paper that $|A| \geq 3$, with the exception of Proposition (4), where we allow $|A| \geq 2$,
- (6) A social function σ is said to be null if for each profile p , $\sigma(p)$ is universal indifference.

References

- [1] Arrow, K.J., Social Choice and Individual Values, second edition, New York: Wiley, 1963.
- [2] Blau, J.H. and R. Deb, "Social Decision Functions and the Veto," Econometrica, 45 (1977), 871-879.
- [3] Craven, J., "Majority Voting and Social Choice," Review of Economic Studies, 38 (1971), 265-267.
- [4] Ferejohn, J.A. and F.C. Fishburn, "Representations of Binary Decision Rules by Generalized Decisiveness Structures," SSWP 168, Cal. Tech. (1977).
- [5] Ferejohn, J.A. and D.M. Grether, "On a Class of Rational Social Decision Procedures," Journal of Economic Theory, 8 (1974), 471-482.
- [6] Guha, A.S., "Neutrality, Monotonicity, and the Right of Veto," Econometrica, 40 (1972), 821-826.
- [7] Hansson, B. "The Existence of Group Preference Functions," Working Paper No. 3, Lund: The Mattias Fremling Society, (1972).
- [8] Kirman, A.P., and D. Sondermann, "Arrow's Theorem, Many Agents and Invisible Dictators," Journal of Economic Theory, 5 (1972), 267-277.
- [9] Mas-Colell, A. and H. Sonnenschein, "General Possibility Theorems for Group Decisions," Review of Economic Studies, 39 (1972), 185-192.
- [10] May, K.O., "A Set of Independent, Necessary and Sufficient Conditions for Simple Majority Decision," Econometrica, 20 (1952), 680-684.