

1-1-1979

The Use of Prior Probabilities in Maximum Likelihood Classification

Alan H. Strahler

Follow this and additional works at: http://docs.lib.purdue.edu/lars_symp

Strahler, Alan H., "The Use of Prior Probabilities in Maximum Likelihood Classification" (1979). *LARS Symposia*. Paper 294.
http://docs.lib.purdue.edu/lars_symp/294

This document has been made available through Purdue e-Pubs, a service of the Purdue University Libraries. Please contact epubs@purdue.edu for additional information.

Reprinted from

**Symposium on
Machine Processing of
Remotely Sensed Data**

June 27 - 29, 1979

The Laboratory for Applications of
Remote Sensing

Purdue University
West Lafayette
Indiana 47907 USA

IEEE Catalog No.
79CH1430-8 MPRSD

Copyright © 1979 IEEE
The Institute of Electrical and Electronics Engineers, Inc.

Copyright © 2004 IEEE. This material is provided with permission of the IEEE. Such permission of the IEEE does not in any way imply IEEE endorsement of any of the products or services of the Purdue Research Foundation/University. Internal or personal use of this material is permitted. However, permission to reprint/republish this material for advertising or promotional purposes or for creating new collective works for resale or redistribution must be obtained from the IEEE by writing to pubs-permissions@ieee.org.

By choosing to view this document, you agree to all provisions of the copyright laws protecting it.

THE USE OF PRIOR PROBABILITIES IN MAXIMUM LIKELIHOOD CLASSIFICATION

ALAN H. STRAHLER

University of California at Santa Barbara

The use of prior information about the expected distribution of classes in a final classification map can be used to improve classification accuracies. Prior information is incorporated through the use of prior probabilities--that is, probabilities of occurrence of classes which are based on separate, independent knowledge concerning the area to be classified. The use of prior probabilities in a classification system is sufficiently versatile to allow (1) prior weighting of output classes based on their anticipated sizes; (2) the merging of continuously varying measurements (multispectral signatures) with discrete collateral information data-sets (e.g., rock type, soil type); and (3) the construction of time-sequential classification systems in which an earlier classification modifies the outcome of a later one.

The prior probabilities are incorporated by modifying the maximum likelihood decision rule employed in a Bayesian-type classifier to calculate a posteriori probabilities of class membership which are based not only on the resemblance of a pixel to the class signature, but also on the weight of the class which is estimated for the final output classification. In the merging of discrete collateral information with continuous spectral values into a single classification, a set of prior probabilities (weights) is estimated for each value which the discrete collateral variable may assume (e.g., each rock type or soil type). When maximum likelihood calculations are performed, the prior probabilities appropriate to the particular pixel are used in classification. For time-sequential classification, the prior classification of a pixel indexes a set of appropriate conditional probabilities reflecting the confidence of the investigator in the prior classification.