

Open access • Journal Article • DOI:10.1080/01430750.2017.1303634

## Thermodynamic performance and environmental sustainability of adapted organic Rankine cycles at varying evaporator pressure — Source link 🗹

Fidelis I. Abam, Ekwe B. Ekwe, Tobinson A. Briggs, Samuel O. Effiom ...+2 more authors

Institutions: Michael Okpara University of Agriculture, University of Port Harcourt, Cross River University of Technology, Covenant University

Published on: 19 May 2018 - International journal of ambient energy (Taylor & Francis)

Topics: Exergy efficiency, Organic Rankine cycle, Exergy and Rankine cycle

Related papers:

- Performance and thermo-sustainability analysis of non-hybrid organic Rankine cycles (ORCs) at varying heat source and evaporator conditions
- Performance analysis of the different Organic Rankine Cycles (ORCs) using dry fluids
- Small-scale CCHP systems for waste heat recovery from cement plants: Thermodynamic, sustainability and economic implications
- An exergy analysis of various layouts of ORC-VCC systems for usage in waste heat recovery onboard ships
- Organic Rankine cycle driven by geothermal heat source: life cycle techno-economic-environmental analysis



### 👉 Taylor 🛛 Francis Online

<u>Home</u> <u>Al Journals</u> <u>International Journal of Ambient Energy</u> <u>List of Issues</u> <u>Volume 39, Issue 4</u> Thermodynamic performance and environmen ...

International Journal of Ambient Energy Volume 39, 2018 - Issue 4

Ŧ

## Thermodynamic performance and environmental sustainability of adapted organic Rankine cycles at varying evaporator pressure

F. I. Abam, E. B. Ekwe, T. A. Briggs, S. O. Effiom

,O.S. Ohunakin &M. Allen

Pages 332-342

Received 31 May 2016 Accepted 26 Feb 2017 Accepted author version posted online: 07 Mar 2017 Published online: 27 Mar 2017

- Download citation
- https://doi.org/10.1080/01430750.2017.1303634
- Full Article
- Figures & data
- <u>References</u>
- <u>Citations</u>

- \_Metrics
- \_Reprints & Permissions

# Get access ABSTRACT

Thermodynamic performance and environmental sustainability (ES) of adapted organic Rankine cycles (ORCs) at varying evaporator pressure (EVP) are presented. The paper assesses the most sustainable ORCs at varying EVPs. The modified ORCs apart from the generic cycle include the ORC-internal heat exchanger (IHE), ORC-turbine bleeding, and ORC-turbine bleeding and regeneration. The considered performance indicators are power output (POT), overall exergy efficiency and overall exergy destruction (OED), while the ES indicators comprise waste exergy ratio (WER), exergetic sustainability index (ESI) and environmental effect factor (EEF). From the

results obtained the OEF, OED and POT for the ORCs ranged between

, and , respectively, at EVP of 2 and 3 MPa. Similarly, WER, ESI and EEF

ranged between , and correspondingly, for the same EVPs. The findings indicate the ORC-IHE and ORC-turbine bleeding and regeneration are more sustainable using the R113 than R141b refrigerant.

#### **KEYWORDS**:

EnvironmentalsustainabilityexergyORCregeneration

#### **Disclosure statement**

No potential conflict of interest was reported by the authors.

### ORCID

S. O. Effiom http://orcid.org/0000-0003-4248-9871

More Share Options