

Thermoreversible gelation of polymers and biopolymers

Jean-Michel Guenet

Laboratoire d'Ultrasons et de Dynamique des Fluides Complexes
CNRS URA 851-Université Louis Pasteur
STRASBOURG
FRANCE



ACADEMIC PRESS

Harcourt Brace Jovanovich, Publishers

London San Diego New York Boston

Sydney Toronto Tokyo

CONTENTS

Preface	ix
Introduction	1
1 Gel formation: thermal behaviour and phase diagrams	
1.1 Introduction	5
1.2 Synthetic polymers	6
1.2.1 Solvent-induced gels	8
(a) Polystyrenes	8
(i) Isotactic polystyrene	8
(ii) Atactic polystyrene	18
(b) Poly(methyl methacrylates)	27
(i) Gelation of any of the tactic versions	28
(ii) Gelation of the stereocomplex	34
(c) Miscellaneous poly(alkyl acrylates)	37
(d) Poly(4-methylpentene-1)	39
(e) Poly(γ -benzyl-L-glutamate)	44
1.2.2 Crystallization-induced gels	47
(a) Polyethylene	47
(b) Poly(vinyl chloride)	52
(i) Early stage of gelation	53
(ii) Gel ageing	55
(c) Poly(vinyl alcohol)	60
(d) Multiblock copolymers	62
(e) Random copolymers	69
1.3 Biopolymers	73
1.3.1 Neutral biopolymers	74
(a) Gelatin gels	74
(b) Neutral polysaccharide gels	80
(i) Agarose	80
(ii) Starch components: amylose and amylopectin	87
(iii) Cellulose derivatives	90
1.3.2 Charged biopolymers	91
(a) Carrageenans	91
(b) Gellans	95
1.3.3 Blends of biopolymers	96

2	Gel morphology and molecular structure: gelation mechanisms	
2.1	Introduction	98
2.2	Biopolymers	100
2.2.1	Gelatin gels	100
	(a) The gel state	100
	(b) The pregel state	104
	(c) Gel morphology	106
2.2.2	Polysaccharides	108
	(a) Gel morphology	108
	(i) Carrageenan and agarose gels	108
	(ii) Amylose	109
	(iii) Cellulose derivatives	110
	(b) The gel state	110
	(i) Carrageenans	110
	(ii) Agarose	113
	(iii) Amylose and amylopectin	118
	(iv) Gellan	120
	(v) Cellulose derivatives	121
	(c) The pregel state	121
	(i) Carrageenans	121
	(ii) Agarose	123
	(iii) Amylose and amylopectin	125
	(iv) Cellulose derivatives	126
2.2.3	Blends of biopolymers	127
2.3	Synthetic polymers	128
2.3.1	Solvent-induced gels	129
	(a) Isotactic polystyrene	129
	(i) Gel morphology	130
	(ii) Gel molecular structure	131
	(iii) Morphology and molecular structure near the gelation threshold	139
	(iv) Chain trajectory	142
	(v) The pregel state	146
	(b) Atactic polystyrene	148
	(i) Molecular structure	148
	(ii) The pregel state	150
	(c) Poly(methyl methacrylate)	151
	(i) The pregel state of sPMMA	153
	(ii) The gel state of sPMMA	154
	(iii) The pregel state of the stereocomplex	154
	(iv) The gel state of the stereocomplex	158
	(v) Morphology of the gel state of the stereocomplex	160

	(d) Poly(4-methyl pentene-1)	160
	(e) Poly(γ -benzyl-L-glutamate)	162
2.3.2	Crystallization-induced gels	164
	(a) Polyethylene	164
	(b) Poly(vinyl chloride)	165
	(i) Gel morphology	166
	(ii) Gel molecular structure	168
	(iii) The pregel state	171
	(c) Poly(vinyl alcohol)	183
	(d) Copolymers	185
3 Mechanical properties and rheology		
3.1	Introduction	187
3.2	Synthetic polymers	190
3.2.1	Solvent-induced gels	190
	(a) Isotactic polystyrene	190
	(b) Atactic polystyrene	194
	(c) Poly(methyl methacrylate)	195
	(d) Poly(γ -benzyl-L-glutamate)	199
3.2.2	Crystallization-induced gels	201
	(a) Polyethylene	201
	(b) Poly(vinyl chloride)	202
	(c) Multiblock copolymers	206
3.3	Biopolymers	211
3.3.1	Gelatin gels	211
3.3.2	Polysaccharides	216
	(a) Agarose	216
	(b) Carrageenans	217
	(c) Amylose and amylopectin	218
	(d) Gellan	221
	(e) Cellulose derivatives	223
3.3.3	Gels from blends of biopolymers	223
4 Concluding remarks		
		227
Appendices		
Appendix 1	Notions on phase diagrams	231
Appendix 2	Diffraction by helices	245
Appendix 3	Scattering by semi-rigid macromolecules	249
Appendix 4	Elasticity of rigid networks	256
References		259
Index		270