UNCLASSIFIED

AD NUMBER
AD013061
LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; JUN 1953. Other requests shall be referred to Office of Naval Research, One Liberty Center, 875 North Randolph Street, Arlington, Va 22203-1995.

AUTHORITY

ONR per ltr, 29 Nov 1968

THIS PAGE IS UNCLASSIFIED

Columbia University
in the City of New York

DEPARTMENT OF CIVIL ENGINEERING

TIMOSHENKO'S SHEAR COEFFICIENT
FOR FLEXURAL VIBRATIONS OF BEAMS

by

D. MINDLIN and H. DERESIEWICZ

Columbia University
in the City of New York

DEPARTMENT OF CIVIL ENGINEERING

TIMOSHENKO'S SHEAR COEFFICIENT

FOR FLEXURAL VIBRATIONS OF BEAMS

by

R. D. MINDLIN and H. DERESIEWICZ

TIMOSHENKO'S SHEAR COEFFICIENT FOR FLEXURAL VIBRATIONS OF BEAMS

Introduction

The range of applicability of the one-dimensional theory of flexural vibrations of beams was extended to higher frequencies by Timoshenko when he took into account the effect of transverse shear deformation. He arrived at the free-vibration equations (1)*

$$EI \frac{\partial^2 \psi}{\partial x^2} + k \left(\frac{\partial y}{\partial x} - \psi \right) AG - \frac{I \gamma}{g} \frac{\partial^2 \psi}{\partial t^2} = 0$$

$$\frac{\gamma A}{g} \frac{\partial^2 y}{\partial t^2} - k \left(\frac{\partial^2 y}{\partial x^2} - \frac{\partial \psi}{\partial x} \right) AG = 0 \qquad [1]$$

governing the transverse deflection, y , and the slope, ψ , of the deflection curve when the shear is neglected. The coefficient k is defined as the ratio of the average shear stress on a section to the product of the shear modulus and the angle of shear at the neutral axis. This ratio depends upon the distribution of shear stress on the section and, hence, k depends upon the shape of the section, as Timoshenko observed. However, the distribution of shear stress on a section depends also on the mode of motion of the beam. For example, for low modes of motion of a slender beam, the shear stress has a maximum at the neutral axis, while, for very high modes, the shear stress has a minimum at the same place. Thus, k depends both on the shape of the section and the frequency of vibration.

---

* Numbers in parenthesis refer to Bibliography at the end of the paper.

In the solution of Equations [1], the simplest interpretation of k is that it is a constant. For a beam of given cross-sectional shape, then, k can have the correct value for only one frequency. In the past, several calculations of k have been made, for various cross-sectional shapes, on the basis of statical considerations, that is, at zero frequency. These values are satisfactory for the low modes of motion of slender beams, where, in fact, the influence of transverse shear deformation is small in comparison with its influence at high frequencies.

As the frequency is increased, a point is reached at which a drastic change occurs in the spectrum. This is the frequency, ω', of the first thickness-shear mode of a beam of infinite length, i.e., the lowest frequency at which the infinite beam can vibrate with no transverse deflection, the displacement being entirely parallel to the axis of the beam.

The reason for the change in character of the frequency spectrum is that, at the frequencies of the first thickness-shear mode and its overtones, there is strong coupling between the flexural and thickness-shear modes of motion. Examples of this phenomenon have been described in detail in previous papers (2, 3) for special cases of crystal plates for which the equations of motion are the same as those for a Timoshenko beam.

It is desirable, then, that the thickness-shear frequency calculated from Equations [1] should be the same as that calculated from the equations to which [1] are an approximation, namely, the three-dimensional equations of small vibrations of an elastic body. In this connection it must be recognized that, whereas Timoshenko interpreted ψ as the slope of the deflection curve when the shear deformation is neglected, the product of ψ and the depth of the beam may be interpreted as the maximum axial displacement of a transverse

section. Thus, ω' is calculated from [1] by setting $y = 0$ and ψ proportional to $exp(i\omega't)$, following which ω' is set equal to the corresponding frequency calculated from the three-dimensional equations. Since ω' depends upon k, the result is a formula for k.

It has been shown (4) that, for a rectangular section, this procedure leads to $k = \pi^2/12 \approx 0.822$. Comparison with experiments (2, 3) shows that, when k is calculated in this manner, Timoshenko's equations give good results for both low and high frequencies.

In the present paper, k is calculated in the same manner for a variety of cross-sectional shapes. To do this, it is necessary to solve the three-dimensional equations of elasticity for the appropriate frequency and equate it with the value of ω' obtained from Equations [1]. In the case of motion parallel to the axis of the bar, the three-dimensional equations and boundary conditions reduce to equations governing a familiar hydrodynamical problem for which many solutions are known. The determination of k is thus reduced to an interpretation of these solutions and some additional computations. Results are given for the following sections: circle, ellipse, orthogonal parabolas and a variety of ovaloids. The values of k computed for these sections all lie within about 10% of that for the rectangular section.

Thickness-Shear Motion: Timoshenko Theory

If y is set equal to zero in Equations [1], the second of the equations gives $\partial\psi/\partial x = 0$, so that the first of [1] reduces to

$$\frac{d^2\psi}{dt^2} + k\left(\frac{c}{r}\right)^2\psi = 0 \qquad\qquad [2]$$

-3-

where $c = (Gg/\delta)^{1/2}$, i.e., the velocity of shear waves in an infinite, isotropic, elastic medium, and $r = (I/A)^{1/2}$, i.e., the radius of gyration of the cross-section. Hence, the frequency of pure thickness-shear vibration of a Timoshenko beam is

$$\omega' = c k'^{1/2}/r \qquad [3]$$

This is the frequency which is to be equated to the one calculated from the solution of the three-dimensional equations for each section.

Thickness-Shear Motion: Three-Dimensional Theory

Let the neutral axis of the beam be the z-axis of a rectangular coordinate system and let u , v and w be components of displacement in the x , y and z directions, respectively. For pure thickness-shear motion,

$$u = v = 0$$
$$w = \zeta(x,y)e^{i\omega t} \qquad [4]$$

Then the three-dimensional equations of motion (5) reduce to

$$\nabla^2 \zeta + \gamma^2 \zeta = 0 \qquad [5]$$

where $\gamma = \omega/c$ and $\nabla^2 = \partial^2/\partial x^2 + \partial^2/\partial y^2$. The condition that the traction vanish on the cylindrical surface of the beam reduces to

$$\partial \zeta/\partial n = 0 \qquad [6]$$

on the boundary, where n is the normal to the boundary.

The differential equation [5] and the boundary condition [6] are the same as those governing the small oscillations of a fluid in a basin

of uniform depth (6) and the small vibrations of a gas in a rigid cylindrical container (7). Solutions are available for a variety of boundaries.

Rectangle

In the case of a rectangular section, the frequency is independent of the width. If the depth is $2a$, the frequency is (6)

$$\omega = \pi c / 2a \tag{7}$$

Equating [7] and [3], and noting that $r^2 = a^2/3$, the shear constant, k, is found to be $\pi^2/12$, or, approximately, 0.822.

Circle

For a circular section of radius a, the lowest antisymmetric mode has a frequency (6)

$$\omega = 1.841 \, c/a \tag{8}$$

The radius of gyration of a circle about a diameter is $a/2$. Hence, equating [8] and [3], $k = 0.847$.

Ellipse

The elliptic section was treated by Jeffreys (8), who computed frequencies for two values of the eccentricity

$$e = \left(1 - b^2/a^2\right)^{1/2} \tag{9}$$

where a and b are the semi-major and semi-minor axes, respectively.

Additional values were computed and are listed in the columns headed $\omega a/c$ and $\omega b/c$ in Table I. The corresponding values of ω were then equated to that in Equation [3] to obtain the values of k listed in Table I.

It is interesting to notice that the frequency ($1.886\, c/a$) of the first antisymmetric mode of a very narrow ellipse, about its minor axis, is greater than that ($1.571\, c/a$) of a rectangle of depth equal to the major diameter of the ellipse. Jeffreys observed that this is due to the concentration of motion near the center of the ellipse. On the other hand, the corresponding frequency for a very wide ellipse appears to approach that of the rectangle. However, the corresponding values of k are not the same because of the difference in radii of gyration.

Parabolas

The hydrodynamic problem for a symmetric section bounded by a pair of orthogonal parabolas was studied by Hidaka (9). Such a section has the property $a/b = 2$, where a and b are the semi-major and semi-minor axes, respectively. For motion antisymmetric with respect to the minor axis, Hidaka found a secular equation which can be reduced to

$$J_{-3/4}\,(\gamma a/2) = 0 \tag{10}$$

where $J(\kappa)$ is the Bessel function of the first kind. The lowest root of Equation [10] is (10)

$$\gamma a/2 = 1.0585 \tag{11}$$

so that

$$\omega = 2.117\, c/a \tag{12}$$

Equating [12] and [3] and noting that $r^2 = a^2/5$, the result is $k = 0.896$.

This completes the calculations for sections for which exact solutions are available. The results are assembled in Table I and the sections are illustrated in Fig. 1.

Ovaloids

Approximate frequencies, good for narrow sections, may be obtained by neglecting the variation of displacement across the width. Hidaka (9) did this for sections bounded by the curves

$$\frac{x^2}{a^2} + \left(\frac{y^2}{b^2}\right)^{1/2m} = 1$$

[13]

$$m = 2^{-\mu}, \quad \mu = 0, 1, 2, \cdots$$

A set of these curves, for the case $a = 2b$, is shown in Fig. 2.

Hidaka's results for the lowest mode, antisymmetric about the horizontal axis of Fig. 2, are given in Table II, along with the corresponding values of k. In finding k , the radius of gyration (r), defined by

$$r^2 = \frac{\int_0^a y \, x^2 \, dx}{\int_0^a y \, dx}$$

[14]

must be computed. Inserting y from Equation [13] into Equation [14], and making the substitution $x = a \sin\theta$ in the integrals, we find

$$\frac{r^2}{a^2} = 1 - \frac{\int_0^{\pi/2} \cos^{(3+2m)}\theta \, d\theta}{\int_0^{\pi/2} \cos^{(1+2m)}\theta \, d\theta}$$

[15]

By aid of the formula (11)

$$\int_0^{\pi/2} \cos^n x \, dx = \frac{\sqrt{\pi}}{2} \frac{\Gamma\left(\frac{n+1}{2}\right)}{\Gamma\left(\frac{n}{2}+1\right)} \quad , \quad n > -1$$

and the recursion formula for the Gamma function, Equation [15] reduces to

$$r^2 = a^2/(3 + 2m) \qquad [16]$$

The results in Table II are the same as in Table I for the rectangle ($\mu = \infty$) for any b/a since the assumption of uniform displacement across the width is exact in pure thickness-shear motion. For the ellipse ($\mu = 1$), Table II gives the same value as Table I only for $b/a = 0$ (i.e., $e = 1$), since here, too, there is no variation of displacement across the width. As the section becomes wider, there is some discrepancy, but it is not great. Even for $a = b$ (the circle), Table I gives $k = 0.847$, while the approximation yields 0.889. The approximation is not intended, of course, to apply to $b > a$. Another comparison may be made for the parabola with $a = 2b$. The value of k in Table I is 0.896, while the approximation gives 0.924. Thus it may be expected that the approximate solution of Equation [5] will give results good to within a few percent for sections at least twice as deep as they are wide.

TABLE I

	Motion antisymmetric about minor axis		Motion antisymmetric about major axis	
	$\omega a/c$	k	$\omega b/c$	k
Rectangle	1.571	.822	1.571	.822
Ellipse				
e = 1.0	1.886*	.889	**	
e = 0.9	1.878	.882	**	
e = 0.8	1.87 *	.87	1.78 *	.79
e = 0.7	1.858	.863	1.814	.323
e = 0.6	1.856	.861	1.823	.831
e = 0.3	1.845	.851	1.837	.844
e = 0 (circle)	1.841	.847	1.841	.847
Orthogonal Parabolas	2.117	.896		

* Jeffreys (8)
** Convergence slow

-9-

TABLE II

μ	m	$\omega a/c$	r^2/a^2	k
0	1 *	2.150	1/5	.924
1	1/2 **	1.886	1/4	.889
2	1/4	1.737	2/7	.862
3	1/8	1.655	4/13	.843
4	1/16	1.616	8/25	.836
5	1/32	1.591	16/49	.826
∞	0 ***	1.571	1/3	.822

* parabolas; ** ellipse; *** rectangle.

Bibliography

(1) S. Timoshenko, "Vibration Problems in Engineering," D. Van Nostrand
    Company, New York, 2nd Edition, 1937, p. 338.

    It is of some historical interest that both the rotatory iner-
    tia correction, usually attributed to Rayleigh ("Theory of Sound,"
    Cambridge, England, first edition, 1877; current edition, reference (7),
    art. 162), and the transverse shear correction, usually attributed to
    Timoshenko (Philosophical Magazine, Ser. 6, Vol. 41, 1921, pp. 744-746,
    and Vol. 43, 1922, pp. 125-131), are given by M. Bresse in his "Cours
    de Mécanique Appliquée," Mallet-Bachelier, Paris, 1859, p. 126.

(2) R. D. Mindlin, "Thickness-Shear and Flexural Vibrations of Crystal
    Plates," J. Appl. Phys., Vol. 22, 1951, pp. 316-323.

(3) R. D. Mindlin, "Forced Thickness-Shear and Flexural Vibrations of
    Piezoelectric Crystal Plates," J. Appl. Phys., Vol. 23, 1952, pp. 83-88.

(4) R. D. Mindlin, "Influence of Rotatory Inertia and Shear on Flexural
    Motions of Isotropic, Elastic Plates," J. Appl. Mech., Vol. 18, 1951,
    pp. 31-38.

(5) S. Timoshenko and J. N. Goodier, "Theory of Elasticity," McGraw-
    Hill Book Co., New York, 2nd Edition, 1951, p. 452.

(6) H. Lamb, "Hydrodynamics," Dover Publications, New York, 6th Edition,
    1945, pp. 282-290.

(7) Lord Rayleigh, "Theory of Sound," Dover Publications, New York, 2nd
    Edition, 1945, art. 339.

(8) H. Jeffreys, "The Free Oscillations of Water in an Elliptic Lake,"
     Proc. London Math. Soc., Ser. 2, Vol. 23, 1924, pp. 455-476.

(9) K. Hidaka, "The Oscillations of Water in Spindle-Shaped and Elliptic
     Basins as well as the Associated Problems," Mem. Imp. Marine Observ.,
     Kobe, Japan, Vol. 4, 1931, pp. 99-219.

(10) "Tables of Bessel Functions of Fractional Order," Columbia University
     Press, New York, 1948, Vol. 1, p. 384.

(11) B. O. Peirce, "A Short Table of Integrals," Ginn and Company, Boston,
   3rd revised edition, 1929, No. 483.

Fig. 1: Elliptic and parabolic sections for which thickness-shear frequency (ω) and Timoshenko's constant (ℓ) are given in Table I. Dashed line is parabolic section. Thickness-shear motion is antisymmetric about axis A-A.

Fig. 2: Ovaloid sections for which approximate values of ω and ℓ are given in Table II.

DISTRIBUTION LIST

for

Technical and Final Reports Issued Under
Office of Naval Research Project NR-064-388. Contract Nonr-266(09)

Administrative, Reference and Liaison Activities of ONR

Chief of Naval Research
Department of the Navy
Washington 25, D.C.
Attn: Code 438   (2)

Director, Naval Research Lab.
Washington 25, D.C.
Attn: Tech. Info. Officer   (9)
      Technical Library   (1)
      Mechanics Division   (2)
      Code 3834 (J. P. Walsh)   (1)

Commanding Officer
Office of Naval Research
Branch Office
150 Causeway Street
Boston 10, Massachusetts   (1)

Commanding Officer
Office of Naval Research
Branch Office
346 Broadway
New York 13, New York   (1)

Commanding Officer
Office of Naval Research
Branch Office
844 N. Rush Street
Chicago 11, Illinois   (1)

Commanding Officer
Office of Naval Research
Branch Office
1000 Geary Street
San Francisco 24, California   (1)

Commanding Officer
Office of Naval Research
Branch Office
1030 Green Street
Pasadena, California   (1)

Contract Administrator, SE Area
Office of Naval Research
c/o George Washington University
707 22nd Street, N.W.
Washington 6, D.C.   (1)

Officer in Charge
Office of Naval Research
Branch Office, London
Navy No. 100
FPO, New York, N.Y.   (5)

Library of Congress
Washington 25, D.C.
Attn: Navy Research Section   (2)

Department of Defense
Other Interested Government Activities

GENERAL

Research and Development Board
Department of Defense
Pentagon Building
Washington 25, D.C.
Attn: Library (Code 3D-1075)   (1)

Armed Forces Special Weapons Project
P.O. Box 2610
Washington, D.C.
Attn: Col. G. F Blunda   (1)

ARMY

Chief of Staff
Department of the Army
Research and Development Division
Washington 25, D.C.
Attn: Chief of Res. and Dev.   (1)

ARMY (cont.)

Office of the Chief of Engineers
Assistant Chief for Works
Department of the Army
Bldg. T-7, Gravelly Point
Washington 25, D.C.
Attn: Structural Branch
     (R. L. Bloor)   (1)

Office of the Chief of Engineers
Asst. Chief for Military Construction
Department of the Army
Bldg. T-7, Gravelly Point
Washington 25, D.C.
Attn: Structures Branch
     (H. F. Carey)   (1)

Office of the Chief of Engineers
Asst. Chief for Military Operations
Department of the Army
Bldg. T-7, Gravelly Point
Washington 25, D.C.
Attn: Structures Development Branch
     (W. F. Woollard)   (1)

Engineering Research & Development Lab.
Fort Belvoir, Virginia
Attn: Structures Branch   (1)

The Commanding General
Sandia Base, P.O. Box 5100
Albuquerque, New Mexico
Attn: Col. Canterbury   (1)

Operations Research Officer
Department of the Army
Ft. Lesley J. McNair
Washington 25, D.C.
Attn: Howard Brackney   (1)

Office of Chief of Ordnance
Research & Development Service
Department of the Army
The Pentagon
Washington 25, D.C.
Attn: ORDTB   (2)

Commanding Officer
Ballistic Research Laboratory
Aberdeen Proving Ground
Aberdeen, Maryland
Attn: Dr. C. W. Lampson   (1)

ARMY (cont.)

Commanding Officer
Watertown Arsenal
Watertown, Massachusetts
Attn: Laboratory Division   (1)

Commanding Officer
Frankford Arsenal
Philadelphia, Pennsylvania
Attn: Laboratory Division   (1)

Commanding Officer
Squier Signal Laboratory
Fort Monmouth, New Jersey
Attn: Components and Materials
     Branch   (1)

NAVY

Chief of Bureau of Ships
Navy Department
Washington 25, D.C.
Attn: Director of Research   (2)

Director
David Taylor Model Basin
Washington 7, D.C.
Attn: Structural Mechanics Div. (2)

Director
Naval Engr. Experiment Station
Annapolis, Maryland   (1)

Director
Materials Laboratory
New York Naval Shipyard
Brooklyn 1, New York   (1)

Chief of Bureau of Ordnance
Navy Department
Washington 25, D.C.
Attn: Ad-3, Technical Library (1)

Superintendent
Naval Gun Factory
Washington 25, D.C.   (1)

Naval Ordnance Laboratory
White Oak, Maryland
RFD 1, Silver Spring, Maryland
Attn: Mechanics Division   (2)

Naval Ordnance Test Station
Inyokern, California
Attn: Scientific Officer   (1)

NAVY (cont.)

Naval Ordnance Test Station
Underwater Ordnance Division
Pasadena, California
Attn: Structures Division (1)
      Physics Division (1)

Chief of Bureau of Aeronautics
Navy Department
Washington 25, D.C.
Attn: TD-41, Technical Library (1)

Naval Air Experimental Station
Naval Air Materiel Center
Naval Base
Philadelphia 12, Pennsylvania
Attn: Head, Aeronautical Materials
      Laboratory (1)

Chief of Bureau of Yards & Docks
Navy Department
Washington 25, D.C.
Attn: Code P-314 (1)

Officer in Charge
Naval Civil Engr. Research and Eval.
  Laboratory
Naval Station
Port Hueneme, California (1)

Superintendent, U.S. Naval Post
  Graduate School
Annapolis, Maryland (1)

Commander
U.S. Naval Proving Grounds
Dahlgren, Virginia (1)

AIR FORCES
Commanding General
U.S. Air Forces
The Pentagon
Washington 25, D.C.
Attn: Research & Development
      Division (1)

Commanding General
Air Materiel Command
Wright-Patterson Air Force Base
Dayton, Ohio
Attn: MCREX-B (E. H. Schwartz) (1)

AIR FORCES (cont.)

Office of Air Research
Wright-Patterson Air Force Base
Dayton, Ohio
Attn: Chief, Applied Mechanics
      Group (1)

OTHER GOVERNMENT AGENCIES

U.S. Atomic Energy Commission
Division of Research
Washington, D.C. (1)

Argonne National Laboratory
P.O. Box 5207
Chicago 80, Illinois (1)

Director
National Bureau of Standards
Washington, D.C.
Attn: Dr. W. H. Ramberg (1)

U.S. Coast Guard
1300 E Street, N.W.
Washington, D.C.
Attn: Chief, Testing & Development
      Division (1)

Forest Products Laboratory
Madison, Wisconsin
Attn: L. J. Markwardt (1)

National Advisory Committee for
  Aeronautics
1724 F Street, N.W.
Washington, D.C. (1)

National Advisory Committee for
  Aeronautics
Langley Field, Virginia
Attn: Dr. E. Lundquist (1)

National Advisory Committee for
  Aeronautics
Cleveland Municipal Airport
Cleveland, Ohio
Attn: J. H. Collins, Jr. (1)

U.S. Maritime Commission
Technical Bureau
Washington, D.C.
Attn: Mr. V. Russo (1)

Contractors and Other Investigators
Actively Engaged in Related Research

Professor J. R. Andersen
Towne School of Engineering
University of Pennsylvania
Philadelphia, Pennsylvania   (1)

Professor Lynn Beedle
Fritz Engineering Laboratory
Lehigh University
Bethlehem, Pennsylvania   (1)

Professor C. b. biezeno
Technische Hoogeschool
Niewe laan 76
Delft, Holland   (1)

Professor M. A. Biot
1819 Broadway
New York, New York   (1)

Professor R. L. Bisplinghoff
Massachusetts Institute of Technology
Dept. of Aeronautical Engineering
Cambridge 39, Massachusetts   (1)

Dr. Hans H. bleich
Dept. of Civil Engineering
Columbia University
New York 27, New York   (1)

Professor J. A. Bogdanoff
Purdue University
Lafayette, Indiana   (1)

Professor B. A. boley
Dept. of Civil Engineering
Columbia University
New York 27, New York   (1)

Professor P. W. Bridgeman
Dept. of Physics
Harvard University
Cambridge, Massachusetts   (1)

Professor D. M. Burmister
Dept. of Civil Engineering
Columbia University
New York 27, New York   (1)

Dr. V. Cadambe
Assistant Director of the National
   Physical Laboratory of India
New Delhi 12, India   (1)

Dr. G. F. Carrior
Graduate Division of Applied Mathematics
Brown University
Providence, Rhode Island   (1)

Mrs. Hilda L. Cooper
150 Ravine Avenue
Yonkers, New York   (1)

Dr. Antoine E. I. Craya
Neyrpic
Boite Postale 52
Grenoble, France   (1)

Professor J. F. Den Hartog
Massachusetts Institute of Technology
Cambridge 39, Massachusetts   (1)

Dr. Herbert Deresiewicz
Dept. of Civil Engineering
Columbia University
632 west 125th Street
New York 27, New York   (1)

Dr. C. O. Dohrenwend
Rensselaer Polytechnic Institute
Troy, New York   (1)

Professor T. J. Dolan
Dept. of Theoretical and Applied
   Mechanics
University of Illinois
Urbana, Illinois   (1)

Professor Lloyd Donnell
Dept. of Mechanics
Illinois Institute of Technology
Technology Center
Chicago 16, Illinois   (1)

Professor D. C. Drucker
Brown University
Providence, Rhode Island   (1)

Dr. W. Eckert
Watson Scientific Computing Laboratory
612 West 116th Street
New York 27, New York   (1)

Dr. H. Ekstein
Armour Research Foundation
Illinois Institute of Technology
Chicago 16, Illinois   (1)

Engineering Library
Columbia University
New York 27, New York   (1)

Professor E. L. Eriksen
University of Michigan
Ann Arbor, Michigan   (1)

Professor A. C. Eringen
Illinois Institute of Technology
Technology Center
Chicago 16, Illinois   (1)

Dr. W. L. Esmeijer
Technische Hoogeschool
Niewe Laan 76
Delft, Holland   (1)

Professor A. M. Freudenthal
Dept. of Civil Engineering
Columbia University
New York 27, New York   (1)

Professor B. Fried
Washington State College
Pullman, Washington   (1)

Professor K. O. Friedrichs
New York University
Washington Square
New York, New York   (1)

Professor M. M. Frocht
Illinois Institute of Technology
Technology Center
Chicago 16, Illinois   (1)

Professor J. M. Garrelts
Dept. of Civil Engineering
Columbia University
New York 27, New York   (1)

Dean J. A. Goff
University of Pennsylvania
Philadelphia, Pennsylvania   (1)

Mr. Martin Goland
Midwest Research Institute
4049 Pennsylvania Avenue
Kansas City 2, Missouri   (1)

Dr. J. N. Goodier
Dept. of Mechanical Engineering
Stanford University
Stanford, California   (1)

Dr. L. E. Goodman
Dept. of Civil Engineering
University of Illinois
Urbana, Illinois   (1)

Dr. R. J. Hansen
Massachusetts Institute of Technology
Dept. of Civil & Sanitary Engineering
Cambridge 39, Massachusetts   (1)

Professor R. M. Hermes
University of Santa Clara
Santa Clara, California   (1)

Professor G. Herrmann
Dept. of Civil Engineering
Columbia University
New York 27, New York   (1)

Professor M. Hetényi
Northwestern University
The Technological Institute
Evanston, Illinois   (1)

Professor T. J. Higgins
Dept. of Electrical Engineering
University of Wisconsin
Madison 6, Wisconsin   (1)

Dr. N. J. Hoff, Head
Dept. of Aeronautical Engineering
   & Applied Mechanics
Polytechnic Institute of Brooklyn
99 Livingston Street
Brooklyn 2, New York   (1)

Professor M. B. Hogan
University of Utah
Salt Lake City, Utah   (1)

Professor D. L. Holl
Iowa State College
Ames, Iowa   (1)

Dr. J. H. Hollomon
General Electric Research Labs.
1 River Road
Schenectady, New York   (1)

Dr. W. H. Hoppmann
Dept. of Applied Mechanics
The Johns Hopkins University
Baltimore, Maryland   (1)

Contractors and Other Investigators Actively Engaged in Related Research (cont.)

Institut de Mathematiques
Université
post. fah 55
Skoplje, Yugoslavia (1)

Professor L. S. Jacobsen
Dept. of Mechanical Engineering
Stanford University
Stanford, California (1)

Professor Bruce G. Johnston
University of Michigan
Ann Arbor, Michigan (1)

Professor K. Klotter
Stanford University
Stanford, California (1)

Professor d. J. Krefeld
Dept. of Civil Engineering
Columbia University
New York 27, New York (1)

Professor B. J. Lazan
Dept. of Materials Engineering
University of Minnesota
Minneapolis, Minnesota (1)

Dr. E. H. Lee
Division of Applied Mathematics
Brown University
Providence, Rhode Island (1)

Professor George Lee
Rensselaer Polytechnic Institute
Troy, New York (1)

Professor J. M. Lessells
Massachusetts Institute of Technology
Cambridge 39, Massachusetts (1)

Library, Engineering Foundation
29 West 39th Street
New York, New York (1)

Professor P. 1 Lieber
Dept. of Engineering
Rensselaer Polytechnic Institute
Troy, New York (1)

Dr. Hsu Lo
Purdue University
Lafayette, Indiana (1)

Professor C. T. G. Looney
Dept. of Civil Engineering
Yale University
New Haven, Connecticut (1)

Dr. J. L. Lubkin
Midwest Research Institute
4049 Pennsylvania Avenue
Kansas City 2, Missouri (1)

Professor J. F. Ludloff
School of Aeronautics
New York University
New York 53, New York (1)

Professor J. N. Macduff
Rensselaer Polytechnic Institute
Troy, New York (1)

Professor C. W. MacGregor
University of Pennsylvania
Philadelphia, Pennsylvania (1)

Professor Lawrence E. Malvern
Dept. of Mathematics
Carnegie Institute of Technology
Pittsburgh 13, Pennsylvania (1)

Dr. J. H. Marchant
Brown University
Providence, Rhode Island (1)

Professor J. Marin
Pennsylvania State College
State College, Pennsylvania (1)

Dr. W. P. Mason
Bell Telephone Laboratories
Murray Hill, New Jersey (1)

Professor R. D. Mindlin
Dept. of Civil Engineering
Columbia University
632 West 125th Street
New York 27, New York (15)

Dr. A. Nadai
136 Cherry Valley Road
Pittsburgh 21, Pennsylvania (1)

Professor Paul M. Naghdi
Dept. of Engineering Mechanics
University of Michigan
Ann Arbor, Michigan (1)

vi

Professor N. M. Newmark
Dept. of Civil Engineering
University of Illinois
Urbana, Illinois (1)

Professor Jesse Ormondroyd
University of Michigan
Ann Arbor, Michigan (1)

Dr. W. Osgood
Illinois Institute of Technology
Technology Center
Chicago 16, Illinois (1)

Dr. George B. Pegram
Committee on Government Aided Research
313 Low Memorial Library
Columbia University
New York 27, New York (1)

Dr. R. P. Petersen
Director, Applied Physics Division
Sandia Laboratory
Albuquerque, New Mexico (1)

Mr. R. E. Peterson
Westinghouse Research Laboratories
East Pittsburgh, Pennsylvania (1)

Dr. A. Phillips
School of Engineering
Stanford University
Stanford, California (1)

Professor Gerald Pickett
Dept. of Mechanics
University of Wisconsin
Madison 6, Wisconsin (1)

Dr. H. Poritzky
General Electric Research Labs.
Schenectady, New York (1)

Dr. W. Prager
Graduate Division of Applied Mathematics
Brown University
Providence, Rhode Island (1)

RAND Corporation
1500 4th Street
Santa Monica, California
Attn: Dr. D. L. Judd (1)

Dr. S. Raynor
Armour Research Foundation
Illinois Institute of Technology
Chicago 16, Illinois (1)

Professor E. Reissner
Dept. of Mathematics
Massachusetts Institute of Technology
Cambridge 39, Massachusetts (1)

Professor H. Reissner
Polytechnic Institute of Brooklyn
99 Livingston Street
Brooklyn 2, New York (1)

Dr. Kenneth Robinson
National Bureau of Standards
Washington, D.C. (1)

Professor M. A. Sadowsky
Illinois Institute of Technology
Technology Center
Chicago 16, Illinois (1)

Professor M. G. Salvadori
Dept. of Civil Engineering
Columbia University
New York 27, New York (1)

Dr. F. S. Shaw
Polytechnic Institute of Brooklyn
99 Livingston Street
Brooklyn 2, New York (1)

Dr. Daniel T. Sigley
Applied Physics Laboratory
The Johns Hopkins University
8621 Georgia Avenue
Silver Spring, Maryland (1)

Dr. C. B. Smith
Department of Mathematics
Walker Hall
University of Florida
Gainesville, Florida (1)

Professor C. R. Soderberg
Massachusetts Institute of Technology
Cambridge 39, Massachusetts (1)

Professor R. V. Southwell
Imperial College of Science and
    Technology
South Kensington
London S.W. 7, England (1)

Professor E. Sternberg
Illinois Institute of Technology
Technology Center
Chicago 16, Illinois
(1)

Professor J. J. Stoker
New York University
Washington Square
New York, New York
(1)

Mr. R. A. Sykes
Bell Telephone Laboratories
Murray Hill, New Jersey
(1)

Professor P. S. Symonds
Brown University
Providence, Rhode Island
(1)

Professor J. L. Synge
Dublin Institute for Advanced Studies
School of Theoretical Physics
64-65 Merrion Square
Dublin, Ireland
(1)

Professor F. K. Teichmann
Dept. of Aeronautical Engineering
New York University
University Heights, Bronx
New York, New York
(1)

Professor S. P. Timoshenko
School of Engineering
Stanford University
Stanford, California
(1)

Dr. C. A. Truesdell
Graduate Institute for Applied Mathematics
Indiana University
Bloomington, Indiana
(1)

Professor Karl S. Van Dyke
Department of Physics
Scott Laboratory
Wesleyan University
Middletown, Connecticut
(1)

Dr. I. Vigness
Naval Research Laboratory
Anacostia Station
Washington, D.C.
(1)

Dr. Leonardo Villena
Gran Via J. Antonio 6
Madrid, Spain
(1)

Professor E. Volterra
Rensselaer Polytechnic Institute
Troy, New York
(1)

Mr. A. M. Wahl
Westinghouse Research Laboratories
East Pittsburgh, Pennsylvania
(1)

Professor C. T. Wang
Dept. of Aeronautical Engineering
New York University
University Heights, Bronx
New York, New York
(1)

Dr. R. L. Wegel
RFD 2
Peekskill, New York
(1)

Professor E. E. Weibel
University of Colorado
Boulder, Colorado
(1)

Dr. Alexander Weinstein
Institute of Applied Mathematics
University of Maryland
College Park, Maryland
(1)

Professor Dana Young
Dept. of Mechanical Engineering
University of Minnesota
Minneapolis 14, Minnesota
(1)