



# Document details

[Back to results](#) | 1 of 2 [Next >](#)[Export](#) [Download](#) [Print](#) [E-mail](#) [Save to PDF](#) [Add to List](#) [More... >](#)[View at Publisher](#)

Tribology Transactions  
Volume 63, Issue 2, 3 March 2020, Pages 235-250

## Tribological Improvement Using Ionic Liquids as Additives in Synthetic and Bio-Based Lubricants for Steel – Steel Contacts (Article)

Syahir, A.Z.<sup>a,b</sup> Zulkifli, N.W.M.<sup>a,b</sup>, Masjuki, H.H.<sup>a,c</sup>, Kalam, M.A.<sup>a,b</sup>, Harith, M.H.<sup>a,b</sup>, Yusoff, M.N.A.M.<sup>a,b</sup>, Zulfattah, Z.M.<sup>a,b</sup>, Jamshaid, M.<sup>b,d</sup>

<sup>a</sup>Centre for Energy Sciences, University of Malaya, Kuala Lumpur, Malaysia

<sup>b</sup>Department of Mechanical Engineering, Faculty of Engineering, University of Malaya, Kuala Lumpur, Malaysia

<sup>c</sup>Department of Mechanical Engineering, Faculty of Engineering, International Islamic University Malaysia, Kuala Lumpur, Malaysia

[View additional affiliations](#) ▾

### Abstract

[View references \(50\)](#)

This study investigates the performance of three ionic liquids (ILs), trihexyl(tetradecyl)phosphonium bis(2,4,4-trimethylpentyl)phosphinate, trihexyl(tetradecyl)phosphonium decanoate, and 1-butyl-3-methylimidazolium tetrafluoroborate, as lubricant additives in synthetic oil polyalphaolefin (PAO8) and bio-based oil trimethylolpropane trioleate (TMPTO). The ILs were added at 0.5, 1.0, and 1.5 wt% concentrations and evaluated in terms of their miscibility with base oils as well as friction- and wear-reducing abilities. Four-ball and high-frequency reciprocating rig (HFRR) tribotesters were employed to evaluate the tribological performance under a boundary lubrication regime. Worn steel surfaces were characterized using optical microscopy, profilometry, scanning electron microscopy (SEM), and energy-dispersive X-ray (EDX) analysis. The results suggested that the addition of trihexyl(tetradecyl)phosphonium bis(2,4,4-trimethylpentyl)phosphinate and trihexyl(tetradecyl)phosphonium decanoate improved the tribological performance of both PAO8 and TMPTO at an optimum concentration of 1 wt%. They showed good friction reduction, lower overall surface wear, and improved surface finishing. 1-Butyl-3-methylimidazolium tetrafluoroborate managed to improve the tribological performance of both base oils only at 0.5 wt%. A further increase in 1-butyl-3-methylimidazolium tetrafluoroborate concentration caused detrimental effects on the steel surface due to the formation of halogenated compounds. © 2019, © 2019 Society of Tribologists and Lubrication Engineers.


### SciVal Topic Prominence

Topic: Ionic liquids | Lubricants | Wear tester

Prominence percentile: 95.027

### Chemistry database information

#### Substances

[View all substances \(7\)](#)

### Author keywords

[Metrics](#) [View all metrics](#) >

#### PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 0 documents

Inform me when this document is cited in Scopus:

[Set citation alert >](#)[Set citation feed >](#)

### Related documents

Tribological investigations on the application of oil-miscible ionic liquids additives in modified Jatropha-based metalworking fluid

Amiril, S.A.S. , Rahim, E.A. , Embong, Z. *(2018) Tribology International*

Two phosphonium cation-based ionic liquids as lubricant additive to a polyalphaolefin base oil

González, R. , Viesca, J.L. , Battez, A.H. *(2019) Journal of Molecular Liquids*

Is more always better? Tribofilm evolution and tribological behavior impacted by the concentration of ZDDP, ionic liquid, and ZDDP-ionic liquid combination

Zhou, Y. , Weber, J. , Viola, M.B. *(2019) Wear*

[View all related documents based on references](#)

Find more related documents in Scopus based on:

[Authors >](#) [Keywords >](#)

## Indexed keywords

Engineering controlled terms:

Additives Friction Ionic liquids Lubricants Petroleum additives  
Scanning electron microscopy Surface treatment Wear of materials

Engineering uncontrolled terms

1-Butyl-3-methylimidazolium tetrafluoroborate Bio-based lubricants  
Boundary lubrication regime Energy dispersive x-ray High frequency reciprocating rig  
Optimum concentration PAO8 Tribological performance

Engineering main heading:

Tribology

## Funding details

Funding sponsor	Funding number	Acronym
Universiti Malaya	GC001-14AET	

### Funding text

The authors acknowledge the University of Malaya, Malaysia, and the Innovative Technology Research Cluster for financial support through the Grand Challenge Research Grant (Project Number GC001-14AET).

**ISSN:** 10402004      **DOI:** 10.1080/10402004.2019.1679934  
**Source Type:** Journal      **Document Type:** Article  
**Original language:** English      **Publisher:** Taylor and Francis Inc.

## References (50)

[View in search results format >](#)

All    [Export](#)    [Print](#)    [E-mail](#)    [Save to PDF](#)    [Create bibliography](#)

- 1 Salimon, J., Salih, N., Yousif, E.  
Biolubricants: Raw materials, chemical modifications and environmental benefits

(2010) *European Journal of Lipid Science and Technology*, 112 (5), pp. 519-530. Cited 147 times.  
<http://www3.interscience.wiley.com.ezproxy.um.edu.my/cgi-bin/fulltext/123321309/PDFSTART>  
doi: 10.1002/ejlt.200900205

[View at Publisher](#)

- 2 Soni, S., Agarwal, M.  
Lubricants from renewable energy sources – a review ([Open Access](#))

(2014) *Green Chemistry Letters and Reviews*, 7 (4), pp. 359-382. Cited 32 times.  
<http://www.tandf.co.uk/journals/titles/17518253.asp>  
doi: 10.1080/17518253.2014.959565

[View at Publisher](#)

3 Syahir, A.Z., Zulkifli, N.W.M., Masjuki, H.H., Kalam, M.A., Alabdulkarem, A., Gulzar, M., Khuong, L.S., (...), Harith, M.H.

### A review on bio-based lubricants and their applications

(2017) *Journal of Cleaner Production*, 168, pp. 997-1016. Cited 56 times.

doi: 10.1016/j.jclepro.2017.09.106

[View at Publisher](#)

---

4 Prado, A.G.S., Pescara, I.C., Evangelista, S.M., Holanda, M.S., Andrade, R.D., Suarez, P.A.Z., Zara, L.F.

### Adsorption and preconcentration of divalent metal ions in fossil fuels and biofuels: Gasoline, diesel, biodiesel, diesel-like and ethanol by using chitosan microspheres and thermodynamic approach

(2011) *Talanta*, 84 (3), pp. 759-765. Cited 26 times.

[https://www-journals-eelsevier-com.ezproxy.um.edu.my/talanta](https://www-journals-elsevier-com.ezproxy.um.edu.my/talanta)

doi: 10.1016/j.talanta.2011.02.003

[View at Publisher](#)

---

5 Schmidt, T.A., Gastelum, N.S., Nguyen, Q.T., Schumacher, B.L., Sah, R.L.

### Boundary lubrication of articular cartilage: Role of synovial fluid constituents

(2007) *Arthritis and Rheumatism*, 56 (3), pp. 882-891. Cited 305 times.

doi: 10.1002/art.22446

[View at Publisher](#)

---

6 Silitonga, A.S., Masjuki, H.H., Mahlia, T.M.I., Ong, H.C., Chong, W.T., Boosroh, M.H.

### Overview properties of biodiesel diesel blends from edible and non-edible feedstock

(2013) *Renewable and Sustainable Energy Reviews*, 22, pp. 346-360. Cited 133 times.

doi: 10.1016/j.rser.2013.01.055

[View at Publisher](#)

---

7 Lei, Z., Chen, B., Koo, Y.-M., Macfarlane, D.R.

### Introduction: Ionic Liquids [\(Open Access\)](#)

(2017) *Chemical Reviews*, 117 (10), pp. 6633-6635. Cited 157 times.

<http://pubs.acs.org.ezproxy.um.edu.my/journal/chrevy>

doi: 10.1021/acs.chemrev.7b00246

[View at Publisher](#)

---

8 Amiril, S.A.S., Rahim, E.A., Syahrullail, S.

### A review on ionic liquids as sustainable lubricants in manufacturing and engineering: Recent research, performance, and applications

(2017) *Journal of Cleaner Production*, 168, pp. 1571-1589. Cited 63 times.

doi: 10.1016/j.jclepro.2017.03.197

[View at Publisher](#)

---

9 Zhou, Y., Qu, J.

### Ionic liquids as lubricant additives: A review

(2017) *ACS Applied Materials and Interfaces*, 9 (4), pp. 3209-3222. Cited 164 times.

<http://pubs.acs.org.ezproxy.um.edu.my/journal/aamick>

doi: 10.1021/acsami.6b12489

[View at Publisher](#)

- 10 Barnhill, W.C., Qu, J., Luo, H., Meyer, H.M., Ma, C., Chi, M., Papke, B.L.  
Phosphonium-organophosphate ionic liquids as lubricant additives: Effects of cation structure on physicochemical and tribological characteristics  
(2014) *ACS Applied Materials and Interfaces*, 6 (24), pp. 22585-22593. Cited 79 times.  
<http://pubs.acs.org.ezproxy.um.edu.my/journal/aamick>  
doi: 10.1021/am506702u
- [View at Publisher](#)
- 
- 11 Khemchandani, B., Somers, A., Howlett, P., Jaiswal, A.K., Sayanna, E., Forsyth, M.  
A biocompatible ionic liquid as an antiwear additive for biodegradable lubricants  
(2014) *Tribology International*, 77, pp. 171-177. Cited 48 times.  
doi: 10.1016/j.triboint.2014.04.016
- [View at Publisher](#)
- 
- 12 Qu, J., Truhan, J.J., Dai, S., Luo, H., Blau, P.J.  
Ionic liquids with ammonium cations as lubricants or additives  
(2006) *Tribology Letters*, 22 (3), pp. 207-214. Cited 216 times.  
doi: 10.1007/s11249-006-9081-0
- [View at Publisher](#)
- 
- 13 Fernández-González, A., Mallada, M.T., Viesca, J.L., González, R., Badía, R., Hernández-Battez, A.  
Corrosion activity and solubility in polar oils of three bis(trifluoromethylsulfonyl) imide/bis(trifluoromethylsulfonyl) amide ( $[NTF_2]$ ) anion-based ionic liquids  
(2017) *Journal of Industrial and Engineering Chemistry*, 56, pp. 292-298. Cited 6 times.  
<http://www.sciencedirect.com/science/journal/1226086X>  
doi: 10.1016/j.jiec.2017.07.022
- [View at Publisher](#)
- 
- 14 Viesca, J.L., Mallada, M.T., Blanco, D., Fernández-González, A., Espina-Casado, J., González, R., Hernández Battez, A.  
Lubrication performance of an ammonium cation-based ionic liquid used as an additive in a polar oil  
(2017) *Tribology International*, 116, pp. 422-430. Cited 15 times.  
[www.elsevier.com/inca/publications/store/3/0/4/7/4](http://www.elsevier.com/inca/publications/store/3/0/4/7/4)  
doi: 10.1016/j.triboint.2017.08.004
- [View at Publisher](#)
- 
- 15 Yu, B., Bansal, D.G., Qu, J., Sun, X., Luo, H., Dai, S., Blau, P.J., (...), Smolenski, D.J.  
Oil-miscible and non-corrosive phosphonium-based ionic liquids as candidate lubricant additives  
(2012) *Wear*, 289, pp. 58-64. Cited 151 times.  
doi: 10.1016/j.wear.2012.04.015
- [View at Publisher](#)
- 
- 16 Barnhill, W.C., Luo, H., Meyer, H.M., Ma, C., Chi, M., Papke, B.L., Qu, J.  
Tertiary and Quaternary Ammonium-Phosphate Ionic Liquids as Lubricant Additives  
(2016) *Tribology Letters*, 63 (2), art. no. 22. Cited 26 times.  
[http://www.springerlink.com.ezproxy.um.edu.my/\(snpxut45gxflnr45vb2gia45\)/app/home/journal.asp?referrer=parent&backto=searchpublicationsresults,1,2](http://www.springerlink.com.ezproxy.um.edu.my/(snpxut45gxflnr45vb2gia45)/app/home/journal.asp?referrer=parent&backto=searchpublicationsresults,1,2)  
doi: 10.1007/s11249-016-0707-6
- [View at Publisher](#)

- 17 Zhou, Y., Dyck, J., Graham, T.W., Luo, H., Leonard, D.N., Qu, J.  
Ionic liquids composed of phosphonium cations and organophosphate, carboxylate, and sulfonate anions as lubricant antiwear additives

(2014) *Langmuir*, 30 (44), pp. 13301-13311. Cited 70 times.  
<http://pubs.acs.org.ezproxy.um.edu.my/journal/langd5>  
doi: 10.1021/la5032366

[View at Publisher](#)

- 
- 18 Qu, J., Bansal, D.G., Yu, B., Howe, J.Y., Luo, H., Dai, S., Li, H., (...), Smolenski, D.J.  
Antiwear performance and mechanism of an oil-miscible ionic liquid as a lubricant additive

(2012) *ACS Applied Materials and Interfaces*, 4 (2), pp. 997-1002. Cited 182 times.  
doi: 10.1021/am201646k

[View at Publisher](#)

- 
- 19 Zhu, L., Zhao, G., Wang, X.  
Investigation on three oil-miscible ionic liquids as antiwear additives for polyol esters at elevated temperature

(2017) *Tribology International*, 109, pp. 336-345. Cited 16 times.  
[www.elsevier.com/inca/publications/store/3/0/4/7/4](http://www.elsevier.com/inca/publications/store/3/0/4/7/4)  
doi: 10.1016/j.triboint.2016.10.032

[View at Publisher](#)

- 
- 20 Grace, J., Vysochanska, S., Lodge, J., Iglesias, P.  
Ionic liquids as additives of coffee bean oil in steel-steel contacts [\(Open Access\)](#)

(2015) *Lubricants*, 3 (4), pp. 637-649. Cited 14 times.  
<http://www.mdpi.com/2075-4442/3/4/637/pdf>  
doi: 10.3390/lubricants3040637

[View at Publisher](#)

- 
- 21 Jiang, D., Hu, L., Feng, D.  
Tribological properties of crown-type phosphate ionic liquids as lubricating additives in rapeseed oils

(2013) *Lubrication Science*, 25 (3), pp. 195-207. Cited 18 times.  
doi: 10.1002/ls.1199

[View at Publisher](#)

- 
- 22 Qian, S., Chen, X., Liu, L., Li, Q.  
Tribological Properties of the Castor Oil Affected by the Additive of the Ionic Liquid [HMIM]BF<sub>4</sub>

(2016) *Journal of Tribology*, 138 (1), art. no. 014501. Cited 8 times.  
<http://tribology.asmedigitalcollection.asme.org/journal.aspx>  
doi: 10.1115/1.4031081

[View at Publisher](#)

- 
- 23 Amiril, S.A.S., Rahim, E.A., Embong, Z., Syahrullail, S.  
Tribological investigations on the application of oil-miscible ionic liquids additives in modified Jatropha-based metalworking fluid

(2018) *Tribology International*, 120, pp. 520-534. Cited 11 times.  
[www.elsevier.com/inca/publications/store/3/0/4/7/4](http://www.elsevier.com/inca/publications/store/3/0/4/7/4)  
doi: 10.1016/j.triboint.2018.01.030

[View at Publisher](#)

- 24 Kondo, Y., Koyama, T., Sasaki, S. (2013) Tribological Properties of Ionic Liquids, Jun-ichi Kadokawa (Ed.), Ionic Liquids: New Aspects for the Future, 127–141. InTechOpen: London, United Kingdom

- 25 Syahir, A., Masjuki, H., Kalam, M., Zulkifli, N., Harith, M., Zulfattah, Z., Ashraf, M. “Ionic Liquids as Antiwear Additive in Bio-Based Lubricant,” (2018) *Malaysian Tribology Society* In Mohd Fadzli Bin Abdollah (Ed.), 418–419, : Kuala Lumpur, Malaysia

- 26 Rajendiran, A., Sumathi, A., Krishnasamy, K., Kabilan, S., Ganguli, D. Antiwear study on petroleum base oils with esters

(2016) *Tribology International*, 99, pp. 47-56. Cited 9 times.  
[www.elsevier.com/inca/publications/store/3/0/4/7/4](http://www.elsevier.com/inca/publications/store/3/0/4/7/4)  
doi: 10.1016/j.triboint.2016.03.019

[View at Publisher](#)

- 27 Qiao, S., Shi, Y., Wang, X., Lin, Z., Jiang, Y. Synthesis of Biolubricant Trimethylolpropane Trioleate and Its Lubricant Base Oil Properties

(2017) *Energy and Fuels*, 31 (7), pp. 7185-7190. Cited 16 times.  
<http://pubs.acs.org.ezproxy.um.edu.my/journal/enfuem>  
doi: 10.1021/acs.energyfuels.7b00876

[View at Publisher](#)

- 28 Zhang, Y.F., Hinton, B., Wallace, G., Liu, X., Forsyth, M.

On corrosion behaviour of magnesium alloy AZ31 in simulated body fluids and influence of ionic liquid pretreatments

(2012) *Corrosion Engineering Science and Technology*, 47 (5), pp. 374-382. Cited 17 times.  
<http://docserver.ingentaconnect.com.ezproxy.um.edu.my/deliver/connect/maney/1478422x/v47n5/s10.pdf?Expires=1342735005&id=69761759&titleid=6592&accname=Elsevier+BV&checksum=4F0D6F42ED9221E4EAFBECD4631C8FC8>  
doi: 10.1179/1743278212Y.0000000032

[View at Publisher](#)

- 29 Thuy Pham, T.P., Cho, C.-W., Yun, Y.-S.

Environmental fate and toxicity of ionic liquids: A review

(2010) *Water Research*, 44 (2), pp. 352-372. Cited 932 times.  
[www.elsevier.com/locate/watres](http://www.elsevier.com/locate/watres)  
doi: 10.1016/j.watres.2009.09.030

[View at Publisher](#)

- 30 Kumar, S., Ruth, W., Sprenger, B., Kragl, U.

On the biodegradation of ionic liquid 1-Butyl-3-methylimidazolium tetrafluoroborate

(2006) *Chimica Oggi*, 24 (2), pp. 24-26. Cited 19 times.

[View at Publisher](#)

- 31 Jastorff, B., Störmann, R., Ranke, J., Möller, K., Stock, F., Oberheitmann, B., Hoffmann, W., (...), Filser, J.  
How hazardous are ionic liquids? Structure-activity relationships and biological testing as important elements for sustainability evaluation

(2003) *Green Chemistry*, 5 (2), pp. 136-142. Cited 327 times.  
<http://pubs.rsc.org.ezproxy.um.edu.my/en/journals/journal/gc>  
doi: 10.1039/b211971d

[View at Publisher](#)

- 
- 32 Fernandes, C.M.C.G., Battez, A.H., González, R., Monge, R., Viesca, J.L., García, A., Martins, R.C., (...), Seabra, J.H.O.  
Torque loss and wear of FZG gears lubricated with wind turbine gear oils using an ionic liquid as additive

(2015) *Tribology International*, 90, pp. 306-314. Cited 34 times.  
[www.elsevier.com/inca/publications/store/3/0/4/7/4](http://www.elsevier.com/inca/publications/store/3/0/4/7/4)  
doi: 10.1016/j.triboint.2015.04.037

[View at Publisher](#)

- 
- 33 Dowson, D.  
Elastohydrodynamic and micro-elastohydrodynamic lubrication

(1995) *Wear*, 190 (2), pp. 125-138. Cited 121 times.  
doi: 10.1016/0043-1648(95)06660-8

[View at Publisher](#)

- 
- 34 Hamrock, B.J., Dowson, D.  
(1981)  
John Wiley & Sons, Inc., USA: and, Ball Bearing Lubrication: The Elastohydrodynamics of Elliptical Contacts

- 
- 35 Roelands, C.J.A.  
(1966) *Correlational Aspects of the Viscosity-Temperature-Pressure Relationship of Lubricating Oils*. Cited 752 times.  
Technische Hoogeschool Delft, Delft, Netherlands: Doctoral Thesis

- 
- 36 Janardhanan, K., Iglesias, P.  
Theoretical and experimental study of the friction behavior of halogen-free ionic liquids in elastohydrodynamic regime ([Open Access](#))

(2016) *Lubricants*, 4 (2), art. no. 16. Cited 6 times.  
<http://www.mdpi.com/2075-4442/4/2/16/pdf>  
doi: 10.3390/lubricants4020016

[View at Publisher](#)

- 
- 37 Salimon, J., Salih, N., Yousif, E.  
Improvement of pour point and oxidative stability of synthetic ester basestocks for biolubricant applications ([Open Access](#))

(2012) *Arabian Journal of Chemistry*, 5 (2), pp. 193-200. Cited 48 times.  
doi: 10.1016/j.arabjc.2010.09.001

[View at Publisher](#)

- 38 Otero, I., López, E.R., Reichelt, M., Villanueva, M., Salgado, J., Fernández, J.  
Ionic liquids based on phosphonium cations As neat lubricants or lubricant additives for a steel/steel contact

(2014) *ACS Applied Materials and Interfaces*, 6 (15), pp. 13115-13128. Cited 72 times.  
<http://pubs.acs.org.ezproxy.um.edu.my/journal/aamick>  
doi: 10.1021/am502980m

[View at Publisher](#)

- 
- 39 Sharma, B.K., Stipanovic, A.J.  
Pressure viscosity coefficient of lubricant base oils as estimated by nuclear magnetic resonance spectroscopy

(2002) *Industrial and Engineering Chemistry Research*, 41 (19), pp. 4889-4898. Cited 17 times.  
<http://pubs.acs.org.ezproxy.um.edu.my/journal/iecred>  
doi: 10.1021/ie020360q

[View at Publisher](#)

- 
- 40 Zulkifli, N.W.M., Kalam, M.A., Masjuki, H.H., Shahabuddin, M., Yunus, R.  
Wear prevention characteristics of a palm oil-based TMP (trimethylolpropane) ester as an engine lubricant

(2013) *Energy*, 54, pp. 167-173. Cited 93 times.  
[www.elsevier.com/inca/publications/store/4/8/3/](http://www.elsevier.com/inca/publications/store/4/8/3/)  
doi: 10.1016/j.energy.2013.01.038

[View at Publisher](#)

- 
- 41 Zulkifli, N., Masjuki, H., Kalam, M., Yunus, R., Azman, S.  
Lubricity of Bio-Based Lubricant Derived from Chemically Modified Jatropha Methyl Ester  
(2014) *Jurnal Tribologi*, 1, pp. 18-39. Cited 21 times.

- 
- 42 Uerdingen, M., Treber, C., Balser, M., Schmitt, G., Werner, C.  
Corrosion behaviour of ionic liquids

(2005) *Green Chemistry*, 7 (5), pp. 321-325. Cited 151 times.  
<http://pubs.rsc.org.ezproxy.um.edu.my/en/journals/journal/gc>  
doi: 10.1039/b419320m

[View at Publisher](#)

- 
- 43 Zhao, Z., Shao, Y.W., Wang, T.M., Feng, D.P., Liu, W.M.  
Study on corrosion property of a series of hexafluorophosphate ionic liquids on steel surface

(2011) *Corrosion Engineering Science and Technology*, 46 (4), pp. 330-333. Cited 9 times.  
<http://docserver.ingentaconnect.com.ezproxy.um.edu.my/deliver/connect/maney/1478422x/v46n4/s6.pdf?Expires=1310111331&id=63481752&titleid=6592&accname=Elsevier+Science&checksum=CE9C925EC4DBDEF84B4A7FF180FB33AB>  
doi: 10.1179/174327809X409231

[View at Publisher](#)

- 
- 44 Merz, R., Brodyanski, A., Kopnarski, M.  
On the Role of Oxidation in Tribological Contacts under Environmental Conditions  
(2015) *Hindawi*  
London, United Kingdom; and,), Martin Dienwiebel (Ed.), 2015, 11

- 45 Totolin, V., Minami, I., Gabler, C., Brenner, J., Dörr, N.  
Lubrication mechanism of phosphonium phosphate ionic liquid additive in alkylborane-imidazole complexes  
(2014) *Tribology Letters*, 53 (2), pp. 421-432. Cited 39 times.  
[http://www.springerlink.com.ezproxy.um.edu.my/\(snpxut45gxflnr45vb2gia45\)/app/home/journal.asp?referrer=parent&backto=searchpublicationsresults,1,2](http://www.springerlink.com.ezproxy.um.edu.my/(snpxut45gxflnr45vb2gia45)/app/home/journal.asp?referrer=parent&backto=searchpublicationsresults,1,2)  
doi: 10.1007/s11249-013-0281-0
- View at Publisher
- 
- 46 Yu, B., Zhou, F., Pang, C., Wang, B., Liang, Y., Liu, W.  
Tribological evaluation of  $\alpha$ , over( $\omega, \prime$ )-diimidazoliumalkylene hexafluorophosphate ionic liquid and benzotriazole as additive  
(2008) *Tribology International*, 41 (8), pp. 797-801. Cited 46 times.  
doi: 10.1016/j.triboint.2008.02.004
- View at Publisher
- 
- 47 Johnson, D.W.  
(2016)  
InTechOpen, London, United Kingdom:), The Tribology and Chemistry of Phosphorus Containing Lubricant Additives, Pranav H. Darji (Ed.), Advances Tribology, 175–195
- 
- 48 Wu, Y., Li, W., Wang, X.  
Synthesis and properties of trimethylolpropane trioleate as lubricating base oil  
(2015) *Lubrication Science*, 27 (6), pp. 369-379. Cited 11 times.  
<http://www.interscience.wiley.com.ezproxy.um.edu.my/jpages/0954-0075>  
doi: 10.1002/l.s.1287
- View at Publisher
- 
- 49 Zulfattah, Z.M., Zulkifli, N.W.M., Masjuki, H.H., Harith, M.H., Syahir, A.Z., Norain, I., Jumaidin, R., (...), Arslan, A.  
Effect of bio-based lubricant towards emissions and engine breakdown due to spark plug fouling in a two-stroke engine  
(2019) *Journal of Cleaner Production*, 221, pp. 215-223. Cited 2 times.  
<https://www-journals-elsevier-com.ezproxy.um.edu.my/journal-of-cleaner-production>  
doi: 10.1016/j.jclepro.2019.02.224
- View at Publisher
- 
- 50 Liñeira del Río, J.M., Guimarey, M.J.G., Comuñas, M.J.P., López, E.R., Amigo, A., Fernández, J.  
Thermophysical and tribological properties of dispersions based on graphene and a trimethylolpropane trioleate oil  
(2018) *Journal of Molecular Liquids*, 268, pp. 854-866. Cited 9 times.  
doi: 10.1016/j.molliq.2018.07.107
- View at Publisher

✉ Syahir, A.Z.; Centre for Energy Sciences, University of Malaya, Kuala Lumpur, Malaysia;  
email:syahiramzar@gmail.com

© Copyright 2020 Elsevier B.V., All rights reserved.

## About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

## Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切換到繁體中文](#)
- [Русский язык](#)

## Customer Service

- [Help](#)
- [Contact us](#)

**ELSEVIER**

[Terms and conditions ↗](#)    [Privacy policy ↗](#)

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

