



Cite this: *Toxicol. Res.*, 2015, 4, 1427

Correction: Umbelliferone β -D-galactopyranoside exerts an anti-inflammatory effect by attenuating COX-1 and COX-2

Vikas Kumar,^{*a} F. A. Al-Abbasi,^b Amita Verma,^a Mohd. Mujeeb^c and Firoz Anwar^{*b,d}

DOI: 10.1039/c5tx90017d

www.rsc.org/toxicology

Correction for 'Umbelliferone β -D-galactopyranoside exerts an anti-inflammatory effect by attenuating COX-1 and COX-2' by Vikas Kumar *et al.*, *Toxicol. Res.*, 2015, 4, 1072–1084.

The authors regret that on page 1074, the inflammatory mediators information is incorrect:

'Cytokine inflammatory mediators, like tumor necrosis factor- α (TNF- α), interleukin-6 (IL-6), interleukin-2 (IL-2), interleukin-1 β (IL-1 β) and interleukin-1 α (IL-1 α) were measured using ELISA kits (Biosource Int., Camarillo, CA, USA) according to the instructions provided by the manufacturer'.²³

Should read:

'Cytokine inflammatory mediators, like tumor necrosis factor- α (TNF- α) and interleukin-1 (IL-1) were measured using ELISA kits (Biosource Int., Camarillo, CA, USA) according to the instructions provided by the manufacturer'.²³

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Pharmaceutical Sciences, Faculty of Health Sciences, Sam Higginbottom Institute of Agriculture, Technology & Sciences, Allahabad, India. E-mail: phvikas@gmail.com

^bDepartment of Biochemistry, Faculty of Science, King Abdulaziz University, Jeddah, Kingdom of Saudi Arabia. E-mail: firoz_anwar2000@yahoo.com

^cDepartment of Pharmacognosy & Phytochemistry, Faculty of Pharmacy, Jamia Hamdard, New Delhi, India

^dSiddhartha Institute of Pharmacy (SIP), Dehradun, India

