BMC Medical Education



Research article Open Access

Using television shows to teach communication skills in internal medicine residency

Roger Y Wong*, Sadra S Saber, Irene Ma and J Mark Roberts

Address: Postgraduate Medical Education, Department of Medicine, University of British Columbia, Vancouver, Canada

Email: Roger Y Wong* - rymwong@interchange.ubc.ca; Sadra S Saber - sadra@interchange.ubc.ca; Irene Ma - ima@interchange.ubc.ca; J Mark Roberts - james.roberts@vch.ca

* Corresponding author

Published: 3 February 2009

BMC Medical Education 2009, 9:9 doi:10.1186/1472-6920-9-9

© 2009 Wong et al; licensee BioMed Central Ltd.

This article is available from: http://www.biomedcentral.com/1472-6920/9/9

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Received: 3 September 2008 Accepted: 3 February 2009

Abstract

Background: To address evidence-based effective communication skills in the formal academic half day curriculum of our core internal medicine residency program, we designed and delivered an interactive session using excerpts taken from medically-themed television shows.

Methods: We selected two excerpts from the television show *House*, and one from *Gray*'s *Anatomy* and featured them in conjunction with a brief didactic presentation of the Kalamazoo consensus statement on doctor-patient communication. To assess the efficacy of this approach a set of standardized questions were given to our residents once at the beginning and once at the completion of the session.

Results: Our residents indicated that their understanding of an evidence-based model of effective communication such as the Kalamazoo model, and their comfort levels in applying such model in clinical practice increased significantly. Furthermore, residents' understanding levels of the seven essential competencies listed in the Kalamazoo model also improved significantly. Finally, the residents reported that their comfort levels in three challenging clinical scenarios presented to them improved significantly.

Conclusion: We used popular television shows to teach residents in our core internal medicine residency program about effective communication skills with a focus on the Kalamazoo's model. The results of the subjective assessment of this approach indicated that it was successful in accomplishing our objectives.

Background

Effective communication skills are integral to patient care as they enhance patient satisfaction, adherence to treatment and health outcomes [1]. It is therefore inherent that teaching communication skills is an important component in undergraduate and postgraduate medical education. In fact, accreditation bodies such as the Accreditation Council for Graduate Medical Education (ACGME) in the

United States [2] and the CanMEDS framework mandated by the Royal College of Physicians and Surgeons (RCPSC) in Canada [3] have declared communication as one of the core competencies and roles of physicians. Several guidelines [4-6], models [7,8], and consensus statements [9-11] have been developed to guide medical educators, learners and physicians in developing sound communication skills. However, challenges still remain in addressing patient-physician communication in medical education. These include inadequate attention and time given to educating undergraduate and postgraduate learners on comskills, difficulties implementing munication in standardized programs of communication skills in formal medical curricula, as well as lack of objective evaluation of the efficacy of such programs [12-16]. These challenges, in turn, have resulted in deficiencies in patient-physician communication in medical practice. Discussing end-oflife issues, delivering bad news, attending to psychosocial aspects of patients, and disclosing errors or adverse events are some examples of areas where pitfalls in physician communication have been documented [17-19].

Recognizing many of those issues, in 1999 representatives from major medical educational and professional organizations gathered in a conference in Kalamazoo, Michigan, with the objective of outlining a set of universal guidelines by which effective communication skills can be taught, evaluated, and utilized in medical education and practice [9]. By the end, the collaboration of the experts from a variety of backgrounds and disciplines in medical education and practice produced a comprehensive and evidence-based model which outlines seven essential elements in doctor-patient communication, and is now widely used in medical education. The seven elements listed in the model, in brief, are: building a relationship, opening the discussion, gathering information, understanding the patient's perspective, sharing information, reaching agreement on problems and plans, and finally, providing closure [9].

So far, no formal structured teaching methods of the Kalamazoo model exist in the literature. We intended to reinforce the importance of effective communication with particular attention to the Kalamazoo model by means of cinemeducation. This innovative approach was first reported in 1994 and involves the use of clips from popular films and television shows in education [20]. Since then, this approach has been successfully used in different areas of medical education including psychiatry [21-23], family medicine [24], internal medicine residency programs [25] as well as in undergraduate medical [26,27] and nursing [28] education.

Our objective was to assess the efficacy of cinemeducation (television shows in our case) for teaching communication skills using the Kalamazoo model, which has not been included in previous studies. The primary endpoint was the self-rated understanding of the evidence-based Kalamazoo model on communication. The secondary endpoint was the self-rated comfort levels of residents in three challenging clinical scenarios. These were: addressing end-of life issues with terminally ill patients, attending

to psychosocial aspects of illness, and disclosing errors and adverse events.

Methods Setting

The core internal medicine residency training program at the University of British Columbia (UBC) is a 3-year program with 115 residents. These residents had not received formal instruction on the Kalamazoo model of communication. In addition to clinical rotations, formal curriculum delivery is done through academic half days (AHD) which are held weekly for four hours and aimed to cover the topics in various medical specialties as well as the non-medical expert competencies such as communication, collaboration, bioethics, evidence-based medicine, and quality improvement, etc. On average, about 70 residents attend any AHD whereas the remainder is excused due to post-call days, out of town rotations, vacations, etc. We received approval from the UBC residency training committee to develop and implement the communication curriculum/testing and publish our experience.

The Communication Skills Seminar and Viewing Session

We organized a one-hour interactive session on communication during AHD teaching time that targeted residents in all three post-graduate years (PGY). Prior to initiating the AHD session, a baseline assessment (pre test) was completed by the residents, which contained questions on the various aspects of communication skills based on the essential elements in the Kalamazoo consensus statement on communication. Then a brief didactic presentation was given on effective communication competencies. Subsequently, we featured two scenarios excerpted from the first season of the television show House, and one from the first season of Gray's Anatomy. The episodes were selected by one of the chief medical residents who screen played the entire first season of both shows. The nature of the episodes were carefully chosen to depict important and sensitive situations with respect to doctor-patient communication. These excerpts represented 3 clinical scenarios that are articulated in the core competencies of effective communication as documented by the educational accreditation body, namely, addressing end-of life issues, attending to psychosocial aspects of illness, and disclosing medical errors. Each feature presentation was followed by 7 questions that mirrored the seven elements in the Kalamazoo's model (see Appendix). This was followed by an interactive reflection period where residents were encouraged to input their ideas on the excerpts verbally and discuss what they would have done differently in each of the featured scenarios. Finally a post-test was administered.

Data Collection

The standardized questions were designed by the AHD director and peer-reviewed by faculty members and senior residents to establish face and content validity. The questions were specifically devised to address the end-points we previously defined (see Appendix).

The residents' responses throughout the academic session (with the exception of the reflection segment) were collected via Personal Response System (PRS) transmitters [29]. We explained to the residents that, by responding through the PRS, they have granted their verbal consent to submit their data for group analysis and reporting. All questions and potential responses were programmed into a central notebook computer prior to the session. Each resident was handed a PRS transmitter. A 10-seocnd interval per question was included for residents to key in their responses. All responses were based on a five-point Likert scale (1 = poor, 2 = fair, 3 = good, 4 = very good, 5 = excellent).

The collected data was then statistically analyzed by comparing the median values of all Likert responses (score range 0–5) before and after the AHD session using Wilcoxon paired signed ranked tests. Paired proportions were compared using McNemar's tests. These non-parametric tests were chosen because our data did not follow the normal distribution. All analyses were performed using SAS statistical software, version 9.1 (SAS Institute Inc, Cary, NC).

Results

A total of 64 residents attended the communication session, and 43 (67%) responded using the PRS transmitters (21 PGY-1, 15 PGY-2, 7 PGY-3).

The residents who responded demonstrated significant improvements in their self-rated understanding of effective communication (Figure 1). At baseline (pre test), only 23% of respondents indicated that they had a good, very good or excellent understanding of an evidence-based communication model such as the Kalamazoo, whereas after the session, this proportion improved to 93% in the post test (P < 0.0001). Similarly, the residents' self-reported comfort in applying an evidence-based communication model to actual clinical encounters improved substantially (Figure 2), from 23% who indicated good, very good or excellent level in the pre test to 88% post test (P < 0.0001).

The AHD session also had positive effects in reinforcing to our residents the seven individual communication competencies listed in the Kalamazoo model. In fact, the residents' self-rated understanding of all the seven skills improved after the session, with statistical improvement in 6 out of 7 competencies in the Kalamazoo (Table 1). Resident understanding improved from a median of 3 (good) to 4 (very good) in every competency.

Furthermore, the comfort levels of our residents in all three challenging clinical scenarios also increased significantly after the AHD session (Table 2). Specifically, comfort levels in addressing end-of-life issues and disclosure of adverse events/errors increased from a median of 2 (fair) to 3 (good).

Finally resident satisfaction at the completion of the session was encouraging as 80% indicated that they would like to participate in this form of communication teaching in the future.

Discussion

We developed and implemented a focused teaching session on evidence-based and effective communication skills as part of the formal academic half day curriculum using clips from popular television shows. This was done in conjunction with a brief discussion of the Kalamazoo consensus statement. We observed significant improvements in the residents' understanding of the essential elements of effective communication and their comfort levels in selected clinical scenarios that were deemed challenging.

Cinemeducation is an effective tool that can enhance teaching as it provides a dynamic and humanistic depiction of clinical situations to audiences, captures their attention, and engages them in the emotional experience [20]. This tool has become increasingly popular in medical education with the majority of its use in teaching about psychosocial aspects of illnesses and specific symptom presentations as well as other areas such as professionalism and therapeutic managements. Doctor-patient communication in medicine is also a key area that involves a great deal of art, emotion, and humanistic facets. While others have addressed interview skills and communication through cinemeducation in more specific clinical contexts [25,26,30,31] our session focused on generic communication competencies. The selected clips well complemented the didactic portion of the seminar by depicting clinical scenarios where the communication skills of doctors and residents were at play. In other words, each scenario featured an encounter where patient-physician communication was deficient in one or more competencies of the Kalamazoo model. This made it possible to realize the importance of effective communication, and enabled the residents to visualize realistic situations where the Kalamazoo model's competencies that were introduced in the preceding section could be applied. This novel approach proved to be a success as it provided for both an effective and an enjoyable experience, and helped




Figure I
Residents' self-rated understanding of an evidence-based model of effective communication before and after the academic half day (AHD) session.

in accomplishing our objectives of reinforcing the understanding and application of an evidence-based model of sound communication skills, according to the residents' feedback.

We recognize our educational intervention was brief (a one-hour session including presentation of the Kalamazoo model and some video excerpts). The long term impact of our intervention is unclear. Future studies are needed to compare cinemeducation with other educational approaches (such as role-playing and/or standardized patient encounters) in improving communication skills.

While this project had promising results, there are some limitations in the study that should be noted. This study is not a randomized controlled trial, lacked a control group, and is based on subjective assessments of respondents. Future work should consider more objective assessments. Also, since our AHD session involved a combination of introducing the Kalamazoo model didactically and cinemeducation, it is difficult for us to definitively attribute impact to the individual components of the AHD session that might have contributed to the prepost differences observed. Furthermore, the study was done in one site with a relatively small sample size, and the response rates were less than ideal. In fact, the post test




Figure 2
Residents' self-rated comfort levels in applying evidence-based and effective communication skills to patient encounters before and after the academic half day (AHD) session.

data was collected immediately after the intervention, making the observed gains potentially more optimistic. There could also be potential baseline differences between responders and no responders. While our residents indicated that this approach was useful in reinforcing effective communication skills, the study assessment was only done in an educational setting, and its efficacy with regards to real clinical situations remains unknown. The expansion of the study in the future to include more residents from upcoming years, and possibly the involvement of other programs or sites could help improve the generalizability of our findings. In addition, a desirable future

step would be to take our study further into broader and more practical contexts such as clinical rotations in the internal medicine curriculum as well as clinical practices of the program graduates. In other words, while the results of our subjective assessment by the residents was encouraging, developing ways to assess the efficacy of our approach in real clinical encounters objectively, for instance by OSCE-style assessments, would further validate our findings. Finally, it might be interesting to collect qualitative data during the open-ended reflection period whereby residents interactively discussed the communication scenarios.

Table I: Self-reported understanding of the essential elements in the Kalamazoo model of communication pre and post the academic half day (AHD) session.

Competencies in the Kalamazoo Model	Pre-AHD: Median (IQR)	Post-AHD: Median (IQR)	P Value
Build a relationship	3 (2-4)	4 (3–4)	0.005
Open the discussion	3 (2–4)	4 (3–4)	0.001
Gather information	3.5 (3-4)	4 (3–4)	0.13
Understand the patient's perspective	3 (3–4)	4 (3.5–4)	<0.001
Share information	3 (3–4)	4 (4-4)	<0.001
Reach agreement on problems and plans	3 (3–4)	4 (3–4)	0.005
Provide closure	3 (2–4)	4 (3–4)	<0.001

IQR = interquartile range.

Conclusion

To address effective communication skills and present the Kalamazoo's evidence-based model of doctor-patient communication in our academic half day curriculum, we designed a seminar which utilized three excerpts from the popular television shows *House* and *Gray's Anatomy*. The comparison of the survey results taken from the residents before and after the session showed that their understanding in the Kalamazoo model improved significantly, as did their comfort in all three selected challenging clinical scenarios.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

RYW was the principal investigator of the study, developed and delivered the seminar, and supervised the data collection, analysis, and drafting of the paper. SSS was responsible for literature review and drafting the paper. IM was responsible for data analysis and producing the results. Both IM and JMR also contributed by reviewing and improving the paper. All authors read and approved the final manuscript.

Appendix

Standardized questions used during academic half day (AHD) session:

Pre AHD assessment:

Please rate your comfort level on:

- 1. Understanding of an evidence-based model of sound communication skills.
- 2. Application of an evidence-based model of sound communication skills to actual patient encounters.

Please rate your understanding of the skills to:

- 3. Build a relationship during interview.
- 4. Open the discussion.
- 5. Gather information.
- 6. Understand the patient's perspective.
- 7. Share information.
- 8. Reach agreement on problems and plans.
- 9. Provide Closure.

Please rate your comfort level on:

- 10. Addressing end-of-life issues.
- 11. Attention to psychosocial aspects of illness.
- 12. Disclosure of error or adverse event.

Assessment after showing each television clip:

How well did the doctor(s) do to:

Table 2: Self-reported comfort levels in 3 clinical scenarios pre and post the academic half day (AHD) session.

Clinical Scenarios	Pre-AHD Median (IQR)	Post-AHD Median (IQR)	P Value
Address end-of-life issues	2 (1–3)	3 (3–4)	<0.001
Attention to psychosocial aspects of illness	3 (2–3)	3 (3–4)	0.001
Disclosure of error or adverse event	2 (2–3)	3 (2-4)	0.001

IQR = interquartile range.

- 1. Build a relationship.
- 2. Open the discussion.
- 3. Gather information.
- 4. Understand the patient's perspective.
- 5. Share information.
- 6. Reach agreement.
- 7. Provide closure.

Post AHD assessment:

Please rate your comfort level on:

- 1. Understanding of an evidence-based model of sound communication skills.
- 2. Application of an evidence-based model of sound communication skills to actual patient encounters.

Please rate your understanding of the skills to:

- 3. Build a relationship during interview.
- 4. Open the discussion.
- 5. Gather information.
- 6. Understand the patient's perspective.
- 7. Share information.
- 8. Reach agreement on problems and plans.
- 9. Provide Closure.

Please rate your comfort level on:

- 10. Addressing end-of-life issues.
- 11. Attention to psychosocial aspects of illness.
- 12. Disclosure of error or adverse event.

Please rate your level of agreement:

13. I would like to participate in this kind of communication teaching in the future.

References

 Meryn S: Improving doctor-patient communication. Not an option, but a necessity. BMJ 1998, 316:1922-1930.

- ACGME outcome project general competencies. Excerpted on July 10, 2008 [http://www.acgme.org/outcome/comp/comp Full.asp]
- Frank JR, ed: The CanMEDS 2005 physicians competency framework. Better standards. Better physicians. In Better care Ottawa: The Royal College of physicians and Surgeons of Canada; 2005.
- Association of American Medical Colleges: Medical School Objectives Project, Report III. Contemporary Issues in Medicine:
 Communication in Medicine. Washington, DC: Association of American Medical Colleges; 1999.
- Bass EB, Fortin AH 4th, Morrison G, Wills S, Mumford LM, Goroll AH: National survey of clerkship directors in internal medicine on the competencies that should be addressed in the medicine core clerkship. Am J Med 1997, 102:564-571.
 Liaison Committee on Medical Education: Functions and Struc-
- Liaison Committee on Medical Education: Functions and Structure of a Medical School. Washington, DC: Liaison Committee on Medical Education; 1998.
- Rosenbaum M, Ferguson K, Lobas J: Teaching medical students and residents skills for delivering bad news: a review of strategies. Acad Med 2004, 79:107-117.
- Suchman L, Markakis K, Beckman HB, Frankel R: A model of empathic communication in the medical interview. JAMA 1997, 277:678-82.
- Makoul G: Essential elements of communication in medical encounters: the Kalamazoo consensus statement. Acad Med 2001, 76:390-393.
- Simpson M, Buckman R, Stewart M, Maguire P, Lipkin M, Novack D, Till J: Doctor – patient communication: the Toronto consensus statement. BMJ 1991, 303:1385-1387.
- Workshop Planning Committee: Consensus statement from the Workshop on the Teaching and Assessment of Communication Skills in Canadian Medical Schools. CMAJ 1992, 147(8):1149-1152.
- Deveugele M, Derese A, De Maesschalck S, Willems S, Van Driel M, De Maeseneer J: Teaching communication skills to medical students, a challenge in the curriculum? Patient Education and Counseling 2005, 58:265-270.
- Rider EA, Hinrichs MM, Lown BA: A model for communication skills assessment across the undergraduate curriculum. Medical Teacher 2006, 28:127-134.
- 14. Lurie SJ, Mooney CJ, Nofziger AC, Meldrum SC, Epstein RM: Further challenges in measuring communication skills: accounting for actor effects in standardised patient assessments. *Medical Education* 2008, **42**:662-668.
- Maguire P, Peceathly C: Key Communication skills and how to acquire them. BMJ 2002, 325:697-700.
- Levinson W, Roter DL, Mullooly JP, Dull VT, Frankel RM: Physicianpatient communication. The relationship with malpractice claims among primary care physicians and surgeons. JAMA 1997, 277:553-559.
- Lee SJ, Back A, Block SD, Stewart S: Enhancing physician-patient communication. Hematology 2002, 1:464-483.
- Stewart MA, Roter D, eds: Communicating with medical patients. Newbury Park, CA: Sage Publications; 1989.
- Gallagher TH, Waterman AD, Ebers AG, Fraser VJ, Levinson W: Patients' and physicians' attitudes regarding the disclosure of medical errors. JAMA 2003, 289:1001-1007.
- Alexander M, Hall MN, Pettice YJ: Cinemeducation: an innovative approach to teaching psychosocial medical care. Fam Med 1994, 26:430-433.
- 21. Zerby S: Using the science fiction film invaders from mars in a child psychiatry seminar. Acad Psychiatry 2005, 29:316-321.
- Misch DA: Psychosocial formulation training using commercial films. Acad Psychiatry 2000, 24:99-104.
- Hyler S, Schanzer B: Using commercially available films to teach about borderline personality disorder. Bulletin of the Menninger Clinic 1997, 61:458-468.
- 24. Alexander M, Waxman D: **Teaching family systems through the movies.** Families Systems, and Health 2000, **18**:455-466.
- 25. McFarland KF, Rhoades DR: End-of-life care: a retreat format for residents. Journal of Palliative Medicine 2006, 9:82-89.
- McNeilly DP, Wengel SP: The "ER" seminar: Teaching psychotherapeutic techniques to medical students. Academic Psychiatry 2001, 25:193-200.

- Welsh C: OD's and DT's: Using movies to teach intoxication and withdrawal syndromes to medical students. Academic Psychiatry 2003, 27:182-186.
- Masters J: Hollywood in the classroom: using feature films to teach. Nurse Educator 2005, 30:113-116.
- Draper SW, Cargill J, Cutts Q: Electronically enhanced classroom interaction. Australian Journal of Educational Technology 2002, 18(1):13-23.
- Toman SM, Rak CF: The use of cinema in the counselor education curriculum: strategies and outcomes. Counselor education and supervision 2000, 40:105-14.
- 31. Adelman R, Ronald D, Capello CF, LoFaso V, Greene MG, Konopasek L, Marzuk PM: Introduction to the older patient: a "first exposure" to geriatrics for medical students. J Am Geriatr Soc 2007, 55(9):1445-1450.

Pre-publication history

The pre-publication history for this paper can be accessed here:

http://www.biomedcentral.com/1472-6920/9/9/prepub

Publish with **Bio Med Central** and every scientist can read your work free of charge

"BioMed Central will be the most significant development for disseminating the results of biomedical research in our lifetime."

Sir Paul Nurse, Cancer Research UK

Your research papers will be:

- available free of charge to the entire biomedical community
- \bullet peer reviewed and published immediately upon acceptance
- cited in PubMed and archived on PubMed Central
- \bullet yours you keep the copyright

Submit your manuscript here: http://www.biomedcentral.com/info/publishing_adv.asp

