

University of Groningen

## UTF1 is a chromatin-associated protein involved in ES cell differentiation

van den Boom, Vincent; Kooistra, Susanne M.; Boesjes, Mariie; Geverts, Bart; Houtsmuller, Adriaan B.; Monzen, Koshiro; Komuro, Issei; Essers, Jeroen; Drenth-Diephuis, Loes J.; Eggen, Bart J. L.

*Published in:*  
Journal of Cell Biology

*DOI:*  
[10.1083/jcb.200702058](https://doi.org/10.1083/jcb.200702058)

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*  
Publisher's PDF, also known as Version of record

*Publication date:*  
2007

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

van den Boom, V., Kooistra, S. M., Boesjes, M., Geverts, B., Houtsmuller, A. B., Monzen, K., Komuro, I., Essers, J., Drenth-Diephuis, L. J., & Eggen, B. J. L. (2007). UTF1 is a chromatin-associated protein involved in ES cell differentiation. *Journal of Cell Biology*, 178(6), 913-924.  
<https://doi.org/10.1083/jcb.200702058>

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Table S1. Primer sequence, product size, annealing temperature, and number of PCR cycles for RT-PCR reactions displayed in Fig. 1 G

Gene	Primer sequence 5'→3'	Product size	Annealing temperature	PCR cycles
		<i>bp</i>	<i>°C</i>	
<i>UTF1</i>	F:CCGTCGCTACAAGTTCCT R:AGAGTGTGGTGCTCGTA	342	56	35
<i>Oct4</i>	F:GAGTTGGTTCCACCTTCTCC R:GACACCTGGCTTCAGACTTC	382	55	31
<i>REX1</i>	F:GAATACCAGAGTGGGAAGC R:CTGCAAGTAATGAGCTCG	332	55	31
<i>Nanog</i>	F:AGGGTCTGCTACTGAGATGCTCTG R:CAACCACTGGTTTTTCTGCCACCG	363	55	31
<i>Brachyury</i>	F:CCAAGGACAGAGAGACGGCT R:AGTAGGCATGTTCCAAGGGC	280	55	33
<i>BMP5</i>	F:TCCGTGAGAGCAGCCAGCAAAC R:AGTTTGGTTGGAGCGCAGCAAG	331	50	30
<i>GATA4</i>	F:GCCTGTATGTAATGCCTGCG R:CCGAGCAGGAATTTGAAGAGG	469	55	33
<i>GATA6</i>	F:GCAATGCATGCGGTCTCTAC R:CTCTTGGTAGCACCAGCTCA	571	55	33
<i>GAP43</i>	F:GCTACCACTGATAACTCC R:ATAGGTAGGAGAGGACAG	400	50	35
<i>FGF5</i>	F:AAAGTCAATGGCTCCCACGAA R:CTTCAGTCTGTACTTCACTGG	465	55	36
<i>GAPDH</i>	F:CCAATGTGTCCGTCGTGGAT R:GCTGTTGAAGTCGCAGGAGA	151	62	31

F, forward; R, reverse.