

Wearable Robots: Biomechatronic Exoskeletons

Edited by
José L. Pons
CSIC, Madrid, Spain



John Wiley & Sons, Ltd

Contents

Foreword	xv
Preface	xvii
List of Contributors	xix
1 Introduction to wearable robotics	1
<i>J. L. Pons, R. Ceres and L. Calderón</i>	
1.1 Wearable robots and exoskeletons	1
1.1.1 Dual human–robot interaction in wearable robotics	3
1.1.2 A historical note	4
1.1.3 Exoskeletons: an instance of wearable robots	5
1.2 The role of bioinspiration and biomechatronics in wearable robots	6
1.2.1 Bioinspiration in the design of biomechatronic wearable robots	8
1.2.2 Biomechatronic systems in close interaction with biological systems	9
1.2.3 Biologically inspired design and optimization procedures	9
1.3 Technologies involved in robotic exoskeletons	9
1.4 A classification of wearable exoskeletons: application domains	10
1.5 Scope of the book	12
References	15
2 Basis for bioinspiration and biomimetism in wearable robots	17
<i>A. Forner-Cordero, J. L. Pons and M. Wisse</i>	
2.1 Introduction	17
2.2 General principles in biological design	18
2.2.1 Optimization of objective functions: energy consumption	19
2.2.2 Multifunctionality and adaptability	21
2.2.3 Evolution	22
2.3 Development of biologically inspired designs	23
2.3.1 Biological models	24
2.3.2 Neuromotor control structures and mechanisms as models	24
2.3.3 Muscular physiology as a model	27
2.3.4 Sensorimotor mechanisms as a model	29
2.3.5 Biomechanics of human limbs as a model	31
2.3.6 Recursive interaction: engineering models explain biological systems	31
2.4 Levels of biological inspiration in engineering design	31
2.4.1 Biomimetism: replication of observable behaviour and structures	32
2.4.2 Bioimitation: replication of dynamics and control structures	32
2.5 Case Study: limit-cycle biped walking robots to imitate human gait and to inspire the design of wearable exoskeletons	33
<i>M. Wisse</i>	
2.5.1 Introduction	33
2.5.2 Why is human walking efficient and stable?	33

2.5.3	Robot solutions for efficiency and stability	34
2.5.4	Conclusion	36
	Acknowledgements	36
2.6	Case Study: MANUS-HAND, mimicking neuromotor control of grasping <i>J. L. Pons, R. Ceres and L. Calderón</i>	36
2.6.1	Introduction	37
2.6.2	Design of the prosthesis	37
2.6.3	MANUS-HAND control architecture	39
2.7	Case Study: internal models, CPGs and reflexes to control bipedal walking robots and exoskeletons: the ESBiRRO project <i>A. Forner-Cordero</i>	40
2.7.1	Introduction	40
2.7.2	Motivation for the design of LC bipeds and current limitations	41
2.7.3	Biomimetic control for an LC biped walking robot	41
2.7.4	Conclusions and future developments	43
	References	43
3	Kinematics and dynamics of wearable robots	47
	<i>A. Forner-Cordero, J. L. Pons, E. A. Turowska and A. Schiele</i>	
3.1	Introduction	47
3.2	Robot mechanics: motion equations	48
3.2.1	Kinematic analysis	48
3.2.2	Dynamic analysis	53
3.3	Human biomechanics	57
3.3.1	Medical description of human movements	57
3.3.2	Arm kinematics	59
3.3.3	Leg kinematics	61
3.3.4	Kinematic models of the limbs	64
3.3.5	Dynamic modelling of the human limbs	68
3.4	Kinematic redundancy in exoskeleton systems	70
3.4.1	Introduction to kinematic redundancies	70
3.4.2	Redundancies in human–exoskeleton systems	71
3.5	Case Study: a biomimetic, kinematically compliant knee joint modelled by a four-bar linkage <i>J. M. Baydal-Bertomeu, D. Garrido and F. Moll</i>	74
3.5.1	Introduction	74
3.5.2	Kinematics of the knee	75
3.5.3	Kinematic analysis of a four-bar linkage mechanism	75
3.5.4	Genetic algorithm methodology	77
3.5.5	Final design	77
3.5.6	Mobility analysis of the optimal crossed four-bar linkage	78
3.6	Case Study: design of a forearm pronation–supination joint in an upper limb exoskeleton <i>J. M. Belda-Lois, R. Poveda, R. Barberà and J. M. Baydal-Bertomeu</i>	79
3.6.1	The mechanics of pronation–supination control	79
3.7	Case Study: study of tremor characteristics based on a biomechanical model of the upper limb <i>E. Rocon and J. L. Pons</i>	80
3.7.1	Biomechanical model of the upper arm	81

3.7.2	Results	83
	References	83
4	Human–robot cognitive interaction	87
	<i>L. Bueno, F. Brunetti, A. Frizzera and J. L. Pons</i>	
4.1	Introduction to human–robot interaction	87
4.2	cHRI using bioelectrical monitoring of brain activity	89
4.2.1	Physiology of brain activity	90
4.2.2	Electroencephalography (EEG) models and parameters	92
4.2.3	Brain-controlled interfaces: approaches and algorithms	93
4.3	cHRI through bioelectrical monitoring of muscle activity (EMG)	96
4.3.1	Physiology of muscle activity	97
4.3.2	Electromyography models and parameters	98
4.3.3	Surface EMG signal feature extraction	99
4.3.4	Classification of EMG activity	102
4.3.5	Force and torque estimation	104
4.4	cHRI through biomechanical monitoring	104
4.4.1	Biomechanical models and parameters	105
4.4.2	Biomechanically controlled interfaces: approaches and algorithms	108
4.5	Case Study: lower limb exoskeleton control based on learned gait patterns	109
	<i>J. C. Moreno and J. L. Pons</i>	
4.5.1	Gait patterns with knee joint impedance modulation	109
4.5.2	Architecture	109
4.5.3	Fuzzy inference system	110
4.5.4	Simulation	110
4.6	Case Study: identification and tracking of involuntary human motion based on biomechanical data	111
	<i>E. Rocon and J. L. Pons</i>	
4.7	Case Study: cortical control of neuroprosthetic devices	115
	<i>J. M. Carmena</i>	
4.8	Case Study: gesture and posture recognition using WSNs	118
	<i>E. Farella and L. Benini</i>	
4.8.1	Platform description	119
4.8.2	Implementation of concepts and algorithm	119
4.8.3	Posture detection results	121
4.8.4	Challenges: wireless sensor networks for motion tracking	121
4.8.5	Summary and outlook	122
	References	122
5	Human–robot physical interaction	127
	<i>E. Rocon, A. F. Ruiz, R. Raya, A. Schiele and J. L. Pons</i>	
5.1	Introduction	127
5.1.1	Physiological factors	128
5.1.2	Aspects of wearable robot design	129
5.2	Kinematic compatibility between human limbs and wearable robots	130
5.2.1	Causes of kinematic incompatibility and their negative effects	130
5.2.2	Overcoming kinematic incompatibility	133
5.3	Application of load to humans	134
5.3.1	Human tolerance of pressure	134

5.3.2	Transmission of forces through soft tissues	135
5.3.3	Support design	138
5.4	Control of human–robot interaction	138
5.4.1	Human–robot interaction: human behaviour	139
5.4.2	Human–robot interaction: robot behaviour	140
5.4.3	Human–robot closed loop	143
5.4.4	Physically triggered cognitive interactions	146
5.4.5	Stability	147
5.5	Case Study: quantification of constraint displacements and interaction forces in nonergonomic pHR interfaces	149
	<i>A. Schiele</i>	
5.5.1	Theoretical analysis of constraint displacements, d	150
5.5.2	Experimental quantification of interaction force, F_d	151
5.6	Case Study: analysis of pressure distribution and tolerance areas for wearable robots	154
	<i>J. M. Belda-Lois, R. Poveda and M. J. Vivas</i>	
5.6.1	Measurement of pressure tolerance	155
5.7	Case Study: upper limb tremor suppression through impedance control	156
	<i>E. Rocon and J. L. Pons</i>	
5.8	Case Study: stance stabilization during gait through impedance control	158
	<i>J. C. Moreno and J. L. Pons</i>	
5.8.1	Knee–ankle–foot orthosis (exoskeleton)	159
5.8.2	Lower leg–exoskeleton system	159
5.8.3	Stance phase stabilization: patient test	160
	References	161
6	Wearable robot technologies	165
	<i>J. C. Moreno, L. Bueno and J. L. Pons</i>	
6.1	Introduction to wearable robot technologies	165
6.2	Sensor technologies	166
6.2.1	Position and motion sensing: HR limb kinematic information	166
6.2.2	Bioelectrical activity sensors	171
6.2.3	HR interface force and pressure: human comfort and limb kinetic information	175
6.2.4	Microclimate sensing	179
6.3	Actuator technologies	181
6.3.1	State of the art	181
6.3.2	Control requirements for actuator technologies	183
6.3.3	Emerging actuator technologies	185
6.4	Portable energy storage technologies	189
6.4.1	Future trends	189
6.5	Case Study: inertial sensor fusion for limb orientation	190
	<i>J. C. Moreno, L. Bueno and J. L. Pons</i>	
6.6	Case Study: microclimate sensing in wearable devices	192
	<i>J. M. Baydal-Bertomeu, J. M. Belda-Lois, J. M. Prat and R. Barberà</i>	
6.6.1	Introduction	192
6.6.2	Thermal balance of humans	192
6.6.3	Climate conditions in clothing and wearable devices	193
6.6.4	Measurement of thermal comfort	194

6.7	Case Study: biomimetic design of a controllable knee actuator <i>J. C. Moreno, L. Bueno and J. L. Pons</i>	194
6.7.1	Quadriiceps weakness	195
6.7.2	Functional analysis of gait as inspiration	195
6.7.3	Actuator prototype	197
	References	198
7	Communication networks for wearable robots <i>F. Brunetti and J. L. Pons</i>	201
7.1	Introduction	201
7.2	Wearable robotic networks, from wired to wireless	203
7.2.1	Requirements	203
7.2.2	Network components: configuration of a wearable robotic network	205
7.2.3	Topology	206
7.2.4	Wearable robotic network goals and profiles	208
7.3	Wired wearable robotic networks	209
7.3.1	Enabling technologies	209
7.3.2	Network establishment, maintenance, QoS and robustness	213
7.4	Wireless wearable robotic networks	214
7.4.1	Enabling technologies	214
7.4.2	Wireless sensor network platforms	216
7.5	Case Study: smart textiles to measure comfort and performance <i>J. Vanhala</i>	218
7.5.1	Introduction	218
7.5.2	Application description	220
7.5.3	Platform description	221
7.5.4	Implementation of concepts	222
7.5.5	Results	222
7.5.6	Discussion	223
7.6	Case Study: ExoNET <i>F. Brunetti and J. L. Pons</i>	224
7.6.1	Application description	224
7.6.2	Network structure	224
7.6.3	Network components	224
7.6.4	Network protocol	225
7.7	Case Study: NeuroLab, a multimodal networked exoskeleton for neuromotor and biomechanical research <i>A. F. Ruiz and J. L. Pons</i>	226
7.7.1	Application description	226
7.7.2	Platform description	227
7.7.3	Implementation of concepts and algorithms	227
7.8	Case Study: communication technologies for the integration of robotic systems and sensor networks at home: helping elderly people <i>J. V. Martí, R. Marín, J. Fernández, M. Nuñez, O. Rajadell, L. Nomdedeu, J. Sales, P. Agustí, A. Fabregat and A. P. del Pobil</i>	229
7.8.1	Introduction	230
7.8.2	Communication systems	230
7.8.3	IP-based protocols	232

Acknowledgements	233
References	233
8 Wearable upper limb robots	235
<i>E. Rocon, A. F. Ruiz and J. L. Pons</i>	
8.1 Case Study: the wearable orthosis for tremor assessment and suppression (WOTAS)	236
<i>E. Rocon and J. L. Pons</i>	
8.1.1 Introduction	236
8.1.2 Wearable orthosis for tremor assessment and suppression (WOTAS)	236
8.1.3 Experimental protocol	239
8.1.4 Results	240
8.1.5 Discussion and conclusions	241
8.2 Case Study: the CyberHand	242
<i>L. Beccai, S. Micera, C. Cipriani, J. Carpaneto and M. C. Carrozza</i>	
8.2.1 Introduction	242
8.2.2 The multi-DoF bioinspired hand prosthesis	242
8.2.3 The neural interface	245
8.2.4 Conclusions	247
8.3 Case Study: the ergonomic EXARM exoskeleton	248
<i>A. Schiele</i>	
8.3.1 Introduction	248
8.3.2 Ergonomic exoskeleton: challenges and innovation	250
8.3.3 The EXARM implementation	251
8.3.4 Summary and conclusion	254
8.4 Case Study: the NEUROBOTICS exoskeleton (NEUROExos)	255
<i>S. Roccella, E. Cattin, N. Vitiello, F. Vecchi and M. C. Carrozza</i>	
8.4.1 Exoskeleton control approach	257
8.4.2 Application domains for the NEUROExos exoskeleton	258
8.5 Case Study: an upper limb powered exoskeleton	259
<i>J. C. Perry and J. Rosen</i>	
8.5.1 Exoskeleton design	259
8.5.2 Conclusions and discussion	268
8.6 Case Study: soft exoskeleton for use in physiotherapy and training	269
<i>N. G. Tsagarakis, D. G. Caldwell and S. Kousidou</i>	
8.6.1 Soft arm-exoskeleton design	270
8.6.2 System control	272
8.6.3 Experimental results	275
8.6.4 Conclusions	277
References	278
9 Wearable lower limb and full-body robots	283
<i>J. Moreno, E. Turowska and J. L. Pons</i>	
9.1 Case Study: GAIT-ESBiRRo: lower limb exoskeletons for functional compensation of pathological gait	283
<i>J. C. Moreno and J. L. Pons</i>	

9.1.1	Introduction	283
9.1.2	Pathological gait and biomechanical aspects	284
9.1.3	The GAIT concept	285
9.1.4	Actuation	286
9.1.5	Sensor system	286
9.1.6	Control system	286
9.1.7	Evaluation	287
9.1.8	Next generation of lower limb exoskeletons: the ESBiRro project	289
9.2	Case Study: an ankle-foot orthosis powered by artificial pneumatic muscles <i>D. P. Ferris</i>	289
9.2.1	Introduction	289
9.2.2	Orthosis construction	290
9.2.3	Artificial pneumatic muscles	291
9.2.4	Muscle mounting	291
9.2.5	Orthosis mass	292
9.2.6	Orthosis control	292
9.2.7	Performance data	292
9.2.8	Major conclusions	295
9.3	Case Study: intelligent and powered leg prosthesis <i>K. De Roy</i>	295
9.3.1	Introduction	296
9.3.2	Functional analysis of the prosthetic leg	297
9.3.3	Conclusions	303
9.4	Case Study: the control method of the HAL (hybrid assistive limb) for a swinging motion <i>J. Moreno, E. Turouska and J. L. Pons</i>	304
9.4.1	System	305
9.4.2	Actuator control	305
9.4.3	Performance	306
9.5	Case Study: Kanagawa Institute of Technology power-assist suit <i>K. Yamamoto</i>	308
9.5.1	The basic design concepts	308
9.5.2	Power-assist suit	308
9.5.3	Controller	310
9.5.4	Physical dynamics model	310
9.5.5	Muscle hardness sensor	310
9.5.6	Direct drive pneumatic actuators	311
9.5.7	Units	311
9.5.8	Operating characteristics of units	312
9.6	Case Study: EEG-based cHRI of a robotic wheelchair <i>T. F. Bastos-Filho, M. Sarcinelli-Filho, A. Ferreira, W. C. Celeste, R. L. Silva, V. R. Martins, D. C. Cavalieri, P. N. S. Filgueira and I. B. Arantes</i>	314
9.6.1	EEG acquisition and processing	315
9.6.2	The PDA-based graphic interface	317
9.6.3	Experiments	317
9.6.4	Results and concluding remarks	318
	Acknowledgements	319
	References	319

10 Summary, conclusions and outlook	323
<i>J. L. Pons, R. Ceres and L. Calderón</i>	
10.1 Summary	323
10.1.1 Bioinspiration in designing wearable robots	324
10.1.2 Mechanics of wearable robots	326
10.1.3 Cognitive and physical human–robot interaction	327
10.1.4 Technologies for wearable robots	328
10.1.5 Outstanding research projects on wearable robots	329
10.2 Conclusions and outlook	330
References	332
Index	335