

## Weighted analyses for cohort sampling designs

Robert J. Gray

Published online: 31 March 2009  
© Springer Science+Business Media, LLC 2009

### Erratum to: *Lifetime Data Anal* (2009) 15:24–40 DOI 10.1007/s10985-008-9095-z

A factor of  $M_+^{-1}$  was omitted from formula (3). The correct formula is

$$M_+^{-1} \left( \hat{V}_Z + M_+^{-1} \sum_j \left[ \{w_j(1) - 1\} D_j \hat{V}_{Z_j}^1 + \{w_j(0) - 1\} (M_j - D_j) \hat{V}_{Z_j}^0 \right] \right).$$

Also, it should have been noted that [Graubard and Korn \(2002\)](#) give an unbiased version of this estimator and discuss extensions to clustered data.

### Reference

Graubard BI, Korn EL (2002) Inference for superpopulation parameters using sample surveys. *Stat Sci* 17:73–96

---

The online version of the original article can be found under doi:[10.1007/s10985-008-9095-z](https://doi.org/10.1007/s10985-008-9095-z).

---

R. J. Gray (✉)  
Department of Biostatistics and Computational Biology, Dana-Farber Cancer Institute,  
44 Binney Street, Boston, MA 02115, USA  
e-mail: [gray@jimmy.harvard.edu](mailto:gray@jimmy.harvard.edu)