

Syracuse University

SURFACE

Mathematics - Faculty Scholarship

Mathematics

2002

When Are Two Protocols the Same?

Peter McBurney

University of Liverpool, Department of Computer Science

Simon Parsons

MIT, Sloan School of Management, Center for Co-ordination Science

Mark W. Johnson

Syracuse University, Department of Mathematics

Follow this and additional works at: <https://surface.syr.edu/mat>



Part of the [Computer Sciences Commons](#)

Recommended Citation

McBurney, Peter; Parsons, Simon; and Johnson, Mark W., "When Are Two Protocols the Same?" (2002). *Mathematics - Faculty Scholarship*. 1.

<https://surface.syr.edu/mat/1>

This Article is brought to you for free and open access by the Mathematics at SURFACE. It has been accepted for inclusion in Mathematics - Faculty Scholarship by an authorized administrator of SURFACE. For more information, please contact surface@syr.edu.

When are two protocols the same?

Peter McBurney
Department of Computer Science
University of Liverpool
Liverpool L69 7ZF UK
p.j.mcburney@csc.liv.ac.uk

Simon Parsons
Centre for Co-ordination Science
Sloan School of Management
MIT, Cambridge MA 02142 USA
sparsons@mit.edu

Mark W. Johnson
Department of Mathematics
Syracuse University
Syracuse NY 13244 USA
mjohns06@mailbox.syr.edu

ABSTRACT

A number of protocols based on the formal dialogue games of philosophy have recently been proposed for interactions between autonomous agents. Several of these proposals purport to assist agents engaged in the same types of interactions, such as persuasions and negotiations, and are superficially different. How are we to determine whether or not these proposals are substantially different? This paper considers this question and explores several alternative definitions of equivalence of protocols.

Keywords

Dialogue Games, interaction protocols, agent communications languages.

1. INTRODUCTION

Recently, several authors have proposed agent communications protocols based on the formal dialogue games of philosophy. These are interactions between two or more players, where each player “moves” by making utterances, selected from a finite set of possible locutions, according to a defined set of rules. These games have been studied by philosophers since at least the time of Aristotle [5], and have recently been the focus of renewed attention in philosophy [14].

Because dialogues conducted according to these games are rule-governed, they have been of particular interest to computer scientists, for modeling human-computer interaction [6], for modeling complex reasoning, such as that in legal domains [21], and for the task of software specification [9]. Recently, dialogue game formalisms have been proposed as protocols for interaction between autonomous software agents. In this domain, such protocols have been proposed for agent dialogues involving: persuasion [1, 7, 8]; joint inquiry [17]; negotiations over the division of scarce resources

[4, 20, 27]; deliberations over a course of action [15]; and discovery of rare events [16].

As can be seen from this list of citations, more than one dialogue game protocol has sometimes been proposed for the same type of agent interaction. This presents a user or potential user of such protocols with a number of questions, including:

- How might one choose between two protocols?
- When is one protocol preferable to another?
- When do two protocols differ?

The first of these questions is of interest to agent designers who are considering how to allow their agents to interact—how do they pick one protocol from the many that have been proposed? Answering it involves, at the very least, having some way of describing the various features of protocols. In other work, two of us have taken a step towards answering this question by proposing a set of desirable properties for dialogue game protocols for agent interactions [19], and assessing various protocols against these properties.¹

Such assessments could also provide a partial answer to the second question above. This question is again of interest to agent designers for much the same reason as the first, but goes a little further in that it also requires an understanding of what makes protocols good, and what makes them good for particular tasks (since it seems clear from the wide variety of extant protocols that some are good for some tasks and others are good for other tasks).

However, perhaps a more fundamental question is the third question given above—when do two protocols differ. Not only is an answer to this a prerequisite to being able to pick between two protocols, but it is also essential if we are to be able to tell if a protocol is new (in the sense of providing a different functionality from an existing protocol rather than just having equivalent locutions with different names) and if a protocol conforms to some specification (such as that laid down as the standard for interacting within some electronic institution [26]).

In this paper, we present a preliminary exploration of this third question, including several alternative definitions for protocol equivalence. In order to do this, we first need to define what we mean by a dialogue game protocol (defined in Section 2) and to classify types of dialogues and types of locutions. Our classification of dialogue types (presented in Section 3) is a standard one from

¹For comparison, we also assessed the FIPA ACL [10] against these criteria.

the philosophy of argumentation, due to Walton and Krabbe. Our classification of agent dialogue locutions (presented in Section 4), although based on a typology of speech acts due to Habermas, is novel. Section 5 presents our various definitions of dialogue game protocol equivalence, and explores their relationships to one another. Section 6 discusses possible extensions of the work of this paper.

2. DIALOGUE GAME PROTOCOLS

Elsewhere [18], we identified the key elements of a dialogue game protocol, in a generic model of a formal dialogue game. We assume the dialogue occurs between autonomous software agents, and that the topics of their discussion can be represented in some logical language; we represent these topics with well-formed formulae denoted by lower-case Roman letters, p , q , r , etc. The specification of a dialogue game protocol then requires specification of:

Commencement Rules: Rules that define the circumstances under which the dialogue commences.

Locutions: Rules that indicate what utterances are permitted. Typically, legal locutions permit participants to assert propositions, permit others to question or contest prior assertions, and permit those asserting propositions which are subsequently questioned or contested to justify their assertions. Justifications may involve the presentation of a proof of the proposition or an argument for it. The dialogue game rules may also permit participants to utter propositions to which they assign differing degrees of belief or commitment, for example: one may merely *propose* a proposition, a speech act which entails less commitment than would an *assertion* of the same proposition.

Combination Rules: Rules that define the dialogical contexts under which particular locutions are permitted or not, or obligatory or not. For instance, it may not be permitted for a participant to assert a proposition p and subsequently the proposition $\neg p$ in the same dialogue, without in the interim having retracted the former assertion.

Commitments: Rules that define the circumstances under which participants express commitment to a proposition in the dialogue. Typically, the assertion of a claim p in the debate is defined as indicating to the other participants some level of commitment to, or support for, the claim. Since [14], formal dialogue systems typically establish and maintain public sets of commitments, called *commitment stores*, for each participant; these stores are usually non-monotonic, in the sense that participants can also retract committed claims, although possibly only under defined circumstances.

Termination Rules: Rules that define the circumstances under which the dialogue ends.

Some comments on this model are in order. Firstly, the circumstances which may lead to the commencement of a specific dialogue under a given protocol are, strictly speaking, not part of that dialogue or protocol. Accordingly, it is reasonable to consider a meta-dialogue, where discussions about which dialogues to enter are undertaken [18] or a hierarchy of nested sequential dialogues [24]. Secondly, dialogue games are different from conversation policies [11], which are short sequences of legal utterances with a common purpose. Thus a conversation policy sits between a single utterance and a complete dialogue in length; it governs a portion

of a complete dialogue, rather than the whole, as is the case with a dialogue game.

Thirdly, it is worth noting that more than one notion of *commitment* is present in the literature on dialogue games. For example, Hamblin treats commitments in a purely dialogical sense: “A speaker who is obliged to maintain consistency needs to keep a store of statements representing his previous commitments, and require of each new statement he makes that it may be added without inconsistency to this store. The store represents a kind of persona of beliefs; it need not correspond with his real beliefs . . .” [14, p. 257]. In contrast, Walton and Krabbe [32, Chapter 1] treat commitments as obligations to (execute, incur or maintain) a course of action, which they term action commitments. These actions may be utterances in a dialogue, as when a speaker is forced to defend a proposition he has asserted against attack from others; so Walton and Krabbe also consider propositional commitment as a special case of action commitment [32, p. 23]. As with Hamblin’s treatment, such dialogical commitments to propositions may not necessarily represent a participant’s true beliefs. In contrast, Singh’s social semantics [30], requires agent participants to an interaction to express publicly their beliefs and intentions, and these expressions are called *social commitments*. These include both expressions of belief in some propositions and expressions of intent to execute or incur some future actions.²

Our primary motivation is the use of dialogue games as the basis for interaction protocols between autonomous agents. Because such agents will typically enter into these interactions in order to achieve some wider objectives, and not just for the enjoyment of the interaction itself, we believe it is reasonable to define commitments in terms of future actions or propositions external to the dialogue. In a commercial negotiation dialogue, for instance, the utterance of an offer may express a willingness by the speaker to undertake a subsequent transaction on the terms contained in the offer. For this reason, we can view commitments as mappings between locutions and subsets of some set of action-statements.

3. CLASSIFYING DIALOGUES

What different sorts of agent dialogues are there? If we assume that agents enter dialogues with each other in order to achieve specific objectives, it would seem reasonable to classify the dialogues in terms of the private and shared objectives of the participants. Indeed, these criteria — the private objectives and the shared objectives — were used by argumentation theorists Doug Walton and Erik Krabbe in their influential typology of human dialogues [32]. In addition, their typology is based on what information each participant has at the commencement of the dialogue (of relevance to the topic under discussion). The result was six primary types of dialogue, as follows: **Information-Seeking Dialogues** are those where one participant seeks the answer to some question(s) from another participant, who is believed by the first to know the answer(s). In **Inquiry Dialogues** the participants collaborate to answer some question or questions whose answers are not known to any one participant. **Persuasion Dialogues** involve one participant seeking to persuade another to accept a proposition he or she does not currently endorse. In **Negotiation Dialogues**, the participants bargain over the division of some scarce resource. Here, the goal of the dialogue — a division of the resource acceptable to all —

²It is worth noting that all these notions of *commitment* differ from that commonly used in discussion of agent’s internal states, namely the idea of the persistence of a belief or an intention [34, p. 205]. As Singh [29] argues, there is a qualitative difference between social commitments of the kind discussed here, and personal commitments of the kind encoded in beliefs, desires, and intentions. He further argues that one kind of commitment cannot be derived from another.

may be in conflict with the individual goals of the participants – to maximize their individual shares. Participants of **Deliberation Dialogues** collaborate to decide what action or course of action should be adopted in some situation. Here, participants share a responsibility to decide the course of action, or, at least, they share a willingness to discuss whether they have such a shared responsibility. Note that the best course of action for a group may conflict with the preferences or intentions of each individual member of the group; moreover, no one participant may have all the information required to decide what is best for the group. In **Eristic Dialogues**, participants quarrel verbally as a substitute for physical fighting, aiming to vent perceived grievances. As these are not rule-governed, we will ignore these dialogues in this paper.

Most actual dialogue occurrences involve mixtures of these primary dialogue types. A purchase transaction, for example, may commence with a request from a potential buyer for information from a seller, proceed to a persuasion dialogue, where the seller seeks to persuade the potential buyer of the importance of some feature of the product, and then transition to a negotiation, where each party offers to give up something he or she desires in return for something else. The two parties may or may not be aware of the different nature of their discussions at each phase, or of the transitions between phases. Recent work in agent communications languages has articulated formal models capable of representing complex combinations of dialogue types [18, 24].

For our purposes, we note that the termination rules for these different dialogue types can be expressed succinctly in terms of utterances of support within each dialogue for certain propositions. An Information-seeking dialogue, for example, can terminate normally once the participant who sought the answer to some question indicates publicly that a given proposition provides a satisfactory answer. For normal termination of an Inquiry dialogue, all (or some designated subset) of participants must express such public indication. For a Persuasion dialogue, normal termination will occur when the participant being persuaded publicly endorses (via an appropriate locution) support for the proposition at issue. Similarly, normal termination rules for Negotiation and Deliberation dialogues may be articulated in terms of participant support for particular propositions — in these two cases, for propositions which express commitments to future actions external to the dialogues.

4. CLASSIFYING LOCUTIONS

The agent dialogue types above involve agents seeking to reach a common understanding of some situation or a collective agreement to undertake certain actions. The theory of Communicative Action of the philosopher Jürgen Habermas [13] attempts to understand how human participants achieve these goals through dialogue, and, as part of this theory, Habermas proposes a typology of statements made in such dialogues [13, pp. 325–326].³ We have used this typology as the basis for our own classification of locutions in agent dialogues (with Habermas’ labels given in parentheses):

Factual Statements (Constative Speech Acts): These are statements which seek to represent the state of the objective, external world. Statements of belief about factual matters are examples of these utterances. Contesting such a statement means denying that it is a true description of the reality external to the dialogue.

Value Statements (Expressive Acts): These are statements which seek to represent the state of the speaker’s internal world, i.e.,

³Habermas’ classification is derived from the typology of speech acts of Searle [28].

they reveal publicly a subjective preference or value assignments. Such statements may only be contested by doubting the sincerity of the speaker.

Connection Statements (Regulative Acts): These are statements which assert some social or other relationship between different participants. A participant may assert, for example, that a certain group of people will be affected by an action under consideration in a deliberation dialogue.

Requests: These are statements about a desired state of the external world, in which an agent seeks another agent to act so as to bring about this state. Requests may be criticized on the grounds of effectiveness, i.e., that the requested action will not, in fact, bring about the desired world state. In addition, they may be refused, with or without a reason being expressed.

Promises: These are statements about a desired state of the external world, in which an agent itself agrees to act so as to bring about this state. As with requests, promises may be criticized on the grounds of effectiveness, and may be accepted or rejected, with or without reasons.

Inferences (Operative Acts): These are statements which refer to the content of earlier statements in a dialogue, drawing inferences from them or assessing their implications. Contestation of such statements can take the form of questioning the appropriateness or the validity of the inferences made.⁴

Procedural Statements (Communicative Acts): These are statements about the activity of dialogue itself, such as the rules for participation and debate. In many human discourses, these often themselves become the focus of debate, dominating the issues of substance. In some dialogues, the participants may agree to submit such issues to a chairperson or other authority for determination.

By distinguishing between requests and promises in the way we have, our classification differs from that of Habermas. He does not include promises in his structure, and requests are treated as commands (Imperative Acts) rather than as requests. We believe our approach is more appropriate in a context of agent autonomy. Complete autonomy, as may occur for example in open multi-agent systems, means that imperative statements may have no force: other agents can only be requested to perform some action, and never commanded to do so. In closed multi-agent systems, agents may have an hierarchical relationship with one another, and so not have complete autonomy, as for example, when they represent different departments of the same company. However, even in such applications, agents may still exercise some autonomy over a limited domain, and so a classification which includes both requests and promises is appropriate.

5. PROTOCOL SIMILARITY

5.1 Concepts of Equivalence

In this section, we explore the question as to when two dialogue game protocols may be considered the same. To fix ideas, we first assume a finite set $\mathcal{A} = \{P_i | i = 1, \dots, p\}$, of dialogue participants, or agents. Dialogues conducted by this set of agents are

⁴Our definition departs slightly from that of Habermas, in that we permit Inferential Statements to have “*genuine communicative intent*.”

assumed to concern a finite set $\Phi = \{\phi_i | i = 1, \dots, q\}$ of well-formed formulae in some propositional language, which we call the set of discussion topics. For this paper, both the set of agents and the set of topics are assumed fixed throughout. We denote dialogue game protocols by upper case script Roman letters, \mathcal{D} , \mathcal{E} , etc. Each protocol \mathcal{D} comprises a finite set of legal locution-types, denoted $\mathcal{L}_{\mathcal{D}} = \{L_j | j = 1, \dots, l\}$, and a number of combination, commitment and termination rules, denoted $\mathcal{R}_{\mathcal{D}} = \{R_j | j = 1, \dots, r\}$. We assume that time can be represented by the non-negative real numbers, $[0, \infty)$, with locutions in a dialogue uttered simultaneously with the positive integers, i.e., the first utterance in the dialogue occurs at time $t = 1$, the second at time $t = 2$, etc. A dialogue \tilde{d} under dialogue-game protocol \mathcal{D} is a possibly-infinite sequence of valid locutions, each possibly instantiated by one or more discussion topics, thus: $(L_{d,t}(\theta_t) | t = 1, 2, \dots)$, with each $L_{d,t} \in \mathcal{L}_{\mathcal{D}}$ and each $\theta_t \in \Phi$. For any integer time-point $k > 0$, we say a partial dialogue to time k , \tilde{d}_k , is a finite sequence of valid possibly-instantiated locutions $(L_{d,t}(\theta_t) | t = 1, \dots, k)$. Drawing on the general structure of a dialogue game protocol presented in Section 2 we can make an initial attempt at defining protocol similarity as follows:

DEFINITION 1. (Syntactic Equivalence) *Two protocols \mathcal{D} and \mathcal{E} are syntactically equivalent if their commencement rules, locutions, combination rules, commitment rules and termination rules are (respectively) the same, i.e., if $\mathcal{L}_{\mathcal{D}} = \mathcal{L}_{\mathcal{E}}$ and $\mathcal{R}_{\mathcal{D}} = \mathcal{R}_{\mathcal{E}}$.*

Thus, under this definition, two protocols are the same if their syntax is identical. This definition seems too strict, as it precludes us identifying two protocols which may differ in small but superficial ways, for example if one protocol has redundant locutions or rules.

Indeed, given a strictly syntactic notion of equality, it will classify two protocols which have sets of locutions which differ only in the names given to the locutions, as different. As an example of such a pair of dialogues, consider the two in [2] and [3]. The latter paper is a French language version of the former, and the protocol discussed in the two papers has locutions with exactly the same properties, but with different names (the names in the latter paper are the translation of the names in the former paper). The two protocols are not syntactically equivalent, despite the fact that they have exactly the same properties. Thus we need a less strict notion of equivalence. However, to achieve this we will need some notion of semantics, or meaning, for the dialogues under a protocol. We now present such a notion.

In the classification of locutions presented in the previous section, Factual statements, Promises and Requests relate to propositions with referants in the world external to the dialogue: Factual statements express beliefs about the world, while Promises and Requests concern propositions linked to actions in the world. In each case, we may view the instantiated locution as invoking a subset of the elements of Φ , the set of discussion topics, and so each utterance comprising a Factual statement, a Promise or a Request defines a subset of Φ . For a given instantiated locution $L_j(\theta)$ in a protocol \mathcal{D} , we denote this subset by $\Phi_{\mathcal{D}}(L_j(\theta))$, and call it the *commitment set of $L_j(\theta)$ in \mathcal{D}* . Because a dialogue \tilde{d} is an ordered sequence of instantiated locutions, we may consider the sequence of commitment subsets of Φ which arise from this particular sequence as a set of state transitions:

$$\emptyset \cup \{\Phi_{\mathcal{D}}(L_{d,t}(\theta_t)) | t = 1, 2, \dots\}$$

where each $L_{d,t}(\theta_t)$ is the (instantiated) t -th utterance in dialogue \tilde{d} . We append the empty set at the start of this sequence to represent

the state of the commitments prior to utterance of the first locution in any dialogue. This means that all dialogues are assumed to commence with the same initial state.

We now have the means by which to identify two dialogues and two dialogue protocols in a semantic sense. In doing so, we are motivated by semantic notions from the theory of programming languages [12]. For example, we may consider two protocols as equivalent if any state transition achievable in one is also achievable in the other, a property known as bisimulation [31, Chapter 3].⁵

DEFINITION 2. (Bisimulation Equivalence) *For any positive integers j and k , suppose that two partial dialogues \tilde{d}_j and \tilde{e}_k conducted under protocols \mathcal{D} and \mathcal{E} respectively have respective state transitions $\Phi_{\mathcal{D}}(L_{d,j}(\delta_j))$ and $\Phi_{\mathcal{E}}(L_{e,k}(\theta_k))$ such that*

$$\Phi_{\mathcal{D}}(L_{d,j}(\delta_j)) = \Phi_{\mathcal{E}}(L_{e,k}(\theta_k)).$$

Then \mathcal{D} and \mathcal{E} are bisimulation equivalent if, for any instantiated locution $L_{d,j+1}(\delta_{j+1})$ valid under \mathcal{D} , there is an instantiated locution $L_{e,k+1}(\theta_{k+1})$ valid under \mathcal{E} such that

$$\Phi_{\mathcal{D}}(L_{d,j+1}(\delta_{j+1})) = \Phi_{\mathcal{E}}(L_{e,k+1}(\theta_{k+1}))$$

and conversely.

In other words, bisimulation equivalence says that any transition in commitment states achievable under one protocol by uttering a single instantiated locution can also be achieved under the other using only one instantiated locution. Note that the locutions and the topics with which they are instantiated may differ in the two protocols.

Many protocols permit participants to retract prior utterances. If so, then not all the beliefs expressed or action-commitments incurred during the course of a terminating dialogue may still be current at the end of that dialogue. We therefore distinguish the particular subset of Φ consisting of those beliefs or action-commitments made in the course of a dialogue which are still standing at the normal termination of the dialogue. For a terminating dialogue \tilde{d} conducted under a protocol \mathcal{D} , we denote this set by $\Phi_{\mathcal{D},\tilde{d}}$, and we call it the *final commitment-set of \tilde{d} under \mathcal{D}* . Note that this set may be empty. We therefore have available another notion of protocol equivalence:

DEFINITION 3. (Operational Equivalence) *Two protocols \mathcal{D} and \mathcal{E} are operational equivalent if, for any terminating dialogue \tilde{d} conducted under protocol \mathcal{D} , there is a terminating dialogue \tilde{e} conducted under protocol \mathcal{E} such that $\Phi_{\mathcal{D},\tilde{d}} = \Phi_{\mathcal{E},\tilde{e}}$, and conversely.*

This definition ignores the length of dialogues under each protocol. It would be possible for a dialogue under one protocol to terminate after five utterances (say) and to achieve an outcome for which a dialogue under the second protocol would require 500 locutions. So, we might wish to modify the previous definition as follows:

DEFINITION 4. (Equal-length Operational Equivalence) *Two protocols \mathcal{D} and \mathcal{E} are equal-length operational equivalent if, for any terminating dialogue \tilde{d} conducted under protocol \mathcal{D} , there is a terminating dialogue \tilde{e} conducted under protocol \mathcal{E} and comprising the same number of utterances as \tilde{d} , such that $\Phi_{\mathcal{D},\tilde{d}} = \Phi_{\mathcal{E},\tilde{e}}$, and conversely.*

⁵We are grateful to Michael Wooldridge for suggesting we consider bisimulation.

For most applications, however, this definition may be too strict. Ideally, we desire something like the following:

DEFINITION 5. (Similar-length Operational Equivalence)

Two protocols \mathcal{D} and \mathcal{E} are similar-length operational equivalent if, for any terminating dialogue \tilde{d} conducted under protocol \mathcal{D} , there is a terminating dialogue \tilde{e} conducted under protocol \mathcal{E} , such that $\Phi_{\mathcal{D},\tilde{d}} = \Phi_{\mathcal{E},\tilde{e}}$, and comprising approximately the same number of utterances as \tilde{d} , and conversely.

In order to use this definition, we would need to define precisely what we mean by the word “approximately.” Moreover, we also need to define this notion so that transitivity is maintained, i.e., so that if protocols \mathcal{D} and \mathcal{E} are similar-length operationally equivalent and if \mathcal{E} and \mathcal{F} are similar-length operational equivalent, then so too are \mathcal{D} and \mathcal{F} . We achieve this by partitioning time into a sequence of non-overlapping intervals, as follows:

DEFINITION 6. Let $(x_i \mid i = 1, 2, \dots)$ be a finite or countably-infinite sequence of strictly increasing non-negative real numbers, with the first element being $x_1 = 0$. In the case where the sequence is finite with n elements, assume that ∞ is appended to the sequence as the $n + 1$ -th element, x_{n+1} . A **time partition** \mathcal{T} is a collection of closed-open subsets $\{T_i \mid i = 1, 2, \dots\}$ of the non-negative real numbers $[0, \infty)$, such that each $T_i = [x_i, x_{i+1})$. If $\mathcal{T} = [0, \infty)$, we say it is a degenerate time-partition.

DEFINITION 7. (\mathcal{T} -similar Operational Equivalence) Let \mathcal{T} be a time partition. Two protocols \mathcal{D} and \mathcal{E} are \mathcal{T} -similar operational equivalent if, for any terminating dialogue \tilde{d} conducted under protocol \mathcal{D} , there is a terminating dialogue \tilde{e} conducted under protocol \mathcal{E} , such that $\Phi_{\mathcal{D},\tilde{d}} = \Phi_{\mathcal{E},\tilde{e}}$, and such that the final utterance of \tilde{e} occurs in the same element of time partition \mathcal{T} as the final utterance of \tilde{d} , and conversely.

It is clear that this notion of equivalence is transitive. Moreover, it can be readily seen that Operational Equivalence and Equal-length Operational Equivalence are special cases of \mathcal{T} -similar Operational Equivalence. In the first case, the partition is the degenerate case of the whole non-negative real line: $\mathcal{T} = [0, \infty)$. In the second case, because dialogue utterances occur only at integer time-points, the relevant partitions are those where each element of the partition includes precisely one integer, for example:

$$\mathcal{T} = [0, 0.5) \cup \bigcup_{k=1}^{\infty} [k - 0.5, k + 0.5).$$

As a final comment regarding these definitions, we note that recent work in abstract concurrency theory has argued that sequential behavior is distinguished from concurrent behavior because the former synchronizes information flows and time, while the latter allows these to evolve independently of one another [22]. If we allow the number of locutions in a dialogue to be a surrogate for time, then we can see that our definition of Operational Equivalence treats time and information flows as completely independent, since the numbers of locutions in the dialogues under each pair of protocols is not mentioned in Definition 3. In contrast, non-degenerate \mathcal{T} -similar Operational Equivalence — i.e., all cases where $\mathcal{T} \neq [0, \infty)$ — attempts to re-couple time and information-flows in the pairing of dialogues under the two protocols being considered. Protocols deemed \mathcal{T} -similar operational equivalent do not allow their respective information-flows (in the form of their final commitment sets) and the time taken to achieve these information flows to evolve independently: whatever the link between time and information-flow in any dialogue under one protocol is preserved in the paired dialogue under the other protocol.

5.2 Comparison of Equivalences

We now consider the relationships between these various types of equivalence. We write $\Delta(\Pi)$ to denote the set of all protocols, and $\Delta(P)$ to denote the set of all pairs of protocols $\langle \mathcal{D}, \mathcal{E} \rangle$ where $\mathcal{D}, \mathcal{E} \in \Delta(\Pi)$. Then we write $\Delta(P_{\text{syn}})$ to denote the set of all pairs of protocols $\mathcal{D}, \mathcal{E} \in \Delta(\Pi)$ such that \mathcal{D} and \mathcal{E} are syntactically equivalent, and $\Delta(P_{\text{bi}})$, $\Delta(P_{\text{op}})$, $\Delta(P_{\text{eq}})$ and $\Delta(P_{\mathcal{T}\text{-sim}})$, denote the sets of pairs of protocols which are bisimulation equivalent, operational equivalent, equal-length operational equivalent, and \mathcal{T} -similar operational equivalent, respectively. Call these the *equivalence partitions* of $\Delta(\Pi)$. Then we have the following results:

PROPOSITION 1. For any non-degenerate time partition \mathcal{T} , we have the following set inclusions:

$$\Delta(P_{\text{syn}}) \subsetneq \Delta(P_{\text{bi}})$$

and

$$\Delta(P_{\text{eq}}) \subsetneq \Delta(P_{\mathcal{T}\text{-sim}}) \subsetneq \Delta(P_{\text{op}}).$$

PROOF. Straightforward from the definitions. \square

We also have the following result:

PROPOSITION 2.

$$\Delta(P_{\text{bi}}) \subseteq \Delta(P_{\text{eq}}).$$

PROOF. Suppose \mathcal{D} and \mathcal{E} are bisimulation equivalent protocols. Because any two dialogues commence with the same initial state (the empty set), then for any terminating dialogue \tilde{d} under \mathcal{D} , we can, using the bisimulation equivalence property, construct a dialogue \tilde{e} under \mathcal{E} which generates the same sequence of state transitions as does \tilde{d} . Both dialogues will have the same final commitment set, and the same number of locutions. Thus, the protocols \mathcal{D} and \mathcal{E} are equal-length operational equivalent. \square

The converse of this theorem does not hold, as the next proposition reveals.

PROPOSITION 3. There exist protocols \mathcal{D} and \mathcal{E} which are equal-length operational equivalent but not bisimulation equivalent.

PROOF. We proceed by demonstrating two such protocols. Consider a protocol \mathcal{D} , which contains just one locution, $do(P_i, \theta)$, a locution which expresses a promise by agent P_i to undertake the action represented by θ , for $\theta \in \Phi$. Further suppose that protocol \mathcal{D} has one rule, a termination rule, which causes the dialogue to terminate normally after any two successive utterances of locution $do(\cdot)$. Thus, all terminating dialogues under \mathcal{D} have the form, for agents P_i, P_j (possibly identical) and $\theta, \delta \in \Phi$:

Utterance 1: $do(P_i, \theta)$

Utterance 2: $do(P_j, \delta)$

The final commitment set for this dialogue is $\{\theta, \delta\}$.

Now consider a second protocol \mathcal{E} which also contains the locution $do(\cdot)$, with the same syntax. But suppose \mathcal{E} also has a second locution $undo(P_i, \theta)$, which retracts any prior promise by agent P_i to undertake the action represented by θ . Thus, the dialogue sequence:

Utterance 1: $do(P_i, \theta)$

Utterance 2: $undo(P_i, \theta)$

⋮

⋮

generates the following sequence of commitment states:

$$\emptyset, \{\theta\}, \emptyset, \dots$$

Next, assume that protocol \mathcal{E} has three combination rules, the first of which states that a valid dialogue must commence with an instantiated utterance of the locution $do(\cdot)$. The second combination rule says that this utterance may be followed either by another instantiated utterance of $do(\cdot)$ or by an instantiated utterance of $undo(\cdot)$. The third rule says that subsequent utterances may be instantiations of either locution, subject only to the termination rule. Finally, we assume that \mathcal{E} has one termination rule, which causes a dialogue to terminate normally only in the case of dialogues containing no $undo(\cdot)$ locutions, with this termination occurring after two successive utterances of locution $do(\cdot)$.

It can be seen that all terminating dialogues under both protocols \mathcal{D} and \mathcal{E} have the same form, namely:

Utterance 1: $do(P_i, \theta)$

Utterance 2: $do(P_j, \delta)$

Under both protocols, these dialogues are the same length and lead to the same final commitment set: $\{\theta, \delta\}$. Thus, the two protocols are equal-length operational equivalent. However, protocol \mathcal{E} contains a commitment state transition which cannot be simulated by any locution in \mathcal{D} , namely that effected by the execution of the $undo(\cdot)$ locution in the following dialogue sequence:

Utterance k : $do(P_i, \theta)$

Utterance $k + 1$: $undo(P_i, \theta)$

Thus, the two protocols are not bisimulation equivalent. \square

We can summarize these three propositions as follows:

COROLLARY 1. *For any non-degenerate time partition \mathcal{T} , the equivalence partitions of $\Delta(\Pi)$ are ordered by set inclusion:*

$$\Delta(P_{syn}) \subsetneq \Delta(P_{bi}) \subsetneq \Delta(P_{eq}) \subsetneq \Delta(P_{\mathcal{T}-sim}) \subsetneq \Delta(P_{op}).$$

6. CONCLUSIONS

Dialogue game protocols have recently been proposed as the basis for interaction between autonomous agents in a number of situations. As these proposals proliferate, an important issue will be the extent to which two protocols are equivalent. In this paper we have presented several notions of equivalence of dialogue game protocols. These include a notion of syntactic equivalence, and several notions of semantic equivalence, showing the relationship between them. The notions of semantic equivalence, drawing on the theory of programming languages, include notions of bisimulation equivalence and operational equivalence.

To define notions of semantic equivalence of protocols, we first had to classify the types of locutions which a dialogue game protocol may admit. Our classification, presented here for the first time, allows for statements of belief about factual matters, and for requests for and promises of actions. Because these locutions connect to external reality (descriptions of the world, and actions in that world) we were able to consider dialogues from the perspective of their semantic invocations.

Although the work in this paper is preliminary, we hope it will stimulate discussion and future work. One possible future line of inquiry is to represent similar-length dialogues using order of magnitude reasoning methods, such as those developed in the qualitative physics area of Artificial Intelligence [33]. For example, the system FOG of Olivier Raiman [23], defines three operators to represent the relative values of two physical variables: one variable is negligible relative to the other; their difference is negligible; and

both variables are the same size and order of magnitude. Raiman has defined axioms for these three operators, and given the FOG system a semantics based on the calculus of infinitesimals [25].

Another future task is the development of a mathematical language in which to represent protocols and the development of a denotational semantics for them [12], with the ultimate aim of characterizing equivalent protocols denotationally. Once we achieve a characterization of various notions of equivalence, we would hope to identify the best protocol or protocols *within* each equivalence class, according to some reasonable criteria. Finally, for those protocols which are not equivalent, we aim to develop some quantitative measure of their difference.

7. REFERENCES

- [1] L. Amgoud, N. Maudet, and S. Parsons. Modelling dialogues using argumentation. In E. Durfee, editor, *Proceedings of the Fourth International Conference on Multi-Agent Systems (ICMAS 2000)*, pages 31–38, Boston, MA, USA, 2000. IEEE Press.
- [2] L. Amgoud and S. Parsons. Agent dialogues with conflicting preferences. In J.-J. Meyer and M. Tambe, editors, *Proceedings of the Eighth International Workshop on Agent Theories, Architectures and Languages (ATAL 2001)*, pages 1–15, 2001.
- [3] L. Amgoud and S. Parsons. Les dialogues entre agents avec des préférences conflictuelles. In B. Chaib-draa and P. Enjalbert, editors, *Proceedings of the 1eres Journées Francophones des Modèles Formels de l'Interaction*, pages 3–14, 2001.
- [4] L. Amgoud, S. Parsons, and N. Maudet. Arguments, dialogue, and negotiation. In W. Horn, editor, *Proceedings of the Fourteenth European Conference on Artificial Intelligence (ECAI 2000)*, pages 338–342, Berlin, Germany, 2000. IOS Press.
- [5] Aristotle. *Topics*. Clarendon Press, Oxford, UK, 1928. (W. D. Ross, Editor).
- [6] T. J. M. Bench-Capon, P. E. Dunne, and P. H. Leng. Interacting with knowledge-based systems through dialogue games. In *Proceedings of the Eleventh International Conference on Expert Systems and Applications*, pages 123–140, Avignon, France, 1991.
- [7] F. Dignum, B. Dunin-Kępicz, and R. Verbrugge. Agent theory for team formation by dialogue. In C. Castelfranchi and Y. Lespérance, editors, *Intelligent Agents VII: Proceedings of the Seventh International Workshop on Agent Theories, Architectures, and Languages (ATAL 2000)*, LNAI 1986, pages 150–166, Berlin, Germany, 2000. Springer.
- [8] F. Dignum, B. Dunin-Kępicz, and R. Verbrugge. Creating collective intention through dialogue. *Logic Journal of the IGPL*, 9(2):305–319, 2001.
- [9] A. Finkelstein and H. Fuks. Multi-party specification. In *Proceedings of the Fifth International Workshop on Software Specification and Design*, Pittsburgh, PA, USA, 1989. ACM Sigsoft Engineering Notes.
- [10] FIPA. Communicative Act Library Specification. Technical Report XC00037H, Foundation for Intelligent Physical Agents, 10 August 2001.
- [11] M. Greaves, H. Holmback, and J. Bradshaw. What is a conversation policy? In F. Dignum and M. Greaves, editors, *Issues in Agent Communication*, LNAI 1916, pages 118–131. Springer, Berlin, Germany, 2000.
- [12] C. A. Gunter. *Semantics of Programming Languages*:

Structures and Techniques. MIT Press, Cambridge, MA, USA, 1992.

- [13] J. Habermas. *The Theory of Communicative Action: Volume I: Reason and the Rationalization of Society*. Heinemann, London, UK, 1984. (Translation by T. McCarthy of: *Theorie des Kommunikativen Handelns, Band I, Handlungsrationality und gesellschaftliche Rationalisierung*. Suhrkamp, Frankfurt, Germany, 1981.).
- [14] C. L. Hamblin. *Fallacies*. Methuen, London, UK, 1970.
- [15] D. Hitchcock, P. McBurney, and S. Parsons. A framework for deliberation dialogues. In H. V. Hansen, C. W. Tindale, J. A. Blair, and R. H. Johnson, editors, *Proceedings of the Fourth Biennial Conference of the Ontario Society for Study of Argumentation (OSSA 2001)*, Windsor, Ontario, Canada, 2001. OSSA.
- [16] P. McBurney and S. Parsons. Chance discovery using dialectical argumentation. In T. Terano, T. Nishida, A. Namatame, S. Tsumoto, Y. Ohsawa, and T. Washio, editors, *New Frontiers in Artificial Intelligence: Joint JSAI 2001 Workshop Post Proceedings*, LNAI 2253, pages 414–424. Springer, Berlin, Germany, 2001.
- [17] P. McBurney and S. Parsons. Representing epistemic uncertainty by means of dialectical argumentation. *Annals of Mathematics and AI*, 32(1–4):125–169, 2001.
- [18] P. McBurney and S. Parsons. Games that agents play: A formal framework for dialogues between autonomous agents. *Journal of Logic, Language and Information*, 11(3), 2002. *In press*.
- [19] P. McBurney, S. Parsons, and M. Wooldridge. Desiderata for agent argumentation protocols. In C. Castelfranchi and W. L. Johnson, editors, *Proceedings of the First International Joint Conference on Autonomous Agents and Multi-Agent Systems (AAMAS 2002)*, Bologna, Italy, 2002. AAMAS. *In press*.
- [20] P. McBurney, R. van Eijk, S. Parsons, and L. Amgoud. A dialogue-game protocol for agent purchase negotiations. *Journal of Autonomous Agents and Multi-Agent Systems*, 2002. *In press*.
- [21] H. Prakken. On dialogue systems with speech acts, arguments, and counterarguments. In M. Ojeda-Aciego, M. I. P. de Guzman, G. Brewka, and L. M. Pereira, editors, *Proceedings of the Seventh European Workshop on Logic in Artificial Intelligence (JELIA-2000)*, LNAI 1919, pages 224–238, Berlin, Germany, 2000. Springer.
- [22] V. R. Pratt. Transition and cancellation in concurrency and branching time. *Mathematical Structures in Computer Science*, 2002. *Forthcoming*.
- [23] O. Raiman. Order of magnitude reasoning. In *Proceedings of the Fifth National Conference on Artificial Intelligence (AAAI-86)*, pages 100–104, San Mateo, CA, USA, 1986. Morgan Kaufmann. Reprinted in [33].
- [24] C. Reed. Dialogue frames in agent communications. In Y. Demazeau, editor, *Proceedings of the Third International Conference on Multi-Agent Systems (ICMAS-98)*, pages 246–253. IEEE Press, 1998.
- [25] A. Robinson. *Non-Standard Analysis*. North-Holland, Amsterdam, The Netherlands, 1966.
- [26] J. A. Rodríguez, F. J. Martín, P. Noriega, P. García, and C. Sierra. Towards a test-bed for trading agents in electronic auction markets. *AI Communications*, 11(1):5–19, 1998.
- [27] F. Sadri, F. Toni, and P. Torroni. Logic agents, dialogues and negotiation: an abductive approach. In M. Schroeder and K. Stathis, editors, *Proceedings of the Symposium on Information Agents for E-Commerce, Artificial Intelligence and the Simulation of Behaviour Conference (AISB-2001)*, York, UK, 2001. AISB.
- [28] J. Searle. *Speech Acts: An Essay in the Philosophy of Language*. Cambridge University Press, Cambridge, UK, 1969.
- [29] M. P. Singh. A conceptual analysis of commitments in multiagent systems. Technical Report 96-09, Department of Computer Science, North Carolina State University, 1996.
- [30] M. P. Singh. A social semantics for agent communications languages. In F. Dignum, B. Chaib-draa, and H. Weigand, editors, *Proceedings of the Workshop on Agent Communication Languages, International Joint Conference on Artificial Intelligence (IJCAI-99)*, Berlin, Germany, 2000. Springer.
- [31] C. Stirling. *Modal and Temporal Properties of Processes*. Texts in Computer Science. Springer, New York, NY, USA, 2001.
- [32] D. N. Walton and E. C. W. Krabbe. *Commitment in Dialogue: Basic Concepts of Interpersonal Reasoning*. State University of New York Press, Albany, NY, USA, 1995.
- [33] D. S. Weld and J. de Kleer, editors. *Readings in Qualitative Reasoning about Physical Systems*. Morgan Kaufmann, San Mateo, CA, USA, 1990.
- [34] M. J. Wooldridge. *Introduction to Multiagent Systems*. John Wiley and Sons, New York, NY, USA, 2002.