

Wireless Power Transmission into a Space Enclosed by Metal Walls Using Magnetic Resonance Coupling

Masato Yamakawa¹, Yoshihiro Mizuno², Jun Ishida¹, Kimiya Komurasaki², Hiroyuki Koizumi³

¹Department of Aeronautics and Astronautics, The University of Tokyo, Tokyo, Japan; ²Department of Advanced of Energy, The University of Tokyo, Kashiwa, Japan; ³Research Center for Advanced Science and Technology, The University of Tokyo, Tokyo, Japan.

Email: m.yamakawa@al.t.u-tokyo.ac.jp, komurasaki@k.u-tokyo.ac.jp

Received October 26th, 2013; revised November 30th, 2013; accepted December 21st, 2013

Copyright © 2014 Masato Yamakawa *et al.* This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. In accordance of the Creative Commons Attribution License all Copyrights © 2014 are reserved for SCIRP and the owner of the intellectual property Masato Yamakawa *et al.* All Copyright © 2014 are guarded by law and by SCIRP as a guardian.

ABSTRACT

In this paper, a wireless power transmission system using magnetic resonance coupling was proposed and demonstrated for supplying power at high efficiency to electrical devices in a space enclosed by metal walls. This is applicable to power supply to electrical sensors or devices working in the area surrounded by metal walls. Proposed magnetic resonance coupling system is driven at a resonance frequency of 50 Hz, which is selected to avoid eddy current loss on the surrounding metals. Firstly, resonator designs and its performance limitation were described. Secondly, the equivalent circuits and theoretical transmission efficiency were presented. Finally, power transmission was experimentally demonstrated and transmission efficiency was measured in some conceivable situations. As a result, electric power of 3 W was supplied to LEDs over a stainless steel wall. When the stainless steel wall thickness was 10 mm, transmission efficiency of approximately 40% was achieved over the transmission distance of 12 cm. Moreover, in the demonstration of transmission through a metal pipe, 1.2 W of power was transmitted to LEDs in a 10 mm thick metal pipe.

KEYWORDS

Magnetic Shielding; Eddy Current Loss; AC 50 Hz; Standard Depth of Penetration

1. Introduction

1.1. Wireless Power Transmission to a Space Closed with Metal

Accidents attributable to deteriorated infrastructure are becoming severe around the world. Automatic diagnosis devices for old infrastructure powered by wireless transmission have been investigated for solving this problem at low cost. Kuroda [1] proposed a wireless-powered inspection robot for laying pipes using the electromagnetic induction in an electric power plant.

As described herein, wireless power transmission using magnetic resonance coupling is proposed for a space enclosed by metal walls. This method can be applied as a power supply for sensors and devices in a metal pipe or over metal walls, as shown in **Figure 1**.




Figure 1. Images of wireless power transmission applications through a metal wall.

1.2. Magnetic Resonance Coupling

Magnetic resonance coupling is a wireless power transmission method that achieves high transmission efficiency using resonant circuits in a transmitter and a receiver [2,3]. This method is applicable even with low mutual coupling between the transmitter and receiver.

Therefore, many applications are expected in various fields, such as electric vehicles [4], mobile devices [5], micro-robots [1], medical sensors and implantable devices [6,7].

Transmission efficiency depends on two parameters: 1) coupling coefficient k between a transmitter and a receiver is determined by their distance, mutual attitude, size, and shape; 2) quality factor Q of the transmitter and receiver is a ratio of energy loss such as Joule loss to energy stored in resonators. In magnetic resonance coupling, the resonance frequency is usually chosen in the kHz-MHz range to obtain a high quality factor of several hundred. When a product kQ is 10, transmission efficiency of 80% is achievable over a centimeter gap.

2. Magnetic Shielding by Metal

At a high AC frequency, large eddy current is induced on a metal plate. It shields magnetic fields generated by a resonator, as shown in **Figure 2**. Thereby, magnetic resonance coupling at MHz frequencies would be extremely difficult over metal walls.

Mizuno [8] proposed magnetic resonance power transmission into a metal pipe using an electrically isolating slit on the pipe, where the slit plays a role as a “repeater.” However, this method is applicable only to extremely limited cases, as when the pipe has been fabricated with a slit beforehand.

In this study, wireless power transmission to a space enclosed by metal walls at low resonant frequency was proposed and demonstrated. Deep penetration of magnetic fields into metal is expected at the power source AC frequency of 50 Hz, which is the frequency of our commercial power supply. Although Zangl [9,10] sought to transmit power into a metal pipe by electromagnetic induction at 50 Hz, transmission efficiency was not examined specifically. In this study, transmission efficiency is improved markedly by magnetic resonance coupling.

3. Transmission System

3.1. Fabrication of High- Q Resonators

Transmitter and receiver resonators with resonance fre-




Figure 2. Depth of penetration into metal.

quency of 50 Hz were designed and fabricated as shown in **Figure 3** and **Table 1**. They comprise a solenoid coil and a core made of multilayered electric steel sheets. Their designed quality factor was several tens irrespective of the low resonance frequency of 50 Hz because the inductance was enhanced by a core. The resonance frequency was adjusted to 50 Hz by varying the number of coil turns. A switching AC power supply was used in the experiment.

Measured Q is shown in **Table 2** with estimated values. Core loss and copper wire loss were considered for estimation, but radiation loss was neglected because the coil wire length was sufficiently short compared with the AC field wavelength. Although magnetic flux density in the core was assumed as uniform for estimation, it is not uniform in reality, as shown in **Figure 4**, resulting in discrepancy between measured and estimated values.

AC frequency must be regulated to coincide with the resonance frequency of resonators unlike conventional electromagnetic induction. When Q is 30, AC frequency fluctuation is required below 3% in order to achieve effective resonance coupling.




Figure 3. Photograph of the receiver resonator.

Table 1. Resonator specifications.

	<i>Transmitter</i>	<i>Receiver</i>
Resonance freq., Hz	50.0	50.0
Inductance, mH	89.0	71.4
Capacitance, μ F	114	144
Number of turns	595	540
Coil wire, mm	Copper, ϕ 2.0	Copper, ϕ 2.0
Core size, mm	400 \times 40 \times 5	400 \times 40 \times 7
Solenoid size, mm	211 \times 67 \times 30	234 \times 63 \times 31
Weight, kg	2.96	2.99

Table 2. Quality factor of the resonators.

	<i>Transmitter</i>	<i>Receiver</i>
Quality factor (measured)	28 \pm 1	35 \pm 1
Quality factor (estimated)	21	25

Measured coupling coefficient k is shown with the distance between the resonators in **Figure 5**, where the solenoid axes were aligned in parallel.

3.2. Relation of Magnetic Flux Saturation and Quality Factor

A high Q is available by lengthening the core and reducing the cross-sectional area of the core. However, the current in resonators is limited because of magnetic flux density saturation. The saturation magnetic flux density is 1.9 T in the oriented electric steel sheet. Because the magnetic flux density approaches the saturation density, coil inductance is decreased and the resonance frequency changes. Here, the maximum allowable current is defined as that which is detected when the resonance frequency changes by 1%.

Because larger current flows in the transmitter resonator than in the receiver resonator, the transmitter core must be designed as thicker than the receiver core to avoid saturation. The transmitter resonator core thickness is 7 mm. That of the receiver resonator is 5 mm. The maximum allowed current was estimated using a commercial electromagnetic simulator, Femtet, as shown in




Figure 4. Computed magnetic flux density distribution in the core. Receiver resonator, current 1.7 A.




Figure 5. Measurement coupling coefficient k .

Figure 4 and **Table 3**. Circuit analysis shows that the maximum allowable current of 2.2 flows in the transmitter resonator when k is 0.7 and the load power consumption is 3 W. Under these conditions, the expected receiver resonator current is 1.4 A, with a margin of 0.3 A.

3.3. Resonant Circuits

In a resonator circuit, a capacitor can be connected in series or in parallel. In the transmitter, a capacitor was connected in serial. Equation (1) shows the theoretical transmission efficiency when a parallel-capacitor resonator is used for the receiver, as shown in **Figure 6(a)**, whereas Equation (2) shows the efficiency when a serial-capacitor resonator is used for receiver as shown in **Figure 6(b)** [11,12].

$$\eta = \frac{k^2 Q_T Q_R}{2 + \frac{1}{r_R} + \frac{r_R}{Q_R^2} + \frac{Q_R^2}{r_R^2} + k^2 Q_T Q_R \left(1 + \frac{1}{r_R} + \frac{r_R}{Q_R^2} \right)} \quad (1)$$

$$\eta' = \frac{k^2 Q_T Q_R r_R}{(1 + r_R)(1 + r_R + k^2 Q_T Q_R)} \quad (2)$$

Here, Q_T and Q_R respectively denote the quality factors of the transmitter and receiver resonator. Impedance ratio r_R is defined as $r_R = Z_{old}/R_r$, where R_r is the resistance in the receiver resonator and Z_{old} is the load impedance. Optimum impedance ratio $r_{R,opt}$ achieves the maximum transmission efficiency for given k as shown in **Figures 7** and **8**.

Table 3. Maximum allowable current in the resonators.

	Transmitter	Receiver
Maximum allowable current, A	2.2	1.7




Figure 6. Diagram of resonant circuits. (a) Series-parallel resonant circuits; (b) Series-series resonant circuits.




Figure 7. Receiver impedance ratio and transmission efficiency (transmitter, serial; receiver, parallel).





Figure 8. Receiver impedance ratio and transmission efficiency (transmitter, serial; receiver, serial).

In our demonstrations, a series-parallel circuit was chosen because the impedance ratio lies between 250 and 500. In addition, when a parallel resonator is used as a receiver, a voltage drop loss in the rectifier is small because of the high load voltage.


4. Power Transmission Demonstration to a Space Closed by Metal Walls

Figure 9 shows setups of transmission demonstration into a box-shaped metal closed space and into a metal pipe. LEDs were used as a load. For rectification, a diode bridge rectifier circuit and a smoothing capacitor were used. A single-phase auto input-transformer was used for input impedance matching.

Figure 10 presents the relation between transmission efficiency and transmission distance for the case into the metal box. The estimated efficiency using Equation (1) and the measured efficiency are in good agreement. Figure 11 shows the relation between the transmission efficiency and misalignment displacement in the coil axis direction. The distance was normalized by the



(a)



(b)

Figure 9. Photographs of demonstration setup. (a) Transmission into a space enclosed by metal walls; (b) Transmission into a metal pipe.




Figure 10. Transmission efficiency and transmission distance.

length of the transmitter resonator, which is 211 mm in this case. As the figure shows, the misalignment effect is small. The effect is also negligibly small in the direction perpendicular to the coil axis.

Figure 12 presents the relation between transmission efficiency and the SUS wall thickness, which was changed by piling up multiple 1-mm-thick SUS plates. The metal thickness was normalized by the depth of pe-

netration into metal, which is 60.4 mm at 50 Hz. The transmission efficiency decreased monotonically with wall thickness and showed a 20% decrease from the no-wall condition when the wall thickness was 16% of the depth of penetration.

Experimental conditions and results are presented in **Table 4**. Transmission efficiency of 43% was achieved through a 1.0 mm SUS plate and that of 10% into a metal pipe of 5.0 mm thickness.




Figure 11. Transmission efficiency and misalignment displacement in the coil axis direction normalized by the transmitter resonator length.




Figure 12. Transmission efficiency and wall thickness normalized by depth of penetration that is 60.4 mm at 50 Hz.

Table 4. Demonstration conditions and results.

	Into a box-shaped metal closed space	Into a metal pipe
Metal material	SUS304	SUS304L
Thickness, mm	1.0	5.0
Transmission distance, mm	120	100
Receiver Impedance Ratio	260	470
Load power consumption, W	3.0	1.2
Transmission efficiency, %	43	10

5. Conclusions

Wireless power transmission to a space enclosed by metal walls was shown using magnetic resonance coupling at the resonance frequency of 50 Hz. Transmission efficiency of 43% was achieved through a 1.0 mm SUS plate and of 10% into a 5.0-mm-thick metal pipe.

Magnetic resonance coupling at AC frequency of 50 Hz can be used to transmit power into a metal pipe or over a SUS metal plate of several millimeters.

In the resonator design, a multilayered electric steel sheet was used as a core to enhance inductance. Transmission power was limited by the maximum allowable current to avoid magnetic flux density saturation in the core.

A parallel capacitor connection was used because optimum impedance ratios are 250 - 500, which match those of this demonstration system, and because high load voltage is expected, resulting in a small voltage drop loss in the rectifier.

REFERENCES

- [1] T. Kuroda, "Advances in VLSI Technologies for Ultra-Low-Power Computing: Creation of High Performance Ultra-Low-Power Short-Range Wireless Mobile Information Systems," *Information Processing*, Vol. 51, No. 7, 2010, pp. 861-869 (in Japanese)
- [2] A. Kurs, A. Karalis, R. Moffatt, J. D. Joannopoulos, P. Fisher and M. Soljačić, "Wireless Power Transfer via Strongly Coupled Magnetic Resonances," *Science*, Vol. 317, No. 5834, 2007, pp. 83-86. <http://dx.doi.org/10.1126/science.1143254>
- [3] A. Karalis, J. D. Joannopoulos and M. Soljačić, "Efficient Wireless Non-Radiative Mid-Range Energy Transfer," *Annals of Physics*, Vol. 323, No. 1, 2008, pp. 34-48. <http://dx.doi.org/10.1016/j.aop.2007.04.017>
- [4] T. Imura, H. Okabe and Y. Hori, "Basic Experimental Study on Helical Antennas of Wireless Power Transfer for Electric Vehicles by Using Magnetic Resonant Couplings," *2009 IEEE Vehicle Power and Propulsion Conference (VPPC 2009)*, Dearborn, 7-10 September 2009, pp. 936-940. <http://dx.doi.org/10.1109/VPPC.2009.5289747>
- [5] T. Komaru, M. Koizumi, K. Komurasaki, T. Shibata and K. Kano, "Compact and Tunable Transmitter and Receiver for Magnetic Resonance Power Transmission to Mobile Objects," In: K. Y. Kim, Ed., *Wireless Power Transfer—Principles and Engineering Explorations*, In-Tech, Rijeka, 2012, pp. 133-150. <http://dx.doi.org/10.5772/28068>
- [6] Fei Zhang, Xiaoyu Liu, S. A. Hackworth, R. J. Scabassi and Mingui Sun, "In Vitro and in Vivo Studies on Wireless Powering of Medical Sensors and Implantable Devices," *2009 IEEE/NIH Life Science Systems and Applications Workshop (LISSA 2009)*, Bethesda, 9-10 April 2009, pp. 84-87. <http://dx.doi.org/10.1109/LISSA.2009.4906715>
- [7] Sanghoek Kim, J. S. Ho, L. Y. Chen and A. S. Y. Poon,

- “Wireless Power Transfer to a Cardiac Implant,” *Applied Physics Letters*, Vol. 101, No. 7, 2012, pp. 073701-073701-4. <http://dx.doi.org/10.1063/1.4745600>
- [8] Y. Mizuno, M. Koizumi, K. Komurasaki and Y. Arakawa, “Magnetic Resonance Power Transmission in a Space Closed by a Metal,” IEICE Technical Report, WPT2011-02 (2011-07), pp. 7-10.
- [9] H. Zangl, A. Fuchs, T. Bretterkieber, M. J. Moser and G. Holler, “Wireless Communication and Power Supply Strategy for Sensor Application within Closed Metal Walls,” *IEEE Transactions on Instrumentation and Measurement*, Vol. 59, No. 6, 2010, pp. 1686-1692. <http://dx.doi.org/10.1109/TIM.2009.2026602>
- [10] H. Zangle, A. Fuchs, T. Bretterkieber, M. J. Moser and G. Holler, “An Investigation on Wireless Communication and Power Supply through Metal Tank Walls,” 2008 *IEEE Instrumentation and Measurement Technology Conference Proceedings (IMTC 2008)*, Victoria, 12-15 May 2008, pp.1452-1457 <http://dx.doi.org/10.1109/IMTC.2008.4547271>
- [11] T. Komaru, K. Komurasaki, M. Koizumi, T. Shibata and K. Kano, “Parametric Evaluation of Mid-Range Wireless Power Transmission,” 2010 *IEEE International Conference on Industrial Technology (ICIT 2010)*, Viña del Mar, 14-17 March 2010, pp. 789-792. <http://dx.doi.org/10.1109/ICIT.2010.5472632>
- [12] M. Koizumi, K. Komurasaki, Y. Mizuno and Y. Arakawa, “Wireless Power Feeding with Strongly Coupled Magnetic Resonance for a Flying Object,” *Wireless Engineering and Technology*, Vol. 3, No. 2, 2012, pp. 86-89. <http://dx.doi.org/10.4236/wet.2012.32014>