

MDPI

Review

Worldwide Research Trends in Landslide Science

Paúl Carrión-Mero ^{1,2,*}, Néstor Montalván-Burbano ^{1,3}, Fernando Morante-Carballo ^{1,4,5}, Adolfo Quesada-Román ⁶ and Boris Apolo-Masache ^{1,2,*}

- Centro de Investigaciones y Proyectos Aplicados a las Ciencias de la Tierra (CIPAT), Campus Gustavo Galindo, ESPOL Polytechnic University, Km 30.5 Vía Perimetral, Guayaquil P.O. Box 09-01-5863, Ecuador; nmontalv@espol.edu.ec (N.M.-B.); fmorante@espol.edu.ec (F.M.-C.)
- Facultad de Ingeniería en Ciencias de la Tierra, Campus Gustavo Galindo, ESPOL Polytechnic University, Km 30.5 Vía Perimetral, Guayaquil P.O. Box 09-01-5863, Ecuador
- ³ Department of Economy and Business, University of Almería, Ctra. Sacramento s/n, 04120 La Cañada de San Urbano, Spain
- Facultad de Ciencias Naturales y Matemáticas (FCNM), Campus Gustavo Galindo, ESPOL Polytechnic University, Km. 30.5 Vía Perimetral, Guayaquil P.O. Box 09-01-5863, Ecuador
- Geo-Recursos y Aplicaciones (GIGA), Campus Gustavo Galindo, ESPOL Polytechnic University, Km. 30.5 Vía Perimetral, Guayaquil P.O. Box 09-01-5863, Ecuador
- Department of Geography, University of Costa Rica, San José 2060, Costa Rica; adolfo.quesadaroman@ucr.ac.cr
- * Correspondence: pcarrion@espol.edu.ec (P.C.-M.); bhapolo@espol.edu.ec (B.A.-M.)

Abstract: Landslides are generated by natural causes and by human action, causing various geomorphological changes as well as physical and socioeconomic loss of the environment and human life. The study, characterization and implementation of techniques are essential to reduce land vulnerability, different socioeconomic sector susceptibility and actions to guarantee better slope stability with a significant positive impact on society. The aim of this work is the bibliometric analysis of the different types of landslides that the United States Geological Survey (USGS) emphasizes, through the SCOPUS database and the VOSviewer software version 1.6.17, for the analysis of their structure, scientific production, and the close relationship with several scientific fields and its trends. The methodology focuses on: (i) search criteria; (ii) data extraction and cleaning; (iii) generation of graphs and bibliometric mapping; and (iv) analysis of results and possible trends. The study and analysis of landslides are in a period of exponential growth, focusing mainly on techniques and solutions for the stabilization, prevention, and categorization of the most susceptible hillslope sectors. Therefore, this research field has the full collaboration of various authors and places a significant focus on the conceptual evolution of the landslide science.

Keywords: landslides; bibliometric analysis; co-citation analysis; science mapping



Citation: Carrión-Mero, P.; Montalván-Burbano, N.; Morante-Carballo, F.; Quesada-Román, A.; Apolo-Masache, B. Worldwide Research Trends in Landslide Science. *Int. J. Environ. Res. Public Health* **2021**, *18*, 9445. https://doi.org/10.3390/ijerph18189445

Academic Editors: Sabatino Cuomo, Anika Braun and Josip Peranic

Received: 16 July 2021 Accepted: 3 September 2021 Published: 7 September 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https://creativecommons.org/licenses/by/4.0/).

1. Introduction

Landslides are disasters that cause damage to anthropic activities and innumerable loss of human life globally [1]. Mass movement processes cause significant changes in the Earth's relief, causing economic losses due to landslides in mountainous areas with a dense population [2,3], and even in the direct and indirect cost of buildings or infrastructure on an urban scale [4–6].

In the evolution of the reliefs, landslides are considered to be intrinsic processes, and among other dynamics, they favor the formation of valleys [7], and the contribution of river sediments and ecological renewal. The degree of physical, biological and chemical weathering, earthquakes, and extraordinary rains (among other natural processes) can cause slope instability [8,9].

Landslides have caused costly damage and loss of life worldwide, yet the most devastating disasters occur in developing countries [10]. Therefore, the implementation of

techniques to reduce geological risks and natural vulnerability is essential for developing disaster prevention and mitigation strategies on various scales [11–14].

This research field has different approaches and objectives that have evolved over the last decades [15]. Some studies have been based on satellite images in remote sensing [16], geomorphological mapping [17,18], its relationship with earthquakes [9], continuous monitoring of places susceptible to landslides [19,20], triggering of landslides due to extraordinary precipitation events [21–23] and various methods for stabilizing slopes [24,25].

There are other studies of a preventive nature, such as real-time warnings of landslides due to the action of rains in winter [26] and in unsaturated areas above the water table [27], which are of great support for adequate management of these disasters. The consequences caused by landslides (centralized in an environmental and socioeconomic framework) show that their impacts have greater intensity in areas with higher population density [28]. Across the world, there is a great number of landslides that have affected the population from cold, temperate and tropical regions [13,29–35].

According to the United States Geological Survey (USGS), the material involved in a landslide and its type of mass movement is a significant basis for the classification of landslides [36]. Therefore, given the internal mechanics that predominates in mass movements, the landslides are classified as: falls, topples, slides, spreads, and flows (Figure 1).




Figure 1. Classification scheme based on the literature review of the USGS landslide manual. Source: [36].

The academic field of landslides is broad, where some researchers have made efforts to understand their structure [37], addressing literature reviews [11] and their classification [36,38,39], as well as the bibliometric analysis of various landslide concepts through the Science Citation Index-Expanded (SCIE) and Social Sciences Citation Index (SSCI) databases (1991–2014) [13]. Over time, various studies have been carried out regarding landslides, but very few have highlighted their structure and intellectual growth. Therefore, a new bibliometric study would allow a new approach to its structure and updates on its different research scopes.

The use of bibliometric methods is considered for the analysis of scientific activity in an academic field. Derek J. de Solla Price initially exhibited the bibliometric analysis

in 1965 [40]. The proposal focuses on the quantitative evaluation of an academic field of study by analyzing its structure, characteristics and existing relationships, which allows examining its behaviour between the disciplines of a specific field of study [41,42]. The bibliometric analysis allows identifying research areas (current and future) and the analysis of their multidisciplinary production, achieving a more systematic comprehensive evaluation in the field of study [43,44].

Due to the above, the research question arises: How has the intellectual/conceptual structure of the various types of landslides developed over time?

The present study aims to evaluate the intellectual structure of the landslide through performance analysis and bibliometric mapping to determine the development, patterns and trends of its scientific structure. Thus, to analyze the scientific production and intellectual structure of the field of study, managing to provide a transparent, updated, reliable and high-quality study for its transdisciplinary use.

This study has been structured in five sections, starting with an introductory framework of the problem, highlighting its objective and investigative question to support at the end of this work, followed by Section 2, in which the materials and the implemented methodology are described (three phases: research criteria and source identification, software and data extraction, and data analysis and interpretation). Section 3 represents the results and their analysis, to later be discussed in Section 4 and, finally, Section 5 concludes with the scientific trends of this research field.

2. Materials and Methods

A systematic review allows an exploration of the intellectual territory of existing studies in the face of a problem raised, evaluating the contributions and synthesizing the data obtained to provide reliable knowledge of a particular field of study [45,46]. This exhaustive and rigorous procedure is similar to the protocol presented in the bibliometric analysis [47,48].

The bibliometric analysis allows evaluating the scientific production of journals [49,50] or understanding the intellectual structure of various fields of knowledge such as management [51–53], environment [54–56], natural science [57] and health [58]. Employing analytical techniques that allow an exploration of the tendencies of investigation and interpretation of new perspectives in the investigative field [59,60].

The methodology proposed in this work is shown in Figure 2. Its structure comprises three phases that allow the proposed bibliometric analysis to be carried out: (i) Research criteria; (ii) reprocessing of data and software; and (iii) analysis and interpretation of data.

2.1. Phase I. Research Criteria and Database Use

For this research, a bibliographic search of the classification of landslides was established based on the internal mechanics of the mass movement. These requirements are encompassed by the USGS, which establishes a classification according to the internal mechanics present in landslides, such as fall, topple, slide, spread and flow [36]. The selection of these terms allows the compilation of the base documents to be considered in this study.

The selection of documents should be made based on choosing a reliable, quality database with comprehensive coverage. The databases used for bibliometric studies are the Web of Science and Scopus, which differ in volume of information, journal coverage and subject areas [61]. The Scopus database was selected due to its comprehensive coverage in years, journals in various areas of knowledge [62–65], an intuitive search system, easy data download and high-quality standards [66,67], which allows a more precise bibliometric evaluation in the domain of any subject to be analyzed.

The search carried out in Scopus focuses on the titles of the publications that contain the term "landslide" with the terms of: fall, fall, slide, spread and flow. The search topic is as follows: (TITLE (fall*) OR TITLE (topple*) OR TITLE (slide*) OR TITLE (spread*) OR TITLE (flow*) AND TITLE (landslide*)).




Figure 2. Bibliometric research methodology applied in this study.

The landslide research field is vast, so it is necessary to obtain more exact results and synthesize the study approach; therefore, the search in Scopus focuses only on the title of the publications with the previously established terms [68,69]. In this way, a total of 661 publications were obtained, to which inclusion criteria such as all types of document, language, years and study area were applied [13], in addition to an exclusion criterion such as the year 2021 (year still in progress), obtaining a final database of 641 documents.

2.2. Phase II. Data and Software Reprocessing

The selected records are downloaded in csv format (comma separated values) from the Scopus database for analysis using the Microsoft Excel software from Office 365 ProPlus [70]. Since the downloaded database contains miles of data from various variables (e.g., authors name, document title, year, keywords, abstracts, among others), a review and cleaning of the data is required to ensure precision in analysis results [71,72]. Cleaning consists of eliminating duplicated values, incomplete or erroneous records that cannot be completed manually [73]. A total of 9 deleted records and 632 documents to be analyzed were established.

The new csv files were entered in VOSviewer, an open access and reliable software that allows the construction and visualization of bibliometric networks in various fields of study, allowing a comprehensive bibliometric mapping in any research branch [74,75]. This software allows an analysis of the structure of the research field through co-occurrence [76],

co-citations [77–80], and bibliographic coupling [81]. This software has been used in different scientific areas such as: sustainability [82], natural and cultural resources [83], geosciences [55,84], medicine [76] and the circular economy [85], among others. Its analysis is carried out only for articles in English, obtaining a total of 354 documents.

2.3. Phase III. Data Analysis and Interpretation

The results were examined using the two classic approaches to bibliometric analysis: Performance Analysis and Science Mapping [42,86].

- Performance analysis allows an evaluation of its scientific production (authors, countries, journals) and its scientific impact [87,88];
- sciences mapping allows the graphic representation of the cognitive structure of the study field and its evolution [41,89]. It is considered to apply a triangulation method that allows an analysis of this structure by examining its micro (keywords), meso (articles and authors) and macro (journals) components [90].

3. Results

3.1. Performance Analysis

3.1.1. Scientific Production

From 1952 to 1990 (Figure 3), landslides have been analyzed from a descriptive perspective, considering the internal mechanics and the mass movement type that is generated according to the lithology and the material involved [91–93]. Its leading causes are determined, such as the hydraulic gradient and earthquakes [94–97]. There is also the beginning of geotechnical and geomorphological studies and the elaboration of models to understand the internal mechanics of the different triggered landslides [93,98,99]. Given this analysis, this period is considered to be the beginning of studies that will be the basis for further research.




Figure 3. Growth of scientific production of landslides.

Figure 3 shows a progressive growth in 1990–2020, determining three different periods that frame the studies.

Period I (1990–2000) focuses on researches related to the debris flows, managing to generate models for the understanding and prediction of landslides, and the volume of material deposited in a sector [100,101]. It considers different aspects such as the mechanical process of mass movement [102,103], data in the field (rainfall, vegetation cover, slope inclination, distance, elevation), coefficient of internal friction, among others [104–107]. This period is the basis for continuous studies and analysis of future landslide models.

In period II (2001–2010), the exponential research growth and a significant focus on the classification of landslides is observed. These classifications focus on the area of engineering and speed of landslide for the elaboration of physical models [108], considering the material involved (gravel, sand, silt and clay) and its variations (debris, earth and mud, peat and rock), thus managing to formalize definitions that allow identifying the present types of landslides [109–112]. In 2008, a relevant study to the global analysis of rainfall was presented, which made it possible to study rainfall and its influence on shallow landslides and debris flows [113]. These studies are the basis of all landslide warning systems throughout the world [114–116]. From this, the mathematical prediction models have been considered of great importance worldwide, calculating and predicting the trajectory, speed and depth that landslides would have [117–119].

Finally, period III (2011–2020) focuses on the improvement and combination of different numerical models, managing to represent the reality of the environment and the mechanical behavior of the landslides for their respective analysis in field and risk assessment [120–123]. In this way, at the end of this period, these investigations and improved models allow us to understand the behavior of different landslides types [124–126]. In addition, the geomorphological, tectonic and hydrodynamic processes involved in mass movement processes were explained in detail [127,128]. Different experimental research was conducted considering the pressure of the pore fluid, type of grain, rainfall and a large amount of on-site and laboratory investigations, assuring the validity of the results [129–134].

3.1.2. Language and Types of Documents

In the areas of knowledge related to Life Science and Earth Science, the English language is predominant [135]. Landslide is no exception; despite presenting studies in 15 languages, 81.8% of its studies are written in English. This predilection for language is due to its relevance in scientific communication as there is an overrepresentation of English-speaking journals, and it is the common nexus for international collaboration [136,137]. The second language is Chinese (13.45%), due to its high national collaboration on topics of debris flow and flow-type landslides in national indexed journals (e.g., Yantu Lixue/Rock and Soil Mechanics, Yanshilixue Yu Gongcheng Xuebao/Chinese Journal of Rock Mechanics and Engineering, Journal of Natural Disasters).

Another characteristic of landslide studies is that they mostly constitute journal articles (74%) since these documents are considered certified knowledge, as they are examined by peer reviewers who have expertise in the field of knowledge [138]. Other types of documents are shown in Figure 4.




Figure 4. Types of scientific publications.

3.1.3. Contribution by Country

The analysis of the contribution of the countries allows us to understand their relationships in knowledge generation [87]. This product is developed by the collaboration of

Simbology
1-20 41-60 81-100

0 1,550 3,300 6,500 9,900 13,200 21-40 61-80 >100

64 countries (see Figure 5), in which most of the research is related to developed countries. The map was generated through ArcMap 10.5 software, using data from the authors' affiliations.

Figure 5. Contribution by countries, world map.

China has the most significant academic contribution on landslides (Figure 5), collaborating with 47 countries, especially Italy, the United Kingdom and the United States. The contributions with Italy are related to numerical modelling in the propagation of flow-like landslides [139–141]. Concerning the United Kingdom, studies focus on modelling debris flow and submarine landslides and as a flow influenced by precipitation, earthquakes, or tectonic movements, e.g., [142–144]. The third international partner, the United States, focuses on landslide monitoring and numerical modelling based on the smoothed particle hydrodynamics (sph) method, e.g., [145–147]. China has experienced sustained economic growth over the last 30 years, allowing broad knowledge development in various academic fields [148].

In Italy, as the second country with more contributions in the analyzed topic, representative authors such as Guzzetti F., Cuomo S., Cascini L., Sorbino G., Crosta G.B. present studies focused on numerical modelling, the application of sph and GEOtop-FS, run-out analysis and trigger factors in shallow landslides and debris flows [117–119,149,150]. Japan is the third country with a scientific contribution, with authors such as Imaizumi F., Sassa K., Wuang G. who highlight the effects of landslides and shallow landslides as a consequence of deforestation, groundwater flow, earthquakes, rainfall and flow path [151–155]. Other countries contributing in this area can be observed in Figure 5.

3.2. Bibliometric Mapping Analysis

The construction of bibliometric maps, depending on what is established in the methodology. Only articles and the English language are considered given their broad domain in various areas of knowledge [156,157].

3.2.1. Co-Occurrence Author Keyword Network

This type of analysis allows visualizing the study area (its history and evolution) and its possible trends [158–160].

Figure 6 shows the co-occurrence network of author keywords, where 25 nodes (represents each author-keyword with at least four co-occurrences) and four clusters

(groupings of nodes of the same color) are observed [161]. The figure allows a visualization of the intellectual structure of landslides to be examined in greater detail.




Figure 6. Visualization of the co-occurrence network by assigning a representative color for each cluster. Red color (shallow landslide), green color (flow like landslide), blue color (debris flow) and yellow color (landslide).

Cluster 1 (red color) shows studies of landslides caused by precipitation and pore pressure in the subsoil studied, due to the topography and water flow caused by rainfall [94,115,162–164]. These studies were carried out based on: (i) post-failure in deposits of colluvial, weathered and pyroclastic origin [118]; (ii) simulation of the probability of occurrence in hydrographic basins using GEOtop-FS [117]; (iii) the quantification of morphology and hydrological conditions [165]; and (iv) an evaluation of susceptibility and slope stability for landslide prevention [166]. Other studies reflect the slope instability that can cause significant hazards, mainly influenced by the deposit type, the rapid flows generated by seismic movements [167–169], large-scale deforestation [170], groundwater fluctuation, and different triggering scenarios [132,171].

Studies focusing on this cluster have led to improved mapping, understanding, interpretation and prediction of landslides, such as the movement direction through the hydraulic gradient [172], the influence of rainfall, soil saturation [125,173] and continuous monitoring for preventive decisions in potential hazardous landslides [174].

Cluster 2 (green color) focuses on landslides with a non-Newtonian flow behavior, demonstrated through numerical modelling, geological study and its geodynamic behavior [121,175–177]. These movements and trajectories are influenced by different factors such as: (i) rheology and topography [139]; (ii) hydrometeorological events such as heavy rainfall [113,178]; (iii) soil saturation in gravelly and sandy materials [178]; (iv) pore pressure impact caused by earthquakes [155,179,180]; and (v) the frontal plowing phenomenon [140]. These landslides have a natural, rapid and irregular behavior with devastating dynamics. This cluster provides the scientific community with resources to understand flow-like landslides through numerical and 3D models [181]. Models considering the smoothed particle hydrodynamics (SPH) [77,182–184] and the use of satellite images using methods such as InSAR [185–187]. These studies have allowed the modelling of submarine landslides [188,189] and landslides in landfills caused by seismic action [182]. In addition, they facilitate the affected area mapping and evaluate the intensity of the danger for the planning of adequate risk management [190].

Cluster 3 (blue color), these landslides can be generated by: (i) earth rubble and intense added rainfall [131,191] or when they come in contact with the mainstream [116]; (ii) failures in the landslide dam [192,193]; and (iii) the material traction on a slope, liquefaction or even due to temperature changes [105]. For its understanding, various experiments were carried out, such as the use of differential equations for the dynamics of the system [129], analysis of the theory of the critical state in the mobilization of debris flows due to the increase in the basal pressure of pores [194], and the generation of dynamic models to understand the evolution of the system [112]. For a further understanding of debris flow, maps used that are supported by Geographic Information Systems (GIS) [195,196], geophysical studies [197] and statistical methods such as logistic regression (LR) [198,199] and Multivariate Adaptive Regression Splines (MARS) were explored [200], allowing us to understand the formation or prevention of landslide dams [201–203] and debris flows, which can also be generated by shallow landslides, which are identified through susceptibility mapping [124,204,205].

Cluster 4 (yellow color), covers the topics written in other clusters given its great diversity or classification [36]. Its studies focus on numerical simulations for the understanding and prediction of landslides [206–208], which allows an understanding of the groundwater flow affectation [209,210], the infiltration of water by rainfall [211,212] and wave propagation (tsunamis) due to the collapse of slopes in bodies of water [181,213]. Recently, scientific contributions regarding landslides have been present. Multiphase flow models present submarine landslides, especially on the type and size of particles (rheology) [188]. Regarding groundwater or what is percolated by high rainfall, it is considered in Critical Rainfall Threshold (CRT) analysis, monitoring system by video camera systems and the generation of two-dimensional mathematical models by the finite difference method [214–216].

3.2.2. Co-Citation Analysis

Co-citation analysis is one of the most widely used methods in bibliometric analysis [41]. It allows us to explore the relationships between documents, to know the knowledge base and the intellectual structure of a field of study [217,218]. Co-citation analyzes the number of times two documents are co-cited by another subsequent document [79]. When frequently cited in other publications, documents show a close relationship, which allows us to consider that they belong to the same field of research [219,220]. However, this relevance does not imply that the ideas shared by the various authors coincide with each other [221].

In this work, two co-citation methods are used: author co-citation analysis and Journal co-citation analysis, which are presented below:

Author Co-Citation Analysis (ACA)

This analysis is an adaptation of work by H. Small [79], done by White and Griffith [222] using the authors of the papers. ACA considers that by citing two authors more frequently in several papers, it is very likely that their fields of research are similar [223].

This makes it possible to discover the co-citation groups of reference authors that make up the knowledge base of the intellectual structure studied [73,224]. Furthermore, it allows the discovery of the academic community linked to confirming this knowledge base [225].

Figure 7 shows this co-citation network of authors. Its construction is carried out with the VOSviewer software version 1.6.17, which uses a proprietary technique called VOS to allow a grouping of the units of analysis using similarities [74]. The nodes represent the authors' names, which may represent topics, schools of thought or specialties [226]. The structure presents six clusters, with 235 authors possessing more than 20 co-citations.




Figure 7. Visualization of the co-citation network assigning a representative color for each cluster. according to the number of interconnected authors. Red, green, blue, yellow, purple and light blue (in order of highest importance by VOSviewer software version 1.6.17).

Cluster 1 (red color) consists of 60 authors. The studies in this cluster focus on the research area of shallow landslides and debris flow influenced by rainfall or hydrological triggers [227–229]. These authors include Guzzetti F. (157 co-citations), in studies related to precipitation and shallow landslides [113,230]; Crosta G.B. (128) in numerical modelling and debris flow [231,232]; and Godt J.W. (107), in map generation and modelling of shallow landslides for landslide risk prevention and assessment [233,234].

Cluster 2 (green color) has 44 authors. This cluster has studies focused on the internal mechanics of landslides and debris flows, and the factors that affect the movement or detachment of material [235–239], in addition, it considers the run-out analysis of rock and soil slides [121,240,241]. These research topics are cover by various authors such as Sassa K., Xu Q and Wang G. with 131, 97 and 90 citations.

Cluster 3 (blue color) consists of 39 authors, some of the authors, such as: Pastor M. (126), consider the stabilization of slopes using models [119,242–244], while Cascini L. (122) and Evans S.G. (115), focus on modelling and studies regarding debris flow [245–250].

Cluster 4 (yellow color) is distant from the rest of the clusters, located at the extreme right of Figure 7. This cluster comprises 37 authors, such as Masson D.G. (79 co-citations) and his studies in the underwater landslides are influenced by groundwater [251–253]. Grilli S.T. (49) and Hager W.H. (46) focus on the generation of modelling and numerical simulations linked to the movement of underwater masses and subsequent tsunamis [254–256].

Cluster 5 (purple color) is in the central part of the structure and has 32 authors, such as Hungr O. (259), who researches runout analysis and the generation of models for risk assessment [257–259]. Iverson R.M. (248) and Reid M.E. (77) focused on the study of debris flow and hydrological factors such as groundwater hydraulics [260–262].

Cluster 6 (light blue color) has 23 authors, such as Takahashi T. (73), Rickenmann D. (61) and Sidle R.C. (61), where the topics of interest highlight the study and analysis of debris flow [263–265].

Journal Co-Citation Analysis (JCA)

This analysis considers the relevance and similarity of journals in a field of study to reveal the intellectual structure [225,266]. JCA studies the number of times two journals are co-cited by another journal, revealing the various research fields that make up the intellectual structure [67,267].

Figure 8 shows this co-citation network of journals. The VOSviewer software version 1.6.17 is used to construct and visualize the connections between the various journals represented by nodes. This network shows 69 journals with at least 20 co-citations displayed in four clusters.




Figure 8. Visualization of the co-citation network assigning a representative color for each cluster (topics) and nodes (journals). According to the structure built using the VOSviewer software version 1.6.17. The colors red, green, blue and yellow appear in order of importance.

Cluster 1 of red color consists of 20 journals with 1239 citations, in which the following stand out: "Journal of Geophysical Research" in the category of Agricultural and Biological Sciences, Earth and Planetary Sciences, and Environmental Science; the "Journal of Fluid Mechanics" in Physics and Astronomy; and the "Journal of Hydraulic Engineering" in Environmental Science. The latter converge in the category of Engineering.

Cluster 2 (green color) contains 20 journals and 3526 citations, focusing mainly on the category of Earth and Planetary Sciences, such as the journals of: "Engineering Geology", "Geomorphology" and "Landslides".

Cluster 3 (blue color) focuses on the Earth and Planetary Sciences category and consists of 17 journals with 622 citations such as: "Marine Geology", "Geological Society of America Bulletin" and "Geology".

Cluster 4 (yellow color) has 12 journals and 834 citations, such as "Canadian Geotechnical Journal", in the Engineering category, and "Environmental and Engineering Geoscience", which have a focus on Environmental Sciences. These are intertwined with the "Geotechnique" journal in the Earth and Planetary Sciences category, reflecting the interconnection with the other clusters in Figure 8.

4. Discussion

This study shows a consistent increase in scientific research on a landslide, thanks to the contribution of 64 countries spread over five continents (Figure 5), in 15 languages, mostly in scientific articles and in the English language.

During the 90s, scientific production entered an introductory period, where Iverson R.M., Crosta G., and other authors contributed to the scientific community with the results of their analyses and studies (theoretical, laboratory and field) on the dynamic behavior of debris flows and landslides [101,105]. According to the Scopus database, this scientific production has experienced considerable growth since 2001 (representing 90.2% of publications).

In the decade 2001–2010, scientific research increased (Figure 3), prioritizing the update of old studies such as the global rainfall threshold [113], the classification of landslides [109] and the generation of models [117,119], which in this period are essential for understanding and preventing landslides. Over the last decade (2011–2020), the increase in its scientific production has been stable, improving the development and combination of models generated in the previous period [125,126]. In this way, the analysis of landslides and the dynamic behavior of the debris flow, shallow landslides and their movement as a flow was perfected (Figure 6).

The analysis of the intellectual structure of this field of study is conducted through three scientific maps:

In the analysis of co-occurrence of authors keywords, the application of geographic information systems (gis) and numerical simulations are a means for the study and analysis of landslides, debris flow and flow-like landslides, e.g., [184,213]. The sph (smoothed particle hydrodynamic) method is also part of this type of analysis, in conjunction with implementing sector rheology, e.g., [149]. Numerical models are the most common method for analyzing the main issues in each cluster, focusing on modelling, erosion, slope stabilization and rainfall among others, for such study, e.g., [174].

Secondly, the author co-citation analysis allows an observation of the interconnections that the various authors have in the entire landslide field (Figure 7), which has international collaboration mainly from countries in Asia, Europe and North America (Figure 5). One of the main topics of study is the shallow landslides, which since 1988 has focused on the analysis of propagation and transformation in debris flows [268]. This issue is related to the duration and intensity of rainfall analyzed by Guzzetti, et al., (2008) [113]. The authors characteristic of this analysis, such as Sassa (green cluster), Hungr (purple cluster), Takahashi (sky cluster), Guzzetti (red cluster), among others (Figure 7), focus on the main hydrological and hydraulic, seismic and geomechanical factors causing the shallow landslide, debris flow, and consequently, the development of numerical models for risk prevention and assessment [229,232,234,235,238,241,264,265,269]. These topics are related to the red and blue clusters in Figure 6.

In addition, the existence of small groups that are isolated from those previously mentioned is observed, which we detail below: (a) the group of Pastor, Cascini and Evans (blue cluster, Figure 7), they analyzed issues related to landslide dams, erosion, the susceptibility and stabilization of slopes referring to debris flows (blue cluster, Figure 6) [244,250], which is done through simulations [243,245] and mathematical models (e.g., smoothed-particle hydrodynamics—SHP [119,245]). (b) Masson, Grilli and Hager's group (yellow cluster, Figure 6) study the action of groundwater and its influence on mass movement (underwater and on the surface), which can trigger the generation of tsunamis or the propagation of landslides such as flows, which can be analyzed using models and numerical simulations [251,254–256]. These topics are closely related to the green and yellow clusters (Figure 6).

Third, in the journal co-citation analysis (Figure 8), the red cluster is observed with a broad domain about the rest of the clusters in the categories of: Engineering, Agricultural and Biological Sciences, Physics and Astronomy, Earth and Planetary Sciences, and Environmental Science. Another field of study is that of Earth and Planetary Sciences

(green and blue cluster, Figure 8), focusing on the hydraulic and geotechnical properties of the material and its formation environment (geological and geomorphological) [270–272]. The green and blue clusters are intertwined with the yellow cluster (Earth and Planetary Sciences, Figure 8), focusing on understanding landslides, improving the models in the assessment, and their classification [273–275]. Instead, given the diversity of the landslide science representing the red cluster (Figure 8), it focuses on the behavior of the landslide, similar to that of a flow and the engineering analysis of the mechanical and hydraulic characteristics of the material [276–280]. This study is related to the group of authors Masson, Grilli and Hager (yellow cluster, Figure 7).

In this way, the entire intellectual structure and its topics of interest are analyzed, such as shallow landslide, debris flow, landslide and flow like landslide (Figure 4), which cover the five classifications made by the USGS (fall, topple, slide, spread, and flow) (Figure 1) [36].

5. Conclusions

This work analyses the scientific production of the research field of landslides, according to the classification addressed by the USGS. It allows an exploration and analysis of the intellectual structure of 632 publications from the Scopus database, which is feasible for a bibliometric study. When performing the performance analysis, its constant evolution is visualized between 1952–2020 (Figure 3), with a significant increase in the last 20 years. The 74% corresponds to scientific articles (Figure 4), the majority of which are in English. The scientific contribution is concentrated in 64 countries, led by China (Figure 5).

The debris flow is a type of landslide generated by various causes, such as precipitation and collapse of landslide dams. This field of study analyzes the material's hydraulics, geodynamics and geological properties in the face of hydrometeorological and seismic events, which are an essential part of the propagation of landslides with a flow behavior and subsequent generation of debris flow (Figure 6). Some authors present studies related to the subject, such as Guzzetti F., Crosta G.B., Godt J.W., Sassa K. and Wang G., among others (see Figure 7).

The shallow landslide is an area of study supported since 1980 by Nel Caine and by Guzzetti et al., 2008, who analyze this type of landslides as a consequence of the duration and intensity of rains. This research area is in a period of growth. Therefore, it links the material's hydrological processes and hydraulic conditions as its main triggering factors. Therefore, the implementation of numerical models for slope stabilization and risk prevention enhances their importance (Figure 6). In addition, the group of co-cited authors, such as Guzzetti, Crosta and Godt (red cluster, Figure 7), analyze a large part of these landslides, which may be the basis for understanding debris flow formation and other types of landslide.

It is essential to mention that the intellectual structure of this research field made it possible to point out or list topics of interest that can increase scientific knowledge of this subject, such as:

- The analysis of the hydraulic properties and the circumstances by which landslides can be generated as a flow;
- a deeper analysis in the study of shallow landslides and their propagation in debris flow and flow-like landslides;
- analysis of landslides from the point of view of rheology, focusing on the movement of materials caused by earthquakes and rainfalls, among others;
- generation of models through the Smoothed-Particle Hydrodynamics (SPH) method, which has been widely used for cases such as debris flow, shallow landslides, and other types of mass movements such as flows;
- implementation of satellite images in the areas of the different landslides, where the
 most widely implemented methods are: Interferometric Synthetic Aperture Radar
 (InSAR), Unmanned Aerial Vehicle (UAV), and Geographic Information System (GIS);
- stabilization studies in landslide dams, which can be caused by rainfalls and subsequent generation of debris flow;

a technical and geological analysis on topics related to submarine landslides, among
which run-out analysis and the propagation of tsunamis due to landslides and earthquakes stand out, this being an area of study that is evolving.

We consider that this study is a contribution to the academic literature due to: (i) The possibility of getting to know different researchers in specific topics of this field of study, which allows the establishment of collaboration networks; (ii) to know the experiences validated by the different authors, using techniques and methods of study that enrich scientific knowledge; and (iii) the study serves as a guide for novice researchers who wish to know in brief outlines this general structure of knowledge.

Finally, there are some limitations to this work: (a) restriction due to the classification of landslides, only to the contribution of the USGS; and (b) the use of the database (Scopus), without considering other existing bases in the academic world such as the Web of Science or Dimensions. Considering these limitations, future research is estimated using different databases and other classifications related to landslides.

Author Contributions: Conceptualization, P.C.-M., N.M.-B., A.Q.-R., F.M.-C. and B.A.-M.; methodology, P.C.-M., N.M.-B., F.M.-C. and B.A.-M.; software, N.M.-B. and B.A.-M.; validation, N.M.-B. and B.A.-M.; formal analysis, P.C.-M., N.M.-B., A.Q.-R., F.M.-C. and B.A.-M.; investigation, P.C.-M., N.M.-B., A.Q.-R., F.M.-C. and B.A.-M.; writing—original draft preparation, P.C.-M., N.M.-B., A.Q.-R., F.M.-C. and B.A.-M.; writing—review and editing, P.C.-M., N.M.-B., A.Q.-R., F.M.-C. and B.A.-M.; visualization, N.M.-B. and B.A.-M.; supervision, P.C.-M., N.M.-B. and F.M.-C. All authors have read and agreed to the published version of the manuscript.

Funding: This research received no external funding.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Not applicable.

Acknowledgments: This research study was possible with the valuable contribution of the "Registry of geological and mining heritage and its impact on the defence and preservation of geodiversity in Ecuador" academic research project by ESPOL University under grant nos. CIPAT-01-2018, the support of NOVA Science Research Associates and Geo-resources and Applications GIGA, ESPOL.

Conflicts of Interest: The authors declare no conflict of interest.

References

- 1. Petley, D. Global patterns of loss of life from landslides. *Geology* **2012**, *40*, 927–930. [CrossRef]
- Vranken, L.; Van Turnhout, P.; Van Den Eeckhaut, M.; Vandekerckhove, L.; Poesen, J. Economic valuation of landslide damage in hilly regions: A case study from Flanders, Belgium. Sci. Total Environ. 2013, 447, 323–336. [CrossRef] [PubMed]
- 3. Vranken, L.; Vantilt, G.; Van Den Eeckhaut, M.; Vandekerckhove, L.; Poesen, J. Landslide risk assessment in a densely populated hilly area. *Landslides* **2015**, *12*, 787–798. [CrossRef]
- 4. Palmisano, F.; Vitone, C.; Cotecchia, F. Assessment of Landslide Damage to Buildings at the Urban Scale. *J. Perform. Constr. Facil.* **2018**, *32*, 04018055. [CrossRef]
- 5. Pradhan, B. Remote sensing and GIS-based landslide hazard analysis and cross-validation using multivariate logistic regression model on three test areas in Malaysia. *Adv. Space Res.* **2010**, *45*, 1244–1256. [CrossRef]
- 6. Conforti, M.; Ietto, F. An integrated approach to investigate slope instability affecting infrastructures. *Bull. Eng. Geol. Environ.* **2019**, *78*, 2355–2375. [CrossRef]
- Shepakd, F. Delta-Front: Valleys Bordering the Mississippi Distributaries. Geol. Soc. Am. Bull. 1955, 66, 1489–1498. [CrossRef]
- 8. Cotecchia, F.; Vitone, C.; Santaloia, F.; Pedone, G.; Bottiglieri, O. Slope instability processes in intensely fissured clays: Case histories in the Southern Apennines. *Landslides* **2015**, *12*, 877–893. [CrossRef]
- 9. Rodríguez, C.E.; Bommer, J.J.; Chandler, R.J. Earthquake-induced landslides: 1980–1997. *Soil Dyn. Earthq. Eng.* **1999**, *18*, 325–346. [CrossRef]
- 10. Alcántara-Ayala, I. Geomorphology, natural hazards, vulnerability and prevention of natural disasters in developing countries. *Geomorphology* **2002**, *47*, 107–124. [CrossRef]
- 11. Gokceoglu, C.; Sezer, E. A statistical assessment on international landslide literature (1945–2008). *Landslides* **2009**, *6*, 345–351. [CrossRef]
- 12. Kockelman, W. Some techniques for reducing landslide hazards. Bull. Assoc. Eng. Geol. 1986, XXIII, 29–52. [CrossRef]

- 13. Wu, X.; Chen, X.; Zhan, F.B.; Hong, S. Global research trends in landslides during 1991–2014: A bibliometric analysis. *Landslides* **2015**, *12*, 1215–1226. [CrossRef]
- 14. Galve, J.P.; Cevasco, A.; Brandolini, P.; Piacentini, D.; Azañón, J.M.; Notti, D.; Soldati, M. Cost-based analysis of mitigation measures for shallow-landslide risk reduction strategies. *Eng. Geol.* **2016**, *213*, 142–157. [CrossRef]
- 15. Gutiérrez, F.; Soldati, M.; Audemard, F.; Bălteanu, D. Recent advances in landslide investigation: Issues and perspectives. *Geomorphology* **2010**, 124, 95–101. [CrossRef]
- 16. Colesanti, C.; Wasowski, J. Investigating landslides with space-borne Synthetic Aperture Radar (SAR) interferometry. *Eng. Geol.* **2006**, *88*, 173–199. [CrossRef]
- 17. Van Westen, C.J.; Rengers, N.; Soeters, R. Use of Geomorphological Information in Indirect Landslide Susceptibility Assessment. Nat. Hazards 2003, 30, 399–419. [CrossRef]
- 18. Conforti, M.; Ietto, F. Influence of Tectonics and Morphometric Features on the Landslide Distribution: A Case Study from the Mesima Basin (Calabria, South Italy). *J. Earth Sci.* **2020**, *31*, 393–409. [CrossRef]
- 19. Gili, J.A.; Corominas, J.; Rius, J. Using Global Positioning System techniques in landslide monitoring. *Eng. Geol.* **2000**, *55*, 167–192. [CrossRef]
- Soldati, M.; Devoto, S.; Prampolini, M.; Pasuto, A. The Spectacular Landslide-Controlled Landscape of the Northwestern Coast of Malta. In Landscapes and Landforms of the Maltese Islands; Springer: Cham, Switzerland, 2019; pp. 167–178.
- Quesada-Román, A.; Fallas-López, B.; Hernández-Espinoza, K.; Stoffel, M.; Ballesteros-Cánovas, J.A. Relationships between earthquakes, hurricanes, and landslides in Costa Rica. *Landslides* 2019, 16, 1539–1550. [CrossRef]
- 22. Borgatti, L.; Soldati, M. Landslides and climatic change. Geomorphol. Hazards Disaster Prev. 2010, 87–96. [CrossRef]
- 23. Borgatti, L.; Soldati, M. Hillslope Processes and Climate Change. In *Treatise on Geomorphology*; Elsevier: Amsterdam, The Netherlands, 2013; pp. 306–319.
- 24. Morante, F.; Aguilar, M.; Ramírez, G.; Blanco, R.; Carrión, P.; Briones, J.; Berrezueta, E. Evaluation of slope stability considering the preservation of the general patrimonial cemetery of guayaquil, Ecuador. *Geoscience* **2019**, *9*, 103. [CrossRef]
- 25. Morante Carballo, F.; Carrión Mero, P.; Ángel Chávez, M.; Aguilar Aguilar, M.; Briones Bitar, J. Design of the stabilization solutions in the general patrimonial cemetery of Guayaquil, Ecuador. In Proceedings of the 17th LACCEI International Multi-Conference for Engineering, Education and Technology, Montego Bay, Jamaica, 24–26 July 2019; Latin American and Caribbean Consortium of Engineering Institutions: Boca Raton, FL, USA, 2019.
- 26. Keefer, D.K.; Wilson, R.C.; Mark, R.K.; Brabb, E.E.; Brown Iii, W.M.; Ellen, S.D.; Harp, E.L.; Wieczorek, G.F.; Alger, C.S.; Zatkint, R.S. Real-Time Landslide Warning During Heavy Rainfall. *Science* **1987**, 238, 921–925. [CrossRef] [PubMed]
- 27. Rahardjo, H.; Satyanaga, A.; Leong, E.C. Unsaturated Soil Mechanics for Slope Stabilization. *Southeast Asian Geotech. J.* **2012**, *43*, 48–58.
- 28. Alimohammadlou, Y.; Najafi, A.; Yalcin, A. Landslide process and impacts: A proposed classification method. *Catena* **2013**, *104*, 219–232. [CrossRef]
- 29. Pelling, M. Natural Disaster and Development in a Globalizing World, 1st ed.; Routledge: London, UK, 2003; ISBN 1134466447.
- 30. Alonso, E.E. The Failure of the Aznalcóllar Tailings Dam in SW Spain. Mine Water Environ. 2021, 40, 209–224. [CrossRef]
- 31. Villegas, H. Multi-Temporal Study and Detailed Photogeological Mapping of the Armero Debris Flow (Colombia), Using Landsat TM 5 Images. *Geocarto Int.* **2003**, *18*, 67–74. [CrossRef]
- 32. Kirschbaum, D.; Stanley, T.; Zhou, Y. Spatial and temporal analysis of a global landslide catalog. *Geomorphology* **2015**, 249, 4–15. [CrossRef]
- 33. Haque, U.; da Silva, P.F.; Devoli, G.; Pilz, J.; Zhao, B.; Khaloua, A.; Wilopo, W.; Andersen, P.; Lu, P.; Lee, J.; et al. The human cost of global warming: Deadly landslides and their triggers (1995–2014). *Sci. Total Environ.* **2019**, *682*, *673*–684. [CrossRef]
- 34. Froude, M.J.; Petley, D.N. Global fatal landslide occurrence from 2004 to 2016. *Nat. Hazards Earth Syst. Sci.* **2018**, *18*, 2161–2181. [CrossRef]
- 35. Shi, P.; Kasperson, R. World Atlas of Natural Disaster Risk; Springer: Berlin/Heidelberg, Germany, 2015.
- 36. Highland, L.M.; Bobrowsky, P. *The Landslide Handbook—A Guide to Understanding Landslides*; Circular 1325; Geological Survey: Reston, VA, USA, 2008.
- 37. Intrieri, E.; Carlà, T.; Gigli, G. Forecasting the time of failure of landslides at slope-scale: A literature review. *Earth-Sci. Rev.* **2019**, 193, 333–349. [CrossRef]
- 38. Hungr, O.; Leroueil, S.; Picarelli, L. The Varnes classification of landslide types, an update. Landslides 2013, 11, 167–194. [CrossRef]
- 39. Cruden, D.M.; Varnes, D.J. Landslide types and processes. In *Landslides Investigation and Mitigation*; Special Report 247; Turner, A.K., Schuster, R.L., Eds.; Transportation Research Board, US National Research Council: Washington, DC, USA, 1996; pp. 36–75.
- 40. De Solla Price, D.J. Netwoks of scientific paper (Price). Science 1965, 149, 510–515. [CrossRef]
- 41. Zupic, I.; Čater, T. Bibliometric Methods in Management and Organization. Organ. Res. Methods 2015, 18, 429–472. [CrossRef]
- 42. Cobo, M.J.; López-Herrera, A.G.; Herrera-Viedma, E.; Herrera, F. An approach for detecting, quantifying, and visualizing the evolution of a research field: A practical application to the Fuzzy Sets Theory field. *J. Inform.* **2011**, *5*, 146–166. [CrossRef]
- 43. Fahimnia, B.; Sarkis, J.; Davarzani, H. Green supply chain management: A review and bibliometric analysis. *Int. J. Prod. Econ.* **2015**, *162*, 101–114. [CrossRef]
- 44. Morante-Carballo, F.; Montalván-Burbano, N.; Carrión-Mero, P.; Jácome-Francis, K. Worldwide Research Analysis on Natural Zeolites as Environmental Remediation Materials. *Sustainability* **2021**, *13*, 6378. [CrossRef]

- 45. Denyer, D.; Tranfield, D. Producing a systematic review. In *The Sage Handbook of Organizational Research Methods*; Sage Publications Ltd.: Thousand Oaks, CA, USA, 2009; pp. 671–689. ISBN 978-1-4129-3118-2.
- 46. Tranfield, D.; Denyer, D.; Smart, P. Towards a Methodology for Developing Evidence-Informed Management Knowledge by Means of Systematic Review. *Br. J. Manag.* **2003**, *14*, 207–222. [CrossRef]
- 47. Keathley-Herring, H.; Van Aken, E.; Gonzalez-Aleu, F.; Deschamps, F.; Letens, G.; Orlandini, P.C. Assessing the maturity of a research area: Bibliometric review and proposed framework. *Scientometrics* **2016**, *109*, 927–951. [CrossRef]
- 48. Herrera-Franco, G.; Montalván-Burbano, N.; Carrión-Mero, P.; Jaya-Montalvo, M.; Gurumendi-Noriega, M. Worldwide Research on Geoparks through Bibliometric Analysis. *Sustainabilty* **2021**, *13*, 1175. [CrossRef]
- 49. Cancino, C.; Merigó, J.M.; Coronado, F.; Dessouky, Y.; Dessouky, M. Forty years of Computers & Industrial Engineering: A bibliometric analysis. *Comput. Ind. Eng.* **2017**, *113*, 614–629. [CrossRef]
- 50. Gaviria-Marin, M.; Popa, S.; Merigo, J.M. Twenty years of the Journal of Knowledge Management: A bibliometric analysis. *J. Knowl. Manag.* **2018**, 22, 1655–1687. [CrossRef]
- 51. Abad-Segura, E.; Batlles de la Fuente, A.; González-Zamar, M.-D.; Belmonte-Ureña, L.J. Effects of Circular Economy Policies on the Environment and Sustainable Growth: Worldwide Research. *Sustainability* **2020**, *12*, 5792. [CrossRef]
- 52. Montalván-Burbano, N.; Pérez-Valls, M.; Plaza-Úbeda, J. Analysis of scientific production on organizational innovation. *Cogent Bus. Manag.* **2020**, *7*, 1745043. [CrossRef]
- 53. Abad-Segura, E.; Cortés-García, F.J. Belmonte-Ureña the Sustainable Approach to Corporate Social Responsibility: A Global Analysis and Future Trends. *Sustainability* **2019**, *11*, 5382. [CrossRef]
- 54. Durán-Sánchez, A.; Álvarez-García, J.; González-Vázquez, E.; Del Río-Rama, M.D. Wastewater Management: Bibliometric Analysis of Scientific Literature. *Water* **2020**, *12*, 2963. [CrossRef]
- 55. Herrera-Franco, G.; Montalván-Burbano, N.; Carrión-Mero, P.; Apolo-Masache, B.; Jaya-Montalvo, M. Research Trends in Geotourism: A Bibliometric Analysis Using the Scopus Database. *Geosciences* **2020**, *10*, 379. [CrossRef]
- 56. De Sousa, F.D.B. Management of plastic waste: A bibliometric mapping and analysis. *Waste Manag. Res. J. A Sustain. Circ. Econ.* **2021**, *39*, 664–678. [CrossRef]
- 57. Morante-Carballo, F.; Montalván-Burbano, N.; Carrión-Mero, P.; Espinoza-Santos, N. Cation Exchange of Natural Zeolites: Worldwide Research. *Sustainability* **2021**, *13*, 7751. [CrossRef]
- 58. Chernysh, Y.; Roubík, H. International Collaboration in the Field of Environmental Protection: Trend Analysis and COVID-19 Implications. *Sustainability* **2020**, *12*, 10384. [CrossRef]
- 59. Chiu, W.T.; Ho, Y.S. Bibliometric analysis of tsunami research. Scientometrics 2007, 73, 3–17. [CrossRef]
- 60. Neri, M.; Milazzo, D.; Ugolini, D.; Milic, M.; Campolongo, A.; Pasqualetti, P.; Bonassi, S. Worldwide interest in the comet assay: A bibliometric study. *Mutagenesis* **2015**, *30*, 155–163. [CrossRef] [PubMed]
- 61. Singh, V.K.; Singh, P.; Karmakar, M.; Leta, J.; Mayr, P. The journal coverage of Web of Science, Scopus and Dimensions: A comparative analysis. *Scientometrics* **2021**, *126*, 5113–5142. [CrossRef]
- 62. Schotten, M.; El Aisati, M.; Meester, W.J.N.; Steiginga, S.; Ross, C.A. *Research Analytics*; Cantú-Ortiz, F.J., Ed.; Auerbach Publications: Boca Raton, FL, USA; Taylor & Francis: London, UK, 2017; ISBN 9781315155890.
- 63. Martín-Martín, A.; Orduna-Malea, E.; Delgado López-Cózar, E. Coverage of highly-cited documents in Google Scholar, Web of Science, and Scopus: A multidisciplinary comparison. *Scientometrics* **2018**, *116*, 2175–2188. [CrossRef]
- 64. Álvarez-García, J.; Durán-Sánchez, A.; Del Río-Rama, M.D.; García-Vélez, D.F. Active Ageing: Mapping of Scientific Coverage. *Int. J. Environ. Res. Public Health* **2018**, 15, 2727. [CrossRef]
- 65. Baas, J.; Schotten, M.; Plume, A.; Côté, G.; Karimi, R. Scopus as a curated, high-quality bibliometric data source for academic research in quantitative science studies. *Quant. Sci. Stud.* **2020**, *1*, 377–386. [CrossRef]
- 66. Harzing, A.W.; Alakangas, S. Google Scholar, Scopus and the Web of Science: A longitudinal and cross-disciplinary comparison. *Scientometrics* **2016**, *106*, *787*–*804*. [CrossRef]
- 67. Montalván-Burbano, N.; Velastegui-Montoya, A.; Gurumendi-Noriega, M.; Morante-Carballo, F.; Adami, M. Worldwide Research on Land Use and Land Cover in the Amazon Region. *Sustainability* **2021**, *13*, 6039. [CrossRef]
- 68. Briones-Bitar, J.; Carrión-Mero, P.; Montalván-Burbano, N.; Morante-Carballo, F. Rockfall research: A bibliometric analysis and future trends. *Geoscience* **2020**, *10*, 403. [CrossRef]
- 69. Lara-Rodríguez, J.S.; Rojas-Contreras, C.; Duque Oliva, E.J. Discovering emerging research topics for brand personality: A bibliometric analysis. *Australas. Mark. J.* **2019**, 27, 261–272. [CrossRef]
- 70. Brennan, D. Simple export of journal citation data to Excel using any reference manager. *J. Med. Libr. Assoc.* **2016**, 104, 72–75. [CrossRef]
- 71. León-Castro, M.; Rodríguez-Insuasti, H.; Montalván-Burbano, N.; Victor, J.A. Bibliometrics and Science Mapping of Digital Marketing. In *Marketing and Smart Technologies*; Rocha, Á., Reis, J.L., Peter, M.K., Cayolla, R., Loureiro, S., Bogdanović, Z., Eds.; Smart Innovation, Systems and Technologies; Springer: Singapore, 2021; pp. 95–107.
- 72. Taşkın, Z.; Aydinoglu, A.U. Collaborative interdisciplinary astrobiology research: A bibliometric study of the NASA Astrobiology Institute. *Scientometrics* **2015**, *103*, 1003–1022. [CrossRef]
- 73. Pico-Saltos, R.; Carrión-Mero, P.; Montalván-Burbano, N.; Garzás, J.; Redchuk, A. Research Trends in Career Success: A Bibliometric Review. *Sustainability* **2021**, *13*, 4625. [CrossRef]

- 74. Van Eck, N.J.; Waltman, L.; Dekker, R.; Van Den Berg, J. A comparison of two techniques for bibliometric mapping: Multidimensional scaling and VOS. *J. Am. Soc. Inf. Sci. Technol.* **2010**, *61*, 2405–2416. [CrossRef]
- 75. van Eck, N.J.; Waltman, L. Citation-based clustering of publications using CitNetExplorer and VOSviewer. *Scientometrics* **2017**, 111, 1053–1070. [CrossRef] [PubMed]
- 76. Ye, C. Bibliometrical Analysis of International Big Data Research: Based on Citespace and VOSviewer. In Proceedings of the 14th International Conference on Natural Computation, Fuzzy Systems and Knowledge Discovery (ICNC-FSKD), Huangshan, China, 28–30 July 2018; pp. 927–932.
- 77. Huang, T.; Wu, H.; Yang, S.; Su, B.; Tang, K.; Quan, Z.; Zhong, W.; Luo, X. Global Trends of Researches on Sacral Fracture Surgery: A Bibliometric Study Based on VOSviewer. *Spine* **2020**, 45, E721–E728. [CrossRef] [PubMed]
- 78. Ramos-Rodríguez, A.-R.; Ruíz-Navarro, J. Changes in the intellectual structure of strategic management research: A bibliometric study of the *Strategic Management Journal*, 1980–2000. *Strateg. Manag. J.* **2004**, 25, 981–1004. [CrossRef]
- 79. Small, H. Co-citation in the Scientific Literature: A New Measure of the Relationship Between Two Documents. *J. Am. Soc. Inf. Sci.* 1973, 24, 265–269. [CrossRef]
- 80. Small, H.G. A Co-Citation Model of a Scientific Specialty: A Longitudinal Study of Collagen Research. *Soc. Stud. Sci.* **1977**, 7, 139–166. [CrossRef]
- 81. Ali, M.; Hussain, S.T.; Lei, S.; Shah, S.H.H.; Doronin, D. Prosumption: Bibliometric analysis using HistCite and VOSviewer. *Kybernetes* **2019**, *49*, 1020–1045. [CrossRef]
- 82. Niñerola, A.; Sánchez-Rebull, M.-V.; Hernández-Lara, A.-B. Tourism Research on Sustainability: A Bibliometric Analysis. *Sustainability* **2019**, *11*, 1377. [CrossRef]
- 83. De la Cruz del Río-Rama, M.; Maldonado-Erazo, C.P.; Álvarez-García, J.; Durán-Sánchez, A. Cultural and natural resources in tourism Island: Bibliometric mapping. *Sustainability* **2020**, *12*, 724. [CrossRef]
- 84. Gao, Y.; Xu, Y.; Zhu, Y.; Zhang, J. An analysis of the hotspot and frontier of mine eco-environment restoration based on big data visualization of VOSviewer and CiteSpace. *Geol. Bull. China* **2018**, *37*, 2144–2153.
- 85. Belmonte-Ureña, L.J.; Plaza-Úbeda, J.A.; Vazquez-Brust, D.; Yakovleva, N. Circular economy, degrowth and green growth as pathways for research on sustainable development goals: A global analysis and future agenda. *Ecol. Econ.* **2021**, *185*, 107050. [CrossRef]
- 86. Noyons, E.C.M.; Moed, H.F.; Van Raan, A.F.J. Integrating research performance analysis and science mapping. *Scientometrics* **1999**, *46*, 591–604. [CrossRef]
- 87. Herrera-Franco, G.; Montalván-Burbano, N.; Carrión-Mero, P.; Bravo-Montero, L. Worldwide Research on Socio-Hydrology: A Bibliometric Analysis. *Water* **2021**, *13*, 1283. [CrossRef]
- 88. Alshehhi, A.; Nobanee, H.; Khare, N. The Impact of Sustainability Practices on Corporate Financial Performance: Literature Trends and Future Research Potential. *Sustainability* **2018**, *10*, 494. [CrossRef]
- 89. Cobo, M.J.; López-Herrera, A.G.; Herrera-Viedma, E.; Herrera, F. Science mapping software tools: Review, analysis, and cooperative study among tools. *J. Am. Soc. Inf. Sci. Technol.* **2011**, *62*, 1382–1402. [CrossRef]
- 90. Chandra, Y. Mapping the evolution of entrepreneurship as a field of research (1990–2013): A scientometric analysis. *PLoS ONE* **2018**, *13*, e0190228. [CrossRef]
- 91. Mencl, V. Mechanics of Landslides with Non-Circular Slip Surfaces with Special Reference to the Vaiont Slide. *Géotechnique* **1966**, 16, 329–337. [CrossRef]
- 92. Blong, R.J. A numerical classification of selected landslides of the débris slide-avalanche-flow type. *Eng. Geol.* **1973**, 7, 99–114. [CrossRef]
- 93. Crandell, D.R. Landslides and rapid-flowage phenomena near Pierre, South Dakota. Econ. Geol. 1952, 47, 548–568. [CrossRef]
- 94. Caine, N. The Rainfall Intensity—Duration Control of Shallow Landslides and Debris Flows. *Geogr. Ann. Ser. A Phys. Geogr.* **1980**, 62, 23–27. [CrossRef]
- 95. Iverson, R.M.; Major, J. on J. Rainfall, ground-water flow, and seasonal movement at Minor Creek landslide, northwestern California: Physical interpretation of empirical relations. *GSA Bull.* **1987**, 99, 579–594. [CrossRef]
- 96. Van Genuchten, P.M.B.; De Rijke, H. On pore water pressure variations causing slide velocities and accelerations observed in a seasonally active landslide. *Earth Surf. Process. Landf.* **1989**, *14*, 577–586. [CrossRef]
- 97. King, J.; Loveday, I.; Schuster, R.L. The 1985 Bairaman landslide dam and resulting debris flow, Papua New Guinea. *Q. J. Eng. Geol. Hydrogeol.* **1989**, 22, 257–270. [CrossRef]
- 98. Savage, W.Z.; Chleborad, A.F. *A Model for Creeping Flow in Landslides*; Open-File Report 81-124; U.S. Department of the Interior, Geological Survey: Washington, DC, USA, 1981.
- 99. Von Huene, R.; Bourgois, J.; Miller, J.; Pautot, G. A large tsunamogenic landslide and debris flow along the Peru Trench. *J. Geophys. Res. Solid Earth* **1989**, 94, 1703–1714. [CrossRef]
- 100. Bathurst, J.C.; Burton, A.; Ward, T.J. Debris Flow Run-Out and Landslide Sediment Delivery Model Tests. *J. Hydraul. Eng.* **1997**, 123, 410–419. [CrossRef]
- 101. Crosta, G. Landslide, spreading, deep seated gravitational deformation: Analysis, examples, problems and proposals. *Geografia Fisica Dinamica Quaternaria* **1996**, *19*, 297–313.
- 102. Tadić, B. Temporally disordered granular flow: A model of landslides. Phys. Rev. E 1998, 57, 4375–4381. [CrossRef]

- 103. Sousa, J.; Voight, B. Computational Flow Modeling for Long-Runout Landslide Hazard Assessment, with an Example from Clapière Landslide, France. *Environ. Eng. Geosci.* **1992**, 29, 131–150. [CrossRef]
- 104. Straub, S. Predictability of long runout landslide motion: Implications from granular flow mechanics. *Geol. Rundsch.* **1997**, *86*, 415–425. [CrossRef]
- 105. Iverson, R.M.; Reid, M.E.; LaHusen, R.G. Debris-Flow Mobilization from Landslide. *Annu. Rev. Earth Planet. Sci.* 1997, 25, 85–138. [CrossRef]
- 106. Phien-Wej, N.; Nutalaya, P.; Aung, Z.; Zhibin, T. Catastrophic landslides and debris flows in Thailand. *Bull. Int. Assoc. Eng. Geol.* **1993**, 48, 93–100. [CrossRef]
- 107. Bovis, M.J.; Jakob, M. The July 29, 1998, debris flow and landslide dam at Capricorn Creek, Mount Meager Volcanic Complex, southern Coast Mountains, British Columbia. *Can. J. Earth Sci.* **2000**, *37*, 1321–1334. [CrossRef]
- 108. Helmstetter, A.; Sornette, D.; Grasso, J.-R.; Andersen, J.V.; Gluzman, S.; Pisarenko, V. Slider block friction model for landslides: Application to Vaiont and La Clapière landslides. *J. Geophys. Res. Solid Earth* **2004**, *109*, B02409. [CrossRef]
- 109. Hungr, O.; Evans, S.G.; Bovis, M.J.; Hutchinson, J.N. A review of the classification of landslides of the flow type. *Environ. Eng. Geosci.* **2001**, *7*, 221–238. [CrossRef]
- 110. Klubertanz, G.; Laloui, L.; Vulliet, L. Identification of mechanisms for landslide type initiation of debris flows. *Eng. Geol.* **2009**, 109, 114–123. [CrossRef]
- 111. Haeberlin, Y.; Turberg, P.; Retière, A.; Senegas, O.; Parriaux, A. Validation of Spot-5 satellite imagery for geological hazard identification and risk assessment for landslides, mud and debris flows in Matagalpa, Nicaragua. *Int. Arch. Photogramm. Remote Sens. Spat. Inf. Sci* 2004, 35, B1.
- 112. McDougall, S.; Boultbee, N.; Hungr, O.; Stead, D.; Schwab, J.W. The Zymoetz River landslide, British Columbia, Canada: Description and dynamic analysis of a rock slide–debris flow. *Landslides* **2006**, *3*, 195. [CrossRef]
- 113. Guzzetti, F.; Peruccacci, S.; Rossi, M.; Stark, C.P. The rainfall intensity–duration control of shallow landslides and debris flows: An update. *Landslides* **2008**, *5*, 3–17. [CrossRef]
- 114. Crosta, G.B.; Frattini, P. Rainfall-induced landslides and debris flows. Hydrol. Process. 2008, 22, 473–477. [CrossRef]
- 115. Baum, R.L.; Godt, J.W. Early warning of rainfall-induced shallow landslides and debris flows in the USA. *Landslides* **2010**, 7, 259–272. [CrossRef]
- 116. Chen, H.; Dadson, S.; Chi, Y.-G. Recent rainfall-induced landslides and debris flow in northern Taiwan. *Geomorphology* **2006**, 77, 112–125. [CrossRef]
- 117. Simoni, S.; Zanotti, F.; Bertoldi, G.; Rigon, R. Modelling the probability of occurrence of shallow landslides and channelized debris flows using GEOtop-FS. *Hydrol. Process.* **2008**, 22, 532–545. [CrossRef]
- 118. Cascini, L.; Cuomo, S.; Pastor, M.; Sorbino, G. Modeling of Rainfall-Induced Shallow Landslides of the Flow-Type. *J. Geotech. Geoenviron. Eng.* **2010**, *136*, 85–98. [CrossRef]
- 119. Pastor, M.; Haddad, B.; Sorbino, G.; Cuomo, S.; Drempetic, V. A depth-integrated, coupled SPH model for flow-like landslides and related phenomena. *Int. J. Numer. Anal. Methods Geomech.* **2009**, *33*, 143–172. [CrossRef]
- 120. Moretti, L.; Mangeney, A.; Capdeville, Y.; Stutzmann, E.; Huggel, C.; Schneider, D.; Bouchut, F. Numerical modeling of the Mount Steller landslide flow history and of the generated long period seismic waves. *Geophys. Res. Lett.* **2012**, *39*. [CrossRef]
- 121. Huang, Y.; Zhang, W.; Xu, Q.; Xie, P.; Hao, L. Run-out analysis of flow-like landslides triggered by the Ms 8.0 2008 Wenchuan earthquake using smoothed particle hydrodynamics. *Landslides* **2012**, *9*, 275–283. [CrossRef]
- 122. Dai, Z.; Huang, Y.; Cheng, H.; Xu, Q. 3D numerical modeling using smoothed particle hydrodynamics of flow-like landslide propagation triggered by the 2008 Wenchuan earthquake. *Eng. Geol.* **2014**, *180*, 21–33. [CrossRef]
- 123. Zhang, X.; Krabbenhoft, K.; Sheng, D.; Li, W. Numerical simulation of a flow-like landslide using the particle finite element method. *Comput. Mech.* **2015**, *55*, 167–177. [CrossRef]
- 124. Iovine, G.; Mangraviti, P. The CA-model FLOW-S* for flow-type landslides: An introductory account. In Proceedings of the 18th World IMACS/MODSIM Congress, Cairns, Australia, 13–17 July 2009.
- 125. Long, J.; Liu, Y.; Li, C.; Fu, Z.; Zhang, H. A novel model for regional susceptibility mapping of rainfall-reservoir induced landslides in Jurassic slide-prone strata of western Hubei Province, Three Gorges Reservoir area. *Stoch. Environ. Res. Risk Assess.* **2020**, *35*, 1403–1426. [CrossRef]
- 126. Chen, C.-Y. Event-based rainfall warning regression model for landslide and debris flow issuing. *Environ. Earth Sci.* **2020**, 79, 127. [CrossRef]
- 127. Ling, S.; Chigira, M. Characteristics and triggers of earthquake-induced landslides of pyroclastic fall deposits: An example from Hachinohe during the 1968 M7.9 tokachi-Oki earthquake, Japan. *Eng. Geol.* **2020**, *264*, 105301. [CrossRef]
- 128. Song, J.; Alves, T.M.; Omosanya, K.O.; Hales, T.C.; Ze, T. Tectonic evolution of strike-slip zones on continental margins and their impact on the development of submarine landslides (Storegga Slide, northeast Atlantic). *GSA Bull.* **2020**, *132*, 2397–2414. [CrossRef]
- 129. Iverson, R.M. Scaling and design of landslide and debris-flow experiments. Geomorphology 2015, 244, 9–20. [CrossRef]
- 130. Sorbino, G.; Nicotera, M.V. Unsaturated soil mechanics in rainfall-induced flow landslides. *Eng. Geol.* **2013**, *165*, 105–132. [CrossRef]
- 131. Cui, P.; Zhou, G.G.D.; Zhu, X.H.; Zhang, J.Q. Scale amplification of natural debris flows caused by cascading landslide dam failures. *Geomorphology* **2013**, *182*, 173–189. [CrossRef]

- 132. Wu, L.Z.; Zhu, S.R.; Peng, J. Application of the Chebyshev spectral method to the simulation of groundwater flow and rainfall-induced landslides. *Appl. Math. Model.* **2020**, *80*, 408–425. [CrossRef]
- 133. Luino, F.; De Graff, J.; Roccati, A.; Biddoccu, M.; Cirio, C.G.; Faccini, F.; Turconi, L. Eighty Years of Data Collected for the Determination of Rainfall Threshold Triggering Shallow Landslides and Mud-Debris Flows in the Alps. *Water* 2020, *12*, 133. [CrossRef]
- 134. Jianjun, G.; Zhang, Y.X.; Xiao, L. An application of the high-density electrical resistivity method for detecting slide zones in deep-seated landslides in limestone areas. *J. Appl. Geophys.* **2020**, *177*, 104013. [CrossRef]
- 135. Martín-Martín, A.; Orduna-Malea, E.; Thelwall, M.; Delgado López-Cózar, E. Google Scholar, Web of Science, and Scopus: A systematic comparison of citations in 252 subject categories. *J. Inform.* **2018**, *12*, 1160–1177. [CrossRef]
- 136. Patton, A.I.; Rathburn, S.L.; Capps, D.M. Landslide response to climate change in permafrost regions. *Geomorphology* **2019**, 340, 116–128. [CrossRef]
- 137. Vera-Baceta, M.-A.; Thelwall, M.; Kousha, K. Web of Science and Scopus language coverage. *Scientometrics* **2019**, *121*, 1803–1813. [CrossRef]
- 138. Mesdaghinia, A.; Younesian, M.; Nasseri, S.; Nodehi, R.N.; Hadi, M. Analysis of the microbial risk assessment studies from 1973 to 2015: A bibliometric case study. *Scientometrics* **2015**, *105*, 691–707. [CrossRef]
- 139. Shen, W.; Li, T.; Li, P.; Shen, Y.; Lei, Y.; Guo, J. The influence of the bed entrainment-induced rheology and topography changes on the propagation of flow-like landslides: A numerical investigation. *Bull. Eng. Geol. Environ.* **2019**, *78*, 4771–4785. [CrossRef]
- 140. Shen, W.; Li, T.; Li, P.; Berti, M.; Shen, Y.; Guo, J. A two-layer numerical model for simulating the frontal plowing phenomenon of flow-like landslides. *Eng. Geol.* **2019**, 259, 105168. [CrossRef]
- 141. Li, P.; Shen, W.; Hou, X.; Li, T. Numerical simulation of the propagation process of a rapid flow-like landslide considering bed entrainment: A case study. *Eng. Geol.* **2019**, *263*, 105287. [CrossRef]
- 142. Li, J.; Chen, N. The model for dilution process of landslide triggered debris flow —A case of Guanba river in tibet southeastern plateau. *Earth Sci. Res. J.* **2018**, 22, 103–111. [CrossRef]
- 143. Xia, X.; Liang, Q. A new depth-averaged model for flow-like landslides over complex terrains with curvatures and steep slopes. *Eng. Geol.* **2018**, 234, 174–191. [CrossRef]
- 144. Qiao, L.; Meng, X.; Chen, G.; Zhang, Y.; Guo, P.; Zeng, R.; Li, Y. Effect of rainfall on a colluvial landslide in a debris flow valley. *J. Mt. Sci.* **2017**, *14*, 1113–1123. [CrossRef]
- 145. Wang, J.; Ward, S.N.; Xiao, L. Numerical modelling of rapid, flow-like landslides across 3-D terrains: A Tsunami Squares approach to El Picacho landslide, El Salvador, September 19, 1982. *Geophys. J. Int.* 2015, 201, 1534–1544. [CrossRef]
- 146. Hu, M.; Liu, M.B.; Xie, M.W.; Liu, G.R. Three-dimensional run-out analysis and prediction of flow-like landslides using smoothed particle hydrodynamics. *Environ. Earth Sci.* **2015**, *73*, 1629–1640. [CrossRef]
- 147. Jin, Y.-Q.; Xu, F. Monitoring and Early Warning the Debris Flow and Landslides Using VHF Radar Pulse Echoes From Layering Land Media. *IEEE Geosci. Remote Sens. Lett.* **2011**, *8*, 575–579. [CrossRef]
- 148. Barth, M.; Haustein, S.; Scheidt, B. The life sciences in German–Chinese cooperation: An institutional-level co-publication analysis. *Scientometrics* **2014**, *98*, 99–117. [CrossRef]
- 149. Cascini, L.; Cuomo, S.; Pastor, M.; Sorbino, G.; Piciullo, L. SPH run-out modelling of channelised landslides of the flow type. *Geomorphology* **2014**, 214, 502–513. [CrossRef]
- 150. Cascini, L.; Cuomo, S.; Sala Della, M. Spatial and temporal occurrence of rainfall-induced shallow landslides of flow type: A case of Sarno-Quindici, Italy. *Geomorphology* **2011**, *126*, 148–158. [CrossRef]
- 151. Suzuki, K.; Higashi, S. Groundwater flow after heavy rain in landslide-slope area from 2-D inversion of resistivity monitoring data. *Geophysics* **2001**, *66*, 733–743. [CrossRef]
- 152. Imaizumi, F.; Tsuchiya, S.; Ohsaka, O. Behaviour of debris flows located in a mountainous torrent on the Ohya landslide, Japan. *Can. Geotech. J.* **2005**, 42, 919–931. [CrossRef]
- 153. Imaizumi, F.; Masui, T.; Yokota, Y.; Tsunetaka, H.; Hayakawa, Y.S.; Hotta, N. Initiation and runout characteristics of debris flow surges in Ohya landslide scar, Japan. *Geomorphology* **2019**, *339*, 58–69. [CrossRef]
- 154. Igwe, O.; Wang, F.; Sassa, K.; Fukuoka, H. The laboratory evidence of phase transformation from landslide to debris flow. *Geosci. J.* **2014**, *18*, 31–44. [CrossRef]
- 155. Wang, G.; Sassa, K. Seismic loading impacts on excess pore-water pressure maintain landslide triggered flowslides. *Earth Surf. Process. Landf.* **2009**, *34*, 232–241. [CrossRef]
- 156. Carrión-Mero, P.; Montalván-Burbano, N.; Paz-Salas, N.; Morante-Carballo, F. Volcanic Geomorphology: A Review of Worldwide Research. *Geoscience* **2020**, *10*, 347. [CrossRef]
- 157. Kirchik, O.; Gingras, Y.; Larivière, V. Changes in publication languages and citation practices and their effect on the scientific impact of Russian science (1993–2010). *J. Am. Soc. Inf. Sci. Technol.* **2012**, *63*, 1411–1419. [CrossRef]
- 158. Zhang, Q.; Rong, G.; Meng, Q.; Yu, M.; Xie, Q.; Fang, J. Outlining the keyword co-occurrence trends in Shuanghuanglian injection research: A bibliometric study using CiteSpace III. *J. Tradit. Chin. Med. Sci.* **2020**, *7*, 189–198. [CrossRef]
- 159. Nobanee, H.; Al Hamadi, F.Y.; Abdulaziz, F.A.; Abukarsh, L.S.; Alqahtani, A.F.; AlSubaey, S.K.; Alqahtani, S.M.; Almansoori, H.A. A Bibliometric Analysis of Sustainability and Risk Management. *Sustainability* **2021**, *13*, 3277. [CrossRef]
- 160. Carrión-Mero, P.; Montalván-Burbano, N.; Herrera-Narváez, G.; Morante-Carballo, F. Geodiversity and Mining Towards the Development of Geotourism: A Global Perspective. *Int. J. Des. Nat. Ecodyn.* **2021**, *16*, 191–201. [CrossRef]

- 161. Van Eck, N.J.; Waltman, L. Visualizing Bibliometric Networks. In *Measuring Scholarly Impact: Methods and Practice*; Ding, Y., Rousseau, R., Wolfram, D., Eds.; Springer: Cham, Switzerland, 2014; pp. 285–320. ISBN 978-3-319-10377-8.
- 162. Luo, Y.; He, S.; Chen, F.; Li, X.; He, J. A physical model considered the effect of overland water flow on rainfall-induced shallow landslides. *Geoenviron. Disasters* **2015**, 2, 8. [CrossRef]
- 163. Kim, S.; Kim, M.; An, H.; Chun, K.; Oh, H.-J.; Onda, Y. Influence of subsurface flow by Lidar DEMs and physical soil strength considering a simple hydrologic concept for shallow landslide instability mapping. *Catena* **2019**, *182*, 104137. [CrossRef]
- 164. Kim, M.S.; Onda, Y.; Uchida, T.; Kim, J.K. Effects of soil depth and subsurface flow along the subsurface topography on shallow landslide predictions at the site of a small granitic hillslope. *Geomorphology* **2016**, 271, 40–54. [CrossRef]
- 165. Bogner, C.; Bauer, F.; Trancón y Widemann, B.; Viñan, P.; Balcazar, L.; Huwe, B. Quantifying the morphology of flow patterns in landslide-affected and unaffected soils. *J. Hydrol.* **2014**, *511*, 460–473. [CrossRef]
- 166. An, H.; Viet, T.T.; Lee, G.; Kim, Y.; Kim, M.; Noh, S.; Noh, J. Development of time-variant landslide-prediction software considering three-dimensional subsurface unsaturated flow. *Environ. Model. Softw.* **2016**, *85*, 172–183. [CrossRef]
- 167. Crosta, G.B.; Imposimato, S.; Roddeman, D.; Chiesa, S.; Moia, F. Small fast-moving flow-like landslides in volcanic deposits: The 2001 Las Colinas Landslide (El Salvador). *Eng. Geol.* **2005**, *79*, 185–214. [CrossRef]
- 168. Evans, S.G.; Bent, A.L. The Las Colinas landslide, Santa Tecla: A highly destructive flowslide triggered by the January 13, 2001, El Salvador earthquake. In *Natural Hazards in El Salvador*; Rose, W.I., Bommer, J.J., López, D.L., Carr, M.J., Major, J.J., Eds.; Geological Society of America: Washington, DC, USA, 2004; Volume 375, ISBN 9780813723754.
- 169. Fan, R.L.; Zhang, L.M.; Shen, P. Evaluating volume of coseismic landslide clusters by flow direction-based partitioning. *Eng. Geol.* **2019**, 260, 105238. [CrossRef]
- 170. Imaizumi, F.; Sidle, R.C.; Kamei, R. Effects of forest harvesting on the occurrence of landslides and debris flows in steep terrain of central Japan. *Earth Surf. Process. Landf.* **2008**, *33*, 827–840. [CrossRef]
- 171. Kalenchuk, K.S.; Hutchinson, D.J.; Diederichs, M.S. Downie Slide: Numerical simulation of groundwater fluctuations influencing the behaviour of a massive landslide. *Bull. Eng. Geol. Environ.* **2013**, *72*, 397–412. [CrossRef]
- 172. Ran, Q.; Su, D.; Qian, Q.; Fu, X.; Wang, G.; He, Z. Physically-based approach to analyze rainfall-triggered landslide using hydraulic gradient as slide direction. *J. Zhejiang Univ. Sci. A* **2012**, *13*, 943–957. [CrossRef]
- 173. Yang, H.; Yang, T.; Zhang, S.; Zhao, F.; Hu, K.; Jiang, Y. Rainfall-induced landslides and debris flows in Mengdong Town, Yunnan Province, China. *Landslides* **2020**, *17*, 931–941. [CrossRef]
- 174. Qiao, S.; Xu, P.; Teng, J.; Sun, X. Numerical Study of Optimal Parameters on the High Filling Embankment Landslide Reinforced by the Portal Anti-Slide Pile. *KSCE J. Civ. Eng.* **2020**, 24, 1460–1475. [CrossRef]
- 175. Forte, G.; Pirone, M.; Santo, A.; Nicotera, M.V.; Urciuoli, G. Triggering and predisposing factors for flow-like landslides in pyroclastic soils: The case study of the Lattari Mts. (southern Italy). *Eng. Geol.* **2019**, 257, 105137. [CrossRef]
- 176. Wang, L.; Zaniboni, F.; Tinti, S.; Zhang, X. Reconstruction of the 1783 Scilla landslide, Italy: Numerical investigations on the flow-like behaviour of landslides. *Landslides* **2019**, *16*, 1065–1076. [CrossRef]
- 177. Wang, W.; Yin, Y.; Zhu, S.; Wei, Y.; Zhang, N.; Yan, J. Dynamic analysis of a long-runout, flow-like landslide at Areletuobie, Yili River valley, northwestern China. *Bull. Eng. Geol. Environ.* **2019**, *78*, 3143–3157. [CrossRef]
- 178. Pánek, T.; Smolková, V.; Hradecký, J.; Baroň, I.; Šilhán, K. Holocene reactivations of catastrophic complex flow-like landslides in the Flysch Carpathians (Czech Republic/Slovakia). *Quat. Res.* **2013**, *80*, 33–46. [CrossRef]
- 179. Zhou, J.; Cui, P.; Yang, X. Dynamic process analysis for the initiation and movement of the Donghekou landslide-debris flow triggered by the Wenchuan earthquake. *J. Asian Earth Sci.* **2013**, *76*, 70–84. [CrossRef]
- 180. Chung, J.; Rogers, J.D.; Watkins, C.M. Estimating severity of seismically induced landslides and lateral spreads using threshold water levels. *Geomorphology* **2014**, 204, 31–41. [CrossRef]
- 181. Jiang, Q.; Chen, X. Landslide-generated wave hazard prediction based on multiphase flow model of DualSPHysics. *Comput. Animat. Virtual Worlds* **2019**, *30*, e1874. [CrossRef]
- 182. Zhu, C.; Huang, Y.; Zhan, L. SPH-based simulation of flow process of a landslide at Hongao landfill in China. *Nat. Hazards* **2018**, 93, 1113–1126. [CrossRef]
- 183. Zhang, W.; Xiao, D. Numerical analysis of the effect of strength parameters on the large-deformation flow process of earthquake-induced landslides. *Eng. Geol.* **2019**, *260*, 105239. [CrossRef]
- 184. Hu, M.; Liu, Q.; Wu, F.; Yu, M.; Jiang, S. GIS Enabled SPH-Soil Modeling for the Post-Failure Flow of Landslides Under Seismic Loadings. *Int. J. Comput. Methods* **2018**, *15*, 1850046. [CrossRef]
- 185. Ao, M.; Zhang, L.; Shi, X.; Liao, M.; Dong, J. Measurement of the three-dimensional surface deformation of the Jiaju landslide using a surface-parallel flow model. *Remote Sens. Lett.* **2019**, *10*, 776–785. [CrossRef]
- 186. Sepúlveda, S.A.; Alfaro, A.; Lara, M.; Carrasco, J.; Olea-Encina, P.; Rebolledo, S.; Garcés, M. An active large rock slide in the Andean paraglacial environment: The Yerba Loca landslide, central Chile. *Landslides* **2021**, *18*, 697–705. [CrossRef]
- 187. Rabus, B.; Pichierri, M. A New InSAR Phase Demodulation Technique Developed for a Typical Example of a Complex, Multi-Lobed Landslide Displacement Field, Fels Glacier Slide, Alaska. *Remote Sens.* **2018**, *10*, 995. [CrossRef]
- 188. Yu, M.-L.; Lee, C.-H. Multi-phase-flow modeling of underwater landslides on an inclined plane and consequently generated waves. *Adv. Water Resour.* **2019**, *133*, 103421. [CrossRef]
- 189. Heller, V.; Bruggemann, M.; Spinneken, J.; Rogers, B.D. Composite modelling of subaerial landslide–tsunamis in different water body geometries and novel insight into slide and wave kinematics. *Coast. Eng.* **2016**, *109*, 20–41. [CrossRef]

- 190. Bardi, F.; Raspini, F.; Frodella, W.; Lombardi, L.; Nocentini, M.; Gigli, G.; Morelli, S.; Corsini, A.; Casagli, N. Monitoring the Rapid-Moving Reactivation of Earth Flows by Means of GB-InSAR: The April 2013 Capriglio Landslide (Northern Appennines, Italy). *Remote Sens.* 2017, *9*, 165. [CrossRef]
- 191. Peng, J.; Fan, Z.; Wu, D.; Zhuang, J.; Dai, F.; Chen, W.; Zhao, C. Heavy rainfall triggered loess–mudstone landslide and subsequent debris flow in Tianshui, China. *Eng. Geol.* **2015**, *186*, 79–90. [CrossRef]
- 192. Zhou, G.G.D.; Cui, P.; Chen, H.Y.; Zhu, X.H.; Tang, J.B.; Sun, Q.C. Experimental study on cascading landslide dam failures by upstream flows. *Landslides* **2013**, *10*, 633–643. [CrossRef]
- 193. Chen, C.-Y.; Chen, T.-C.; Yu, F.-C.; Hung, F.-Y. A landslide dam breach induced debris flow—A case study on downstream hazard areas delineation. *Environ. Geol.* **2004**, *47*, 91–101. [CrossRef]
- 194. Gabet, E.J.; Mudd, S.M. The mobilization of debris flows from shallow landslides. Geomorphology 2006, 74, 207–218. [CrossRef]
- 195. Kritikos, T.; Davies, T. Assessment of rainfall-generated shallow landslide/debris-flow susceptibility and runout using a GIS-based approach: Application to western Southern Alps of New Zealand. *Landslides* **2015**, *12*, 1051–1075. [CrossRef]
- 196. Lee, J.H.; Park, H.J. Assessment of shallow landslide susceptibility using the transient infiltration flow model and GIS-based probabilistic approach. *Landslides* **2016**, *13*, 885–903. [CrossRef]
- 197. Hsu, Y.-C.; Liu, K.-F.; Shu, H.-M. Debris Flow Assessment from Rainfall Infiltration Induced Landslide. Ph.D. Thesis, Colorado School of Mines, Golden, CO, USA, 2019.
- 198. Costanzo, D.; Chacón, J.; Conoscenti, C.; Irigaray, C.; Rotigliano, E. Forward logistic regression for earth-flow landslide susceptibility assessment in the Platani river basin (southern Sicily, Italy). *Landslides* **2014**, *11*, 639–653. [CrossRef]
- 199. Fan, J.-C.; Huang, H.-Y.; Liu, C.-H.; Yang, C.-H.; Guo, J.-J.; Chang, C.-F.; Chang, Y.-C. Effects of landslide and other physiographic factors on the occurrence probability of debris flows in central Taiwan. *Environ. Earth Sci.* **2015**, *74*, 1785–1801. [CrossRef]
- 200. Conoscenti, C.; Ciaccio, M.; Caraballo-Arias, N.A.; Gómez-Gutiérrez, Á.; Rotigliano, E.; Agnesi, V. Assessment of susceptibility to earth-flow landslide using logistic regression and multivariate adaptive regression splines: A case of the Belice River basin (western Sicily, Italy). *Geomorphology* **2015**, 242, 49–64. [CrossRef]
- 201. Liao, H.; Yang, X.; Lu, G.; Tao, J.; Zhou, J. Experimental study on the river blockage and landslide dam formation induced by rock slides. *Eng. Geol.* 2019, 261, 105269. [CrossRef]
- 202. Liao, H.; Yang, X.; Lu, G.; Tao, J.; Zhou, J. Experimental study on the formation of landslide dams by fragmentary materials from successive rock slides. *Bull. Eng. Geol. Environ.* **2020**, *79*, 1591–1604. [CrossRef]
- 203. Zhou, Y.; Shi, Z.; Zhang, Q.; Liu, W.; Peng, M.; Wu, C. 3D DEM investigation on the morphology and structure of landslide dams formed by dry granular flows. *Eng. Geol.* **2019**, 258, 105151. [CrossRef]
- 204. Blahut, J.; van Westen, C.J.; Sterlacchini, S. Analysis of landslide inventories for accurate prediction of debris-flow source areas. *Geomorphology* **2010**, *119*, 36–51. [CrossRef]
- 205. Kim, S.-M.; Park, H.-D. Analogy between grid-based modeling of landslide and avalanche using GIS with surface flow analysis. *Bull. Eng. Geol. Environ.* **2019**, *78*, 189–206. [CrossRef]
- 206. Mergili, M.; Frank, B.; Fischer, J.-T.; Huggel, C.; Pudasaini, S.P. Computational experiments on the 1962 and 1970 landslide events at Huascarán (Peru) with r.avaflow: Lessons learned for predictive mass flow simulations. *Geomorphology* **2018**, 322, 15–28. [CrossRef]
- 207. Wang, C.; Esaki, T.; Xie, M.; Qiu, C. Landslide and debris-flow hazard analysis and prediction using GIS in Minamata–Hougawachi area, Japan. *Environ. Geol.* **2006**, *51*, 91–102. [CrossRef]
- 208. Ohlmacher, G.C. Plan curvature and landslide probability in regions dominated by earth flows and earth slides. *Eng. Geol.* **2007**, 91, 117–134. [CrossRef]
- 209. Colangelo, G.; Lapenna, V.; Perrone, A.; Piscitelli, S.; Telesca, L. 2D Self-Potential tomographies for studying groundwater flows in the Varco d'Izzo landslide (Basilicata, southern Italy). *Eng. Geol.* **2006**, *88*, 274–286. [CrossRef]
- 210. Novotný, J.; Kobr, M. Hydrogeological pattern of groundwater flow of landslides in Cretaceous claystones based on long-term groundwater monitoring and hydrologging measurement. *Environ. Geol.* **2008**, *58*, 25. [CrossRef]
- 211. Kim, J.; Lee, K.; Jeong, S.; Kim, G. GIS-based prediction method of landslide susceptibility using a rainfall infiltration-groundwater flow model. *Eng. Geol.* **2014**, *182*, 63–78. [CrossRef]
- 212. Yulianto, T.; Gernowo, R.; Widada, S. Determination of Landslide Potential in Trangkil Gunung Pati Based on Groundwater Flow Pattern. *Adv. Sci. Lett.* **2017**, *23*, 6635–6637. [CrossRef]
- 213. Lee, C.-H.; Huang, Z. Multi-phase flow simulation of impulsive waves generated by a sub-aerial granular landslide on an erodible slope. *Landslides* **2021**, *18*, 881–895. [CrossRef]
- 214. Papa, M.N.; Medina, V.; Ciervo, F.; Bateman, A. Derivation of critical rainfall thresholds for shallow landslides as a tool for debris flow early warning systems. *Hydrol. Earth Syst. Sci.* **2013**, 17, 4095–4107. [CrossRef]
- 215. Liu, X.Y.; Cai, W.; Wang, Y. Impact of supporting pressure at excavation face on surface deformation in Xi'an metro shield construction. In *Transit Development in Rock Mechanics*; CRC Press: Boca Raton, FL, USA, 2014; pp. 521–526.
- 216. Imaizumi, F.; Tsuchiya, S.; Ohsaka, O. Field observations of debris-flow initiation processes on sediment deposits in a previous deep-seated landslide site. *J. Mt. Sci.* **2016**, *13*, 213–222. [CrossRef]
- 217. Hota, P.K.; Subramanian, B.; Narayanamurthy, G. Mapping the Intellectual Structure of Social Entrepreneurship Research: A Citation/Co-citation Analysis. *J. Bus. Ethics* **2020**, *166*, 89–114. [CrossRef]

- 218. Leung, X.Y.; Sun, J.; Bai, B. Bibliometrics of social media research: A co-citation and co-word analysis. *Int. J. Hosp. Manag.* 2017, 66, 35–45. [CrossRef]
- 219. Bu, Y.; Wang, B.; Huang, W.; Che, S.; Huang, Y. Using the appearance of citations in full text on author co-citation analysis. *Scientometrics* **2018**, *116*, 275–289. [CrossRef]
- 220. Culnan, M.J. The intellectual development of management information systems, 1972–1982: A co-citation analysis. *Manag. Sci.* 1986, 32, 156–172. [CrossRef]
- 221. Acedo, F.J.; Barroso, C.; Galan, J.L. The resource-based theory: Dissemination and main trends. *Strateg. Manag. J.* **2006**, 27, 621–636. [CrossRef]
- 222. White, H.D.; Griffith, B.C. Author cocitation: A literature measure of intellectual structure. *J. Am. Soc. Inf. Sci.* **1981**, 32, 163–171. [CrossRef]
- 223. Kim, H.J.; Jeong, Y.K.; Song, M. Content- and proximity-based author co-citation analysis using citation sentences. *J. Inform.* **2016**, 10, 954–966. [CrossRef]
- 224. Samiee, S.; Chabowski, B.R. Knowledge structure in international marketing: A multi-method bibliometric analysis. *J. Acad. Mark. Sci.* **2012**, *40*, 364–386. [CrossRef]
- 225. Liu, C.; Gui, Q. Mapping intellectual structures and dynamics of transport geography research: A scientometric overview from 1982 to 2014. *Scientometrics* **2016**, *109*, 159–184. [CrossRef]
- 226. González-Valiente, C.L.; León Santos, M.; Arencibia-Jorge, R.; Noyons, E.; Costas, R. Mapping the Evolution of Intellectual Structure in Information Management Using Author Co-citation Analysis. *Mob. Netw. Appl.* **2019**, 1–15. [CrossRef]
- 227. Crosta, G. Regionalization of rainfall thresholds: An aid to landslide hazard evaluation. *Environ. Geol.* **1998**, 35, 131–145. [CrossRef]
- 228. Guzzetti, F. Hydrological triggers of diffused landsliding. Environ. Geol. 1998, 2, 79-80. [CrossRef]
- 229. Godt, J.W.; Baum, R.L.; Chleborad, A.F. Rainfall characteristics for shallow landsliding in Seattle, Washington, USA. *Earth Surf. Process. Landf. J. Br. Geomorphol. Res. Gr.* **2006**, *31*, 97–110. [CrossRef]
- 230. Guzzetti, F.; Peruccacci, S.; Rossi, M.; Stark, C.P. Rainfall thresholds for the initiation of landslides in central and southern Europe. *Meteorol. Atmos. Phys.* 2007, *98*, 239–267. [CrossRef]
- 231. Favreau, P.; Mangeney, A.; Lucas, A.; Crosta, G.; Bouchut, F. Numerical modeling of landquakes. *Geophys. Res. Lett.* **2010**, *37*, 1–5. [CrossRef]
- 232. Crosta, G.B.; Frattini, P. Rainfall thresholds for triggering soil slips and debris flow. In Proceedings of the 2nd EGS Plinius Conference on Mediterranean Storms, Siena, Italy, 16–18 October 2000; National Research Council: Ottawa, ON, Canada, 2001; Volume 2547, pp. 463–487.
- 233. Harp, E.L.; Michael, J.A.; Laprade, W.T.; Baum, R.L.; Godt, J.W.; Highland, L.M. Shallow landslide hazard map of Seattle, Washington. In *Landslides and Engineering Geology of the Seattle, Washington, Area*; Geological Society of America: Washington, DC, USA, 2008; Volume 20, pp. 67–82.
- 234. Godt, J.W.; Schulz, W.H.; Baum, R.L.; Savage, W.Z. Modeling rainfall conditions for shallow landsliding in Seattle, Washington. *Rev. Eng. Geol.* **2008**, 20, 137–152.
- 235. Sassa, K. The mechanism starting liquefied landslides and debris flows. In Proceedings of the IV International Symposium on Landslides, Toronto, ON, Canada, 16–21 September 1984; Volume 2, pp. 349–354.
- 236. Moriwaki, H.; Inokuchi, T.; Hattanji, T.; Sassa, K.; Ochiai, H.; Wang, G. Failure processes in a full-scale landslide experiment using a rainfall simulator. *Landslides* **2004**, *1*, 277–288. [CrossRef]
- 237. Lourenço, S.D.N.; Sassa, K.; Fukuoka, H. Failure process and hydrologic response of a two layer physical model: Implications for rainfall-induced landslides. *Geomorphology* **2006**, *73*, 115–130. [CrossRef]
- 238. Wang, G.; Sassa, K. Pore-pressure generation and movement of rainfall-induced landslides: Effects of grain size and fine-particle content. *Eng. Geol.* **2003**, *69*, 109–125. [CrossRef]
- 239. Wang, G.; Sassa, K. Factors affecting rainfall-induced flowslides in laboratory flume tests. *Geotechnique* **2001**, *51*, 587–599. [CrossRef]
- 240. Xu, Q. Large-Scale Landslides Induced by the Wenchuan Earthquake; Sciencep: Beijing, China, 2009; ISBN 7030269063.
- 241. Qi, S.; Xu, Q.; Zhang, B.; Zhou, Y.; Lan, H.; Li, L. Source characteristics of long runout rock avalanches triggered by the 2008 Wenchuan earthquake, China. *J. Asian Earth Sci.* 2011, 40, 896–906. [CrossRef]
- 242. Merodo, J.A.F.; Pastor, M.; Mira, P.; Tonni, L.; Herreros, M.I.; Gonzalez, E.; Tamagnini, R. Modelling of diffuse failure mechanisms of catastrophic landslides. *Comput. Methods Appl. Mech. Eng.* **2004**, *193*, 2911–2939. [CrossRef]
- 243. Pastor, M.; Quecedo, M.; Gonzalez, E.; Herreros, M.I.; Merodo, J.A.F.; Mira, P. Modelling of landslides:(II) propagation. In *Degradations and Instabilities in Geomaterials*; Springer: Vienna, Austria, 2004; pp. 319–367.
- 244. Pastor, M.; Quecedo, M.; Fernández Merodo, J.A.; Herrores, M.I.; Gonzalez, E.; Mira, P. Modelling tailings dams and mine waste dumps failures. *Geotechnique* **2002**, *52*, *579–591*. [CrossRef]
- 245. Revellino, P.; Hungr, O.; Guadagno, F.M.; Evans, S.G. Velocity and runout simulation of destructive debris flows and debris avalanches in pyroclastic deposits, Campania region, Italy. *Environ. Geol.* **2004**, *45*, 295–311. [CrossRef]
- 246. Cascini, L. The flowslides of May 1998 in the Campania region, Italy: The scientific emergency management. *Ital. Geotech. J.* **2004**, 2, 11–44.

- 247. Cascini, L.; Sorbino, G. The contribution of soil suction measurements to the analysis of flowslide triggering. In Proceedings of the Int. Workshop on Occurrence and Mechanisms of Flow-Like Landslides in Natural Slopes and Earthfills, Bologna, Spain, 14–16 May 2003; pp. 77–86.
- 248. Cascini, L.; Cuomo, S.; Guida, D. Typical source areas of May 1998 flow-like mass movements in the Campania region, Southern Italy. *Eng. Geol.* **2008**, *96*, 107–125. [CrossRef]
- 249. Cascini, L.; Cuomo, S.; Sorbino, G. Flow-like mass movements in pyroclastic soils: Remarks on the modelling of triggering mechanisms. *Ital. Geotech. J.* **2005**, *4*, 11–31.
- 250. Evans, S.G. Landslide damming in the Cordillera of western Canada. In *Landslide Dams: Processes, Risk, and Mitigation*; American Society of Civil Engineers (ASCE): Reston, VA, USA, 1986; pp. 111–130.
- 251. Masson, D.G.; Harbitz, C.B.; Wynn, R.B.; Pedersen, G.; Løvholt, F. Submarine landslides: Processes, triggers and hazard prediction. *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.* **2006**, *364*, 2009–2039. [CrossRef] [PubMed]
- 252. Masson, D.G.; Huggett, Q.J.; Brunsden, D. The surface texture of the Saharan debris flow deposit and some speculations on submarine debris flow processes. *Sedimentology* **1993**, *40*, 583–598. [CrossRef]
- 253. Wynn, R.B.; Weaver, P.P.E.; Masson, D.G.; Stow, D.A. V Turbidite depositional architecture across three interconnected deep-water basins on the north-west African margin. *Sedimentology* **2002**, *49*, 669–695. [CrossRef]
- 254. Grilli, S.T.; Watts, P. Tsunami generation by submarine mass failure. I: Modeling, experimental validation, and sensitivity analyses. *J. Waterw. Port Coast. Ocean Eng.* **2005**, *131*, 283–297. [CrossRef]
- 255. Abadie, S.; Morichon, D.; Grilli, S.; Glockner, S. Numerical simulation of waves generated by landslides using a multiple-fluid Navier–Stokes model. *Coast. Eng.* **2010**, *57*, *779–794*. [CrossRef]
- 256. Fuchs, H.; Winz, E.; Hager, W.H. Underwater landslide characteristics from 2D laboratory modeling. *J. Waterw. Port Coast. Ocean Eng.* **2013**, 139, 480–488. [CrossRef]
- 257. Hungr, O.; Evans, S.G. Rock avalanche runout prediction using a dynamic model. Landslides 1996, 233–238.
- 258. Hungr, O. A mass change model for the estimation of debris flow runout: A discussion. J. Geol. 1990, 98, 791. [CrossRef]
- 259. Hungr, O. A model for the runout analysis of rapid flow slides, debris flows, and avalanches. *Can. Geotech. J.* 1995, 32, 610–623. [CrossRef]
- 260. Iverson, R.M. The physics of debris flows. Rev. Geophys. 1997, 35, 245–296. [CrossRef]
- 261. Iverson, R.M.; Reid, M.E. Gravity-driven groundwater flow and slope failure potential: 1. Elastic Effective-Stress Model. *Water Resour. Res.* 1992, 28, 925–938. [CrossRef]
- 262. Baum, R.L.; Reid, M.E. Geology, hydrology, and mechanics of a slow-moving. Clay Shale Slope Instab 1995, 10, 79.
- 263. Sidle, R.C.; Swanston, D.N. Analysis of a small debris slide in coastal Alaska. Can. Geotech. J. 1982, 19, 167–174. [CrossRef]
- 264. Rickenmann, D.; Weber, D.; Stepanov, B. Erosion by debris flows in field and laboratory experiments. In *Debris-Flow Hazards Mitigation: Mechanics, Prediction, and Assessment*; Conference Publication; Millpress Science Publishers: Rotterdam, The Netherlands, 2003; pp. 883–894.
- 265. Takahashi, T. Debris flow. Annu. Rev. Fluid Mech. 1981, 13, 57–77. [CrossRef]
- 266. Yang, L.; Han, L.; Liu, N. A new approach to journal co-citation matrix construction based on the number of co-cited articles in journals. *Scientometrics* **2019**, 120, 507–517. [CrossRef]
- 267. McCain, K.W. Mapping economics through the journal literature: An experiment in journal cocitation analysis. *J. Am. Soc. Inf. Sci.* **1991**, 42, 290–296. [CrossRef]
- 268. Lee, H.J.; Ellen, S.D.; Kayen, R.E. Predicting transformation of shallow landslides into high-speed debris flows. In Proceedings of the Fifth International Symposium on Landslides, Lausanne, Switzerland, 10–15 July 1988; pp. 713–718.
- 269. Chleborad, A.F.; Baum, R.L.; Godt, J.W.; Powers, P.S. A prototype system for forecasting landslides in the Seattle, Washington, area. *Rev. Eng. Geol.* **2008**, *20*, 103–120.
- 270. Dijkstra, T.A.; Rogers, C.D.F.; Smalley, I.J.; Derbyshire, E.; Li, Y.J.; Meng, X.M. The loess of north-central China: Geotechnical properties and their relation to slope stability. *Eng. Geol.* **1994**, *36*, 153–171. [CrossRef]
- 271. Dai, F.; Lee, C.F.; Wang, S.; Feng, Y. Stress–strain behaviour of a loosely compacted volcanic-derived soil and its significance to rainfall-induced fill slope failures. *Eng. Geol.* **1999**, *53*, 359–370. [CrossRef]
- 272. Avanzi, G.D.; Giannecchini, R.; Puccinelli, A. The influence of the geological and geomorphological settings on shallow landslides. An example in a temperate climate environment: The 19 June 1996 event in northwestern Tuscany (Italy). *Eng. Geol.* **2004**, *73*, 215–228. [CrossRef]
- 273. Planès, T.; Mooney, M.A.; Rittgers, J.B.R.; Parekh, M.L.; Behm, M.; Snieder, R. Time-lapse monitoring of internal erosion in earthen dams and levees using ambient seismic noise. *Géotechnique* **2016**, *66*, 301–312. [CrossRef]
- 274. Doyle, B.C.; Rogers, J.D. Seismically induced lateral spread features in the western New Madrid seismic zone. *Environ. Eng. Geosci.* 2005, 11, 251–258. [CrossRef]
- 275. Morrissey, M.M.; Wieczorek, G.F.; Morgan, B.A. Transient hazard model using radar data for predicting debris flows in Madison County, Virginia. *Environ. Eng. Geosci.* **2004**, *10*, 285–296. [CrossRef]
- 276. Hunt, B. Newtonian fluid mechanics treatment of debris flows and avalanches. J. Hydraul. Eng. 1994, 120, 1350–1363. [CrossRef]
- 277. Kaitna, R.; Dietrich, W.E.; Hsu, L. Surface slopes, velocity profiles and fluid pressure in coarse-grained debris flows saturated with water and mud. *J. Fluid Mech.* **2014**, 741, 377. [CrossRef]

- 278. Manenti, S.; Sibilla, S.; Gallati, M.; Agate, G.; Guandalini, R. SPH simulation of sediment flushing induced by a rapid water flow. *J. Hydraul. Eng.* **2012**, *138*, 272–284. [CrossRef]
- 279. Manzella, I.; Labiouse, V. Qualitative analysis of rock avalanches propagation by means of physical modelling of non-constrained gravel flows. *Rock Mech. Rock Eng.* **2008**, *41*, 133–151. [CrossRef]
- 280. Pirulli, M.; Mangeney, A. Results of back-analysis of the propagation of rock avalanches as a function of the assumed rheology. *Rock Mech. Rock Eng.* **2008**, *41*, 59–84. [CrossRef]