

A New Model for Measuring Customer Utility Trust in Online Auctions

El-Sayed M. El-Kenawy
Communications and Electronics
Engineering Department
Delta Higher Institute for
Engineering & Technology, Talkha
35111, Egypt

Marwa Eid
Communications and Electronics
Engineering Department
Delta Higher Institute for
Engineering & Technology, Talkha
35111, Egypt

Alshimaa H. Ismail
Communications and Electronics
Engineering Department
Delta Higher Institute for
Engineering & Technology, Talkha
35111, Egypt

ABSTRACT

Reports from the US Federal Bureau of investigation have indicated a lot of unethical activities taking place on the internet environments. Despite some technical challenges, ethical related complaints have elicited studies on trust in online commercial transactions like auctioneering. By looking closely on issues that are related to online trust, this study has developed a model that can be used to ascertain trust levels in various websites. The trust issues taken into consideration are Industry Reputation (Ri), Website Reputation (Wi), E-loyalty (Le), Price Premiums (Pp), Social Network (Sn), Value of Good (Vg), Ease of Use (Eu) and Company Satisfactory Transactions (St). In this respect, the level of trust in an auctioneering website has been equated to one's utility. Presumably, if one derives satisfaction from more goods at the company, it is evident that his trust level will be higher. The model has been found to be of good reliability and validity in measuring trust levels in a survey in this study.

Keywords

Trust model Social networks, Online Auctions, Fraud


1. INTRODUCTION

Despite the fact that many sales by auctions are now being done online, by millions of internet users around the globe, there have been no literature that offer a precise understanding on how trust in the online auctions can be [1,2] Although online auctioneering has been dynamic in business-to-business (B2B) business-to-consumer (B2C) and consumer-to-consumer (C2C) models, most literatures have reduced parties involved into two: the seller and the buyer [3,4]

According to [5] online auction has been seen to benefit many vendors and buyers because it saves time, reduces the number of suppliers, standardizes the sourcing process, helps the organization to standardize contractual terms and conditions and ensures that both sellers and buyers transact at competitive prices. However, limitations such as possibility of fraud, limited participation, security, long cycle time and monitoring time have seen the participants distrusting some auctioneering websites. Trust has been defined as the general relationship that arises as a result of opinions or held attitudes towards others [6, 7,8].

2. FACTORS AFFECTING TRUST

Website Reputation: It has been evident that what auction participants think about the Auction Website's performance could be a source of trust or distrust [8]. Industry reputation: Collective information regarding the reputation of various players in a certain auction industry would affect the trust that people accord to a certain website [9].



Figur1. The Formal Framework of the Trust Model

E-loyalty: The trust of participating in online auction deals is also determined by a person's loyalty or trust in the general web transactions [10,11].

Price Premiums: Increases of prices of a product from the time a new bid is done will improve a website's rating [12,13].

Ease of use: the level of one's shopping enjoyment as marked by the ease of use will determine the trust a person will have in the online shopping [14,15].

Social networks and reference persons: Participant social networks and reference groups have been said to build the reputation of an auction [16, 17,18]

Satisfactory transactions: the online auctions. Satisfactory transactions are the main driving forces behind customer trust and loyalty [19, 20].

Value of good: The quality of the product, if bidders view a product with higher prices, they would think of a more profitable organization [21,22,23]. These factors are shown in Figure 1.

3. FIGURES/CAPTIONS

In a survey to experiment the implementation of this model, participants from Microhard's Online Auction were chosen for a discussion about their experience during online auctions with the company. A preliminary online chat with the thirty choices was done to learn if they potentially fitted the needs for the survey such as online auction experience, time spent on the internet, social networks and units of goods bought. Twenty individuals from those contacted took part in the survey by responding to the Company's online questionnaire. The results were as table 1 show.

Customer	Utility (Units bought)	Industry Reputation (Cp-Cn/Cp)	Website Reputation (Cp-Cn/Cp)	E-loyalty (years spent on internet auction)	Price Premiums (profit levels of auctions)	Social Network (average number of referrals)	Value of Good (average price)	Ease of Use (minutes to complete one transaction)	Company Satisfactory Transactions (undisputed transactions)
1	100	10	100	2	300	1	1000	40	40
2	120	12	120	3	330	2	1500	35	40
3	95	9.5	95	2	290	1	980	40	40
4	200	20	210	5	350	5	2100	25	40
5	122	12	120	2.5	300	3	1020	33	40
6	150	15	140	4	400	6	1600	30	40
7	100	10	110	2	300	2	1000	39	40
8	80	7.5	80	1	280	1	850	45	40
9	98	10	100	1	300	1	1000	42	40
10	145	15	145	5	400	5	1500	31	40
11	244	24.2	243.6	8	450	8	2400	20	40
12	234	20.9	239	7.7	435	7	2350	20	40
13	216	22	220	6.7	316	7	2170	24	40
14	216	21	230	7	413	9	2380	10	40
15	422	40	410	11	810	15	4000	12	40
16	287	28	270	9	490	10	2920	18	40
17	385	38	380	10	500	13	3700	12	40
18	367	37	400	10	500	12	3590	13	40
19	290	28	300	12	480	12	2860	14	40
20	316	30	320	11	490	13	3090	13	40
Averages	209.4	20.5	211.6	6	406.7	6.65	2100.5	25.8	40

From the results shown in table 1, the model for the nominal utility is as follows:

$$U = -25.707 + 5.379 Ri + 0.245 Wi + 0.975Le + 0.053 Pp + 0.676Sn + 0.016Vg + 0.295 Eu + 0 St + 0\epsilon_i$$

However, for one to get the real utility, \hat{U} , he must adjust the nominal utility, U , with the enduring trustworthiness, θ . Suppose that the exogenous $\theta = \sqrt{2}$ the enduring real utility \hat{U} .

Consideration of the Results of the Above Experiment

Individual customer Utility or trust in the Company

The Nominal utility for the first customer;

$$U = -25.707 + 5.379 (10) + 0.245 (100) + 0.975(2) + 0.053 (300) + 0.676(1) + 0.016(1000) + 0.295 (40) + 0(40) = 98.909$$

Suppose the enduring vector of company trustworthiness $\sqrt{2} = 0.64$ Or 0.82 , the real utility, and thus the real level of customer's trust will be:

$$0.64(98.909) = 63.30176 \text{ units of goods.}$$

His utility or trust in the Company's goods will be maximized

when

$$\delta 2\hat{U} / \delta V2 = 0$$

$$\text{Thus } 2(98.909) = 197.818 \text{ units}$$

Average customer utility in the Company

$$U = -25.707 + 5.379 (20.5) + 0.245 (211.6) + 0.975(6) + 0.053 (406.7) + 0.676(6.65) + 0.016(2100.5) + 0.295 (25.8) + 0(40) = 209.524$$

Since the vector of company trustworthiness $\sqrt{2} = 0.64$ Or 0.82 the real average utility will be


$$0.64(209.524) = 134.09536$$

However, it will be maximized at $\delta 2\hat{U} / \delta V2 = 0$

$$\hat{U} = \sqrt{2} (209.524)$$

$$\delta 2\hat{U} / \delta V2 = 2(209.524) = 419.048 \text{ units}$$

Thus, the company average utility or trust will be maximized when its average customer utility reaches 419.048 units of goods sold. As shown in figure 2



Figur2. Average Customer Utility Units

4. CONCLUSIONS

Online auction has become particularly much vulnerable to individuals and companies due to unethical behaviors such as fraud. Together with technical problems, online auctioneering companies have to ensure that they eliminate them, to enhance trust in bidders. The study has also shown that the whole industry bidding environment is also likely to affect bidding tendencies in many participants. This puts pressure on the auctioneering firm to point out fraudulent companies and individuals to protect innocent bidders. However, individual attitudes, due to the number of years spent in bidding could also reveal the level of confidence one will have in online auction. However, the online auction and prices of goods under consideration will also impact heavily on customer utility and trust. Noting that the study has had several limitations, future models should incorporate them. Study items that are of rational nature, could be quantified using validly recognized scales in Social Sciences. The studies would also ensure that only real bidders, from different companies and industries are allowed to take the questionnaires. Further, the number of bidders and companies should be larger for more precise and universally accepted results. Finally, future models that consider units of several products are also welcome.

5. REFERENCES

[1] El-Kenawy, E. S. M. T., El-Desoky, A. I., & Sarhan, A. M. (2014). A bidder strategy system for online auctions trust measurement. *International Journal of Strategic Information Technology and Applications (IJSITA)*, 5(3), 37-47.

[2] Hassib, E. M., El-Desouky, A. I., Labib, L. M., & El-kenawy, E. S. M. WOA+ BRNN: An imbalanced big data classification framework using Whale optimization and deep neural network. *Soft Computing*, 1-20.

[3] M. A. Mohamed, M. E. A. Abou-Elsoud and M. M. Eid, "An efficient algorithm in extracting human iris Morphological features," 2009 International Conference on Networking and Media Convergence, Cairo, 2009, pp. 146-150.

[4] M. A. Mohamed, M. A. Abou-El-Soud and M. M. Eid, "Automated algorithm for iris detection and code generation," 2009 International Conference on Computer Engineering & Systems, Cairo, 2009, pp. 475-481.

[5] El-kenawy, E. S. M., El-Desoky, A. I., & Al-rahamawy, M. F. (2012). Distributing Graphic Rendering using Grid Computing with Load Balancing. *International Journal of Computer Applications*, 975, 888.

[6] El-kenawy, E. S. M. T. (2019). A Machine Learning Model for Hemoglobin Estimation and Anemia Classification. *International Journal of Computer Science and Information Security (IJCSIS)*, 17(2).

[7] M. A. Mohamed, M. E. Abou-Elsoud and M. M. Eid, "Automated face recognition system: Multi-input databases," *The 2011 International Conference on Computer Engineering & Systems*, Cairo, 2011, pp. 273-280.

[8] Hikal, N. A., & Eid, M. M. (2018). A new approach for palmprint image encryption based on hybrid chaotic maps. *Journal of King Saud University-Computer and Information Sciences*.

[9] Hassib, E. M., El-Desouky, A. I., El-kenawy, E. S. M., & Elghamrawy, S. (2019). An Imbalanced Big Data Mining Framework for Improving Optimization Algorithms Performance. *IEEE Access*.

[10] El-Knawy, E. S. M. T., & El-Desoky, A. I. (2016). TRUST MEASUREMENT FOR ONLINE AUCTIONS: PROPOSAL OF NEW MODEL. *INTERNATIONAL JOURNAL OF INNOVATIVE COMPUTING INFORMATION AND CONTROL*, 12(2), 385-394.

[11] El-sayed, M., El-Desoky, A. I., & Sarhan, A. M. (2014). A bidder behavior learning intelligent system for trust measurement. *International Journal of Computer Applications*, 89(8).

[12] Reham Arnous, El-Sayed Towfek M El-kenawy and M Saber. A Proposed Routing Protocol for Mobile Ad Hoc Networks. *International Journal of Computer Applications* 178(41):26-30, August 2019.

[13] El-Sayed Towfek M El-kenawy. Trust Model for Dependable File Exchange in Cloud Computing. *International Journal of Computer Applications* 180(49):22-27, June 2018.

[14] Mohamed, M. A., Abou-El-Soud, M. E. A., & Eid, M. M. (2014). Iris detection and normalization in image domain based on morphological features. *International Journal of Computer Science Issues (IJCSI)*, 11(1), 51.

[15] Eid, M. M., Mohamed, M. A., & Abou-El-Soud, M. A. (2015). Development of Iris Security System Using Adaptive Quality-Based Template Fusion. In *Intelligent Data Analysis and Applications* (pp. 265-278). Springer, Cham.

[16] El-Sayed Towfek M El-kenawy, M Saber and Reham Arnous. An Integrated Framework to Ensure Information Security Over the Internet. *International Journal of Computer Applications* 178(29):13-15, July 2019

[17] El-kenawy, E. S. M. T. (2018). Solar Radiation Machine Learning Production Depend on Training Neural Networks with Ant Colony Optimization Algorithms. *IJARCCCE*, 7(5).DOI10.17148/IJARCCCE.2018.751.

[18] H. Hassan, A. I. El-Desouky, A. Ibrahim, E. M. El-kenawy and R. Arnous, (2020) "Enhanced QoS-based Model for Trust Assessment in Cloud Computing Environment," in *IEEE Access*. doi: 10.1109/ACCESS.2020.2978452

[19] Noshay, M., Ibrahim, A., & Ali, H. A. (2018). Optimization of live virtual machine migration in cloud

- computing: A survey and future directions. *Journal of Network*
- [20] Noshy, M., Ibrahim, A., & Ali, H. A. (2018). Optimization of live virtual machine migration in cloud computing: A survey and future directions. *Journal of Network and Computer Applications*, 110, 1-10.
- [21] Ibrahim, A., Tharwat, A., Gaber, T., & Hassanien, A. E. (2018). Optimized superpixel and AdaBoost classifier for human thermal face recognition. *Signal, Image and Video Processing*, 12(4), 711-719.
- [22] Elhosuieny, A., Salem, M., Thabet, A., & Ibrahim, A. (2019). ADOMC-NPR Automatic Decision-Making Offloading Framework for Mobile Computation Using Nonlinear Polynomial Regression Model. *International Journal of Web Services Research (IJWSR)*, 16(4), 53-73.
- [23] El-Gendy, E., Ibrahim, A. F., Saraya, S. F., & Areed, F. F. (2013). A sliding mode controller for a three-phase induction motor. *International Journal of Computer Applications*, 64(11). [23] Ibrahim, A., Mohammed, S., & Ali, H. A. (2018, February). Breast cancer detection and classification using thermography: a review. In *International Conference on Advanced Machine Learning Technologies and Applications* (pp. 496-505). Springer, Cham.