



RESEARCH

Open Access

Folk medicine used to heal malaria in Calabria (southern Italy)

Giuseppe Tagarelli*, Antonio Tagarelli, Anna Piro

Abstract

In Italy, malaria was an endemic disease that was eradicated by the mid-20th century. This paper evaluates the prophylactic and therapeutic remedies used by folk medicine to cure malaria in Calabria (southern Italy). The data has been collected by analysing works of physicians, ethnographers, folklorists and specialists of the study of Calabrian history between the end of the 19th century and the 20th century. The data collected have allowed us to describe the most common cures used by the Calabrian people to treat malaria and the most evident symptoms of this disease, such as intermittent fever, hepato-splenomegaly, asthenia and dropsy. This approach uncovered a heterogeneous *corpus* of empirical, magical and religious remedies, which the authors have investigated as evidences of past "expert medicine" and to verify their real effectiveness in the treatment of malaria.

Background

Malaria is an infectious disease that is caused by the *Plasmodium* parasite. This disease is transmitted to humans via the Anopheles mosquito. Malaria is a very ancient disease, and although it was not possible to prove its presence in ancient human bones, this disease was probably present among *Homo* genus ancestors [1]. Different populations, such as the Sumerians, Assyrian-Babylonians, Indians, Egyptians and Chinese, experienced seasonal and intermittent fevers [2]. In the Mediterranean area, particularly in Italy, malaria was an endemic disease that was eradicated by the mid-20th century. Moreover, the persistent and lasting presence of malaria determined an interesting state of debility of the affected subjects and a consequent weakening of the labour force, which led to some important and detrimental socio-economic consequences [3]. Folk medicine approaches were used in an attempt to treat several of the most evident effects of malaria, such as intermittent fever, hepato-splenomegaly, asthenia and dropsy.



It is our aim in this work to identify folk medical cures that were used by the Calabrian people for the treatment of malaria, as evidenced in writings produced between the 19th and 20th centuries. The authors have also examined whether same remedies were already described by Pliny the Elder, Dioscorides, Galen and

Serenus Sammonicus, so to be considered as evidence of past "expert medicine".

Area of Study

It is interesting to point out that in some peninsular and insular areas of Italy, despite all the drainage attempts initiated in the 16th century, malaria-associated mortality was only recently eradicated in the mid-20th century (Figure 1) [4]. Among the southern regions of Italy, Calabria was one of the regions that was most affected by malaria. The disease was endemic along its coasts (about 738 km), along its most important rivers (Mesima, Lao, Crati, Tacina and Neto) and within the valleys of its broad streams. The disease was prevalent in 52% of the Calabrian territory (7,877.31/15,080.32 km²) (Figure 2) [5]. Calabria showed both natural and antropic factors that favoured the spread of *Plasmodium*, as well as the endemic and century-old presence of malaria in its territory. Physical features that may have affected the spreading of malaria are represented by a rich hydrographic reticle and the occurrence of seismic phenomena (bradyseisms and earthquakes), which, at that time, contributed to increase the hydro-geological disorder, thus creating many different wet areas (for example, the single earthquake of 1783 created about 215 lakes), which are the favourite environment of the anopheles mosquito [6]. The antropic factors are represented fundamentally by latifundia,

* Correspondence: g.tagarelli@isn.cnr.it
Istituto di Scienze Neurologiche-CNR, Contrada Burga 87050 Mangone,
Cosenza, Italy



deforestation and the very poor social and economic conditions of the rural Calabrian people [7].

Calabria is the southernmost region of peninsular Italy; it borders with the Ionian Sea to the east and south, with the Tyrrhenian Sea to the west, and with the region Basilicata to the north, and it extends for about 250 km from north to south in the middle of the Mediterranean Sea. Calabria reaches 15,080 km² and 42% of its territory is represented by mountains: the Apennine mountain range - the southern Apennines, calcareous, with Pollino Massif (Serra Dolcedorme, 2267 m a.s.l.)- and the Calabrian Apennines, mainly siliceous - with the Coastal Range (M. Cocuzzo, 1541 m a.s.l.), Sila Massif (M. Botte Donato, 1929 m a.s.l.), Serre Calabre (M. Pecoraro, 1423 m a.s.l.) and Aspromonte Massif (Montalto, 1956 m a.s.l.)-. 49% of Calabria's territory is represented by hills and only 9% is flat. The plains are restricted to coastal areas and only three plains extend into the internal areas of the territory (Sibari plain, Saint'Eufemia plain and Gioia Tauro plain).

The climate is Mediterranean, with maximum precipitation during the winter and minimum in the summer and vice versa for the temperature. Precipitation is represented by about 1,041 mm of rainfall per year. The average temperature in the coldest month (January) is about 8.3°C and the warmest month (August) about 24.4°C, with an annual average of 15.8°C [8]. However strong meso-climatic variations occur depending on

altitude, topographic features and location with respect to the sea.

From both an anthropological and an ethnobotanical point of view, Calabria is an interesting region, for the historical presence of several populations (Greeks, Romans, Byzantines, Arabs, Normans and Spanish) in the past that influenced the local culture [9]. Finally, it is interesting to note that the Arbëreshe community, of Albanian origins, settled in this region since the 16th century and is currently located in 25 communes in the provinces of Cosenza, Catanzaro and Crotona [10].

Methods

This study is based on the analysis of works written by physicians, ethnographers, folklorists and specialists of the study of Calabrian history between the end of the 19th century and the 20th century, in particular when both ethnographic and anthropological research focused on the

study of folk medicine. For this reason, the authors have also consulted the check-lists about works on Calabrian folk medicine and beliefs, edited by Lombardi Satriani [11] and Cavalcanti [12]. The sources used in this work are listed in Table 1. The data collected has allowed us to describe the cures used by the Calabrian people to treat malaria and its most evident symptoms, such as intermittent fever, hepato-splenomegaly, asthenia and dropsy. This approach uncovered a heterogeneous *corpus* of empirical, magical and religious remedies, which the authors have investigated as an “official medicine” to cure malaria in the treatises by Pliny the Elder (*Naturalis Historia*) [13-15], Dioscorides (*De Materia Medica*) [16], Galen (*Opera Omnia*) [17-21] and by Serenus Sammoniscus (*Liber Medicinalis*) [22]. These authors, in fact, have influenced medical practice in latter centuries [23].

The plants used by Calabrian people to cure malaria (N = 53) have been identified as species because the

Table 1 Sources used for the research

Author	Period ^o	Description	Reference
Francesco Genovese	1912-1924	Physician, malariologist who wrote about malaria in Calabria.	[6,56,62]
Alessandro Adriano	1932	Physician whose daily experiences provided information about folk Calabrian medicine.	[65]
Giovanni De Giacomo	1892-1896	Folklorist who published many works about folk culture including therapeutic remedies to cure many diseases.	[26,54,55,57]
Gianbattista Marzano	1889-1928	Folklorist and historian who wrote about folk traditions in Laureana di Borrello (province of Reggio Calabria). He published a vocabulary of south Calabrian dialect with historical and folkloric notes as well.	[25,68]
Raffaele Lombardi Satriani	1916-1951	Folklorist and ethnographer who published many works about the Calabrian people.	[11,53]
Luigi Accattatis	1895	Historian and linguist who published a vocabulary of north Calabrian dialect with historical and folkloric notes.	[24]
Filippo Jacopo Pignatari	1894-1895	Man of letters who published many papers about Calabrian beliefs and traditions including the use of plants and animal to cure many diseases.	[58-60,67,75]
Luca De Samuele Cagnazzi	1811	Mathematician who edited the statistical report of the Kingdom of Naples of 1811.	[72]
Vincenzo Donnarumma	1951	Franciscan monk who wrote a book about the religious cult of the Madonna in the province of Cosenza.	[78]
Antonio Iannicelli	1991	Writer who published a book about Calabrian folk traditions.	[79]
Vincenzo Romeo	1946	Physician who published a work about anti-malaria prophylaxis.	[74]
Leopoldo Pagano	1853-1901	Historian and man of letters. He wrote an important book about the economy, history and environment of Calabria.	[66,70]
Placido Olindo Geraci	1957	Man of letters was author of a paper about folk Calabrian medicine.	[64]
Biagio Lanza	1853-1860	Physician and author of a paper about folk medicine in Cassano (province of Cosenza).	[63]
Raffaele Corso	1953	Along with Lombardi Satriani, he was one of the most important Italian folklorists and ethnographers. He wrote many works about amulets.	[77]
Vincenzo Brancia	1853-1860	Priest who wrote a paper about folk medicine in Nicotera (province of Catanzaro).	[69]
Lorenzo Galasso	1915	Priest who wrote a book about the Calabrian people	[76]
Michele Tenore	1827	Botanist who published a work on <i>Prunus spinosa</i> L.	[73]
Silvio Mollo	1930	Man of letters and author of a book about Calabrian folklore	[71]

^o Refers to the year of publication of the works examined.

sources described them with their scientific name (34% of cases, 18/53), or with their Italian name (60% of cases, 32/53). In the latter case, we attributed a plant to a species only if we were absolutely sure about it (for example “olivo” (olive) = *Olea europaea* L.); in the other cases we classified the plants only through their genus (for example “quercia” (oak) = *Quercus* spp.). Furthermore, due to the presence of different dialects in Northern, Central and Southern Calabria, the analysis of the different historical sources required the use of two historical dictionaries of Calabrian dialects [24,25], which were used to translate several ancient terms (that are not used today) into Italian in 4% of cases (2/53). This has allowed us to attribute the local name “vruca” to the genus *Tamarix* spp., while it has not allowed us (2% of cases, 1/53) to attribute the local name “catabuzzico” [26] to any genus. Finally, the plants used to cure malaria in Calabria (N = 52) have been compared with their pharmacological and biological properties [27-48] and with their current use in Calabrian folk medicine, defined by recent fieldworks [49-51] [Table 2].

The family names of the plants recorded in this work follow the Angiosperm Phylogeny Group guidelines [52].

Results

Empirical remedies

The empirical remedies that were used by the Calabrian people, as evidenced by the sources consulted in this work, were used both prophylactically and therapeutically, and were based on drinks, objects, animals, plants and other sources; some of these elements were created *ex novo*, while others were inherited from the “official” medicine of 1th-3th century AD [Tables 3 and 4].

Empirical prophylactic remedies. One of the most commonly used prophylactic empirical remedies was bleeding (which was already described by Galen that affirmed “*Saluberrimum igitur, ut praediximus, est in febribus venam incidere*” (during the fever, as mentioned, it is very useful to incise a vein) (*De Methodo Medendi* XI, 15) [17]. Bleeding was performed preventively by “barbieri” (barbers) and “magare” (witches) during the month of March [53]. During the same period (when the cure was called “marziale”), Calabrian people drank different types of decoctions, such as those made with “durcamara” (*Solanum dulcamara* L.), “acropastu” (*Cynodon dactylon* (L.) Pers.), “strazza buttuni” (*Smilax aspera* L.) and “fumaria” (*Fumaria officinalis* L.) [11,54]. To prevent contagion of the disease during the night in the summer months, people slept for few hours and near a fire [54-56]. Moreover, they drank strong spirits or wine. In particular, they were advised to drink half a litre of wine on an empty stomach [57,58], eat garlic (*Allium sativum* L.) [59], smoke and chew tobacco and

swallow the spittle [56,60], while always maintaining the pipe in the mouth [54-56]. On awaking, it was recommended to eat a macerate of raw garlic in vinegar [54]. Finally, people living on the coast used to spread olive oil mixed with absinth on their bodies, according to Dioscorides who affirmed “*Itemque ex oleo perunctum, culices abigere, ne corpus tangant*” (*Rubbed on with oil it forbids the mosquitos to touch the body*) *De Materia Medica*, III, 23) [16,61] and according to Pliny “*culices ex oleo perunctis abigit*” (who use this oil keep mosquitos away), *Naturalis Historia* XXVII, 28) [13].

Empirical therapeutical remedies. Fasting and purging were recommended for the treatment of malaria-associated fevers. Fasting was thought to appease fever, while purging was thought to remove the malaria-causing parasite from the affected organism. In general, purging was achieved via the administration of ricinus seeds (*Ricinus communis* L.) and by using the root of “savucu” (*Sambucus nigra* L.) [26]. Fasting and purging were inherited from Galenic medicine. Galen wrote the following about fasting: “*(in tertiaris) ... neque quotidie cibum dare oportet, sed alternis diebus abunde fuerit*” (with tertian fevers ... food must not be offered every day, but on alternate days) (*Ad Glauconem de medendi methodo* I, 11) [18]; and about purging: “*ac vacuatio quidem excrementorum omni febre est utilissima*” (during the fever, no doubt, it is very useful to defecate) (*Methodo medendi* IX, 10) [17]. Other treatments aimed at purging and restoring the affected subjects were also used. These included the decoction of “gamumilla” (*Matricaria chamomilla* L.), “ordica” (*Urtica dioica* L., *Urtica urens* L.), and the decoction of the root of “alivu” (*Olea europaea* L.) or of the rhizome of “canna” (*Arundo donax* L.) [26,62,63]. Several empirical therapeutic remedies against malaria-associated fevers were loathsome. These included the ingestion of the subject’s own urine, that of young virgin or that of a healthy woman (in particular, the affected subject was advised to drink 100 g of the urine of a non-affected woman early in the morning) [55-57,64], the consumption of various animals (or parts of animals), such as earthworms (*Lumbricus terrestris*) which were previously placed in the oven and pulverized, or two or three bedbugs (*Cimex lecturalis*) within a Host [56,58,64]. Moreover, patients were encouraged to eat pills of “pappici” (cobweb) [26,56,63-66], the head of a viper (*Vipera aspis*), fried and mixed with absinth [55], goat (*Capra hircus*) dung within a Host, eaten from morning until midday [26,57], one spoonful of coffee per hour [57] and pills of soot [67,68]. Alternatively, to cure hepato-splenomegaly were used hedgehog (*Erinaceus europaeus*) or ox (*Bos taurus*) gall and goat (*Capra hircus*)

Table 2 Medical use of plants to heal malaria in Calabria, bio-pharmacological properties and current use in Calabrian folk medicine

Plants used to heal malaria in Calabria			Current use in Calabrian folk medicine°			Pharmacological/ biological proprieties	Used part	References
Family/ Scientific Name	Local Name	References	Aim	Used part	References			
Adoxaceae								
<i>Sambucus nigra</i> L.	savucu	[26,55]	Antirheumatic, arteriosclerosis, febrifugal, purgative, to treat swollen breast and legs, insect bites, toothache, colics, conjunctivitis	Fi, Fr, Le, Ba, Dfh	[49-51]	Diaphoretic, anti- inflammatory, diuretic	Fl, Ba	[27]
Alliaceae								
<i>Allium cepa</i> L.	cipuddra	[60]	To treat flu, cough and headache, antidiarrhoeic, vermifuge	Bl	[49]	Antibacterial, vermifuge, hypotensive, diuretic, hypoglycaemic, eupeptic	Bl	[27]
<i>Allium sativum</i> L.	agliu	[55,60]	To treat insect bites, neuralgias, calluses, rheumatism, hypotensive, tinea, scabies, tooth decay, cold, diarrhoea	Bl, Cl	[49]	Hypotensive, antibacterial, hypoglycaemic, lipid- lowering, anti- inflammatory	Bl	[27]
Apocynaceae								
<i>Nerium oleander</i> L.	leandru	[58]	Not Reported	---	---	Cardiotonic	Le	[28]
Asteraceae								
<i>Achillea millefolium</i> L.	millefogghio	[58,71]	Emmenagogue	Ap	[49]	Eupeptic, cholagogic, choleretic, antidyspeptic	Fl, Ap	[27]
<i>Artemisia absinthium</i> L.	erba janca	[26,56,58,62,65,71]	Not Reported	---	---	Eupeptic, cholagogic, antidyspeptic	Fh, Le	[27]
<i>Centaurea benedicta</i> (L.) L.	centarva	[56,62,65,68]	Not Reported	---	---	Eupeptic	Fh, Le	[28]
<i>Centaurea taurarium</i> L.	centu gruppa	[11]	Not Reported	---	---	Antioxidant	Ro	[29]
<i>Matricaria chamomilla</i> L.	gamumilla	[26]	Digestive, sedative, antispasmodic, antitussive	Fh	[49,50]	Anti-inflammatory, antibacterial, antifungal	Fh	[27]
Boraginaceae								
<i>Borago officinalis</i> L.	erva pignola	[60]	Diaphoretic, reddening, burns, sunburns, tussis, rheumatism, refreshing, diuretic	Le, Ap	[49,50]	Anti-inflammatory	Oi	[27]
<i>Heliotropium europaeum</i> L.	Not reported	[67]	Urinary inflammations	Ap	[49]	Antibacterial	Oi	[30]
Capparaceae								
<i>Capparis spinosa</i> L.	chiappara	[62]	Not Reported	---	---	Antiviral	Bl	[31]
Cactaceae								
<i>Opuntia ficus indica</i> (L.) Mill.**	ficuniano	[60]	Antispasmodic, antidiarrhoeic, diuretic, to treat bronchitis,	Fl, Fr	[49]	Anti-inflammatory	Clid	[32]
Cucurbitaceae								
<i>Ecballium elaterium</i> (L.) A. Rich.**	cucummeru	[57]	Antirheumatic	Fr	[51]	Cholagogic	Frj	[33]
Dryopteridaceae								
<i>Dryopteris filix- mas</i> (L.) Schott.	filici masculu	[58]	To treat sores provoked by severe burns	Le	[49]	Anti-helminthic, anti- amebic, antiparasitic, antiprotozoal	Ro	[34]

Table 2 Medical use of plants to heal malaria in Calabria, bio-pharmacological properties and current use in Calabrian folk medicine (Continued)

Euphorbiaceae								
<i>Ricinus communis</i> L.	ricinu	[26]	Not Reported	---	---	Laxative	Se	[28]
Fabaceae								
<i>Lupinus albus</i> L.	lupinu	[56,58,62,68]	To treat dermatitis in cattle	Ep	[50]	Gingival anti-inflammatory	Se	[35]
Fagaceae								
<i>Quercus</i> spp.	cerza	[55,58]	Intestinal astringent, detoxifying, cicatrizing	Dried bark of young stems and galls	[50]	Anti-inflammatory, antidiarrhoeic	Ba	[27]
Gentianaceae								
<i>Erythraea centaurium</i> (L.) Borkh.	brundulija	[11,60]	Not Reported	---	---	Eupeptic, antidyspeptic	Le, Fl	[27]
<i>Gentiana lutea</i> L.	genziana	[55]	Not Reported	---	---	Antidyspeptic, eupeptic	Ro	[27]
Juglandaceae								
<i>Juglans regia</i> L.*	nuci	[68]	Vermifuge, anti-diarrhoeic, stomachic, to remove calluses, against excessive feet perspiration	Hu, Le, Fr, Fle	[49-51]	Anti-inflammatory	Le	[27]
Hyacinthaceae								
<i>Urginea maritima</i> (L.) Baker	cipuddazza	[56,62]	Not Reported	---	---	Cardiotonic	Bl	[28]
Lamiaceae								
<i>Ajuga chamaepitys</i> Guss.	campezio	[72]	Not Reported	---	---	anabolic, analgesic, anti-arthritic, antibacterial, antiestrogenic, antifungal, anti-inflammatory, anti-hypertensive, antileukemic, antimalarial antimycobacterial, antioxidant, antipyretic, cardiotonic, cytotoxic, hypoglycemic, vasorelaxing activity ^{oo}	Ep	[36]
<i>Ballota nigra</i> L.	marrobio nero	[63]	Not Reported	---	---	Antioxidant	Le	[44]
<i>Calamintha nepeta</i> (L.) Savi	nipitella	[64,69,70]	To cure insect and snake bites, cicatrizing	Fle, Fh	[49,50]	Antibacterial	Eoi	[45]
<i>Hyssopus officinalis</i> L.	issopu	[65]	Not Reported	---	---	Emmenagogue	Ro	[27]
<i>Rosmarinus officinalis</i> L.	rosamarinu	[64,70,71]	To ripen abscesses quickly, carminative, digestive, to speed up the recovery of sores and wounds	Fl, Le, Br	[49]	Eupeptic, antidyspeptic, emmenagogue, anti-inflammatory	Le, Fh, Eoi	[27]
<i>Salvia officinalis</i> L.	sarvia	[64,70,71]	Digestive, antiasthmatic, to speed up the recovery of sores and wounds, to treat tussis, to cure aphtas and stomatitis, to treat swollen testicles and related pains	Le, Fl, Dle	[49,50]	Antioxidant, anti-inflammatory	Le, Ap	[27]
<i>Teucrium chamaedrys</i> L.	cametriu	[11,26,55,56,62,65]	Not Reported	---	---	Poisonous	---	[37]

Table 2 Medical use of plants to heal malaria in Calabria, bio-pharmacological properties and current use in Calabrian folk medicine (Continued)

Lythraceae								
<i>Punica granatum</i> L.	granato	[58]	Haemostatic, vermifuge	Frb, Rob	[51]	Emmenagogue	Rob	[27]
Myrtaceae								
<i>Eucalyptus</i> spp.	calipsi	[58,68]	Antiseptic of the respiratory tract	Le	[50]	Antibacterial, anti-inflammatory, spasmolytic, expectorant	Le	[27]
Oleaceae								
<i>Olea europaea</i> L.	alivu	[62,68]	Cholagogic, hypotensive, astringent, suppurative, to treat small burns, tooth ache	Le, Rfr, Ba, Oi	[49-51]	Hypotensive, diuretic, spasmolytic, antipyretic	Le	[27]
Papaveraceae								
<i>Chelidonium majus</i> L.	cucumaju	[56]	To treat warts, calluses, gastric pains	La, Le	[49]	Cholagogic, choleric, hypotensive, antibacterial, antifungal, antiviral, anti-inflammatory, antidyspeptic	Ap	[27]
<i>Fumaria officinalis</i> L.	fumaria	[11]	Not Reported	---	---	Cholagogic, choleric	Ap	[27]
Piperaceae								
<i>Piper nigrum</i> L.	pipi nivuro	[60,63,64]	Not Reported	---	---	Antioxidant, anti-inflammatory, anti-diarrhoeal, eupeptic	Se	[46]
Poaceae								
<i>Arundo donax</i> L.	canna	[62]	Haemostatic, cicatrising, to treat throat inflammations and bronchitis	Sa, Rh	[49,50]	Hypotensive, spasmolytic	Rh	[38]
<i>Cynodon dactylon</i> (L.) Pers.	acropastu, addisa, gramigna	[11,54]	Diuretic, to alleviate rheumatic pains, inflammations of the digestive and urogenital system	Ap, Rh, Se	[49-51]	Diuretic, anti-inflammatory	Ro	[27]
Rosaceae								
<i>Prunus spinosa</i> L.	cucumele	[24,69,72,73]	Not Reported	---	---	Anti-inflammatory	Fr	[27]
Rutaceae								
<i>Citrus bergamia</i> Risso	bergamotto	[64]	Cicatrizing and antiseptic for wounds and chilblains, to cure anomalous vaginal secretions, as a contraceptive	Eoi	[49]	Antimicrobial	Ba	[47]
<i>Citrus limonum</i> Risso	limuni	[11,56,65,74]	Stomachic, to treat cough, slimming agent, chilblains, migraine (after drunkenness), toothache, rheumatism, oral hollow diseases	Frj, Fr,	[49]	Anti-inflammatory	Frj	[39]
<i>Ruta</i> spp.	ruta	[64,70]	Anti-helminthic, to treat gastritis, abscesses, rheumatic pains, headache, intestinal inflammations and eye reddening	Ap, Le	[49,50]	Antibacterial	Le	[48]
Salicaceae								
<i>Salix</i> spp.	salici	[58]	Against fever and rheumatic pains	Ba	[50]	Antipyretic, anti-inflammatory, analgesic	Ba	[27]

Table 2 Medical use of plants to heal malaria in Calabria, bio-pharmacological properties and current use in Calabrian folk medicine (Continued)

Smilacaceae								
<i>Smilax aspera</i> L.	strazza buttuni	[11]	Not Reported	---	---	Adaptogen	Ro	[27]
Solanaceae								
<i>Solanum dulcamara</i> L.	durcamara	[11]	Not Reported	---	---	To treat dermatitis	St	[27]
<i>Capsicum annuum</i> L.	pipariaddru	[56,60,62,75]	To rise blood flow to superficial tissues	Fr	[49]	Antidyspeptic, anti-inflammatory	Fr	[27]
<i>Capsicum annuum</i> L. Var. <i>acuminatum</i> Fing.	pipi	[55,57,60,68,76]	Revulsive	Fr	[49]	Antioxidant	Fr	[40]
Tamaricaceae								
<i>Tamarix</i> spp.	vruca	[24,65]	Not Reported	---	---	Antioxidant, antibacterial	Fl, Le	[41]
Urticaceae								
<i>Parietaria officinalis</i> L.	erba 'i muru	[56,62]	Diuretic, depurative, cholagogue, to treat bruises, haematoma, kidney stones, abscesses, skin inflammations, viper bite	Le, Ro, Ap, Ep	[49-51]	Diuretic, uricosuric	Ap	[42]
<i>Urtica dioica</i> L.	urdica	[62]	Antirheumatic, hepatoprotective, to treat haemorrhoids, renal troubles	Ap, Ro, Le, To	[49,50]	Diuretic, anti-inflammatory	Ap, Ro	[27]
<i>Urtica urens</i> L.	urdica piccola	[63]	Not Reported	---	---	Diuretic, anti-inflammatory	Ap, Ro	[27]
Valerianaceae								
<i>Valeriana officinalis</i> L.	malariaiana	[65]	Not Reported	---	---	Sedative	Ro	[27]
Verbenaceae								
<i>Verbena officinalis</i> L.*	erba di la crucivia	[56,57,62]	Not Reported	---	---	Anti-inflammatory, analgesic	Le	[43]

* Plant used like magic remedy too (see text); ** plants used like magic remedy only (see text); Used parts of plant: Ap aerial part; Ba bark; Bl bulb; Br branches; Bu bud; Cl cloves; Cld cladodes; Dle dry leaves; Dfh dry flower heads; Eoi essential oil; Ep entire plant; Fh flower heads; Fi feminine inflorescences; Fl flowers; Le fresh leaves; Fr fruit; Frb fruit bark; Frj fruit juice; Hu husk; La latex; Le leaves; Oi oil; Rfr ripe fruit; Rh rhizome; Ro root; Rob root bark; Sa sap; Se seeds; St stem; To tops;

° Current use drawn from recent fieldworks

°° The properties relating to certain species of the genus *Ajuga*

ding [55]. As three “Cantarelle” (*Cantharis vescicatoria*) minced in water were used as a diuretic against dropsy [56].

Calabrian people believed without any doubt in the remedies described above; however, they also used numerous plants to cure malaria. Some of these plants are still currently used in Calabrian folk medicine to cure various diseases [Table 1]. Many decoctions or infusions of various herbaceous species were used to cure malaria-associated fevers. These herbaceous plants included “issopu” (*Hyssopus officinalis* L.), “valariana” (*Valeriana officinalis* L.), “filici masculu” (*Dryopteris filix-mas* (L.) Schott.), “lupinu” (*Lupinus albus* L.), “cametriu” (*Teucrium chamaedrys* L.), “brundulija” (*Erythraea centaureium* (L.) Borkh.), “centu gruppa” (*Centaurea centaureium*

L.), “centarva” (*Centaurea benedicta* L.), “sarvia” (*Salvia officinalis* L.), “rosamarinu” (*Rosmarinus officinalis* L.), “nepitella” (*Calamintha nepeta* (L.) Savi), “ruta” (*Ruta* spp.), “erba janca” (*Artemisia absinthium* L.), “cipuddra” (*Allium cepa* L.), “agliu” (*Allium sativum* L.), “millefoglio” (*Achillea millefolium* L.), “erba pignola” (*Borago officinalis* L.), “marrobbio nero” (*Ballota nigra* L.), “campezio” (*Ajuga chamaepitys* Guss.), “elitropia” (*Heliotropium europaeum* L.) (which was ingested with white wine), “genziana” (*Gentiana lutea* L.) and “erba i la crucivia” (*Verbena officinalis* L.) [11,26,55-58,60,62-65,67-72]. Some ligneous species must be added to this list, particularly the following plants: the aerial parts of “vruca” (*Tamarix* spp.), and “leandru” (*Nerium oleander* L.); the leaves of “alivu” (*Olea europaea* L.) and “calipsi”

Table 3 Medical use of plants to heal malaria in Calabria, mentioned by historical sources used for the research

Plants Family/Scientific Name	Pliny	Dioscorides	Galen	Serenus Sammonicus
Adoxaceae				
<i>Sambucus nigra</i> L.	To cure dropsy (<i>Naturalis Historia</i> XXIV, 52) [13]	To cure dropsy (<i>De Materia Medica</i> IV, 172) [16]	To cure spleenomegaly (<i>Galen Opera Omnia</i> XIII, 244) [21]	To cure dropsy (<i>Liber Medicinalis</i> XXVI, 498) [22]
Alliaceae				
<i>Allium cepa</i> L.		To cure dropsy (<i>De Materia Medica</i> II, 181) [16]		
<i>Allium sativum</i> L.	To cure quartain fevers (<i>Naturalis Historia</i> XX, 23) [15]			To cure quartain fevers (<i>Liber Medicinalis</i> XLIX, 899) [22]
Apocynaceae				
<i>Nerium oleander</i> L.				
Asteraceae				
<i>Achillea millefolium</i> L.				
<i>Artemisia absinthium</i> L.	To cure hepato-spleenomegaly (<i>Naturalis Historia</i> XXVII, 28) [15]	To cure dropsy and spleenomegaly (<i>De Materia Medica</i> III, 23) [16]	To cure spleenomegaly (<i>Galen Opera Omnia</i> XIII, 240) [21]	To cure quartain fevers (<i>Liber Medicinalis</i> XLIX, 903) [22]
<i>Centaurea benedicta</i> (L.) L.				
<i>Centaurea centaurium</i> L.		To cure fevers (<i>De Materia Medica</i> III, 6) [16]	To cure fevers (<i>Galen Opera Omnia</i> XII, 19) [20]	
<i>Matricaria chamomilla</i> L.		To cure fevers (<i>De Materia Medica</i> III, 144) [16]		
Boraginaceae				
<i>Borago officinalis</i> L.				
<i>Heliotropium europaeum</i> L.	To cure quartain fevers (<i>Naturalis Historia</i> XX, 29) [15]	To cure tertian and quartain fevers (<i>De Materia Medica</i> IV, 190) [16]		
Capparaceae				
<i>Capparis spinosa</i> L.	To cure spleenomegaly (<i>Naturalis Historia</i> XX, 59) [15]	To cure spleenomegaly (<i>De Materia Medica</i> II, 204) [16]	To purge; To cure spleenomegaly and dropsy (<i>Galen Opera Omnia</i> XII, 9) [20]	
Cactaceae				
<i>Opuntia ficus indica</i> (L.) Mill.**				
Cucurbitaceae				
<i>Ecballium elaterium</i> (L.) A. Rich.**		To cure dropsy (<i>De Materia Medica</i> IV, 154) [16]	To cure jaundice (<i>Galen Opera Omnia</i> XII, 122) [20]	

Table 3 Medical use of plants to heal malaria in Calabria, mentioned by historical sources used for the research (Continued)

Dryopteridaceae			
<i>Dryopteris filix-mas</i> (L.) Schott.		To cure splenomegaly (<i>De Materia Medica</i> IV, 158) [16]	To cure dropsy (<i>Liber Medicinalis</i> XVI, 511) [22]
Euphorbiaceae			
<i>Ricinus communis</i> L.		To purge; To cure dropsy (<i>De Materia Medica</i> IV, 141) [16]	To purge (<i>Galen Opera Omnia</i> XII, 26) [20]
Fabaceae			
<i>Lupinus albus</i> L.	To cure splenomegaly (<i>Naturalis Historia</i> XXII, 74) [15]	To cure splenomegaly (<i>De Materia Medica</i> II, 132) [16]	
Fagaceae			
<i>Quercus</i> spp.		To expel urine (<i>De Materia Medica</i> I, 143) [16]	
Gentianaceae			
<i>Erythraea centaurium</i> (L.) Borkh.		To cure dropsy (<i>De Materia Medica</i> III, 7) [16]	To cure splenomegaly (<i>Galen Opera Omnia</i> XII, 20) [20]
<i>Gentiana lutea</i> L.		To cure hepatomegaly (<i>De Materia Medica</i> III, 3) [16]	
Juglandaceae			
<i>Juglans regia</i> L.*			
Hyacinthaceae			
<i>Urginea maritima</i> (L.) Baker	To cure dropsy (<i>Naturalis Historia</i> XX, 100) [15]	To cure dropsy and jaundice (<i>De Materia Medica</i> II, 102) [16]	To cure hepato-splenomegaly; To expel urine (<i>Galen Opera Omnia</i> XI, 746, 749) [18]
Lamiaceae			
<i>Ajuga chamaepitys</i> Guss.	To cure dropsy (<i>Naturalis Historia</i> XXIV, 30) [13]	To cure jaundice (<i>De Materia Medica</i> III, 175) [16]	To expel urine; To cure splenomegaly (<i>Galen Opera Omnia</i> XII 155; XIII, 240) [20,21]
<i>Ballota nigra</i> L.			To cure splenomegaly (<i>Galen Opera Omnia</i> XII, 108) [20]
			To cure hepato-splenomegaly (<i>Liber Medicinalis</i> XXII, 417) [22]
<i>Calamintha nepeta</i> (L.) Savi		To cure jaundice (<i>De Materia Medica</i> III, 28) [16]	To cure dropsy (<i>Galen Opera Omnia</i> XIII, 264) [21]
			To cure splenomegaly and dropsy (<i>Liber Medicinalis</i> XXII, 419; XVI, 504) [22]

Table 3 Medical use of plants to heal malaria in Calabria, mentioned by historical sources used for the research (Continued)

<i>Hyssopus officinalis</i> L.	To cure splenomegaly (<i>Naturalis Historia</i> XXVI, 48) [13]	To cure dropsy and splenomegaly (<i>De Materia Medica</i> III, 28) [16]	To cure dropsy (<i>Galen Opera Omnia</i> XIII, 263) [21]	
<i>Rosmarinus officinalis</i> L.	To cure hepato-splenomegaly (<i>Naturalis Historia</i> XXIV, 59) [13]	To cure jaundice (<i>De Materia Medica</i> III, 89) [16]	To cure jaundice (<i>Galen Opera Omnia</i> XII, 60) [20]	To cure hepato-splenomegaly (<i>Liber Medicinalis</i> XXII, 408) [22]
<i>Salvia officinalis</i> L.		To expel urine (<i>De Materia Medica</i> III, 35) [16]		To cure hepatomegaly (<i>Liber Medicinalis</i> XXI, 381) [22]
<i>Teucrium chamaedrys</i> L.	To cure splenomegaly and dropsy (<i>Naturalis Historia</i> XXIV, 131) [13]	To cure splenomegaly (<i>De Materia Medica</i> III, 102) [16]	To cure spleen; To expel urine (<i>Galen Opera Omnia</i> XII, 153) [20]	
Lythraceae				
<i>Punica granatum</i> L.				
Myrtaceae				
<i>Eucalyptus</i> spp.				
Oleaceae				
<i>Olea europaea</i> L.		To expel urine (<i>De Materia Medica</i> I, 141) [16]		
Papaveraceae				
<i>Chelidonium majus</i> L.		To cure jaundice (<i>De Materia Medica</i> II, 211) [16]	To cure fevers (<i>Galen Opera Omnia</i> XII, 156) [20]	
<i>Fumaria officinalis</i> L.		To expel urine (<i>De Materia Medica</i> IV, 108) [16]	To expel urine (<i>Galen Opera Omnia</i> XII, 8) [20]	
Piperaceae				
<i>Piper nigrum</i> L.		To cure periodical fevers (<i>De Materia Medica</i> II, 158) [16]	To cure quartain fevers (<i>Galen Opera Omnia</i> XIV, 524) [19]	To cure hepatomegaly (<i>Liber Medicinalis</i> XXI, 384) [22]
Poaceae				
<i>Arundo donax</i> L.	To cure dropsy (<i>Naturalis Historia</i> XXIV, 50) [13]			
<i>Cynodon dactylon</i> (L.) Pers.			To expel urine (<i>Galen Opera Omnia</i> XI, 810) [18]	
Rosaceae				
<i>Prunus spinosa</i> L.				
Rutaceae				
<i>Citrus bergamia</i> Risso				

Table 3 Medical use of plants to heal malaria in Calabria, mentioned by historical sources used for the research (Continued)

<i>Citrus limonum</i> Risso				
<i>Ruta</i> spp.		To cure dropsy (<i>De Materia Medica</i> III, 45) [16]	To expel urine; to cure dropsy (<i>Galen Opera Omnia</i> XII, 101; XIII, 257) [20,21]	
Salicaceae				
<i>Salix</i> spp.				
Smilacaceae				
<i>Smilax aspera</i> L.				
Solanaceae				
<i>Solanum dulcamara</i> L.			To expel urine (<i>Galen Opera Omnia</i> XII, 145) [20]	
<i>Capsicum annuum</i> L.				
<i>Capsicum annuum</i> L. Var. <i>acuminatum</i> Fing.				
Tamaricaceae				
<i>Tamarix</i> spp.	To cure spleenomegaly (<i>Naturalis Historia</i> XXIV, 61) [15]	To cure spleenomegaly (<i>De Materia Medica</i> I, 116) [16]	To cure spleenomegaly (<i>Galen Opera Omnia</i> XII, 80) [20]	To cure spleenomegaly (<i>Liber Medicinalis</i> XXII, 408) [22]
Urticaceae				
<i>Parietaria officinalis</i> L.				
<i>Urtica dioica</i> L., <i>Urtica urens</i> L.	To cure spleenomegaly; to expel urine (<i>Naturalis Historia</i> XXII, 15) [15]	To cure spleenomegaly (<i>De Materia Medica</i> IV, 102) [16]		
Valerianaceae				
<i>Valeriana officinalis</i> L.		To cure jaundice (<i>De Materia Medica</i> I, 6) [16]	To expel urine (<i>Galen Opera Omnia</i> XII, 85) [20]	
Verbenaceae				
<i>Verbena officinalis</i> L.	To cure fevers (<i>Naturalis Historia</i> XXV, 59) [13]	To cure tertian and quartain fevers (<i>De Materia Medica</i> IV, 61) [16]		

(*Eucalyptus* spp.); the roots of “granato” (*Punica granatum* L.), “cucumele” (*Prunus spinosa* L.), “savucu” (*Sambucus nigra* L.), and “cerza” (*Quercus* spp.). The bark of “cucumele”, “cerza” and “salici” (*Salix* spp.) was also used [24,26,55,58,62,65,68,69,72,73].

Other remedies were similarly efficacious; these included the mesocarp of “nuci” (*Juglans regia* L.) chopped finely and mixed with wine, “bergamoto” (*Citrus bergamia* Risso), “limuni” (*Citrus limonum* Risso, which was broken, boiled and maintained fresh overnight, then drunk at breakfast for three mornings), “pipi nivuru” (*Piper nigrum*

L.), “pepe arsente” (*Capsicum annuum* L.) and ten bitter seeds of decorticated “lupinu” (*Lupinus albus* L.), taken in the morning [11,56,58,60,62-65,68,74,75].

Other than fever, the most evident symptoms of malaria are hepato-spleenomegaly and dropsy. We also found descriptions of several remedies for these symptoms. There were many cures for hepato-spleenomegaly: a decoction of the root of “chiappara” (*Capparis spinosa* L.), or of “acropistu” (*Urtica dioica* L., *Urtica urens* L.), the latter taken together with potassium nitrate in the morning; eating “cipuddra” (*Allium cepa* L.) or “pipi”

Table 4 Medical use of animals to heal malaria in Calabria, mentioned by historical sources used for the research

Animals	Pliny	Dioscorides	Galen	Serenus Sammonicus
<i>Cimex lecturalis</i>	To cure quartain fevers (<i>Naturalis Historia</i> XXIX, 17) [14]	To cure quartain fevers (<i>De Materia Medica</i> II, 36) [16]		To cure tertian fevers (<i>Liber Medicinalis</i> XLIX, 921) [22]
<i>Homo sapiens</i>		To cure dropsy (<i>De Materia Medica</i> II, 99) [16]		
<i>Lumbricus terrestris</i>		To cure tertian fevers (<i>De Materia Medica</i> II, 99) [16]		
Spider	To cure quartain fevers (<i>Naturalis Historia</i> XXX, 30) [14]	To cure quartain fevers (<i>De Materia Medica</i> II, 48) [16]		
<i>Vipera aspis</i>	To cure fevers (<i>Naturalis Historia</i> XXX, 30) [14]			
<i>Capra hircus</i>		To cure hepatomegaly (<i>De Materia Medica</i> II, 98) [16]	To cure spleenomegaly and dropsy (<i>Galen Opera Omnia</i> XII, 297; XIII, 263) [20,21]	
<i>Erinaceus europaeus</i>	To cure dropsy (<i>Naturalis Historia</i> XXX, 30) [14]	To cure dropsy (<i>De Materia Medica</i> II, 2) [16]		
<i>Cantharis vesicatoria</i>	To cure dropsy (<i>Naturalis Historia</i> XXIX, 96) [14]		To expel urine (<i>Galen Opera Omnia</i> XII, 363) [20]	
Snake	To cure quartain fevers (<i>Naturalis Historia</i> XXX, 30) [14]			
<i>Bos taurus</i>			To cure dropsy (<i>Galen Opera Omnia</i> XIII, 263) [21]	

(*Capsicum annuum* L. Var. *acuminatum* Fing.), the latter together with a strong wine. Finally, another remedy involved the use of “cucumaju” (*Chelidonium majus* L.) [55-57,60,63,68,76].

To treat dropsy, which was called “acqua ‘ntà panza” (water in the stomach), Calabrian people used several diuretic remedies, such as “erba i muru” (*Parietaria officinalis* L.), “cipuddazza” (*Urginea maritima* (L.) Baker), and “cametriu” (*Teucrium chamaedrys* L.) [11,26,55,56,62,66].

Magic remedies

Because of the presence of malaria in the daily lives of Calabrian people, this disease was considered a normal life trouble; however, its most dangerous and deadly forms were considered by Calabrian people as a condition of supernatural nature. Therefore, they resorted to magic remedies that were believed to “link” the disease. These included, in particular, wearing a “nuci trischéra

o a tri guarri” (a three-valve walnut shell) (*Juglans regia* L.), a spider that was enclosed between two shells of a walnut or skin, skeleton and fangs of snake, the latter extracted when animal was still alive, as it was believed that the disease would then affect the walnut, the spider or the parts of the snake, and not the subjects who wore these amulets [65,77]. Furthermore, a live “carpurita” (*Pachyiulus communis*) was sewn into the clothes of the affected subject (without the patient realizing it) or a “paletta” (*Opuntia ficus-indica* (L.) Mill.) was placed near the fireplace. It was believed that when the animal died, or when the stem of the plant dried, the fever or the hepato-spleenomegaly would disappear [26,60]. In an analogy with the ancient belief in the therapeutic principle of “contact”, to defeat spleenomegaly Calabrians were encouraged to place “erba i la crucivia” (*Verbena officinalis* L.) on the abdomen of the affected subject before sleeping, as it would absorb the “bad

blood" [56,57,62]. Finally, every morning the affected subject had to urinate on "cuczzielli acriesti maturi", the fruits of *Ecballium elaterium* (L.) A. Rich., to transfer the disease from the subject to the fruit [57].

Religious remedies

Calabrian people alternated or combined both empirical and magical remedies and, very often, used prayers and acts of devotion, as diseases were believed to be associated to divine punishment. Thus, in Cosenza (Northern Calabria) the "Madonna della Febbre" was invoked with prayers, *ex voto* and pilgrimages [78]; in Castrovillari (province of Cosenza), the prayer to the "Madonna d'Itria" was as follows: "*Madonna mia 'i L'Itria, chi stai 'nganna a'sta jumara fammi passà 'sta freva 'i quartana c'ù jurnu tuju non vugghiu mangià panu*" ("My Lady of Itria, close to the river, let the fever out and on your commemoration day I will not eat bread") [79].

Discussion

The methodology based on the analysis of historical sources regarding Calabrian folk medicine remedies for the prophylaxis and treatment of malaria, if not compared with similar studies, can be considered a case study where the ordinary methodologies of ethno-medical-biological research are combined with the methodologies pertaining to historical-anthropological sciences. In addition, this is part of a debate regarding the association between ethnobotany and ethnopharmacology and other disciplines, to improve our understanding of the human usage of plants [80]. Moreover, this work complies with De Natale et al. [81], who created a database of the historical use of plants in the popular medicine of the Mediterranean basin. However, this study has revealed some interesting and heterogeneous features regarding Calabrian popular medicine practices used to prevent and treat malaria, some of which were inherited by the Calabrian people from the "expert medicine" of the past centuries.

The first type of practices that we have described were characterized by a rational approach. Indeed, the use of medicinal plants, 69% of which (36/52) is recognized by the current pharmacopoeia as having some pharmacological/biological properties, succeeded in assuaging temporarily the most evident sufferings associated with the disease (fever, hepato-splenomegaly, asthenia and drowsy) as well as its complications, such as the proneness to bacterial infections, even if did not cure the malarial infection. 23% (12/52) of the plants which were used by Calabrian people to treat malaria, have pharmacological/biological properties which did not allow to relieve the symptoms of malaria; however, they did not damage the affected subjects. Finally, 8% (4/52) of these plants were characterized by some pharmacological/

biological properties which could be harmful for a malarial subject; or these properties could even be poisonous both for the malarial and the healthy subject.

The second type of practices were linked to the magic tradition of Calabrian folk medicine which, like the traditions of all Southern Italian regions, is rich in myths, symbolism and fantastic representations [82]. Thus, malaria became a synonym of "malia", or, as Pasquarelli [83] affirmed, it became "an aspect of paludism". Malaria was thought to be a consequence of a malefic element that affected the behaviour and the life of an individual; therefore, only a magic cure could remedy the disease.

The third type of practices were characterized by a strong principle of ineluctability, which is currently present among the Calabrian society: the sick entrusted God with prayers or acts of devotion, with the conviction that only God would be able to provide recovery from the disease.

Conclusions

The use of plants combined with other cures, such as the use of spiders, cantharis and leeches, represents prophylactic or therapeutic elements inherited from ancient medical science, some of which were still used to treat malaria in hospitals and in general by 19th-century physicians, before the introduction of quinine. This element is very interesting; while the empirical and magic remedies were not based on the symptomatology of the disease (they were rather "psychological and protective" elements [82]), the use of plants represented a real treatment, and served as a popular medicine base to treat various diseases.

In conclusion, the remedies described in this work allow us to establish the link between malaria and Calabrian people, so that Turner's statement that "the more widely or intensively a plant is used, the greater is its cultural significance" [84] can, in this case, be extended to malaria; the more folk remedies are used to cure malaria, the greater is the significance of its historical, medical and social meaning.

Authors' contributions

GT conceived of the study, collected and analyzed the data, drafted the manuscript. AT and AP supervised the work at all its stages.

Competing interests

The authors declare that they have no competing interests.

Received: 18 September 2009 Accepted: 18 September 2010

Published: 18 September 2010

References

1. Capasso L: The origin of human malaria. *International Journal of Anthropology* 1998, **13**:165-175.
2. Givigliano GP: Land and Malaria in the Bruttii. *International Journal of Anthropology* 1998, **3-4**:181-194.

3. Tognotti E: *La malaria in Sardegna. Per una storia del paludismo nel Mezzogiorno (1880-1950)* Milano: Franco Angeli Editore 1996.
4. Coluzzi A: **L'eradicazione della malaria. Una sfida al mondo.** *Annali della sanità pubblica* 1961, **22**:241-253.
5. Tagarelli A: **Distribuzione geografica della malaria.** *La Malaria in Calabria* Comitato per gli studi storico e scientifici della malaria in Calabria. Castellammare di Stabia: Grafiche Somma 1997, 117-119.
6. Genovese F: **Terremoti, bradisismi ed altri fenomeni geologici in rapporto alla malaria locale.** *La Malariologia* 1921, **VII**:13-19.
7. Misefori E: *Storia sociale della Calabria* Milano: Jaca Book 1974.
8. Capra A, Consoli S, Russo A, Scicolone B: **Variabilità climatica in Calabria ed effetti su alcune grandezze agrometeorologiche.** In *IX Convegno Nazionale dell'Associazione Italiana di Ingegneria Agraria: 12-16 settembre 2009; Ischia (NA)* Edited by: Doppia Voce 2009, 2-20.
9. Placanica A: *Storia della Calabria: dall'antichità ai giorni nostri* Roma: Donzelli Editore 1999.
10. Altamari F, Savoia LM: *I dialetti italo-albanesi. Studi linguistici e storico-culturali sulle comunità arbëreshe* Roma: Bulzoni Editore 1994.
11. Lombardi Satriani R: *Credenze popolari calabresi* Napoli: Edizioni De Simone 1951.
12. Cavalcanti O: *La cultura subalterna in Calabria: profilo storico degli studi e bibliografia* Roma, Reggio Calabria: Casa del libro 1982.
13. Jones WHS: *Pliny, Natural History* Cambridge (Massachusetts): Harvard University Press and London: William Heinemann LTD 1966, **VII**:XXIV-XXVII.
14. Jones WHS: *Pliny, Natural History* Cambridge (Massachusetts): Harvard University Press and London: William Heinemann LTD 1963, **VIII**:XXVIII-XXXII.
15. Jones WHS: *Pliny, Natural History* Cambridge (Massachusetts): Harvard University Press and London: William Heinemann LTD 1969, **VI**:XX-XXIII.
16. Kühn CG: *Pedanius Dioscoridis Anazarbei De Materia Medica* Tomus I Lipsiae: Officina Libraria Car. Knoblochii 1829.
17. Kühn CG: *Claudii Galeni Opera Omnia* Tomus X Lipsiae: Officina Libraria Car. Knoblochii 1821.
18. Kühn CG: *Claudii Galeni Opera Omnia* Tomus XI Lipsiae: Officina Libraria Car. Knoblochii 1826.
19. Kühn CG: *Claudii Galeni Opera Omnia* Tomus XIV Lipsiae: Officina Libraria Car. Knoblochii 1827.
20. Kühn CG: *Claudii Galeni Opera Omnia* Tomus XII Lipsiae: Officina Libraria Car. Knoblochii 1826.
21. Kühn CG: *Claudii Galeni Opera Omnia* Tomus XIII Lipsiae: Officina Libraria Car. Knoblochii 1827.
22. Pépin R: *Quintus Serenus Sammonicus, Liber Medicinalis* Paris: Presses Universitaires de France 1950.
23. Cosmacini G, Gaudenzi G, Satolli R: *Dizionario di storia della salute* Torino: Einaudi 1996.
24. Accattatis L: *Vocabolario del dialetto calabrese* Castrovillari: Dai Tipi di Francesco Patitucci 1895.
25. Marzano GB: *Dizionario etimologico del dialetto calabrese* Laureana di Borrello 1928.
26. De Giacomo G: **Credenze e costumi dei villani di Cetraro.** *La Calabria* 1893, **V(7)**:49-51.
27. Capasso S, Grandolini G, Izzo A: *Fitoterapia. Impiego razionale delle droghe vegetali* Milano: Springer-Verlag Italia 2006.
28. Schulz V, Hansel R, Tyler VE: *Fitoterapia Razionale. Scienza e piante medicinali* Fidenza: Mattioli 1885 2003.
29. Conforti F, Menichini F, Loizzo MR, Statti AG, Rapisarda A, Menichini F, Houghton PJ: **Antioxidant, α -amylase inhibitory and brine-shrimp toxicity studies on *Centaurea centaurium* L. methanolic root extract.** *Natural Product Research* 2008, **22**:1457-1466.
30. Saeedi M, Morteza-Semnani K: **Chemical composition and antimicrobial activity of the essential oil of *Heliotropium europaeum*.** *Chemistry of Natural Compounds* 2009, **45**:98-99.
31. Arena A, Bisignano G, Pavone B, Tomaino A, Bonina FP, Saija A, Cristiani M, D'Arrigo M, Trombetta D: **Antiviral and immunomodulatory effect of a lyophilized extract of *Capparis spinosa* L. buds.** *Phytoterapy Research* 2008, **22**:313-317.
32. Panico AM, Cardile V, Garufi F, Puglia C, Bonina F, Ronsisvalle S: **Effect of hyaluronic acid and polysaccharides from *Opuntia ficus indica* (L.) cladodes on the metabolism of human chondrocyte cultures.** *J of Ethnopharmacol* 2007, **111**:315-321.
33. Greige-Gerges H, Abou Khalil R, Abou Mansour E, Magdalou J, Chahine R, Ouaini N: **Cucurbitacins from *Ecballium elaterium* juice increase the binding of bilirubin and ibuprofen to albumin in human plasma.** *Chemico-Biological Interactions* 2007, **169**:53-62.
34. Yarnell E, Abascal K, Hooper CG: *Clinical Botanical Medicine* Larchmont, NY: Mary Ann Liebert, Inc 2004.
35. Foucault-Bertaud A, Lamy E, Senni K, Gaultier F, Ejeil AL, Piccirilli A, Piccardi N, Msika P, Godeau G, Gogly B: **Protective effect of a vegetable extract from *Lupinus albus* (LU 105) on human gingival elastic fibers degradation by human leukocyte elastase.** *Clin Oral Invest* 2003, **7**:206-211.
36. Israili ZH, Lyoussi BA: **Ethnopharmacology of the plants of genus *Ajuga*.** *Pak J Pharm Sci* 2009, **22(4)**:425-462.
37. Decreto del Ministero della Sanità della Repubblica Italiana: *Gazzetta Ufficiale* 181. Roma 1996.
38. Sanyal AK, Bhattacharya SK: **Arundo donax L. (Graminae). Phytochemical and pharmacological evaluation.** *Journal of Medical Chemistry* 1969, **12**:480-483.
39. Benigni R, Capra C, Cattorini PE: *Piante medicinali. Chimica, Farmacologia e Terapia* Milano: Inverni & Della Beffa 1962.
40. Iorizzi M, Lanzotti V, De Marino S, Zollo F, Blanco-Molina M, Macho A, Munoz E: **New Glycosides from *Capsicum annum* L. Var. *acuminatum*. Isolation, Structure Determination, and Biological Activity.** *J Agric Food Chem* 2001, **49**:2022-2029.
41. Ksouri R, Falleh H, Megdiche W, Trabelsi N, Mhamdi B, Chaieb K, Bakrouf A, Magné C, Abdely C: **Antioxidant and antimicrobial activities of the edible medicinal halophyte *Tamarix gallica* L. and related polyphenolic constituents.** *Food and Chemical Toxicology* 2009, **47**:2083-2091.
42. Giachetti D, Taddei E, Taddei I: **Diuretic and uricosuric activity of *Parietaria judaica* L.** *Bollettino della Società Italiana di Biologia Sperimentale* 1986, **62**:197-202.
43. Calvo MI: **Anti-inflammatory and analgesic activity of the topical preparation of *Verbena officinalis* L.** *J of Ethnopharmacol* 2006, **107**:380-382.
44. Vrchovská V, Spilková J, Valentão P, Sousa C, Andrade PB, Seabra RM: **Antioxidative properties and phytochemical composition of *Ballota nigra* infusion.** *Food Chemistry* 2007, **105**:1396-1403.
45. Flamini G, Cioni PL, Puleio R, Morelli I, Panizzi L: **Antimicrobial Activity of the Essential Oil of *Calamintha nepeta* and its Constituent Pulegone Against Bacteria and Fungi.** *Phytother Res* 1999, **13**:349-351.
46. Srinivasan K: **Black Pepper and its Pungent Principle-Piperine: A Review of Diverse Physiological Effects.** *Critical Reviews in Food Science and Nutrition* 2007, **47**:735-748.
47. Mandalari G, Bennett RN, Bisignano G, Trombetta D, Saija A, Faulds CB, Gasson MJ, Narbad A: **Antimicrobial activity of flavonoids extracted from bergamot (*Citrus bergamia* Risso) peel, a byproduct of the essential oil industry.** *Journal of Applied Microbiology* 2007, **103**:2056-2064.
48. Alzoreky NS, Nakahara K: **Antibacterial activity of extracts from some edible plants commonly consumed in Asia.** *International Journal of Food Microbiology* 2003, **80**:223-230.
49. Passalacqua NG, Guarrera PM, De Fine G: **Contribution to the knowledge of the folk plant medicine in Calabria region (Southern Italy).** *Fitoterapia* 2007, **78**:52-68.
50. Leporatti ML, Impieri M: **Ethnobotanical notes about some uses of medicinal plants in Alto Tirreno Cosentino area (Calabria, Southern Italy).** *J of Ethnobiol and Ethnomed* 2007, **3**:34-39.
51. Martino P: *Atlante di piante officinali con antiche ricette di erboristeria contadina in Calabria* Cosenza: Editoriale Progetto 2000 1992.
52. **The Angiosperm Phylogeny Group guidelines.** [<http://www.mobot.org/MOBOT/research/APWeb/>].
53. Lombardi Satriani R: *Ars salutaris. Rivista di Antropologia* 1916, **21**:265-269.
54. De Giacomo G: **Usi e costumi di Cetraro.** *La Calabria* 1892, **V(3)**:19-21.
55. De Giacomo G: *Il popolo di Calabria* Castrovillari: Patitucci Editore 1896.
56. Genovese F: *La malaria in provincia di Reggio Calabria* Firenze: Vallecchi Editore 1924.
57. De Giacomo G: **Usi e costumi di Cetraro.** *La Calabria* 1892, **V(5)**:39-40.
58. Pignatari FI: **Medicina popolare. Rimedi contro le febbri palustri.** *La Calabria* 1895, **VII(10)**:73-74.
59. Pignatari FI: **Medicina popolare. L'aglio.** *La Calabria* 1894, **VI(12)**:90-91.
60. Pignatari FI: **Medicina popolare. Rimedi contro le febbri palustri.** *La Calabria, Anno* 1895, **VII(11)**:81-82.
61. Givigliano GP: **Territorio e malaria nei Bruttii.** *Rivista storica italiana* 2001, **CXIII(3)**:583-613.

62. Genovese F: **La malaria nel "folk-lore" calabrese.** *La Propaganda Antimalarica* 1912, 2:16-23.
63. Lanza B: **Cassano. Rimedi popolari.** *Il Regno delle due Sicilie descritto ed illustrato. 1853-1860 Calabria Ristampa anastatica.* Napoli: Edizioni Paparo 2006, 13.
64. Geraci PO: **La medicina del popolo di Calabria.** *Folklore della Calabria* 1957, II(1):17-44.
65. Adriano A: *Carmi, tradizioni, pregiudizi nella medicina popolare calabrese* Cosenza: Tipografia Commerciale Antonio Pranno 1932.
66. Pagano L: **Bisignano. Rimedi popolari e tradizionali.** *Il Regno delle due Sicilie descritto ed illustrato. 1853-1860 Calabria Ristampa anastatica* Napoli: Edizioni Paparo 2006, 80.
67. Pignatari FI: **Medicina popolare - Una pagina originale di medicina popolare.** *La Calabria* 1894, VII(4):26-27.
68. Marzano GB: **Usi e costumi di Laureana di Borrello - Medicina Popolare.** *La Calabria* 1890, III(4):29-30.
69. Brancia V: **Joppolo. Rimedi stravaganti.** *Il Regno delle due Sicilie descritto ed illustrato. 1853-1860 Calabria Ristampa anastatica* Napoli: Edizioni Paparo 2006, 31.
70. Pagano L: *Studi storici sulla Calabria. Natura economia storia in Calabria* Napoli: 1892. Ristampa anastatica, Cosenza: Edizioni Cronaca di Calabria 1992.
71. Mollo S: *Quadretti ed aspetti di vita folklorica calabrese* Reggio Calabria: Tipografia Fata Morgana 1930.
72. De Marco D: *(a cura di) La statistica del Regno di Napoli nel 1811* Ristampa anastatica, Roma: Accademia Nazionale dei Lincei 1988.
73. Tenore M: *Memoria sul Pruno cocumiglia di Calabria: 15 dicembre 1827* Napoli. Reale Istituto d'Incoraggiamento alle Scienze Naturali 1828.
74. Romeo V: *La profilassi antimalarica in Calabria* Reggio Calabria: Tipografia Panella 1946.
75. Pignatari FI: **Medicina popolare - Il pepe.** *La Calabria* 1894, VII(3):18-19.
76. Galasso L: *Arabi e beduini d'Italia. Studi pratico-sociologici sul proletariato calabrese* Polistena (RC): Tipografia Cristoforo Colombo 1915.
77. Corso R: **Amuleti italiani con speciale riguardo a quelli calabresi.** *Calabria letteraria* 1953, 7:8-9.
78. Donnarumma V: *Cosenza Mariana* Cosenza: Tipografia Chiappetta 1951.
79. Iannicelli A: *Paesi di Calabria. Magia, religiosità popolare e terapia empirica nella cultura subalterna in Calabria* Castrovillari: Il Coscile Editore 1991.
80. Heinrich M, Kufer J, Leonti M, Pardo-de-Santayana M: **Ethnobotany and ethnopharmacology-Interdisciplinary links with the historical sciences.** *J of Ethnopharmacol* 2006, 107:157-160.
81. De Natale A, Pezzatti GB, Pollio A: **Extending the temporal context of ethnobotanical databases: the case study of the Campania region (southern Italy).** *J of Ethnobiol and Ethnomed* 2009, 5:7-24.
82. De Martino E: *Sud e Magia* Milano: Feltrinelli 1959.
83. Pasquarelli MG: **La malaria nelle credenze e pratiche popolari di Basilicata.** *Folklore* 1922, VIII(3):154-168.
84. Turner NJ: **The importance of a Rose: Evaluating the Cultural Significance of Plants in Thompson and Lillooet Interior Salish.** *Am Anthropol* 1988, 90:272-290.

doi:10.1186/1746-4269-6-27

Cite this article as: Tagarelli et al.: Folk medicine used to heal malaria in Calabria (southern Italy). *Journal of Ethnobiology and Ethnomedicine* 2010 6:27.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

