



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 6 Issue: V Month of publication: May 2018

DOI: <http://doi.org/10.22214/ijraset.2018.5145>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Multi Criteria Decision Making (MCDM) Methods and its applications

Girish P Bhole¹, Dr. Tushar Deshmukh²

^{1,2}Mechanical Engineering Department, Sant Gadge Baba Amravati University, Amravati, India.

Abstract: Multi Criteria Decision Making (MCDM) is the quantitative and qualitative method, problem has many solution but to find the solution and to get the appropriate decision regarding the solution is the application of MCDM. This paper gives the information about all the MCDM methods with the applications of maximum MCDM methods to various fields as per the literature. The aim is reveal MCDM methods and their applications to understand the nature of MCDM for various problems. The utilization of MCDM to other field gives an idea for the new research area. The review helps to find the problems studied by different researcher and the solution they interpreted by using MCDM methods like ELECTRA, PROMETHEE, TOPSIS, AHP, GP etc. AHP, TOPSIS, MAUT were the most used methods but hybrid or integrated methods gives the solution for problem like location, finance, bankrupt, construction bridges, waste water and many more. This combination creates the new era in MCDM history.

Keywords: MCDM, AHP, TOPSIS, PROMETHEE, ELECTRA, GP, MAUT/MAVT, review

I. INTRODUCTION

MCDM is a technique that associate the alternative decision with qualitative and quantitative results in a compact solutions. These methods can be used for numerous problems encountered in industries and our life to get the sets of decision. MCDM is the decision-making technique used from many decades to judge different alternatives such as policy, strategy, choice get the solution of problems. The journey of MCDM is very old but the development started from 1940s and the 1950s, in 1944 Von Neumann and Morgenstern introduced the utility theory, which become a major procedural streams for modern decision science. The work continue to develop right from goal programming[19]. [18] extended utility theory and [87] form the school of MCDA. The MCDA is now applied to real world problem. The contributions of researcher gives the way to advance computing and develop the user friendly decision making support system. [16-19]

There are many problems in the world's and MCDM is the tools to get the optimize solution of it. Many books were published on MCDM [2-6] to understand the methods and their procedure easily. [52] used AHP to get optimal solution for highway traffic signals. The tool MCDM is being used by many researchers in decision-making process to ensure the most appropriate alternative. They applied MCDM in many ways like [32,122], take the benefits of MAUT and TOPSIS to select the location of land, [54,110,163], uses DEA, Fuzzy GP, VIKOR for waste treatment.[65] applied CBR for finding bankrupt. [56,148,150] applied AHP, VIKOR for health monitoring system and health care system. [202] made a hybrid method by combining three methods including Affinity Diagram, AHP and fuzzy TOPSIS for the improvement of city sustainability by evaluating four city logistics initiatives. For project selection, applied AHP and ANP combination give the decision of project investment studied by [201]. The most famous tool of the multi-criteria decision making methods is the MAUT, AHP, and in recent combination of methods and fuzzy based decision are the methodology for solving complex decisions. It can be applied to business, real life problems, portfolio, governmental sectors and many more.


The paper aims to reveal most of the Decision Making methods and the study on these methods, like their classifications, strength, applications etc. The review got many research papers on MCDM who discuss and reveal the strength of the MCDM more clearly and prove the area where MCDM can be used like, supplier selection, supply chain management, health monitoring system, Infrastructure, waste management, strategic management, production management, location selection and many more.

A. MCDM Methods and their Classifications

Your paper must use a page size corresponding to A4 which is 210mm (8.27") wide and 297mm (11.69") long. The margins must be set as follows. MCDM is a potential tool for analysing complex problem by judging different alternatives like policy, scenario, strategy, weightage etc. on various criteria for selecting the best alternative using the mathematical calculation. There are various types of MCDM methods available in the literature. The characteristics of each method is different and it is classify as deterministic, stochastic, or fuzzy MCDM methods and many more [1]. There are number of MCDM methods like [1-16]

- 1) Aggregated Indices Randomization Method (AIRM)
- 2) Analytic hierarchy process (AHP)
- 3) Analytic network process (ANP)
- 4) Data Envelopment Analysis (DEA)
- 5) Best worst method (BWM)
- 6) Characteristic Objects METHod (COMET)
- 7) Choosing By Advantages (CBA)
- 8) Data envelopment analysis
- 9) Decision EXpert (DEX)
- 10) Disaggregation – Aggregation Approaches (UTA, UTAIL, UTADIS)
- 11) Rough set (Rough set approach)
- 12) Dominance-based rough set approach (DRSA)
- 13) ELECTRE (Outranking) Elimination and Choice Translating Reality
- 14) Evaluation Based on Distance from Average Solution (EDAS)[34]
- 15) Evidential reasoning approach (ER)
- 16) Goal programming (GP)
- 17) Grey relational analysis (GRA)
- 18) Inner product of vectors (IPV)
- 19) Measuring Attractiveness by a categorical Based Evaluation Technique (MACBETH)
- 20) Multi-Attribute Global Inference of Quality (MAGIQ)
- 21) Multi-attribute utility theory (MAUT)
- 22) Multi-attribute value theory (MAVT)
- 23) New Approach to Appraisal (NATA)
- 24) Non structural Fuzzy Decision Support System (NSFDSS)
- 25) Potentially All Pairwise Rankings of all possible Alternatives (PAPRIKA)
- 26) PROMETHEE (Outranking) Preference Ranking Organization Method for Enrichment
- 27) Evaluation
- 28) Stochastic Multi criteria Acceptability Analysis (SMAA)
- 29) Superiority and inferiority ranking method (SIR method)
- 30) Technique for the Order of Prioritisation by Similarity to Ideal Solution (TOPSIS)
- 31) PROMETHEE: PROMETHEE (Preference Ranking Organization METHod for Enrichment Evaluations)
- 32) Value analysis (VA)
- 33) Value engineering (VE)
- 34) VIKOR method (VlseKriterijumska Optimizacija I Kompromisno).
- 35) WSM: Weighted Sum Model
- 36) Weighted Product Model (WPM)

As per the literature methods which are mostly used in study are AHP, ANP, ELECTRE, GP, MAUT, MAVT, PROMETHEE, TOPSIS, WSM. The MCDM method is divided in to three different categories [1, 2, 10]. As Shown below.



- 37) Unique synthesis criterion approach: It consists of accumulating all dissimilar interpretation into a unique function, which will be optimized. Methods come under this categories are, MAUT [11], SMART family [12] and AHP [13], TOPSIS, etc.
- 38) Outranking synthesis approach: It aims in the improvement of a relation therefore known as outranking relationship, it gives the preference to the decision-makers, based on information available to explore solution of his/her problems. Like: ELECTRE [1,2,10-14] and PROMETHEE [1,2,10-14].
- 39) Interactive local judgment approach: This method proposes alternate calculation steps with developed linear programming way with multi objective to get successive compromising solutions. These methods are clearly superior for decision makers due to interactive and successive evaluation of the solution using mathematical calculation and programming tools to get the appropriate decision [1,2,10,12,14,16].

During literature review it is found that decision making techniques can be utilized by analysis of alternatives i.e. number of alternatives and options then determining the relevant criteria and alternatives to get the numerical measures with the relative importance to the criteria and find the impact of the alternatives on these criteria and finally process the numerical values to determine a ranking of each alternative

II. MCDM METHODS AND THEIR APPLICATIONS

In the previous article it is seen that there are various methods of MCDM, the important methods which are more active from last decades are discussed below.

A. Multi-Attribute Utility Theory (MAUT)

MAUT was proposed by [24] and developed by using a quasi-additive and multi-linear utility function. [18,25,27] developed this method and make this method as most operated method. The method is developed to handle multiple objectives, intangible factors, risk, qualitative data and time sequence effects in ex-ante appraisals based on the decision-maker's preferences [28]. To steps for MAUT are as follows [28]:

Step: 1 sets the project alternatives.

Step: 2 sets the probability distribution for outcomes associated with each alternative for each attribute.

Step: 3 to set the utility function for the range of outcomes on each attribute.

Step: 4 uses the global function to find the expected utility of each alternative.

Step: 5 chose the combination with highest expected utility; goes up to the function U maximized.

B. Analytical Hierarchy Process (AHP)

Your paper must use a page size corresponding to A4 which is 210mm (8.27") wide and 297mm (11.69") long. The margins must be set as follows:

Top = Bottom = 19mm (0.75")

Left = Right = 14.32mm (0.56")

AHP is a similar and popular method like MAUT/MAVT proposed by [44] it is basically a pairwise comparison-based method. This MCDM method formulates the problem as hierarchy by including several stages. First stage is the goal, second is decision criteria and then the sub criteria and at last it shows the alternatives. Each stage is compared pairwise that's why it is known as pairwise comparison method. Another MCDM Method named Analytic network process (ANP) [45] this method is formed to use where AHP is insufficient to get alternatives there ANP can be used as it explains the interlinking of the problems between the criteria. In both the method AHP/ANP a scale of 1-9 is used to compare the alternatives. AHP is further lined with Fuzzy AHP which gives the much more important variables to get the alternatives based on their corresponding fuzzy numbers [46,47,48,49] and even fuzzy ANP [50,51] combined AHP MAUT and formed a theorem that the two MCDM techniques resulted in a consistent preference structure. It's main aim to focus on creating a language that easily compared techniques and provided a scaling technique. [70] uses AHP in combination with the Balanced Scorecard (BSC) and formed a framework which reveals the necessary criteria and alternatives, here AHP was used in comparisons, weighting, and rankings. The paper finds better ranking when combination is used.

Step to apply the AHP method is as follows.

Step – 1. Multiply each value in the first column of the pairwise comparison matrix by corresponding relative priority matrix.

Step – 2. Repeat Step – 1 for remaining columns.

Step – 3. Add the vectors resulted from step-1 and 2.

Step – 4. Divide each element of the vector of weighed sums obtained in step 1-3 by the corresponding priority value.

Step – 5. Compute the average of the values found in step –4. Let λ be the average.

Step – 6. Compute the consistency index (CI), which is defined as $(\lambda - n) / (n-1)$.

Compute the random index, RI, using ratio:

$$RI = 1.98 (n-2)/n$$

Accept the matrix if consistency ratio, CR, is less than 0.10, where CR is

$$CR = CI / RI$$

Consistency Ratio CR = (CI/CR)

If the Consistency Ratio (CI/CR) <0.10, so the degree of consistency is satisfactory. The decision maker’s comparison is probably consistent enough to be useful.

In AHP, several products and alternatives are evaluated, and by means of pair comparisons, the weight of each evaluation item and the evaluation values for each product and alternatives are found for each evaluation item, but the results of pair comparisons are not 0,1, but rather the degree is given by a numerical value. In fuzzy AHP, the weight is expressed by possibility measure or necessary measure, and in addition, the conventional condition that the total of various weights be 1 is relaxed.

TABLE I SCALE USED FOR PAIR WISE COMPARISON

Intensity of Importance	Definition
1	Equal importance
3	Weak importance of one over other
5	Strong Importance
7	Demonstrated Importance
9	Absolute Importance
2,4,6,8	Intermediate Values
Reciprocals of the above	If activity i has one of the above numbers assigned to it when compared with activity j, then j has the reciprocal value when compared with i.
1.1 – 1.9	When elements are close and nearly indistinguishable

C. Case Based Reasoning (CBR)

[61]proposed a method in which solutions of past problems are considered to solve the new problems. It is a prominent type of parallel solution making method. It is considered as the powerful method for computer reasoning. The CBR involves four stages.

Retrieve: - the target problem and to find the most similar case.

Reuse: - to map the past case with the new one to get the solution.

Revise: - after applying the previous solution test the problem for the real solution and if needed revise it.

Retain: - make the new solution a part of the new case

D. Data Envelopment Analysis (DEA)

[71] proposed DEA in Royal statistical society. [72] state that it is a non-parametric method in economics and operation research and mostly used in measuring production efficiency. DEA is based on linear programming method and used for production and cost data. DEA is a tool for estimating the efficiency of a system in a non-parametric framework.

DEA gives a better model of road safety [73],[74] uses DEA for examine the efficiency of rice farmer in west Bengal.

Following equation gives efficiency measurement.

$$Eff = \frac{\sum_r u_r y_{rj}}{\sum_i u_i y_{ri}}$$

Where y_{rj} : The amount of the r^{th} output from DMUj, u_r : The weight given to the r th output, x_{ij} : The amount of the i th input used by DMUj, v_i : The weight given to the i th input. To measure the efficiency of DMU j_0 model 1 is used to form model 2 and 3 and this measure the efficiency

E. Electre

It was proposed by [87], this method uses two basic indices i.e. concordance index and the discordance index to find a kernel solution. It gives the relation between alternatives based on ranking. The ELECTRE I is the basic method which cannot be used for

ranking therefore ELECTRE II is proposed by [88] to overcome the issues of ELECTRE I. while ELECTRE III [88] gives the fuzzy based outranking and ELECTRE IV [89] simply the ELECTRE III

F. SMART

[94] proposed a unique synthesis criterion approach. This method has more similarity with MAUT. It also require two assumptions, namely “utility independence and preferential independence”[167]. This method has the ability to conveniently convert importance weights into actual numbers. It is a linear additive model which means that an overall value of a given alternative is calculated as the total sum of the performance score (value) of each criterion (attribute) multiplied with the weight of that criterion. The stages in the analysis are[14],

Stage 1: Identify the decision-maker(s)

Stage 2: Identify the issue of issues: Utility depends on the context and purpose of the decision

Stage 3: Identify the alternatives: This step would identify the outcomes of possible actions, a data gathering process.

Stage 4: Identify the criteria:

Stage 5: Assign values for each criteria:

Stage 6: Determine the weight of each of the criteria:

Stage 7: Calculate a weighted average of the values assigned to each alternative: This step allows normalization of the relative importance into weights summing to 1.

Stage 8: Make a provisional decision

Stage 9: Perform sensitivity analysis

G. PROMETHEE

It was developed by [95,96], this method uses pairwise comparison-based outranking to solve the problems. The characteristics of this method is similar to ELECTRE as both work on outranking methods. Here pairwise comparisons are converted to uni-criterion so that it can be calculated to compare to each other. PROMETHEE have the versions like ELECTRE PROMETHEE I use for partial ranking of alternatives, PROMETHEE II for complete ranking, PROMETHEE III for ranking based on interval, PROMETHEE IV for complete ranking, PROMETHEE V for problems with segmentation constraints and PROMETHEE VI for human brain representation [96,97]

H. Goal Programming(GP)

The e[105] proposed an extension to linear programming method and able to choose from an infinite number of alternatives. The measures are given by the goal or target value to achieved due to this the unwanted deviations are minimized. GP is used to perform three types of analysis.

1)To determine the required resources to achieve desired set of alternatives/objectives.

2)To determine degree of attainment of the goals with the available resources.

3)Providing the best satisfying solution under a varying amount of resources and priorities of the goals.

[106], applied goal programming method to solve DEA model and give the correct GP approach for the Li and [115] uses software for solving multi choice problem a real world problem by developing GP

I. TOPSIS

[121] proposed an alternative to the ELECTRE method and being widely used. This method is further extended by [122,123], and state that the best solution is the one which has shortest distance from the positive ideal solution and farthest from negative solution. This method has a tendency of increasing and decreasing utility. Therefore it is easy to define the ideal and negative ideal solutions. In this method various criteria are converted into non dimensional criteria as like ELECTRE method. It can be considered that for the benefits criteria the decision maker can have both maximum and minimum alternatives in reference to ideal solution. The TOPSIS works in the following way After defining n criteria and m alternatives, the normalized decision matrix is formed.

The normalized value r_{ij} is calculated from Equation (3), where f_{ij} is the i-th criterion value for alternative A_j ($j = 1, \dots, m$ and $i = 1, \dots, n$).[70]

$$r_{ij} = \frac{f_{ij}}{\sqrt{\sum_{j=1}^m f_{ij}^2}} \quad (1)$$

To calculate v_{ij} in the decision matrix following equation is used.

$$v_{ij} = w_i \Gamma_{ij}$$

The positive ideal A+ and negative ideal solution A - are derived as shown below, where Γ and

Γ^- are positive and negative variables

$$A^+ = \{v_1^+, \dots, v_n^+\} = \{(MAX_j v_{ij} | i \in \Gamma), (MIN_j v_{ij} | i \in \Gamma^-)\} \tag{2}$$

$$A^- = \{v_1^-, \dots, v_n^-\} = \{(MIN_j v_{ij} | i \in \Gamma), (MAX_j v_{ij} | i \in \Gamma^-)\} \tag{3}$$

From the n-dimensional Euclidean distance, D_j^+ is calculated in (4) as the separation of every alternative from the ideal solution. The separation from the negative ideal solution follows in (5).

$$D_j^+ = \sqrt{\sum_{i=1}^n (v_{ij} - v_i^+)^2} \tag{4}$$

$$D_j^- = \sqrt{\sum_{i=1}^n (v_{ij} - v_i^-)^2} \tag{5}$$

The relative closeness to the ideal solution of each alternative is calculated from:

$$C_j = \frac{D_j^-}{(D_j^+ + D_j^-)} \tag{6}$$

After sorting the C_j values, the maximum value corresponds to the best solution to the problem[123].

J. VIKOR

[138] proposed a method which is very much similar to TOPSIS, it also ranks and best alternative from a set of alternatives based on closeness to ideal solution. The inefficiency in TOPSIS being explained by VIKOR by ranking alternatives

K. WSM

[168] proposed this method first and it is being reused by [25], this method is also known as weighted linear combination or scoring methods and it is mostly known by Weighted Sum Model[25]. It is a simple method and it works on weighted average and score of alternatives. The SAW/WSM only deals with benefit criteria and applied to only single dimensional problems as it follows the intuitive process. WSM/SAW is easy applicable method; but the problems deals with qualitative and quantitative attributes it become difficult to handle it. Therefore it is mostly used with other methods. The steps involved in SAW is as follows.

- 1) prepare the comparison matrix according to Saaty (1-9) scale of pair wise comparisons. Form the weighted sum matrix and find the average of it find the consistency Index and consistency ratio.
- 2) Construct the matrix (m x n) type for alternatives and criteria.

Evaluate alternative by formula $A_i = \sum w_j x_{ij}$ the calculation continue till the consistency ratio reach to less than 0.1 then only indicates sufficient consistency [25]

L. WPM

[174 & 175] proposed a method similar to WSM the difference is that instead of addition in the model there is multiplication. In this method each alternative is compared by multiplying a number ratios to other alternative. This method suggest that the best alternative to the one which is better than or equal to other alternatives. WPM eliminates the unit of measurement that's why WPM is called as dimensionless analysis and therefore it can be used for single as well as multi-dimensional criteria method. Following formula gives the normalized matrix in order to compare the alternative A_k and A_L [25,175,176].

$$R(A_k/A_L) = \prod_{j=1}^N (a_{kj} / a_{lj})^{w_j}$$

N is number of criteria

a_{ij} – actual value of i-th alternative in terms of j-th criterion.

w_{ij} – weight

If the ratio of $R(A_k / A_L) \geq 1$, then A_k is more desirable than alternative. The best is one that is better than or equal to all the other alternatives [64-66].

M. Relevant MCDM and New Trend of MCDM

During literature some different methods found that are the principal eigenvector technique [13], the weighted least square method (WLSM)[177], the logarithmic least square method (LLSM) or geometric mean method (GMM)[178], are used to calculate the weights.

The MCDM has the wide spectrum therefore the demerits of one method can be remedies by joining the other method with it, some combined methods are: DEMATEL initially proposed by [174] it is a simple pairwise comparison-based method and being mostly used by other MCDM methods. MACBETH [180] is a qualitative method used to compare the alternatives. Fuzzy AHP is Fuzzification of the AHP is widely used methods now. As it is found that the combination of two methods leads to better option than the single one. MAUT also find applications with combination of other MCDM methods. [183] uses MAUT, AHP and ELECTRE in combination for Marine Machinery system, [184] applied hybrid Delphi, MAUT, TOPSIS for selecting Green building credit, [41] uses Interval Evidential Reasoning (IER), Laplace Evidential Reasoning (LER), MAUT for Software requirement, [42] uses MAUT, Marco applied MAUT with mean value portfolio analysis to environmental and socio factor. There are many other application of MAUT with other MCDM method which gives better result. [193] prepared the bibliometric performance indicators based on journals, authors on AHP and Topsis Technique find the most active area for AHP and TOPSIS i.e. supply chain management, sustainability research, risk management. [194] combined Goal Programming, AHP with TOPSIS for the selection of maintenance strategy in hydroelectric power plant. This combination gives the improvement of 77% in downtimes. [195] focused on performance of cellular mobile telephone service providers by using fuzzy extended ELECTRE to get the outranking of poor performers. [196] applied GIS and AHP to real world problem for the location of concentrating solar power (CSP) plants. [197] applied AHP integrated PROMETHEE and VIKOR methods for selection of military airport location in turkey, the criteria includes the requirement of airport plus the environmental and social effects. The results were compared with COPRA, MAIRCA and MABAC and found more suitable for location selection. [198] included attribute difference revision (ADR) to improve the learning performance of CBR method. [199] use text mining and case based reasoning (TM-CBR) for preparing the reference to designer for making the green building design and improve the effectiveness and adequacy of green building design. [200] combined Geographic Information Systems (GIS) with Analytic Hierarchy Process (AHP) method, TOPSIS method and ELECTRE TRI method for the comparative study for the location of the photovoltaic farms in Spain. The comparison reveals that the results are not identical but there are some similarity between these methods. [201] study the reverse logistics which is the important part of green supply chain management as to minimize the waste at end of life. The study focused on the barriers and ranking of both barriers and solution of reverse logistics in electronics industries. Fuzzy AHP and TOPSIS used to get the weights of each barriers and TOPSIS uses get the final ranking

III. CHARACTERISTICS OF MCDM

The mentioned MCDM methods are used for solving many problems but not all suggested for solving any multi-criteria decision problem. MCDM uses quantitative and qualitative data for evaluation, but some methods uses only quantitative and some only qualitative. Weighted method shows the quantitative information and the result occurred in ranking form. Evaluation, using graphics for evaluation gives the qualitative and quantitative information and gives result in visual form. Outranking Methods shows the quantitative information and gives result in ranking form some time it gives incomplete ranking. Analytical hierarchy process (AHP) shows the qualitative information with low transparency and gives result in ranking form. Permutation method shows the qualitative information with low transparency and gives result in ranking form.

A. Strength and Weakness of MCDM Methods

It is being found that there are various types of information like information on criteria, alternatives ways being categorized and present the classification based on input data [20,21]. MCDM gives a systematic and transparent approach to enhance objectivity which gives result that can be preferred for analysis [22]. The elements of MCDM summarized are as follows:

- 1) Aggregation algorithms: There are number of MCDM methods and it gives various outcomes, to get the solution which is given by most of the methods can be considered as the final but the selection of proper method is really no the straight path.
- 2) Compensatory methods: The complete accumulation methods which allow for trade-offs between good and poor performance on different criterion, e.g. the poor performance on water quality could be compensated with good performance on investment cost. This things are debatable and have many criteria to relate with the performance. The mathematical calculation of MCDM can give better decision for one criteria and poor for another criteria this is an obligatory thing.
- 3) Elicitation process: some methods uses the way of idiosyncratic information i.e. weights and preference is not trifling and is likely to influence the results.

- 4) Incomparable options: The aim of all MCDM is to reduce incomparability, and to reduce the problems to single-criterion problems for which an optimal solution exists completely. This result in selecting the best option with value e.g. A is better than B by 0.45 value
- 5) Scaling effects: certain MCDM methods works on scale which gives evaluation which is unacceptable.
- 6) Problem structuring: in some case results could be manipulated by omission or addition of some relevant criteria or options.
- 7) Additional required information: some MCDM methods need additional information to get the better result.
- 8) Uncertainty: The results can be changed if the number of decimals places are increase or decrease

TABLE III MCDM APPLICATIONS

MCDM Method	Merits	Demerits	Applications	References used
Multi-attribute utility analysis (MAUT) Churchman, C.W., Ackoff, R.L. and Arnoff, E.L. (1957)	<ul style="list-style-type: none"> • Takes uncertainty into account; • Can represent the uncertainty directly to decision model • It has a strong form of decision making Simple to method • Easy calculations. • The mechanism of the method is straight forward 	Needs a lot of input; preferences need to be precise.	<ul style="list-style-type: none"> • Public Sector like, new airport, forest land use • Power Plant related selection. • Supplier selection • Economics, finance, actuarial, water • Management • energy management • agriculture • E commerce • Truck load condition. • Motion simulator. <p>Global manufacturing (canbolt Chelst Garg 2007) Social problem Land use Natural resource management Technical socio-cultural for eight countries (Ananda and hearth 2005) Watering system (kailiponi 2010) Soil contamination (zabeo)</p>	[24-43]
Analytic Hierarchy Process (AHP) Saaty, T. L. (1977).	<ul style="list-style-type: none"> • Easy to use; • handle the multiple measures and perspectives • scalable; • hierarchy • structure can easily adjust to fit • many sized problems; not data intensive. 	Problems due to interdependence between criteria and alternatives; can lead to inconsistencies between judgment and ranking criteria; rank reversal.	<ul style="list-style-type: none"> • Supply chain Management. • Transportation • Resource management • Health Technology • corporate policy and strategy. • public policy, • Industrial robots • Selection of Techno-Entrepreneurship Projects • political strategy, and planning. • Fisheries • Infrastructure. • Water resource management 	[44-60]
Case-Based Reasoning (CBR)	<ul style="list-style-type: none"> • Not data intensive; • can adapt to changes in environment. 	Sensitive to inconsistent data; requires many cases.	<ul style="list-style-type: none"> • Health • Insurance • Identifying knowledge leader. 	[61-70]

Roger Schank, (1982).		Gives good result for computer and health based application	<ul style="list-style-type: none"> • Human anatomy. • Banking • Businesses • Phishing detection • Construction • Environment • Energy management 	
Data Envelopment Analysis (DEA) M.J.Farrell (1957)	Capable of handling multiple inputs and outputs; efficiency can be analyzed and quantified.	Does not deal with imprecise data; assumes that all input and output are exactly known.	<ul style="list-style-type: none"> • Industrial waste control • Economics and eco efficiency • Energy Efficiency • Renewable and sustainable energy • Energy performance • Environmental efficiency. • agriculture, retail, and business problems. 	[71-86]
Simple Multi-Attribute Rating Technique (SMART) Edwards, W.; Barron, F. H. (1994).	Simple; allows for any type of weight assignment technique; less effort by decision makers.	Procedure may not be convenient considering the framework.	<ul style="list-style-type: none"> • Environmental, • construction, • transportation and logistics, military, • manufacturing and assembly problems. 	[93,94,14,2,3]
ELECTRE Roy Bernard (1968)	Takes uncertainty and vagueness into account.	outranking causes the strengths and weaknesses of the alternatives to not be directly identified.	<ul style="list-style-type: none"> • Water resource management • Infrastructure • Water and waste water main. • Supplier selection • Energy, economics, environmental, • water management, and transportation problems. 	[87-92,2]
PROMETHEE Brans & Vinek (1985)	Easy to use; does not require assumption	Does not provide a clear method by which to assign weights.	<ul style="list-style-type: none"> • Environmental, hydrology, • Water management, • waste water system • transportation • bridges. • sustainability, • portfolio selection • chemistry, logistics • manufacturing and assembly, energy, agriculture. 	[95-104]
Goal Programming (GP) Charnes (1955)	Capable of handling large-scale problems; can produce infinite alternatives.	It's ability to weight coefficients; typically needs to be used in combination with other	<ul style="list-style-type: none"> • Energy Plan • Production planning, scheduling, • Waste water treatment plant. • water reservoir management • Transportation • Infrastructure 	[105-120]

		MCDM methods to weight coefficients. Not suitable for multi choice problem.	<ul style="list-style-type: none"> • Financial & portfolio selection. • Agriculture • health care • real life problem. • Renewable Energy • Forest management. • Supplier Selection 	
Technique for Order Preferences by Similarity to Ideal Solutions (TOPSIS) Hwang & Yoon (1981)	Has a simple process; easy to use and program; the number of steps remains the same regardless of the number of attributes.	Its use of Euclidean Distance does not consider the correlation of attributes; difficult to weight and keep consistency of judgment.	<ul style="list-style-type: none"> • Supply chain management and logistics. • Blastic Pattern selection in mine. • Air Conditioning system. • engineering, manufacturing. • Shelter for human being, • water resources management. • Sustainability. • Bridges • Financial performance • systems, business and marketing, • environmental, human resources. 	[121-137]
VIKOR (VlseKriterijumska Optimizacija I Kompromisno) (Opricovic 1998)	Easy to use It is a comprises solution		<ul style="list-style-type: none"> • Sustainability • Renewable energy • Management • Manufacturing fields • Construction • Risk and financial management. • Water resource planning. • Tourism • Health • Supplier selection • Human resource management. 	[138-167]
Simple Additive Weighting (SAW) Churchman, C. W. and R. L. Ackoff (1954)	Ability to compensate among criteria; calculation is simple intuitive to decision makers;	It do not always reflect the real situation; Result are not logical.	<ul style="list-style-type: none"> • Water management, • Bridges • Transportation. • Food • Human resource management. • Thermal • business, and • financial management. 	[168-173]

IV. CONCLUSIONS

Decision Making is an essential technique and it is found that the application of these techniques are increasing. It offered number of suitable tactics for exhibiting decision aiding. MCDM method have the capability to marked different contradictory interest and solve it more precisely which is not possible with the optimizations models. The number of papers and books were reviewed to get all the MCDM in one umbrella and to find the application of these methods. The table 2 shows the application of the MCDM method and reveals the area of research where MCDM can be applied with the method more suitable for it. The review gets the latest trend of using the benefits of other methods with another one to get the proper decision. The study get that the integrated methods give better performance than the individual ones. The study is limited to find most MCDM methods and their applications. The study can be continued in future with focus on one applications one method and with integration of other methods. One can

study the sub areas of the field shown in application. The review tried to give the better understanding of MCDM techniques. This will help researcher to practice in the integrated or hybrid technique to solve the various problems

V. ACKNOWLEDGMENT

The heading of the Acknowledgment section and the References section must not be numbered.

Causal Productions wishes to acknowledge Michael Shell and other contributors for developing and maintaining the IEEE LaTeX style files which have been used in the preparation of this template. To see the list of contributors, please refer to the top of file IEEETran.cls in the IEEE LaTeX distribution.

REFERENCES

- [1] Chen, S.J., and C.L. Hwang, "Fuzzy Multiple Attribute Decision Making: Methods and Applications," Lecture Notes in Economics and Mathematical Systems, No. 375, , Springer-Verlag,1991.
- [2] Roy B, Multi-Criteria Methodology for Decision Aiding. Kluwer Academic Publishers, 1996.
- [3] Evangelos Triantaphyllou, Multi-Criteria Decision Making Methods: A Comparative Study, Springer-Science + Business Media B.V, 2000.
- [4] R. Venkata Rao, Decision Making in the Manufacturing Environment Using Graph Theory and Fuzzy Multiple Attribute Decision Making Methods, Springer Series in Advanced Manufacturing Volume 2, 2013.
- [5] Golam Kabir, RehanSadiq& Solomon Tesfamariam, A review of multi-criteria decision-making methods for infrastructure management, Structure and Infrastructure Engineering: Maintenance, Management, Life-Cycle Design and Performance, 10:9, 1176-1210, 2014, DOI: 10.1080/15732479.2013.795978
- [6] Weistroffer, H. R., Smith, C. H., and Narula, S. C., "Multiple criteria decision support software", Ch 24 in: Figueira, J., Greco, S., and Ehrgott, M., eds, Multiple Criteria Decision Analysis: State of the Art Surveys Series, Springer: New York, 2005.
- [7] Salabun, W., The Characteristic Objects Method: A New Distance-based Approach to Multi criteria Decision making Problems. Journal of Multi-Criteria Decision Analysis, 22(1-2), 37-50, 2015.
- [8] Salabun, W., Piegat, A. Comparative analysis of MCDM methods for the assessment of mortality in patients with acute coronary syndrome. Artificial Intelligence Review. 48(4), 557-571, December 2017. DOI: [10.1007/s10462-016-9511-9](https://doi.org/10.1007/s10462-016-9511-9)
- [9] Keshavarz Ghorabae, Edmundas Kazimieras Zavadskas, Laya Olfat, Zenonas Turskis, "Multi-Criteria Inventory Classification Using a New Method of Evaluation Based on Distance from Average Solution (EDAS), Informatica, 26(3), 435-451, 2015.
- [10] Patricia Guarnieri, Decision Models in engineering and Management, Springer International Publishing, UK, 2015.
- [11] Keeney RL, Raiffa H, Decisions with multiple objectives: preferences and value trade offs. A John Wiley & Sons, Ltd., Publication, New York, 1976.
- [12] Edwards, W., How to use multi attribute utility measurement for social decision making, IEEE Transactions on Man and Cybernetics SMC,-7(4), 326-340, 1977.
- [13] Saaty TL, How to make a decision: the analytic hierarchy process, European Journal of Operation Research, 48 (1):9–26, 1990.
- [14] David L.Olson, Decision Aids for Selection Problems, Springer Series in Operations Research, Newyork, 1999,
- [15] Michael Doumpos and Constantin zopounidi's , Multi Criteria Decision and Classification Methods, Kluwer Academic Publishers, vol.73 New York, 2002.
- [16] Michael Doumpos and Evangelos Grigoroudis, Multi criteria Decision Aid and Artificial Intelligence Links, Theory and Applications, A John Wiley & Sons, Ltd., Publication, 2013.
- [17] Von Neumann, J. and Morgenstern, O., Theory of Games and Economic Behavior, Princeton, New Jersey, 1994.
- [18] Fishburn, P.C., "Independence In Utility Theory With Whole Product Sets", Operations Research, 13, 28-45, 1965
- [19] Charnes, A. and Cooper, W.W., Management Models and Industrial Applications of Linear Programming, A John Wiley & Sons, Ltd., Publication, New York, 1961.
- [20] Stefan Hajkowicz & Kerry Collins, A Review of Multiple Criteria Analysis for Water Resource Planning and Management, Water Resource Management, 21:1553–1566, 2007. DOI 10.1007/s11269-006-9112-5.
- [21] Hwang, C.L., and Yoon, K., Multiple attribute decision making: Methods and applications. Springer-Verlab Berlin Heidelberg, 1981.
- [22] Ron Janseen, On the use of multi-criteria analysis in environmental impact assessment in The Netherlands, Journal of Multi Criteria Decision Analysis-Optimization, Learning and Decision Support, 10(2),101-109, March 2001.DOI: 10.1002/mcda.293.
- [23] Adellitouni and Jean Martel, Tentative Guidelines to Help Choosing an Appropriate MCDA Method, European Journal of Operational Research, 109(2):501-521, September 1998.DOI:10.1016/S0377-2217(98)00073-3
- [24] Churchman, C.W., Ackoff, R.L. and Arnoff, E.L. Introduction to Operations Research:, A John Wiley & Sons, Ltd., Publication. , New York 1957
- [25] Fishburn, P., Conjoint measurement in utility theory with incomplete product sets. Journal of Mathematical Psychology, 4(1): 104-119. 1967,
- [26] Keeney, R. The art of assessing multi attribute utility functions. Organizational Behavior and Human Performance, 19(2): 267-310, 1977.
- [27] Keeney, R. and Fishburn, P. Seven Independence Concepts and Continuous multi attribute utility functions. Journal of Mathematical Psychology, 11(3): 294-327, 1974.
- [28] Dillon, J.L. and Perry, C. 'Multi attribute utility theory, multiple objectives and uncertainty in ex ante project evaluation', Review of Marketing and Agricultural Economics, 45 (1, 2): 3–27. 1977
- [29] Loken, E., Use of multi-criteria decision analysis methods for energy planning problems. Renewable and Sustainable Energy Reviews, 11(7): 1584-1595, 2007.
- [30] Siskos, J., Washer, G., and Winkels, H. Outranking approaches versus MAUT in MCDM. European Journal of Operational Research, 16(2): 270-271, 1984.
- [31] Canbolat, Y., Chelst, K., and Garg, N., Combining decision tree and MAUT for selecting a country for a global manufacturing facility, Omega. 35(3): 312-325, 2007.
- [32] Ananda, J., and Herath, G., Evaluating public risk preferences in forest land-use choices using multi-attribute utility theory. Ecological Economics, 55(3): 408-419, 2005.

- [33] Gomez-Limon, J., Arriaza, M., and Riesgo, L., An MCDM analysis of agricultural risk aversion, *European Journal of Operational Research*, 151(3): 569-585, 2003.
- [34] Kailiponi, P., Analyzing evacuation decisions using multi-attribute utility theory. *Procedia Engineering*, 3: 163-174, 2010.
- [35] Loetscher, T., and Keller, J., A decision support system for selecting sanitation systems in developing countries. *Socio-Economic Planning Sciences*, 36(4): 267-290, 2002.
- [36] Wang, S., Wee, Y., and Ofori, G., DSSDSS: A decision support system for dewatering systems selection. *Building and Environment*, 37(6): 625-645, 2002.
- [37] Konidari, P., and Mavrikis, D., A multi-criteria evaluation method for climate change mitigation policy instruments. *Energy Policy*, 35(12): 6235-6257, 2007.
- [38] Zabeo, A., Pizzol, L., Agostini, P., Critto, A., Giove, S., and Marcomini, A., Regional risk assessment for contaminated sites Part 1: Vulnerability assessment by multi-criteria decision analysis. *Environment International*, 37(8): 1295-1306, 2011.
- [39] HuiZhu' Carol X.J.Ou, W.J.A.M.van den Heuvel Hongwei Liu, Privacy calculus and its utility for personalization services in e-commerce: An analysis of consumer decision-making, *Information & Management*, 54(4), 427-437, 2017. <https://doi.org/10.1016/j.im.2016.10.001>.
- [40] Walter Talamonti, Louis Tijerina, Mike Blommer, Radhakrishnan Swaminathan, , R. Darin Ellis, Mirage events & driver haptic steering alerts in a motion-base driving simulator: A method for selecting an optimal HMI, *Applied Ergonomics*, 65, 90-104, November 2017. <https://doi.org/10.1016/j.apergo.2017.05.009>.
- [41] Persis Voola' Vinaya BabuA., Study of aggregation algorithms for aggregating imprecise software requirements' priorities, *European Journal of Operational Research*, 259(3), 1191-1199, 2017. <https://doi.org/10.1016/j.ejor.2016.11.040>.
- [42] Russell A.OgleSean J.DeeBrenton L.Cox, Resolving inherently safer design conflicts with decision analysis and multi-attribute utility theory, *Process Safety and Environmental Protection*, 97, 61-69, September 2015. <https://doi.org/10.1016/j.psep.2015.03.009>.
- [43] Diego SotoDe La VegaJosé Geraldo VidalVieiraEli Angela Vitor Toso Rosane Nunesde Faria, A decision on the truckload and less-than-truckload problem: An approach based on MCDA, *International Journal of Production Economics*, 195, 132-145, January 2018. <https://doi.org/10.1016/j.ijpe.2017.09.013>
- [44] Saaty, T. L., "A scaling method for priorities in hierarchical structures." *Journal of Mathematical Psychology* 15(3): 234-281, 1977.
- [45] Saaty, T. L., *Decision making with dependence and feedback: The analytic network process*, RWS publications Pittsburgh. 1996.
- [46] Van Laarhoven, P. and W. Pedrycz , "A fuzzy extension of Saaty's priority theory." *Fuzzy sets and Systems*, 11(1): 199-227, 1983.
- [47] Chang, D.-Y., "Applications of the extent analysis method on fuzzy AHP." *European journal of operational research*, 95(3): 649-655, 1996.
- [48] Mikhailov, L., "A fuzzy programming method for deriving priorities in the analytic hierarchy process." *Journal of the Operational Research Society*: 341-349, 2000.
- [49] Csutora, R. and J. J. Buckley, "Fuzzy hierarchical analysis: the Lambda-Max method." *Fuzzy sets and Systems*, 120(2): 181-195, 2001.
- [50] Mikhailov, L. and G. Singh Madan, "Fuzzy analytic network process and its application to the development of decision support systems.", *IEEE Transactions on Systems, Man, and Cybernetics, Part C: Applications and Reviews*, 33(1): 33-41, February 2003.
- [51] Lai, S., Preference-based interpretation of AHP. *International Journal of Management Science*, 23(4): 453-462, 1995.
- [52] Gao, J., Zhao, R., Zou, Z., Xu, W., & Yu, B., Study on multi level blur comprehensive evaluation methods of highway traffic based on AHP. *Journal of Wuhan University of Technology (Transportation Science & Engineering)*, 31 (2), 243-246, 2007.
- [53] Holguin-Veras, J., Comparative assessment of AHP and MAV in highway planning: Case study. *Journal of Transportation Engineering*, 121(2), 191-200, 1995.
- [54] Karimi, A.R., Mehrdadi, N., Hashemian, S.J., Nabi Bidhendi, G. R., & Tvakkoli-Moghaddam, R., Selection of waste water treatment process based on the analytical hierarchy process and fuzzy analytical hierarchy process methods. *International Journal of Environmental Science and Technology*, 8(2), 267-280, 2011.
- [55] Zeynep Didem Unutmaz Durmuşoğlu, Assessment of techno-entrepreneurship projects by using Analytical Hierarchy Process (AHP), *Technology in Society*, 5 February 2018, <https://doi.org/10.1016/j.techsoc.2018.02.001>
- [56] GiovanniImprota, Mario,AlessandroRusso' MariaTriassi, Giuseppe Converso, TeresaMurino, Liberatina CarmelaSantillo, Use of the AHP Methodology in System Dynamics: Modelling and Simulation for Health Technology Assessments to Determine the Correct Prosthesis Choice for Hernia Diseases, *Mathematical Biosciences*, 5 March 2018, <https://doi.org/10.1016/j.mbs.2018.03.004>.
- [57] AliKokangül Ulviye Polat Cansu Dağsuyu, A new approximation for risk assessment using the AHP and Fine Kinney methodologies, *Safety Science*, 91, 24-32, January 2017, <https://doi.org/10.1016/j.ssci.2016.07.015>
- [58] Qingxing Dong' Orrin Cooper, An orders-of-magnitude AHP supply chain risk assessment framework, *International Journal of Production Economics*, 182, 144-156, December 2016. <https://doi.org/10.1016/j.ijpe.2016.08.021>.
- [59] Radu Eugen Breaz, Octavian Bologa, Sever Gabriel Racz, Selecting industrial robots for milling applications using AHP, *Procedia Computer Science*, 122, 346-353, 2017. <https://doi.org/10.1016/j.procs.2017.11.379>.
- [60] Bertolini, M., Braglia, M., & Carmignani, G. Application of the AHP methodology in making a proposal for a public work contract. *International Journal of Project Management*, 24, 422-430, 2006.
- [61] Roger Schank, *Dynamic Memory: A Theory of Learning in Computers and People*, New York: Cambridge University Press, 1982.
- [62] S.M.F.D.Syed Mustapha, Case-based reasoning for identifying knowledge leader within online community, *Expert Systems with Applications*, 97, 244-252, Dec 2017. <https://doi.org/10.1016/j.eswa.2017.12.033>.
- [63] Eduardo Lupiani Jose M.Juarez Jose Palma Roque Marin, Monitoring elderly people at home with temporal Case-Based Reasoning, *Knowledge-Based Systems*, 134, 116-134, 15 October 2017. <https://doi.org/10.1016/j.knosys.2017.07.025>.
- [64] RenataSaraiva' MirkoPerkusich, LenardoSilva, HyggoAlmeida,ClaurintonSiebra, AngeloPerkusich, Early diagnosis of gastrointestinal cancer by using case-based and rule-based reasoning, *Expert Systems with Applications*, 61, 192-202, November 2016. <https://doi.org/10.1016/j.eswa.2016.05.026>.
- [65] FabioSartori, AliceMazzucchelli' Angelo DiGregorio, Bankruptcy forecasting using case-based reasoning: The CRePERIE approach, *Expert Systems with Applications*, 64, 400-411, December 2016, <https://doi.org/10.1016/j.eswa.2016.07.033>.
- [66] Hassan Y.A.Abutair, Abdelfettah Belghith, Using Case-Based Reasoning for Phishing Detection, *Procedia Computer Science*, 109, 281-288, 2017, <https://doi.org/10.1016/j.procs.2017.05.352>
- [67] Xin Hu, PhD Candidate, Bo Xia, Martin Skitmore, Qing Chen, The application of case-based reasoning in construction management research: An overview, *Automation in Construction*, 72, 65-74, 2016. <https://doi.org/10.1016/j.autcon.2016.08.023>.

- [68] RicardoFaia, TiagoPinto, Omid Abrishambaf, FilipeFernandes, ZitaVale, Juan Manuel Corchado, Case based reasoning with expert system and swarm intelligence to determine energy reduction in buildings energy management, *Energy and Buildings*, 155, 269-281, November 2017, <https://doi.org/10.1016/j.enbuild.2017.09.020>.
- [69] MarcinRelich, Pawel Pawlewski, A case-based reasoning approach to cost estimation of new product development, *Neuro computing*, 272, 40-45, January 2018, <https://doi.org/10.1016/j.neucom.2017.05.092>.
- [70] Bentes, A., Carneiro, J., Silva, J., and Kimura, H. Multidimensional assessment of organizational performance: Integrating BSC and AHP. *Journal of Business Research*, 65(12): 1790-1799, 2012.
- [71] Farrell M.J. "The Measurement of Productive Efficiency". *Journal of the Royal Statistical Society*. 120:253-281, 1957. [doi:10.2307/2343100](https://doi.org/10.2307/2343100). [JSTOR 2343100](https://www.jstor.org/stable/2343100).
- [72] Banker R.D. "Some Models for Estimating Technical and Scale Inefficiencies in Data Envelopment Analysis". *Management Science*, 30: 1078-1092, 2012. [doi:10.1287/mnsc.30.9.1078](https://doi.org/10.1287/mnsc.30.9.1078).
- [73] Hermans, E., Brijis, T., Wets, G., and Vanhoof, K. Benchmarking road safety: Lessons to learn from a data envelopment analysis. *Accident Analysis and Prevention*, 41(1): 174-182, 2009.
- [74] Chauhan, N., Mohapatra, P., and Pandey, K. Improving energy productivity in paddy production through benchmarking-An application of data envelopment analysis. *Energy Conversion and Management*, 47(9-10): 1063-1085, 2006.
- [75] WeixinYang, Lingguang, Efficiency evaluation of industrial waste gas control in China: A study based on data envelopment analysis (DEA) model, *Journal of Cleaner Production*, 179, 1-11, October 2017, <https://doi.org/10.1016/j.jclepro.2017.12.277>.
- [76] Chen J, Song M, Xu L. Evaluation of environmental efficiency in China using data envelopment analysis. *Ecological Indicators*, 52:577-83, 2015.
- [77] Sueyoshi T, Wang D. Radial and non-radial approaches for environmental assessment by data envelopment analysis: Corporate sustainability and effective investment for technology innovation. *Energy Economy*, 45:537-51, 2014.
- [78] Li M, Wang Q. International environmental efficiency differences and their determinants. *Energy* 78:411-20, 2014.
- [79] Iribarren D, Hospido A, Moreira MT, Feijoo G. Benchmarking environmental and operational parameters through eco-efficiency criteria for dairy farms. *Science for Total Environment*, 409:1786-98, 2011.
- [80] Sueyoshi T, Goto M, Sugiyama M. DEA window analysis for environmental assessment in a dynamic time shift: performance assessment of U.S. coal-fired power plants. *Energy Economy* 40:845-57, 2013. [Doi 10.1016/j.eneco.2013.09.020](https://doi.org/10.1016/j.eneco.2013.09.020)
- [81] Cui Q, Kuang H-b, Wu C-y Li Y. The changing trend and influencing factors of energy efficiency: the case of nine countries. *Energy* 64:1026-34, 2014.
- [82] Mallikarjun S, Lewis HF. Energy technology allocation for distributed energy resources: a strategic technology-policy framework. *Energy* 72:783-99, 2014.
- [83] Sueyoshi T, Wang D. Sustainability development for supply chain management in U.S. petroleum industry by DEA environmental assessment. *Energy Econ*, 46:360-74, 2014.
- [84] Blokhuis E, Advokaat B, Schaefer W. Assessing the performance of Dutch local energy companies. *Energy Policy*, 45:680-90, 2012.
- [85] Zografidou E, Petridis K, Arabatzis G, Dey PK. Optimal design of the renewable energy map of Greece using weighted goal-programming and data envelopment analysis. *Computer Operation Research*, 66, 313-326, 2016.
- [86] Zhou haibo, yang yi, chen yao, zhu joe, data envelopment analysis application in sustainability: the origins development future directions, *European journal of operation research*, 264(1), 1-15, June 2017. <https://doi.org/10.1016/j.ejor.2017.06.023>.
- [87] Roy, Bernard, "Classement et choix en présence de points de vue multiples (la méthode ELECTRE)". *La Revue d'Informatique et de Recherche Opérationnelle (RIRO)* (8): 57-75, 1968.
- [88] P. Bertier, G. Gagey, J. de Montgolfier, and B. Roy. Choix de tracé autoroutiers en milieu suburbain : faut-il vraiment endommager des sites urbains et/ou forestiers, lesquels ? Communication aux journées de formation "transports et agglomérations", Nice, 1972.
- [89] J. Hugonnard and B. Roy. Le plan d'extension du métro en banlieue parisienne, un cas type d'application de l'analyse multicritère. *Les Cahiers Scientifiques de la Revue Transports*, 6:77-108, 1982.
- [90] Anand Raj, P.A., & Kumar, D.N., Ranking of river basin alternatives using ELECTRE. *Hydrological Sciences*, 41(5), 697-713, 1996.
- [91] Macary, F., Ombredane, D., & Uny, D.A multicriteria spatial analysis of erosion risk into small watersheds in the low Normandy bocage (France) by ELECTRE III method coupled with a GIS. *International Journal of Multi criteria Decision Making*, 1(1), 25-48, 2010.
- [92] Rogers, M., Using Electre III to aid the choice of housing construction process within structural engineering. *Construction Management and Economics*, 18(3), 333-342, 2000.
- [93] Edwards, W.; Barron, F. H. "SMARTS and SMARTER: Improved Simple Methods for Multi-attribute Utility Measurement". *Organizational Behavior and Human Decision Processes*. 60 (3): 306-325, 1994.
- [94] Edwards, W. "How to use multiattribute utility measurement for social decision making". *IEEE Transactions on Systems, Man and Cybernetics*. 7: 326-340, 1977. [doi:10.1109/tsmc.1977.4309720](https://doi.org/10.1109/tsmc.1977.4309720).
- [95] J.P.Brans & P.Vincke, "A preference ranking organization method: The PROMETHEE method for MCDM". *Management Science*, 31(6), 647-656, 1985.
- [96] Brans, J.-P. and B. Mareschal, PROMETHEE methods. Multiple criteria decision analysis: state of the art surveys, Springer-Verlag New York: 163-186, 2005.
- [97] Behzadian, M., Kazemzadeh, R., Albadvi, A., and Aghdasi, M. PROMETHEE: A comprehensive literature review on methodologies and applications. *European Journal of Operational Research*, 200(1): 198-215, 2010.
- [98] R. Sarrazin, Y. De Smet, J. Rosenfeld, An extension of PROMETHEE to interval clustering. *Omega*, September 2017, <https://doi.org/10.1016/j.omega.2017.09.001>.
- [99] Zhou, Y., Vairavamorthy, K., & Grimshaw, F., Development of a Fuzzy based pipe condition assessment model using PROMETHEE. World environmental and water resources congress, Kansas City, Missouri, USA, 4809-4818, 2009.
- [100] Abu-Taleb, M.F., & Mareschal, B., Water resources planning in the middle East: Application of the PROMETHEE V multicriteria method. *European Journal of Operational Research*, 81(3), 500-511, 1995.
- [101] Anagnostopoulos, K.P., Petalas, C., & Pisinaras, V., Water resources planning using the AHP and PROMETHEE multi criteria methods: The case of NESTOS River-GREECE. Proceedings of 7th Balkan conference on operational research (BACOR). Constanta, Romania. 2005
- [102] Balali, V., Zahradeh, B., Hosseini, A., & Roozbahani, A., Selecting the appropriate structural system by application of PROMETHEE decision making method. Proceedings of 2nd IEEE international conference on system engineering and application, Sharjah, UAE, 1-6, 2010.


- [103] Chou, T.Y., Lin, W.T., Lin, C.Y., & Chou, W.C., Application of fuzzy theory and PROMETHEE technique to evaluate suitable eco technology method: A case study in Shihmen Reservoir Watershed, Taiwan. *Ecological Engineering*, 31(4), 269–280, 2007.
- [104] RudolfVetschera' Adiel Teixeira de Almeida, A PROMETHEE-based approach to portfolio selection problems, *Computers & Operations Research*, 39(5), 1010-1020, May 2012. <https://doi.org/10.1016/j.cor.2011.06.019>
- [105] A Charnes, WW Cooper, R Ferguson, Optimal estimation of executive compensation by linear programming, *Management Science*, 1, 138-151, 1955.
- [106] Ana Paula dos Santos Rubem, João Carlos C.B. Soares de Mello, Lidia Angulo Meza, A goal programming approach to solve the multiple criteria DEA model, *European Journal of Operational Research*, 260(1), 134-139, December 2016. <https://doi.org/10.1016/j.ejor.2016.11.049>.
- [107] Mukherjee, K., and Bera, A., Application of goal programming in project selection decision, A case study from the Indian Coal mining industry. *European Journal of Operational Research*, 82(1): 18-25, 1995.
- [108] Romero, C., A survey of generalized goal programming. *European Journal of Operational Research*, 25(2): 183-191, 1986.
- [109] Zishuo Huang, Hang Yu, Xiangyang Chu, Zhenwei Peng, A goal programming based model system for community energy plan, *Energy*, 134, 893-901, June 2017. <https://doi.org/10.1016/j.energy.2017.06.057>.
- [110] Manuel Díaz-Madroñero, Modesto Pérez-Sánchez, José R. Satorre-Aznar, Josefa Mula, P. Amparo López-Jiménez, Analysis of a wastewater treatment plant using fuzzy goal programming as a management tool: A case study, *Journal of Cleaner Production*, 180(10) 20-33, January 2018. <https://doi.org/10.1016/j.jclepro.2018.01.129>.
- [111] Lin Chen, Jin Peng, Bo Zhang, Uncertain goal programming models for bicriteria solid transportation problem, *Applied Soft Computing*, 51, 49-59, February 2017. <https://doi.org/10.1016/j.asoc.2016.11.027>
- [112] Eleni Zografidou, Konstantinos Petridis, Nikolaos E. Petridis, Garyfallos Arabatzis, A financial approach to renewable energy production in Greece using goal programming, *Renewable Energy*, 37-51, 108, August 2017. <https://doi.org/10.1016/j.renene.2017.01.044>.
- [113] António Xavier, Maria de Belém Costa Freitas, Rui Fragoso Maria do Socorro Rosário, A regional composite indicator for analysing agricultural sustainability in Portugal: A goal programming approach, *Ecological Indicators*, 89, 84-100, February 2018. <https://doi.org/10.1016/j.ecolind.2018.01.048>.
- [114] Kanan K. Patro, M.M. Acharya, M.P. Biswal, Srikumar Acharya, Computation of a multi-choice goal programming problem, *Applied Mathematics and Computation*, 271, 489-501, October 2015. <https://doi.org/10.1016/j.amc.2015.09.030>
- [115] Dylan Jones, Helenice Florentino, Daniela Cantane Rogerio Oliveira, An extended goal programming methodology for analysis of a network encompassing multiple objectives and stakeholders, *European Journal of Operational Research*, 255(3), 845-855, May 2016. <https://doi.org/10.1016/j.ejor.2016.05.032>.
- [116] Ching-Ter Chang, Multi-choice goal programming model for the optimal location of renewable energy facilities, *Renewable and Sustainable Energy Reviews*, 41, 379-389, January 2015. <https://doi.org/10.1016/j.rser.2014.08.055>
- [117] A.L.D. Augustynczyk J.E. Arce A.C.L. Silva, Aggregating forest harvesting activities in forest plantations through Integer Linear Programming and Goal Programming, *Journal of Forest Economics*, 24, 72-81, August 2016. <https://doi.org/10.1016/j.jfe.2016.06.002>
- [118] Belaid Aouni, Cinzia Colapinto, Davide La Torre, Financial portfolio management through the goal programming model: Current state-of-the-art, *European Journal of Operational Research*, 234(2), 536-545, April 2014. <https://doi.org/10.1016/j.ejor.2013.09.040>.
- [119] O. Jadidi, S. Cavalieri, S. Zolfaghari, An improved multi-choice goal programming approach for supplier selection problems, *Applied Mathematical Modelling*, 39(14), 4213-4222, July 2015. <https://doi.org/10.1016/j.apm.2014.12.022>
- [120] Hwang C L, Y. K. Multiple attribute decision making: methods and applications: a state-of-the-art survey, Springer-Verlag New York. 1981
- [121] Hwang, C.-L., Y.-J. Lai and T.-Y. Liu "A new approach for multiple objective decision making." *Computers & operations research*, 20(8), 889-899, 1993.
- [122] Lai, Y.-J., T.-Y. Liu and C.-L. Hwang, "TOPSIS for MODM." *European Journal of Operational Research*, 76(3): 486-500, 1994.
- [123] Mohit Deswal, S.K. Garg, Application Of Topsis: A Multiple Criteria Decision Making Approach In Supplier Selection, *International Journal of Advanced Technology in Engineering and Science*, 3(11), 303-307, November 2015.
- [124] Ic, Y., An experimental design approach using TOPSIS method for the selection of computer-integrated manufacturing technologies. *Robotics and Computer-Integrated Manufacturing*, 28(2), 245-256, 2012.
- [125] Masuma Mammadova, Zarif Jabrailova, Sabina Nobari, Application of TOPSIS method in decision-making support of personnel management problems, *Problems of Cybernetics and Informatics (PCI), Proceeding of IV International Conference 2012*, 28 March 2013, [10.1109/ICPCI.2012.6486485](https://doi.org/10.1109/ICPCI.2012.6486485).
- [126] M. Monjezi, H. Dehghani, T. N. Singh, A. R. Sayadi, A. Gholinejad, Application of TOPSIS method for selecting the most appropriate blast design, *Arabian Journal of Geosciences*, 5(1), 95-101, January 2012. <https://doi.org/10.1007/s12517-010-0133-2>.
- [127] Mao Ning, Song Mengjie, Deng Shiming, Application of TOPSIS method in evaluating the effects of supply vane angle of a task/ambient air conditioning system on energy utilization and thermal comfort, *Applied Energy*, 180, 536-545, October 2016. <https://doi.org/10.1016/j.apenergy.2016.08.011>.
- [128] Afshar, A., Marino, M.A., Saadatpour, M., & Afshar, A. Fuzzy TOPSIS multicriteria decision analysis applied to Karun reservoirs system. *Water Resources Management*, 25(2), 545-563, 2011.
- [129] Awasthi, A., Chauhan, S.S., & Omrani, H. Application of fuzzy TOPSIS in evaluating sustainable transportation systems. *Expert Systems with Applications*, 38(10), 12270-12280, 2011.
- [130] Liaudanskiene, R., Ustinovicus, L., & Bogdanovicus, A., Evaluation of construction process safety solutions using the TOPSIS method. *Inzinerine Ekonomika- Engineering Economics*, 64(4), 32-40, 2009.
- [131] Moghaddam, M.R.S., Yavari, A., Ghariblu, F., & Anbari, Y.(). Ranking of strategic management indicators in improvement of urban management by using multiple attribute decision method of TOPSIS. *Applied Mechanics and Materials*, 99-100, 524-530, 2011.
- [132] Jianyu Chuab Youpo Su, The Application of TOPSIS Method in Selecting Fixed Seismic Shelter for Evacuation in Cities, *Systems Engineering Procedia*, 3, 391-397, 2012. <https://doi.org/10.1016/j.sepro.2011.10.061>.
- [133] Kambiz SHAHROUDI S. Maryam Shafaei Tonekaboni, Kambiz Shahroudi S. Maryam Shafaei Tonekaboni, *Journal of Global Strategic Management*, 6(2), 123-131, December-2012. DOI: 10.20460/JGSM.2012615779.
- [134] Ali Yousefi, Mohd Sanusi S. Ahamad & Taksiah A. Majid, Application of TOPSIS method in prioritization of highway bridges for seismic retrofitting. *Engineering structures and technology*, 6(3), 114-123, 2014. <https://doi.org/10.3846/2029882X.2014.980853>
- [135] Berna (Kiran) Bulgurcu, Application of TOPSIS Technique for Financial Performance Evaluation of Technology Firms in Istanbul Stock Exchange Market, *Procedia - Social and Behavioral Sciences* 62, 1033 - 1040, 2012.

- [136] AtulShukla,PankajAgarwal, R.S.Rana, RajeshPurohit, Applications of TOPSIS Algorithm on various Manufacturing Processes: A Review, *Materials Today Proceedings*,4(4),Part D,5320-5329,2017.
- [137] Opricovic, S., *Multicriteria Optimization of Civil Engineering Systems*. Ph.D. thesis Faculty of Civil Engineering, Belgrade,1998.
- [138] Anvari, A.; Zulkifli, N.; Arghish, O. Application of a modified VIKOR method for decision-making problems in lean tool selection. *International Journal of Advance Manufacturing Technology*,71,829–841,2014.
- [139] Vinodh, S.; Sarangan, S.; Vinoth, S.C. Application of fuzzy compromise solution method for fit concept selection. *Applied Mathematics Model*,38,1052–1063,2014.
- [140] Chatterjee, P.; Athawale, V.M.; Chakraborty, S. Selection of industrial robots using compromise ranking and outranking methods. *Robot. Computer Integrated Manufacturing*,26,483–489,2010.
- [141] Parameshwaran, R.; Praveen Kumar, S.; Saravanakumar, K. An integrated fuzzy MCDM based approach for robot selection considering objective and subjective criteria. *Applied Soft Computer*,26, 31–41,2015.
- [142] Wang, C.-H.; Wu, C.-W. Combining conjoint analysis with Kano model to optimize product varieties of smart phones: A VIKOR perspective. *Journal of Industrial Production Engineering*,31,177–186,2014.
- [143] Abbasianjahromi, H.; Rajaie, H.; Shakeri, E. A framework for subcontractor selection in the construction industry. *Journal of Civil Engineering Management*,19,158–168,2013.
- [144] Tošić, N.; Marinković, S.; Dašić, T.; Stanić, M. Multicriteria optimization of natural and recycled aggregate concrete for structural use. *Journal of Cleaning Production*,87,766–776,2015.
- [145] Vahdani, B.; Mousavi, S.M.; Hashemi, H.; Mousakhani, M.; Tavakkoli-Moghaddam, R. A new compromise solution method for fuzzy group decision-making problems with an application to the contractor selection. *Engineering Applied Artificial Intelligence*,26,779–788,2013.
- [146] Bashiri, M.; Mirzaei, M.; Randall, M. Modeling fuzzy capacitated p-hub centre problem and a genetic algorithm solution. *Applied Mathematic Model*,37,3513–3525,2013.
- [147] Liu, H.-C.; Wu, J.; Li, P. Assessment of health-care waste disposal methods using a VIKOR-based fuzzy multi-criteria decision making method. *Waste Management*,33,2744–2751,2013.
- [148] Chang, T.-H. Fuzzy VIKOR method: A case study of the hospital service evaluation in Taiwan. *Informatics' Science*,271,196–212,2014.
- [149] Zeng, Q.-L.; Li, D.-D.; Yang, Y.-B. VIKOR method with enhanced accuracy for multiple criteria decision making in healthcare management. *Journal of Medical System*,37,1–9,2013. <https://doi.org/10.1007/s10916-012-9908-1>
- [150] Rostamzadeh, R.; Govindan, K.; Esmaili, A.; Sabaghi, M. Application of fuzzy VIKOR for evaluation of green supply chain management practices. *Ecological Indicator*,49,188–203,2015.
- [151] Geng, X.; Liu, Q. A hybrid service supplier selection approach based on variable precision rough set and VIKOR for developing product service system. *International Journal of Computer Integrated Manufacturing*,28,1063–1076,2014.
- [152] Sarrafha, K.; Rahmati, S.H.A.; Niaki, S.T.A.; Zaretalab, A. A bi-objective integrated procurement, production and distribution problem of a multi-echelon supply chain network design: A new tuned MOEA. *Computer Operation Research*,54,35–51,2015.
- [153] Tsai, W.-H.; Chou, W.-C.; Lai, C.-W. An effective evaluation model and improvement analysis for national park websites: A case study of Taiwan. *Tourist Management*,31,936–952,2010.
- [154] Liu, C.-H.; Tzeng, G.-H.; Lee, M.-H.; Lee, P.-Y. Improving metro-airport connection service for tourism development: Using hybrid MCDM models. *Tourist Management Perspective*,6,95–107,2013.
- [155] Kaya, T.; Kahraman, C. Multicriteria renewable energy planning using an integrated fuzzy VIKOR and AHP methodology: The case of Istanbul. *Energy*,35,2517–2527,2010.
- [156] San Cristóbal, J. Multi-criteria decision-making in the selection of a renewable energy project in Spain: The VIKOR method. *Renewable Energy*,36,498–502,2011.
- [157] Vučić, B.; Kupusović, T.; Midžić-Kurtagić, S.; Čerić, A. Applicability of multicriteria decision aid to sustainable hydropower. *Applied Energy*,101,261–267,2013.
- [158] Quijano, H.R.; Botero, B.S.; Domínguez, B.J. MODERGIS application: Integrated simulation platform to promote and develop renewable sustainable energy plans, Colombian case study. *Renew. Sustainable Energy Revolution*,16,5176–5187,2012.
- [159] Tzeng, G.-H.; Tsaor, S.-H.; Lai, Y.-D.; Opricovic, S. Multicriteria analysis of environmental quality in Taipei: Public preferences and improvement strategies. *Journal of Environmental Management*,65,109–120,2012.
- [160] Martín-Utrillas, M.; Juan-García, F.; Canto-Perello, J.; Curiel-Esparza, J. Optimal infrastructure selection to boost regional sustainable economy. *International Journal of Sustainable Development World Ecology*,22,30–38,2015.
- [161] Opricovic, S. A compromise solution in water resources planning. *Water Resource Management*,23,1549–1561,2009.
- [162] Milojkovic, I., & Andric, S., VIKOR method for asset management in Serbian Belgrade wastewater services. *Proceedings of the tenth international conference on computing and control for the water industry (CCWI) Sheffield, UK, 741–747, 2009.*
- [163] Opricovic, S., Fuzzy VIKOR with an application to water resources planning. *Expert Systems with Applications*,38(10),12983–12990,2011.
- [164] Ou Yang, Y.-P.; Shieh, H.-M.; Leu, J.-D.; Tzeng, G.-H. A VIKOR-based multiple criteria decision method for improving information security risk. *International Journal of Information Technology Decision Making*,8,267–287,2009.
- [165] Emovon, I.; Norman, R.A.; Murphy, A.J.; Pazouki, K. An integrated multicriteria decision making methodology using compromise solution methods for prioritising risk of marine machinery systems. *Ocean Engineering*,105,92–103,2015.
- [166] Chen, Y., Okudan, G., and Riley, D., Decision support for construction method selection in concrete buildings: Prefabrication adoption and optimization. *Automation in Construction*,19(6),665-675,2010.
- [167] Churchman, C. W. and R. L. Ackoff, "An approximate measure of value." *Journal of the Operations Research Society of America*,2(2),172-187,1954.
- [168] Alireza Afshari, Majid Mojahed and Rosnah Mohd Yusuff, Simple Additive Weighting approach to Personnel Selection problem, *International Journal of Innovation, Management and Technology*,1(5),511-515,December 2010.

- [169] Alireza Afshari, Majid Mojahed and Rosnah Mohd Yusuff, Simple Additive Weighting approach to Personnel Selection problem, International Journal of Innovation, Management and Technology, 1(5), 511-515, December 2010.
- [170] Adriyendi, Multi-Attribute Decision Making Using Simple Additive Weighting and Weighted Product in Food Choice, International Journal of Information Engineering and Electronic Business, 6, 8-14, November 2015. DOI: 10.5815/ijieeb.2015.06.02.
- [171] Ali Reza Afshari, M. Mojahed and Rosnah Mohd. Yusuff, Simple Additive Weighting Approach To Personnel Selection Problem, [International Journal of Innovation and Technology Management](http://www.ijraset.com), 1(5), 511-515, December 2010.
- [172] I. G. Akhmetova, N. D. Chichirova, Application of SAW method for multiple-criteria comparative analysis of the reliability of heat supply organizations, Thermal Engineering, 63(14) 1016–1024, December 2016.
- [173] Bridgman P.W. Dimensional analysis. New Haven, CT, U.S.A: Yale University Press; 1922.
- [174] Miller D.W., Starr M.K. Executive Decisions and Operations Research. Englewood Cliffs, NJ: Prentice-Hall; 1969.
- [175] Triantaphyllou E., Mann S.H. An examination of the effectiveness of multi-dimensional decision-making methods: A decision-making paradox. Decision Support Systems, 5, 303-312, 1989.
- [176] Chu, A. T. W., R. E. Kalaba and K. Spingarn, "A comparison of two methods for determining the weights of belonging to fuzzy sets." Journal of Optimization Theory and Applications, 27(4), 531-538, 1979.
- [177] Crawford, G. and C. Williams, "A note on the analysis of subjective judgment matrices." Journal of Mathematical Psychology, 29(4), 387-405, 1985.
- [178] Fontela, E., & Gabus, A., DEMATEL, innovative methods. Structural analysis of the world problematique, Battelle Geneva Research Institute, 2, 1974.
- [179] Bana e Costa, C. A. B. and J.-C. Vansnick, "MACBETH-An Interactive Path Towards the Construction of Cardinal Value Functions." International Transactions in Operational Research, 1(4), 489-500, 1994.
- [180] Athanasios Kolios, Varvara Mytilinou, Estivaliz Lozano-Minguez and Konstantinos Salonitis, Comparative Study of Multiple-Criteria Decision-Making Methods under Stochastic Inputs, Energies, 9, 566, 1-21, 2016. doi: 10.3390/en9070566.
- [181] Azadeh, A., Ghaderi, S. F., & Izadbakhsh, H., Integration of DEA and AHP with computer simulation for railway system improvement and optimization. Applied Mathematics and Computation, 195, 775–785, 2008.
- [182] Ikuobase Emovon, Rosemary A. Norman, Alan J. Murphy, An integration of multi-criteria decision making techniques with a delay time model for determination of inspection intervals for marine machinery systems, Applied Ocean Research, 59, 65-82, September 2016. <https://doi.org/10.1016/j.apor.2016.05.008>.
- [183] Senem Seyis Esin Ergen, A decision making support tool for selecting green building certification credits based on project delivery attributes, Building and Environment, 126, 107-118, December 2017. <https://doi.org/10.1016/j.buildenv.2017.09.028>.
- [184] Grażyna Łaska, Wind Energy and Multi-criteria Analysis in Making Decisions on the Location of Wind Farms, Procedia Engineering, 182, 418-424, 2017. <https://doi.org/10.1016/j.proeng.2017.03.126>.
- [185] Marco A. Jano-Ito, Douglas Crawford-Brown, Investment decisions considering economic, environmental and social factors: An actors' perspective for the electricity sector of Mexico. Energy, 121, 92-106, January 2017. <https://doi.org/10.1016/j.energy.2017.01.016>.
- [186] Kabir, G., & Hasin, M.A.A., Integrating modified Delphi method with Fuzzy AHP for optimal power substation location selection. International Journal of Multicriteria Decision Making, 3(4), 381-398, 2013. <https://doi.org/10.1504/IJMCMDM.2013.056654>
- [187] Kabir, G., & Hasin, M.A.A., Integrating fuzzy AHP with TOPSIS method for optimal power substation location selection. International Journal of Logistics Economics and Globalisation, 5(4), 312-331, 2013. <https://doi.org/10.1504/IJLEG.2013.059166>
- [188] Kabir, G., & Hasin, M.A.A., Multi-criteria inventory classification through integration of fuzzy analytic hierarchy process and artificial neural network. International Journal of Industrial and System Engineering, 14(1), 74–103, 2013.
- [189] Kabir, G., & Sumi, R.S., Selection of concrete production facility location integrating fuzzy AHP with TOPSIS method. International Journal of Productivity Management and Assessment Technologies, 1(1), 40–59, 2012a.
- [190] Kabir, G., & Sumi, R.S., Integrating modified Delphi with fuzzy AHP for concrete production facility location selection. International Journal of Fuzzy System Applications, 3(3), 1-14, 2013.
- [191] Kaya, T., & Kahraman, C. (2011). Fuzzy multiple criteria forestry decision making based on an integrated VIKOR and AHP approach. Expert Systems with Applications, 38(6), 7326–7333.
- [192] Shafer H. Zyoud*, Daniela Fuchs-Hanusch, A bibliometric-based survey on AHP and TOPSIS techniques, Expert Systems With Applications 78 (2017) 158–181.
- [193] Evren Can Özcan, Sultan Ünlüsoy, Tamer Eren, A combined goal programming – AHP approach supported with TOPSIS for maintenance strategy selection in hydroelectric power plants, Renewable and Sustainable Energy Reviews, Volume 78, October 2017, Pages 1410-1423, <https://doi.org/10.1016/j.rser.2017.04.039>
- [194] Pravin Kumar, Rajesh K. Singh, Karishma Kharab, A comparative analysis of operational performance of Cellular Mobile Telephone Service Providers in the Delhi working area using an approach of fuzzy ELECTRE, Applied Soft Computing, 59, 438-447, October 2017, <https://doi.org/10.1016/j.asoc.2017.06.019>.
- [195] Ahmed Alami Merrounia, b, Fakhreddine Elwali Elalaoui, Abdellatif Ghennoui, Ahmed Mezhaba, Abdelhamid Mezhab, A GIS-AHP combination for the sites assessment of large scale CSP plants with dry and wet cooling systems. Case study: Eastern Morocco, Solar Energy, 166, 2–12, March 2018, Pages, <https://doi.org/10.1016/j.solener.2018.03.038>.
- [196] Bahar Sennaroglu, Gulsay Varlik Celebi, A military airport location selection by AHP integrated PROMETHEE and VIKOR methods, Transportation Research Part D: Transport and Environment, 59, 160-173, January 2018. <https://doi.org/10.1016/j.trd.2017.12.022>.
- [197] Aijun Yan, Kuanhong Zhang, Yuanhang Yu, Pu Wang, An attribute difference revision method in case-based reasoning and its application, Engineering Applications of Artificial Intelligence, 65, 212-219, October 2017. <https://doi.org/10.1016/j.engappai.2017.07.015>.
- [198] Liyin Shen, Hang Yan, Hongqin Fan, Ya Wu, Yu Zhang, An integrated system of text mining technique and case-based reasoning (TM-CBR) for supporting green building design, Building and Environment, 124, 388-401, 2017.
- [199] J.M. Sánchez-Lozano, M.S. García-Cascales, M.T. Lamata, Comparative TOPSIS-ELECTRE TRI methods for optimal sites for photovoltaic solar farms. Case study in Spain, Journal of Cleaner Production, 127, 387-398, July 2016. <https://doi.org/10.1016/j.jclepro.2016.04.005>



- [200] PornwasinSirisawat, TossapolKiatcharoenpol, Fuzzy AHP-TOPSIS approaches to prioritizing solutions for reverse logistics barriers, *Computers & Industrial Engineering*,117,303–318,2018.
- [201] Anjali Awasthi and Satyaveer S Chauhan, "A hybrid approach integrating Affinity Diagram, AHP and fuzzy TOPSIS for sustainable city logistics planning," *Applied Mathematical Modelling*,36,573-584, 2012.
- [202] F. C.-G. Pablo Aragonés-Beltrán, Juan-Pascual Pastor-Ferrando and Andrea Pla-Rubio, "An AHP (Analytic Hierarchy Process)/ANP (Analytic Network Process)-based multi-criteria decision approach for the selection of solar-thermal power plant investment projects," *Energy*,66,222-238, 2014.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)