

Planetary Opportunities: A Social Contract for Global Change Science to Contribute to a Sustainable Future

RUTH DEFRIES, ERLE ELLIS, F. STUART CHAPIN III, PAMELA MATSON, B.L. TURNER II, ARUN AGRAWAL, PAUL CRUTZEN, CHRIS FIELD, PETER GLEICK, PETER KAREIVA, ERIC LAMBIN, DIANA LIVERMAN, ELINOR OSTROM, PEDRO SANCHEZ, JAMES SYVITSKI

The global change research community needs to renew its social contract with society by moving beyond a focus on biophysical limits and towards solution-oriented research to provide realistic, context-specific pathways to a sustainable future. A focus on planetary opportunities is based on the premise that societies adapt to change and have historically implemented solutions, for example to protect watersheds, improve food security, and reduce harmful atmospheric emissions. Daunting social and biophysical challenges for achieving a sustainable future demand that the global change research community work to provide underpinnings for workable solutions at multiple scales of governance. Global change research must reorient from a focus on biophysically-oriented, global-scale analysis of humanity's negative impact on the Earth system to consider the needs of decision makers from household to global scales.

Keywords: global change, planetary boundaries, Earth stewardship, sustainable development

Those concerned with the future of our planet's life support systems face an age-old quandary. Growing and robust evidence demonstrates that humanity's ever-expanding quest to feed, house, and clothe itself is rapidly transforming the planet. The list of problems is long and familiar, including global climate change, biodiversity loss, nutrient over-enrichment in some places and nutrient depletion in others, ocean acidification, and freshwater depletion among other issues. Some researchers warn that hard limits imposed by biophysical thresholds in the Earth system will soon be breached if they have not been already, with dire consequences for humanity (Rockstron et al. 2009). Others argue that much, if not most, of Earth's biophysical limits are far from reaching thresholds and that human ingenuity finds new ways to harness resources and mitigate unintended environmental consequences (Boserup 1965, Ruttan 1977, Simon 1996). These two views bracket society's possible responses to current concerns. The first demands costly curtailment of the benefits society derives from altering Earth systems. The second risks complacency

and failure to face very real and challenging problems from human-induced environmental transformations.

We argue that a more meaningful reality in the Anthropocene --the current epoch of humanity's massive impact on the planet (Crutzen 2002)--lies between these two polarized views. This middle ground forms the nexus in which scientists can contribute to one of the greatest challenges of the century, the imperative to meet the needs of all members of our species while minimizing negative consequences for the Earth systems on which humanity and other species depend. Scientists from many arenas, including physical, biological and social scientists, and engineers working from local to global scales, need to bring together the scientific knowledge, tools and approaches to assist society in developing solutions for pressing sustainability challenges while helping societies to advance.

We propose a scientific focus on "planetary opportunities" to address the middle ground. Such a focus

engages the broad global change community in developing options for societal actions that increase the probability of achieving societal benefits while reducing negative outcomes for Earth systems. Indeed, the scientific community has begun conversations about such solution-oriented research (Clark 2007, National Research Council 2010, Reid W.V. et al. 2010b). Critical research questions that the scientific community can likely answer within a decade include improving forecasts of future environmental conditions and helping to guide the institutional, economic and behavioral responses to manage disruptive change. We propose a further step towards proactively focusing on solutions that are tractable and specific to particular circumstances and places.

Paradigmatic to a focus on planetary opportunities is the view that, although Earth's life support systems set the broad envelope for human survival, societies evolve, adapt to and sometimes alter this broad envelope to overcome many biophysical constraints and to correct negative environmental consequences. For example, a long series of ingenious technologies building on millennia of incremental understanding expanded the Earth's human carrying capacity over the last 12,000 years through plant breeding, irrigation, crop rotation, and synthetic nitrogen fixation (Ellis 2011). Through these and other human manipulations of the planet's life support system, a higher proportion of our species enjoys longer life expectancy, lower infant mortality and more choices and opportunities to pursue creative talents than at any time in history (Raudsepp-Hearne et al. 2010). The planet currently provides enough food for an adequate diet for the entire human population of approximately 7 billion people, although this co-occurs with an array of environmental challenges including nitrogen runoff, biodiversity loss and altered climate. That nearly one billion remain undernourished without access to this food is not the result of biophysical limits, but of social and institutional failure to implement solutions (Sanchez 2010). Applying human ingenuity to achieve greater food security, while reversing and reducing agriculture's environmental consequences, is one of the greatest challenges for the 21st century (Tilman et al. 2002). Yet there are historical examples where societies have met similar challenges by reversing course to avoid or overcome environmental and societal harm related to resource use and technology, such as soil erosion-reducing windbreaks and contour plowing following the North American Dust Bowl of the 1930s (Potter et al. 2004),

investments in technologies and policies to reduce air and water pollution (Tuinstra 2008), and international agreements to reduce acid precipitation and stratospheric ozone-depleting chlorofluorocarbons (Mader et al. 2010).

Today, societies have not fully embraced technologies, policies and actions sufficient to avoid global climate change, ocean acidification and massive loss of biodiversity and are only beginning to recognize and remediate the global leakage of nutrients into water bodies from excessive fertilization and accelerated transfer of undesired species through rapidly expanding transportation networks. How can global change science assist social decisions that address these and other global problems in which biophysical and human systems are intertwined through forcings, responses and feedbacks?

Research on the interface between science and decision-making illustrates the need for continual engagement and critical attention to spanning boundaries between policy makers and researchers (Reid R.S. et al. 2010a). Key to this engagement is recognition that scientific analyses are only a part of a larger realm of economic and political influences on decisions (Lawton 2007). Within the realm of the science-policy interface, science is relevant if the scale of analysis matches the scale of decision-making. Global-scale analyses, e.g. (Foley et al. 2011), seek to influence policies at a global scale, but are less effective in influencing policies and implementation at national to local scales. Global scientific assessments, e.g. (IPCC 2007, McIntyre et al. 2009, Millennium Ecosystem Assessment 2005, Perrings et al. 2011), global models, and analyses of global trends are necessary starting points, but are insufficient unless coupled with finer-scale research to inform local needs and potential solutions. For example, the last few decades of research and practice in conservation underscore the utility of global-scale priority setting (Myers et al. 2000) but also reveal the inability to effectively implement long-term solutions without full engagement of local communities (Adams et al. 2004). Top-down solutions for reducing tropical deforestation (Phelps et al. 2010) or enhancing food security (Sanchez and Swaminathan 2005) do not assure success without bottom-up efforts to identify solutions appropriate to particular places. Research to identify effective modes of engagement between scientists and decision-makers working at different scales of governance (e.g., international, national, state and



Figure 1. Decision makers at multiple scales of governance respond to many social, political, cultural and economic factors in addition to scientific analyses. Global-scale studies may influence decisions at international scales, but can only be effective at influencing finer-scale decisions if coupled with finer-scale analyses.

community) and analyses (e.g., global, watershed, patch) is an important frontier (Cash et al. 2006) (figure 1).

Current circumstances open critical research spaces for a solution-oriented focus on planetary opportunities. Nearly all population growth in the next several decades will occur in urban areas of the developing world (Grimm et al. 2008). Prosperity created from economic activity in urban areas raises living standards and demand for resources. Although urbanization creates pollution, usurps agricultural land, and disconnects people from nature, it also creates unprecedented opportunities for human innovation and economies of scale to improve livelihoods by increasing access to food and other resources, enabling efficient modes

for transportation and energy use, reducing waste and pollution abatement, and allowing more efficient use of space and other resources. Long-lasting decisions about urban infrastructure are currently taking place, and the time is ripe for input from the global change research community to inform efficient flows of water, energy, nutrients and wastes to support urban populations and design of institutions that promote sustainable decisions. Some city leaders in both the developed and developing world have already come together to develop plans for energy-efficient and climate-resilient development (Rosenzweig et al. 2010). A second critical research space recognizes that landscapes and seascapes can be managed to support multiple functions

simultaneously, harmonizing agricultural production with biodiversity, carbon sequestration and other ecosystem services (Turner II 2010). Understanding multi-level institutional structures needed to realize these management strategies is also increasing (Daily and Matson 2008, Ostrom 2010). An example where this has already succeeded is in managing land use within watersheds to provide clean water for urban areas such as New York and Quito (Postel and Thompson 2005). The southern Amazon offers another example where cropland expansion shifted to already-cleared lands and away from new forest clearings towards the end of the decade of the 2000s, though continued monitoring is needed to determine if this shift is long-lasting (Macedo et al. in press).

A third example of opportunities for solution-oriented research lies in the developing agenda for the African Green Revolution. The first Green Revolution developed improved varieties of wheat and rice at the exclusion of African staple root crops and tropical maize. Moreover, institutional and political factors contributed to Africa's near exclusion from the large gains in improved agricultural productivity of the first Green Revolution. With developing institutional capacity, improvements in crop varieties, and international attention, an incipient African Green Revolution is beginning (Ejeta 2010). The research community has much to offer to apply lessons from the Green Revolution in Asia and Latin America to boost yields in Africa while minimizing unintended negative social and environmental consequences.

Geopolitical concerns with phosphorus availability offer yet another illustration of the strong coupling of local-scale solutions to global-scale problems (Cordell et al. 2009). For millennia, traditional farmers recycled manures, including their own, in successful efforts to conserve and recycle phosphorus (Ellis and Wang 1997). Now, mined phosphorus fertilizers, large scale livestock production, and urbanization have concentrated phosphorus to such high levels that it has become a serious pollutant in surface waters around the world. Solutions are emerging with a modern technological return to the traditional recycling of sewage and other phosphorus resources in agricultural systems, simultaneously eliminating phosphorus pollution in surface water and limitation in agroecosystems (Cordell et al. 2009).

Many other opportunities arise for the research community to contribute to sustainable solutions: green

energy systems; integrated satellite and social networking systems to identify whether, how, when and where interventions may be needed; understanding and simulating the complex interactions between biophysical processes and human societies; analysis of institutions and governance that are effective in achieving solutions; and devising efficient mechanisms for social learning based on ongoing successes and failures to move toward sustainability. As humanity uses an increasing share of the Earth's primary production and other resources (Steffen et al. 2011, Vitousek et al. 1986), the probability of harmful backlashes for the Earth system increases and flexibility for reversing course diminishes, reinforcing the need to pursue these and other opportunities sooner rather than later.

A scientific focus on developing, evaluating, informing and advising society on potential pathways for sustainable development allows a rich contribution to society's ability to thrive while avoiding dangerous outcomes. The daunting and massive challenges of the day require a renewed social contract, rooted in scientifically and socially realistic possibilities for managing the planet, between global change researchers and society (Lubchenco 1998). We assert that emphasis on global biophysical limits at the expense of a focus on realistic solutions is insufficient, as are assumptions that technologies can always solve environmental problems. For global change science to fulfill its part of the social contract, a vision of planetary opportunities needs to become a focal point for global change research, with sophisticated exploration of the synergies and tradeoffs between human and biophysical systems that ultimately determine the success of our species and our planet's ecological heritage.

Author Affiliations

Ruth DeFries, Columbia University, **Erle Ellis**, University of Maryland Baltimore County, **F. Stuart Chapin III**, University of Alaska, **Pamela Matson**, Stanford University, **B.L. Turner II**, Arizona State University, **Arun Agrawal**, University of Michigan, **Paul Crutzen**, Max Planck Institute for Chemistry, **Chris Field**, Carnegie Institution, **Peter Gleick**, Pacific Institute for Studies in Development, Environment, and Security, **Peter Kareiva**, The Nature Conservancy, **Eric Lambin**, Stanford University and University of Louvain, **Elinor Ostrom**, Indiana University, **Pedro Sanchez**, Columbia University, **James Syvitski**, University of Colorado, **Diana Liverman**, University of Arizona

Acknowledgments

The authors are grateful to three anonymous reviewers and the editor for their exceptionally insightful and constructive comments.

References cited

- Adams WM, Aveling R, Brockington D, Dickson B, Elliot J, Hutton J, Roe D, Vira B, Wolmer W. 2004. Biodiversity conservation and the eradication of poverty. *Science* 306: 1146-1149.
- Boserup E. 1965. *The Conditions of Agricultural Growth: The Economics of Agrarian Change under Population Pressure*. London: Earthscan Publications Ltd.
- Cash D, Adger WN, F. B, Garden P, Lebel L, Olsson P, Pritchard L, Young O. 2006. Scale and cross-scale dynamics: Governance and information in a multilevel world. *Ecology and Society* 11: 8.
- Clark WC. 2007. Sustainability science: A room of its own. *Proceedings of the National Academy of Sciences* 104: 1737-1738.
- Cordell D, Drangert J-O, White S. 2009. The story of phosphorus: Global food security and food for thought. *Global Environmental Change* 19: 292-305.
- Crutzen PJ. 2002. Geology of mankind. *Nature* 415: 23.
- Daily GC, Matson PA. 2008. Ecosystem services: From theory to implementation. *Proceedings of the National Academy of Sciences* 105: 9455-9456.
- Ejeta G. 2010. African Green Revolution needn't be a mirage. *Science* 327: 831-832.
- Ellis EC. 2011. Anthropogenic transformation in the terrestrial biosphere. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Science* 369: 1010-1035.
- Ellis EC, Wang SM. 1997. Sustainable traditional agriculture in Tai Lake region of China. *Agriculture, Ecosystems and Environment* 61: 177-193.
- Foley J, et al. 2011. Solutions for a cultivated planet. *Nature* 487: 337-342.
- Grimm N, FGolubiewski N, Redman CL, Wu J, Bai X, Briggs J. 2008. Global change and the ecology of cities. *Science* 319: 756-760.
- IPCC. 2007. *Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II, and III to the Fourth Assessment of the Intergovernmental Panel on Climate Change*. Geneva, Switzerland: IPCC.
- Lawton JH. 2007. Ecology, politics, and policy. *Journal of Applied Ecology* 44: 465-474.
- Lubchenco J. 1998. Entering the century of the environment: A new social contract for science. *Science* 279: 491-496.
- Macedo M, DeFries R, Morton D, Stickler C, Galford G, Shimabukuro Y. 2012. Decoupling of deforestation and soy production in the southern Amazon during the late 2000s. *Proceedings of the National Academy of Sciences*. doi:10.1073.
- Mader JA, Staehelin J, Peter T, Brunner D, Rieder HE, Stahel WA. 2010. Evidence for the effectiveness of the Montreal Protocol to protect the ozone layer. *Atmospheric Chemistry and Physics* 10: 12161-12171.
- McIntyre BD, Herren HR, Wakhungu J, Watson RT, eds. 2009. *Synthesis Report: International Assessment of Agricultural Knowledge, Science and Technology for Development* Washington, D.C.: Island Press.
- Millennium Ecosystem Assessment. 2005. *Ecosystems and Human Well-Being: Synthesis*. Washington, D.C.: Island Press.
- Myers N, Mittermeier RA, Mittermeier CG, daFonessa GAB, Kent J. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403: 853-857.
- National Research Council. 2010. *Advancing the Science of Climate Change*. Washington, DC: National Academy Press.
- Ostrom E. 2010. Polycentric systems for coping with collective action and global environmental change. *Global Environmental Change* 20: 550-557.
- Perrings C, Duraiappah A, Larigauderie A, Mooney H. 2011. The biodiversity and ecosystem services science-policy interface. *Science* 331: 1139-1140.
- Phelps J, Webb E, Agrawal A. 2010. Does REDD+ threaten to recentralize forest governance? *Science* 328: 312-313.
- Postel S, Thompson B. 2005. Watershed protection: Capturing the benefits of nature's water supply services. *Natural Resources Forum* 29: 98-108.
- Potter K, Douglas J, Bricj E. 2004. Impacts of agriculture on aquatic ecosystems in the humid United States. Pages 31-40 in DeFries R, Asner GP, Houghton RA, eds. *Ecosystems and Land Use Change*. Washington, D.C.: American Geophysical Union.

- Raudsepp-Hearne C, Peterson G, Tengo M, Bennett EL, Holland T, Benessaiah K, MacDonald G, Pfeifer L. 2010. Untangling the environmentalist's paradox: Why is human well-being increasing as ecosystem services degrade? *BioScience* 60: 576-589.
- Reid RS, et al. 2010a. Evolution of models to support community and policy action with science: Balancing pastoral livelihoods and wildlife conservation in savannas of East Africa. *Proceedings of the National Academy of Sciences* 10.1073: 1-6.
- Reid WV, et al. 2010b. Earth system science for global sustainability: Grand challenges. *Science* 330: 916-917.
- Rockstron J, et al. 2009. A safe operating space for humanity. *Nature* 461: 472-475.
- Rosenzweig C, Solecki W, Hammer S, Mehrotra S. 2010. Cities lead the way in climate-change action. *Nature* 467: 909-911.
- Ruttan L. 1977. Induced innovation and agricultural development. *Food Policy*: 196-216.
- Sanchez P. 2010. Tripling crop yields in tropical Africa. *Nature Geoscience* 3: 299-300.
- Sanchez P, Swaminathan MS. 2005. Cutting world hunger in half. *Science* 307: 357-359.
- Simon J. 1996. *The Ultimate Resource 2*. Princeton, New Jersey: Princeton University Press.
- Steffen W, Grineveld J, Crutzen PJ, McNeill J. 2011. The Anthropocene: conceptual and historical perspectives. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* 369: 842-867.
- Tilman D, Cassman K, Matson PA, Naylor R, Polasky S. 2002. Agricultural sustainability and intensive production practices. *Nature* 418: 671-677.
- Tuinstra W. 2008. European air pollution assessments: Co-production of science and policy. *International Environmental Agreements* 8: 35-49.
- Turner II BL. 2010. Sustainability and forest transitions in the southern Yucatan: The land architecture approach. *Land Use Policy* 27: 170-179.
- Vitousek P, Ehrlich PR, Ehrlich AH, Matson PA. 1986. Human appropriation of the products of photosynthesis. *Bioscience* 36: 368-373.