Edinburgh Research Explorer

The expression and cellular localization of galectin-1 and galectin-3 in the Fallopian tube are altered in women with tubal ectopic pregnancy

Citation for published version:

Nio-Kobayashi, J, Abidin, HBZ, Brown, JK, Iwanaga, T, Horne, A & Duncan, W 2015, 'The expression and cellular localization of galectin-1 and galectin-3 in the Fallopian tube are altered in women with tubal ectopic pregnancy', Cells tissues organs. https://doi.org/10.1159/000439166

Digital Object Identifier (DOI):

10.1159/000439166

Link:

Link to publication record in Edinburgh Research Explorer

Document Version:

Peer reviewed version

Published In:

Cells tissues organs

Publisher Rights Statement:

This is the author's final peer-reviewed manuscript as accepted for publication which can be used for noncommercial purposes only. The final published version is available at https://www.karger.com/Article/FullText/439166

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.






Figure 1 Nio-Kobayashi et al.




Figure 2 Nio-Kobayashi et al.




Figure 3 Nio-Kobayashi et al.





Figure 4 Nio-Kobayashi et al.



Supplementary figure 1 Nio-Kobayashi et al.