

SCIENTIFIC REPORTS



OPEN

Tuning near-gap electronic structure, interface charge transfer and visible light response of hybrid doped graphene and Ag_3PO_4 composite: Dopant effects

Received: 28 October 2015
Accepted: 03 February 2016
Published: 29 February 2016

Chao-Ni He¹, Wei-Qing Huang¹, Liang Xu^{2,1}, Yin-Cai Yang¹, Bing-Xin Zhou¹, Gui-Fang Huang¹, P. Peng² & Wu-Ming Liu³

The enhanced photocatalytic performance of doped graphene (GR)/semiconductor nanocomposites have recently been widely observed, but an understanding of the underlying mechanisms behind it is still out of reach. As a model system to study the dopant effects, we investigate the electronic structures and optical properties of doped GR/ Ag_3PO_4 nanocomposites using the first-principles calculations, demonstrating that the band gap, near-gap electronic structure and interface charge transfer of the doped GR/ $\text{Ag}_3\text{PO}_4(100)$ composite can be tuned by the dopants. Interestingly, the doping atom and C atoms bonded to dopant become active sites for photocatalysis because they are positively or negatively charged due to the charge redistribution caused by interaction. The dopants can enhance the visible light absorption and photoinduced electron transfer. We propose that the N atom may be one of the most appropriate dopants for the GR/ Ag_3PO_4 photocatalyst. This work can rationalize the available experimental results about N-doped GR-semiconductor composites, and enriches our understanding on the dopant effects in the doped GR-based composites for developing high-performance photocatalysts.

Semiconductor photocatalysis is a promising technology to address problems in environmental remediation and energy utilization, such as water splitting for hydrogen production^{1–4}. Photocatalytic semiconductors are generally metal oxides, nitrides, or sulfides¹. Among them, titanium dioxide (TiO_2) has proven to be one of the most suitable photocatalysts due to its strong oxidation ability, chemical and biological inertness, and low cost^{5,6}. However, the wide band gap (~ 3.2 eV) implies that its photocatalytic activity is only triggered under ultraviolet light (UV), leaving about 95% solar energy useless^{7–9}. Developing novel photocatalysts with outstanding performance under visible (vis-) light is therefore pursued.

Photoexcited carriers occurred in photocatalysis are involved in two competing processes: (i) diffusion to the surface such that chemical reactions with adsorbed molecules can occur; and (ii) recombination, which decreases the number of active carriers consumed by chemical reactions on the surface¹⁰. The rapid recombination rate of photogenerated electron-hole pairs within semiconductors (such as TiO_2) results in the low quantum efficiency, thus limiting their practical application. The most effective strategy is to couple semiconductors with other materials forming heterojunction, in which the electrons and holes are separated via interfacial charge transfer. As the paradigm in this respect, graphene (GR)-based semiconductor nanocomposites have recently gained increasing interest^{11,12}. The high specific surface area and superior electron mobility of GR are in favor of the interfacial charge transfer between GR and semiconductors, thus hindering the recombination process of electron-hole pairs in photocatalysis and enhancing the photocatalytic activity of composites. Interestingly, experimental studies have demonstrated that the photocatalytic performance of GR-semiconductor composites

¹Department of Applied Physics, School of Physics and Electronics, Hunan University, Changsha 410082, China.

²School of Materials Science and Engineering, Hunan University, Changsha 410082, China. ³Beijing National Laboratory for Condensed Matter Physics, Institute of Physics, Chinese Academy of Sciences, Beijing 100190, China. Correspondence and requests for materials should be addressed to W.-Q.H. (email: wqhuang@hnu.edu.cn) or G.-F.H. (email: gfhuang@hnu.edu.cn) or W.-M.L. (email: wliu@iphy.ac.cn)

can be further improved by doping^{13–26}. Jia *et al.* first reported that N-doped GR (N-GR)/CdS nanocomposites have a higher photocatalytic activity than pure CdS, and the cocatalyst N-GR as a protective layer can prevent CdS from photocorrosion under light irradiation¹³. Subsequently, the enhanced photocatalytic activities of doped GR-semiconductor composites, such as N-GR/ZnSe¹⁴, g-C₃N₄/N-GR/MoS₂¹⁵, N-GO/MoS₂¹⁶, N-GR/AgX@Ag (X = Br, Cl)¹⁷, N-GR/Fe₂O₃¹⁸, N-GR/Pd@PdO¹⁹, B-GR/TiO₂^{20,23}, N-GR/ZnO²¹, N-GR/TiO₂^{22,24,26}, N-GR/ZnS²⁵, have also been verified experimentally. It is generally assumed that the improved activities can be ascribed to the synergistic effects of more light harvest, enhanced adsorption capacity and more efficient separation of photogenerated electron-hole pairs after integrated with doped GR. However, the underlying mechanisms of the dopant effects on the charge transfer and photocatalytic performance of the composites have not yet been revealed.

In this work, the dopant effects are systematically explored via a model doped GR/Ag₃PO₄ composite using density functional theory (DFT) calculations. The choice of Ag₃PO₄ is motivated by its important potential applications as a vis-light-sensitive photocatalyst, due to its extremely high photo-oxidative capabilities for O₂ evolution from water and for the decolorization of organic dyes, its quantum efficiencies up to nearly 90% under vis-light irradiation^{27–31}. However, Ag₃PO₄ crystal is slightly soluble in aqueous solution, which greatly reduces its structural stability. Moreover, during the photocatalytic process, Ag⁺ is usually transformed into Ag, resulting in the photocorrosion of Ag₃PO₄ due to the absence of electron acceptors²⁷. The instability of Ag₃PO₄ photocatalytic limits its practical application as a recyclable highly efficient photocatalyst. Coupling semiconductors with Ag₃PO₄ is recognized to be a viable strategy to enhance its photocatalytic activity and stability^{32–43}. In particular, the enhanced photocatalytic performance of GR/Ag₃PO₄ composite has been investigated both experimentally and theoretically^{39,44}. Therefore, the doped GR/Ag₃PO₄ composite is expected to be a prime candidate to uncover the dopant effects for its significance not only for use under vis-light, but also for insightful studies of photocatalytic mechanisms. Here, four dopants (B, N, S, and P) are chosen as representative to uncover their role in the doped GR/Ag₃PO₄ composites. The choice of these four dopants is due to the fact that their atomic radii and electronegativities are similar to C atom, suggesting they can relatively easily be doped into GR^{45–50}. Furthermore, the underlying mechanisms for enhanced photocatalytic performance of those prepared composites^{13–26}, formed by semiconductors and GR doped with these dopants, are not clear. Our results show that the impurity states located at near the gap will change the electronic structure, thus tuning the band gap and vis-light response of the doped GR/Ag₃PO₄ composites. Interestingly, the doping atom and the C atoms bonded to dopant become positively or negatively charged, acting as active sites for photocatalysis. The N_C-GR/Ag₃PO₄(100) composite is a promising photocatalyst due to its highest visible light absorption and stability. These results provide the fundamental understanding of the dopant effects, which is important in the future design of vis-light-harvesting doped-GR-based composites.

Results

Structural properties and formation energy. The representative views of GR/Ag₃PO₄(100) composites are shown in Fig. 1. Parts (a) and (b) present the top and side views of the GR/Ag₃PO₄(100) interface used in our calculations, respectively. The blue atom is the center C atom of GR sheet, which is replaced by B, N, S, and P in the B_C-GR/Ag₃PO₄(100), N_C-GR/Ag₃PO₄(100), S_C-GR/Ag₃PO₄(100), and P_C+V_C-GR/Ag₃PO₄(100) composites, respectively. Part (c) of Fig. 1 is given the top view of the P_C+V_C-GR/Ag₃PO₄(100) composite, while part (d) for side view of the S_C-GR/Ag₃PO₄(100) composite after optimization. Geometry optimization has first been performed for these systems using the conjugate gradient method. The distances from the Ag₃PO₄(100) surface to GR/doped GR sheets after optimization for the GR/Ag₃PO₄(100) and doped GR/Ag₃PO₄(100) composites are listed in Table 1. For the pure GR/Ag₃PO₄(100) composite, the farthest and closest distances between the GR sheet and the top of the Ag₃PO₄(110) surface is calculated to be 2.65 and 2.61 Å, respectively, which is about equal to those between the GR sheet and other materials (2.65 Å for TiO₂(110)/GR⁵¹, 2.422–2.866 Å for ZnO(0001)/GR)⁵². This indicates that the GR sheet is slightly distorted because the forces on different C atoms, caused by the interfacial interaction, are vary, owing to the different arrangement of atoms at the top layer of Ag₃PO₄(100) surface.

The dopant effects on the interface distances for GR/Ag₃PO₄(100) composites can be clearly seen from Table 1. The variation of interface distances of doped GR/Ag₃PO₄(100) composites depends on the impurity atom. The B dopant on the carbon lattice site induces a small increase (about 0.02~0.03 Å) of interface distances between the B-doped GR sheet and Ag₃PO₄(100) surface. The same increase of interface distance also happens in the P_C+V_C-GR/Ag₃PO₄(100) composite. Surprisingly, the interface distance between the N-doped GR sheet and Ag₃PO₄(100) surface is significantly increased (~0.5 Å) compared to that in pure GR/Ag₃PO₄(100) composite. Although the interface distances are changed in these composites, the doped GR sheets are still quite flat, indicating that the interfacial interactions are indeed van der Waals (vdW) rather than covalent, in accordance with previous studies⁴⁴. On the contrary, the S dopant leads to a local distinct deformation of the GR sheet, as shown in Fig. 1(d). This is because the bond length of S-C (1.74 Å) is longer than that of C-C (1.42 Å), while those of B-C and N-C are 1.48 and 1.41 Å, respectively, very close to 1.42 Å. This is the main reason why the doped GR sheet is still flat in the B_C/N_C-GR/Ag₃PO₄(100) composites, whereas the S-doped GR sheet is undulating one, resulting into the farthest and closest distances between the S-doped GR sheet and the top of the Ag₃PO₄(110) surface to be 2.71 and 1.73 Å, respectively. The microscopic crumpling around the S dopant can be comparable in size to the suspended GR sheet, which exhibit intrinsic microscopic roughening such that the surface normal varies by several degrees and out-of-plane deformations reach 1 nm⁵³. The change of interface distance indicates the variation of interface interaction between doped GR and Ag₃PO₄(100) surface, which will result into the change of electron transfer in these composites. Meanwhile, the atoms in the top two layers of Ag₃PO₄(100) surface have been rearranged, implying that the electron transfer occurs at the interface, as will be shown below.

To assess the dopant effects on the relative stability of these doped composites, the interface binding energies, ΔE_p, of these composites are estimated according to the following equation:




Figure 1. Crystal structures of GR/Ag₃PO₄(100) composites. (a) Top view. The blue atom represents the location of dopant (B, N, S, and P). (b) Side view. (c) Top view of P_C+V_C-GR/Ag₃PO₄(100) composite. One C atom bonded to P atom is removed to eliminate the large deformation of doped GR sheet. (d) Side view of crystal structure after optimization for S_C-GR/Ag₃PO₄(100) composite. The S dopant leads to a local distinct deformation of the GR sheet.

Composites	E _f (eV)	Interface distance (Å)	
		d1	d2
GR/Ag ₃ PO ₄ (100)	-0.77	2.61	2.65
B _C -GR/Ag ₃ PO ₄ (100)	-5.12	2.63	2.68
N _C -GR/Ag ₃ PO ₄ (100)	-5.48	3.12	3.15
S _C -GR/Ag ₃ PO ₄ (100)	2.22	1.73	2.71
P _C +V _C -GR/Ag ₃ PO ₄ (100)	-7.34	2.63	2.68

Table 1. The distances from the Ag₃PO₄(100) surface to pure and doped GR sheets after optimization and the formation energy E_f (eV) for the GR/Ag₃PO₄(100) and doped GR/Ag₃PO₄(100) composites. d1 and d2 denote the farthest and closest distances from the Ag₃PO₄(100) surface to pure/doped GR sheets, respectively.

$$\Delta E_f = E_{\text{comb}} - E_{\text{X-GR}} - E_{\text{Ag}_3\text{PO}_4(100)} \quad (1)$$

where E_{comb} , $E_{\text{X-GR}}$, and $E_{\text{Ag}_3\text{PO}_4(100)}$ represent the total energy of the relaxed X-GR/Ag₃PO₄(100) (X = B, N, S, P+V_C), X-GR (X = B, N, S, P+V_C) sheet, and pure Ag₃PO₄(100) surface, respectively. By this definition, the negative ΔE_f indicates that the composite is stable. The lower ΔE_f will make the crystal to approach to the lower energy state and therefore be steadier, suggesting that the composites can be experimentally synthesized more easily. The ΔE_f are calculated to be -0.77, -5.12, -5.48, and -7.34 eV of the GR/Ag₃PO₄(100), B_C-GR/Ag₃PO₄(100), N_C-GR/Ag₃PO₄(100), and P_C+V_C-GR/Ag₃PO₄(100) composites, as listed Table 1. The S_C-GR/Ag₃PO₄(100) composite has the highest ΔE_f (2.220 eV), due to its biggest deformation. On the contrary, the ΔE_f




Figure 2. Density of states (DOSs). Left: The project DOSs for $\text{Ag}_3\text{PO}_4(100)$ and pure/doped GR sheets. (a1–e1) are for GR/ $\text{Ag}_3\text{PO}_4(100)$, B_C -, N_C -, S_C -, and P_C+V_C -GR/ $\text{Ag}_3\text{PO}_4(100)$ composites, respectively. The magenta and green curves are for pure/doped GR sheets and $\text{Ag}_3\text{PO}_4(100)$ surface, respectively. It is clear that the near-gap electronic structures of the doped-GR/ $\text{Ag}_3\text{PO}_4(100)$ composites are dependent on the dopants. Right: (b2–e2) DOSs of B, N, S, and P, respectively. The vertical dashed line indicates the Fermi level and the Fermi level is set at zero energy.

of other three doped composites are more negative than that of pure GR/ $\text{Ag}_3\text{PO}_4(100)$ composite. Thus, the B_C , N_C and P_C+V_C doped GR sheets are more easily to couple with Ag_3PO_4 or other semiconductors to form composites. These theoretical predictions are in line with the available experimental results, such as N-GR/ ZnSe^{14} (Fe_2O_3)¹⁸, ZnO^{21} , TiO_2 ^{22,24,26}, ZnS^{25} , AgX@Ag ($\text{X} = \text{Br}, \text{Cl}$)¹⁷ and B-GR/ TiO_2 ^{20,22}.

Density of States. Incorporating impurity atom into semiconductors to engineer their electronic structures and photocatalytic performances have widely been used as an effective strategy. The influence of dopants on the properties of the composites containing two-dimensional layered material has not been explored theoretically so far. To evaluate the dopant effects, it is insightful to analyze the electronic structures of doped-GR-based composites. The density of states (DOSs) of five models are displayed in Fig. 2. As its (100) surface is exposed, Ag_3PO_4 becomes a direct band gap semiconductor and the band gap, E_g , decreases to 2.15 eV from 2.45 eV⁴⁴. The GR/ $\text{Ag}_3\text{PO}_4(100)$ has an E_g of 0.53 eV due to the Fermi level down-shifting by 0.655 eV with respect to the Dirac point of GR, which extends its absorption spectrum covering the entire visible region, even infrared light⁴⁴. Figure 2 shows that, for pure GR/ $\text{Ag}_3\text{PO}_4(100)$ composite, the upper part of valence band (VB) consists of the states of GR sheet, whereas the bottom of conduction band (CB) is composed by orbitals from the $\text{Ag}_3\text{PO}_4(100)$ surface. Under light irradiation, electrons in the top VB can be directly excited to the CB of GR/ $\text{Ag}_3\text{PO}_4(100)$, producing well-separated electron-hole pairs. The most important feature in Fig. 2 is the band alignment between the doped GR sheet and the $\text{Ag}_3\text{PO}_4(100)$ surface. As shown in the left column of Fig. 2, the main shapes of the calculated DOSs projected on two different components in the doped GR/ $\text{Ag}_3\text{PO}_4(100)$ composites are similar to those of the DOSs of isolated doped GR sheets and the $\text{Ag}_3\text{PO}_4(100)$ surface, respectively (note that the DOSs of doped GR sheets are not given here). This is due to larger separation space between them (about 2.6–3.2 Å), suggesting that the interaction between doped GR and $\text{Ag}_3\text{PO}_4(100)$ surface is weak due to the absence of covalent bonding upon formation between the interfaces. The interaction between the doped GR sheets and $\text{Ag}_3\text{PO}_4(100)$ surface varies with different dopants. From Fig. 2, the VB offset (VBO) and the CB offset (CBO) between GR sheets and $\text{Ag}_3\text{PO}_4(100)$ surface appear in these composites. This kind of the band alignment between the two components demonstrate that a type-II heterojunction is formed, which is key to enhance the photoactivity of the doped GR/ $\text{Ag}_3\text{PO}_4(100)$ composites.

Doping can tune the band gap of doped GR/ $\text{Ag}_3\text{PO}_4(100)$ composites, as listed in Table 2. The B or S substituting on the C site in the GR sheet will decrease the band gap of the composites. Similarly, the P_C+V_C -GR/

Composites	E_g (eV)	Bader charge (e)	
		B/N/S/P+V _C -GR	Ag ₃ PO ₄ (100)
GR/Ag ₃ PO ₄ (100)	0.53	0.39	-0.39
B _C -GR/Ag ₃ PO ₄ (100)	0.12	0.15	-0.15
N _C -GR/Ag ₃ PO ₄ (100)	1.44	0.61	-0.61
S _C -GR/Ag ₃ PO ₄ (100)	0.38	0.47	-0.47
P _C +V _C -GR/Ag ₃ PO ₄ (100)	0.12	1.48	-1.48

Table 2. The band gap and Bader charge analysis for the undoped and doped GR/Ag₃PO₄(100) composites.

Ag₃PO₄(100) composite has a smaller band gap (0.12 eV), compared to pure GR/Ag₃PO₄(100). The decrease of band gap, due to B, S, and P dopants, stems from the negative movement of the CB bottom, relative to the Fermi level (Fig. 2 (b1,d1,e1)). In contrast, N atom doped into the GR sheet as impurity increases the band gap from 0.53 to 1.44 eV of N_C-GR/Ag₃PO₄(100) composite. The origin of band gap broaden can be traced by the movement of the VB maximum (VBM) and the CB minimum (CBM). Compared to the Fermi level, there is a significantly raise of the CBM compared to the pure GR/Ag₃PO₄(100) composite. Note that the CBM consists mainly of O 2p states from the top layer of the Ag₃PO₄(100) surface. The doped N atom has three unpaired electrons with strong N 2p character, similar to its neighboring O 2p states, leading to the hybridization between N and its neighboring O atoms. Fig. 2 (c2,d2) show that the N 2p orbital above the Fermi level is much higher than those of S dopant. Since the N 2p orbital energy is higher than the O 2p orbital energy, the overlap of N 2p and O 2p states at the bottom of CB then elevates the CBM, as well as the donor level to be above the VB. Therefore, doping with N impurity into GR sheet widens the band gap of N_C-GR/Ag₃PO₄(100) composite, whereas the S dopant reduces the band gap of S_C-GR/Ag₃PO₄(100) composite. The N dopant can also broaden the band gap of Cu₂O⁵⁴. The cases of B_C-GR/Ag₃PO₄(100) and P_C+V_C-GR/Ag₃PO₄(100) composites are quite different: the B 2p and P 3p states are located at the Fermi level, *i.e.*, to modify the VB edge (p-type doping) (see Fig. 2 (b2,e2)), thus the decrease of band gaps resulting in an upward shift of the VBM (see Figs 2 (b1,e1)). These results indicate that the substitution doping of GR sheet not only tune the band gap, but also change the ingredients of near-gap electronic structure of the doped-GR-based composites, which will influence the light absorption.

Mulliken Population, Charge Transfer and Mechanism Analysis. The interactions between GR and Ag₃PO₄(100) surface would induce the charge distribution fluctuations of GR sheet⁴⁴. To quantitatively analyze the charge variation caused by doping in the doped GR/Ag₃PO₄(100) composites, the Mulliken population analysis of the plane-wave pseudopotential calculations has been performed for five composites. Figures 3 and 4 render the results of the Mulliken charges on the atoms near the dopants, in which selected typical values are denoted. Although the C atom in the pure GR has a Mulliken charge of zero electrons, those C atoms in the GR/Ag₃PO₄(100) composite have different Mulliken charges because the arrangement of atoms under various C atoms is different (Fig. 3(a)). The redistribution of charge of doped GR sheet mainly depends on the incorporation of impurity atoms into C lattice. As shown in Fig. 3(b–e), the doped B, N, S, and P atoms have a Mulliken charge of +0.51, -0.23, +0.84, and +1.06, respectively. Compared Fig. 3(a) with Fig. 3(b–e), one can see that the C atoms bonded to the dopants have much larger Mulliken charges than those in the pure GR/Ag₃PO₄(100) composite. Interestingly, the three C atoms bonded to N atom have positive Mulliken charges (+0.14, +0.15), whereas those bonded to B (S, P) atom have negative Mulliken charges. This can be ascribed to the different atomic radiuses, electronegativities, and their bond length with C atom, of these dopants. Moreover, some C atoms become positively charged (not given in Fig. 3), while others are negative in these composites. Those atoms, especially the dopants, with positive effective charge will facilitate the adsorption of some species with negative charges, thus becoming active sites. The dopants in GR sheets also change the charge redistribution of the Ag₃PO₄(100) surface, which are shown in Fig. 4. In particular, there are obvious changes of the Mulliken charges of Ag atoms under the dopants. For example, Fig. 4(c) shows that the Mulliken charges of the Ag atoms in the first, second and third layers are reduced from 0.85 to 0.73, 0.56 to 0.51, 0.57 to 0.55, respectively, compared to those in undoped GR/Ag₃PO₄(100) composite (Fig. 4(a)). The value variation is decreased gradually is due to the elongation of the distance between the dopants and the Ag atoms in different layers. However, the electrons of O atoms in the top layer are almost no change. Therefore, incorporating substitutional impurity into the GR sheet is likely to be one effective strategy to improve stability of GR/Ag₃PO₄(100) composites.

The rearrangements of atoms near the interface and the strong change of DOSs imply a substantial charge transfer between the involved constituents. This can be visualized (as shown in Figs 5 and 6) by the three-dimensional charge density difference $\Delta\rho = \rho_{X-GR/Ag_3PO_4(100)} - \rho_{Ag_3PO_4(100)} - \rho_{X-GR}$ (X = B, N, S, P+V_C), where $\rho_{X-GR/Ag_3PO_4(100)}$, $\rho_{Ag_3PO_4(100)}$, and ρ_{X-GR} are the charge densities of the composite, Ag₃PO₄(100) surface, and free-standing X-GR in the same configuration, respectively. Similar to the case of undoped composite, the strong charge accumulations in the four doped GR/Ag₃PO₄(100) composites are found just above the Ag atoms in the top layer, whereas the regions of charge depletion appear both on the lower side of the doped GR (facing the surface) just above the O atoms in the top layer and on the higher side of the Ag atoms in the top layer in the ground electronic state. It can be clearly seen from Figs 5 and 6 that the effects of dopants on the interface charge transfer are apparent. The relative order of the amount of charge transfer for the doped composites is found to be N_C-GR/Ag₃PO₄(100) > S_C-GR/Ag₃PO₄(100) > P_C+V_C-GR/Ag₃PO₄(100) > B_C-GR/Ag₃PO₄(100). To offer quantitative results of charge redistribution, parts (c) of Figs 5 and 6 plot the planar averaged charge density difference




Figure 3. The Mulliken population charges on the doped atoms and the atoms around the doped atom in GR sheet. (a–e) are for undoped, B_C-, N_C-, S_C-, and P_C+V_C-doped GR/Ag₃PO₄(100) composites, respectively. The red digits denote the significant variations of Mulliken population charges, relative to the corresponding positions in the GR/Ag₃PO₄(100) composite. It is clear that some C atoms become positively charged, while others are negative in these composites. Those atoms, especially the dopants, with positive effective charge will facilitate the adsorption of some species with negative charges, thus becoming active sites.

along the direction perpendicular to the Ag₃PO₄(100) surface. For the B_C-, N_C-, S_C-, and P_C+V_C-GR/Ag₃PO₄(100) composites, the largest efficient electron accumulations localized above the Ag atoms in the top layer are respectively about 16.0×10^{-4} , 30.0×10^{-4} , 20.0×10^{-4} , and $18.0 \times 10^{-4} e/\text{\AA}^3$, while the largest efficient electron depletions on the lower side of the GR are respectively about -18.0×10^{-4} , -48.0×10^{-4} , -31.0×10^{-4} , and $-18.0 \times 10^{-4} e/\text{\AA}^3$. These values are larger than those in the undoped GR/Ag₃PO₄(100) composite, indicating that the interaction between doped-GR sheets and Ag₃PO₄(100) surface becomes stronger due to doping. This can be further verified by the efficient electron accumulation above the doped GR sheets, which is more than that in the undoped GR/Ag₃PO₄(100) composite. A further charge analysis based on the Bader method can give the quantitative results of charge transfer between the two constituents, which are listed in Table 2. One can see that 0.39 electrons transfers from GR sheet to Ag₃PO₄(100), in agreement with the previous results⁴⁴. However, the amount of charge transferred at the B_C-GR/Ag₃PO₄(100) interface is 0.15 electron from B_C-doped GR sheet to Ag₃PO₄, which is less than that at the GR/Ag₃PO₄(100) interface. The decreased amount of charge transferred in B_C-GR/Ag₃PO₄(100) is due to the longer average equilibrium distance of Ag₃PO₄(100) surface and the B_C-doped GR sheet than that between Ag₃PO₄(100) surface and pure GR sheet (Table 1). Furthermore, the B atom has smaller electronegativity than C atom, leading to some electron transfers from former to latter in the GR sheet. On the contrary, the amounts of charge transferred in the other three doped GR/Ag₃PO₄(100) composite are larger than that in undoped GR/Ag₃PO₄(100) one, which may be related to their electronegativities and structural deformation of doped GR sheets.

The underlying mechanism for different interface charge redistributions can be traced to the electrostatic potential distribution in the doped GR/Ag₃PO₄(100) composites. The profile of the planar averaged self-consistent electrostatic potential for these composite as a function of position in the z-direction is displayed in Figs 5 and 6(a,d). Similar to the case of undoped GR/Ag₃PO₄(100) composite, the periodic lattice potential in the Ag₃PO₄(100) lattice is clear although it has some distortion due to the atoms in the upper layers having a slight movement compared to their positions in bulk Ag₃PO₄. The higher potential near the doped GR sheets leads to a potential well formed at interfaces. The appearance of such a large built-in potential well can effectively hinder the recombination of photogenerated charge carriers in the doped GR/Ag₃PO₄(100) composite. During the photocatalytic process, photogenerated electrons migrated to the Ag₃PO₄(100) surface could be pumped to the doped GR sheets, resulting in the net efficient electrons accumulation at doped GR sheets, because the built-in potential is




Figure 4. The Mulliken population charges on Ag, O, and P atoms, which have changed in the $\text{Ag}_3\text{PO}_4(100)$ surface. (a–e) are for undoped, B_C -, N_C -, S_C -, and $\text{P}_\text{C} + \text{V}_\text{C}$ -doped $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composites, respectively. The blue digits represent the changed Mulliken population charges on Ag atoms near the interface. The variation of Mulliken population charges on P atoms shows that the dopants in GR sheets change the charge redistribution of the $\text{Ag}_3\text{PO}_4(100)$ surface.

large enough to drive efficient charge separation in the composites. Among these dopants, substitutional N doping can push the plane of largest potential at the GR sheet to the $\text{Ag}_3\text{PO}_4(100)$ surface, as shown in Fig. 5(d). The closer the largest potential gets to the $\text{Ag}_3\text{PO}_4(100)$ surface, the higher the migration efficiency of electrons at the $\text{Ag}_3\text{PO}_4(100)$ surface. These results partly offer a physical interpretation for the enhanced photocatalytic activities of the N-doped GR/semiconductor composites synthesized by experiments^{13–18,21,22,24–26,55,56}.

Optical Properties. To investigate the influence of dopants on the optical properties, we have calculated the absorption spectra of the undoped and doped $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composites, as shown in Fig. 7. One can see, the undoped $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite has a significant absorption at a wide region from 300 to 800 nm. The remarkable feature of its absorption curve is three resonant-like peaks at about 300, 440, and 780 nm, which has been discussed previously⁴⁴. As the impurity atom is doped into the GR sheet in the composites, the absorption curves have more than one resonant-like peak (three peaks for B_C - and $\text{P}_\text{C} + \text{V}_\text{C}$ - $\text{GR}/\text{Ag}_3\text{PO}_4(100)$, four peaks for N_C - and S_C - $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composites), due to the transitions between different energy levels. Compared to the undoped $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite, the weaker absorption intensity of the doped $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite at long wavelength range ($\lambda > 600$ nm) can be attributed to the change of the near-gap electronic structures caused by the dopants. Fortunately, the doped $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composites have strong absorption in the UV and vis-light range (ranging from 300 to 600 nm) which is more importantly for the photocatalysis. In particular, the higher resonant-like peaks at about 400–440 nm, due to doping, are especially beneficial to enhance the photocatalytic performance of the doped $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composites, according to the fact that the light with wavelength of ~440 nm might be the most appropriate visible light for generation of radical species in the $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite^{39,44}. Figure 7 illuminates that the N_C - $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite has excellent absorption, followed by $\text{P}_\text{C} + \text{V}_\text{C}$ - $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite. Therefore, it can be concluded that doping with substitutional impurities into the GR sheet is an effective strategy to enhance the photocatalytic performance of the $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composites.

We now propose, based on the above results, that the N atom may be one of the most appropriate dopants for the $\text{GR}/\text{Ag}_3\text{PO}_4$ photocatalyst. Firstly, the N_C - $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite can be easily prepared due to its lower formation energy (–5.48 eV). Secondly, the N dopant results in the more stronger absorption in the UV and vis-light range, especially from 350–600 nm, which is one of the important factors for a high-efficiency photocatalyst. Thirdly, the C atoms bonded to N dopant become positively charged while the N dopant is negative in the N_C - $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composites. Those C atoms (the N dopant) with positive (negative) effective charge, as active sites, will facilitate the adsorption of some species with negative (positive) charges, thus enhancing the photocatalytic activity. Most importantly, the photocatalytic activity and stability of the $\text{GR}/\text{Ag}_3\text{PO}_4(100)$ composite can be greatly improved by doping N atom in the GR sheet, owing to the fact that the highest potential plane will be pushed away from the GR sheet to the interface, thus promoting the migration of photogenerated electrons at the Ag_3PO_4 surface. Fortunately, this proposal here can be largely demonstrated by the available experimental results about N-doped GR-semiconductor composites^{13–18,21,22,24–26,49,50}.




Figure 5. Planar averaged self-consistent electrostatic potential as a function of position in the Z -direction: (a,d) are for B_C - and N_C -GR/ $Ag_3PO_4(100)$ composites, respectively. The higher potential near the doped GR sheets leads to a potential well formed at interfaces. 3D charge density difference with an isovalue of $0.006 e/\text{\AA}^3$: (b,e) are for B_C - and N_C -GR/ $Ag_3PO_4(100)$ composites, respectively. Blue and yellow is surfaces represent charge accumulation and depletion in the space. Planar averaged charge density difference as a function of position in the Z -direction: (c,f) are for B_C - and N_C -GR/ $Ag_3PO_4(100)$ composites, respectively. The charge difference shows that charge transfer occurs inversely from the Ag_3PO_4 surface to GR and induces the electrostatic potential inverse at the interface.

Discussions

Graphene has attracted considerable attention and has been the object of extensive study since its first successful synthesis in 2004^{57–60}. We have first performed the first *ab initio* DFT calculations to explore the effects of dopants on the structural, electronic and optical properties, charge transfer at the interface formed between the B_C -, N_C -, S_C -, and P_C+V_C -GR sheets and a $Ag_3PO_4(100)$ surface in the context of stable vis-light photocatalyst. The band gap, near-gap electronic structure and interface charge transfer of the doped GR/ $Ag_3PO_4(100)$ composite can be tuned by the dopants. Moreover, the substitutional doping in the GR sheet plays an essential role in the absorption of vis-light, in the promotion of electrons to the CB, and in photoinduced electrons transfer to reducible adsorbates of doped GR/ $Ag_3PO_4(100)$ composites. We propose that the N atom may be one of the most appropriate dopants for the GR/ Ag_3PO_4 photocatalyst. This work provides the theoretical results to rationalize the available experimental results about N-doped GR-semiconductor composites, and enriches our understanding on the effect of dopants in the doped GR-based composites for developing high-performance photocatalysts.

Methods

Theoretical model. We construct a supercell ($12.01 \times 12.25 \times 18 \text{\AA}^3$) of GR/ $Ag_3PO_4(100)$, a 5×6 single GR layer containing 60 carbon atoms sits on a 2×2 seven atomic layer stoichiometric $Ag_3PO_4(100)$ surface (i.e., the most stable one among the low index surfaces) slab containing 64 atoms with three bottom layers fixed at bulk position. A 15\AA thick vacuum layer is above the GR sheet to avoid artificial interaction. The whole system




Figure 6. Planar averaged self-consistent electrostatic potential as a function of position in the Z -direction: (a,d) are for S_c - and P_c+V_c -GR/Ag₃PO₄(100) composites, respectively. The higher potential near the doped GR sheets leads to a potential well formed at interfaces. 3D charge density difference with an isovalue of $0.006 e/\text{\AA}^3$: (b,e) are for S_c - and P_c+V_c -GR/Ag₃PO₄(100) composites, respectively. Blue and yellow is surfaces represent charge accumulation and depletion in the space. Planar averaged charge density difference as a function of position in the Z -direction: (c,f) are for S_c - and P_c+V_c -GR/Ag₃PO₄(100) composites, respectively. The charge difference shows that charge transfer occurs inversely from the Ag₃PO₄ surface to GR and induces the electrostatic potential inverse at the interface.

contains totally 124 atoms with 736 valence electrons. To explore the dopant effects in the heterojunction, four substitutional dopants, B, C, S, and P, are chosen to substitute C atom of GR sheet. It should be pointed out that when one C atom is substituted by only a P atom, the deformation of doped GR sheet is very large, the vertical displacement of P atom more than 1.0 nm relative to the GR plane. This can be eliminated by removing one nearest neighbor C atom. Four doped GR/Ag₃PO₄(100) composites are: B_c-GR/Ag₃PO₄(100) (B atom substituting C atom of GR), N_c-GR/Ag₃PO₄(100) (N atom substituting C atom of GR), S_c-GR/Ag₃PO₄(100) (S atom substituting C atom of GR), and P_c+V_c-GR/Ag₃PO₄(100) (P atom substituting C atom of GR and one neighbor C atom removed). For comparison, undoped GR/Ag₃PO₄(100) composite are also studied.

Electronic structure calculation. The calculations are performed using the CASTEP code⁶¹ based on first-principles DFT. The local density approximation (LDA) with inclusion of the vdW interaction is chosen because long-range vdW interactions are expected to be significant in these complexes. However, LDA has been known generally to underestimate the energy gap of semiconductor, resulting into an overestimate for photoinduced electrons transfer in photocatalytic process. To correct this band gap problem, all of the theoretical calculations are performed using the DFT/LDA+U method implemented in the plane wave basis CASTEP code. We have performed extensive tests to determine the appropriate U parameters for Ag 4d states, which reproduced the




Figure 7. Absorption spectra of the undoped, B_C -, N_C -, S_C -, and P_C+V_C -GR/Ag₃PO₄(100) composites for the polarization vector perpendicular to the surface. The inset shows that the N_C - and S_C -GR/Ag₃PO₄(100) composites display strong absorption in the range 550 to 750 nm. The higher resonant-like peaks at about 400–440 nm, due to doping, are especially beneficial to enhance the photocatalytic performance of the doped GR/Ag₃PO₄(100) composites, according to the fact that the light with wavelength of ~440 nm might be the most appropriate visible light for generation of radical species in the GR/Ag₃PO₄(100) composite. The N atom may be one of the most appropriate dopants for the GR/Ag₃PO₄ photocatalyst.

correct energy gap (2.48 eV) for cubic Ag₃PO₄. The appropriate Hubbard U values for Ag 4d, O 2p, and P 3p are 7.2, 7.0, and 7.0 eV, respectively. The states of O: 2s² 2p⁴, Ag: 4d¹⁰ 5s¹, C: 2s² 2p², P: 3s² 3p⁴, S: 3s² 3p⁴, N: 2s² 2p³, B: 2s² 2p¹, are treated as valence states. The plane wave cut off is set to 400 eV. The k mesh of 2 × 2 × 1 and 4 × 4 × 1 is respectively used for geometry optimizations and for calculating density of states using the Monkhorst-Pack scheme. In the geometrical optimization, the maximum ionic displacement is within 0.002 Å, and the total stress tensor is reduced to the order of 0.1 GPa. All geometry structures are fully relaxed until the convergence criteria of energy and force are less than 10⁻⁶ eV/atom and 0.01 eV/Å, respectively.

Optical response. The strong light absorption is one fundamental premise for a high-efficiency photocatalyst except for a low recombination rate of photogenerated charge carriers and suitable redox potentials. For the semiconductor material, the dielectric function is mainly connected with the electronic response. The imaginary part ϵ_2 of the dielectric function ϵ is calculated from the momentum matrix elements between the occupied and unoccupied wave functions, given by⁶²:

$$\epsilon_2(\hbar\omega) = \frac{2e^2\pi}{\Omega\epsilon_0} \sum_{k,\nu,c} |\Psi_k^c|\mathbf{u} \cdot \mathbf{r}|\Psi_k^\nu|^2 \delta(E_k^c - E_k^\nu - E) \quad (2)$$

where Ω , ω , \mathbf{u} , ν , and c are the unit-cell volume, photon frequency, the vector defining the polarization of the incident electric field, valence bands, and conduction bands, respectively. The real part ϵ_1 of the dielectric function ϵ is evaluated from the imaginary part ϵ_2 by Kramer–Kronig transformation. The absorption coefficient $I(\omega)$ can be derived from ϵ_1 and ϵ_2 , as following:

$$I(\omega) = \sqrt{2}\omega[\sqrt{\epsilon_1^2(\omega) + \epsilon_2^2(\omega)} - \epsilon_1(\omega)]^{1/2} \quad (3)$$

which depends on ϵ_1 and ϵ_2 and thus on the energy. All other optical constants can also be obtained. The relations above are the theoretical basis of band structure and optical properties, which reflected the mechanism of luminescence spectral caused by electronic transition between various energy levels.

References

1. Tong, H. *et al.* Nano-photocatalytic Materials: Possibilities and Challenges. *Adv. Mater.* **24**, 229–51 (2012).
2. Zou, Z. G., Ye, J. H., Sayama, K. & Arakawa, H. Direct splitting of water under visible light irradiation with an oxide semiconductor photocatalyst. *Nature*. **414**, 625–627 (2001).
3. Chen, X., Shen, S., Guo, L. & Mao, S. S. Semiconductor-based Photocatalytic Hydrogen Generation. *Chem. Rev.* **110**, 6503–6570 (2010).
4. Kisch, H. Semiconductor Photocatalysis Mechanistic and Synthetic Aspects. *Angew. Chem. Int. Ed.* **52**, 812–847 (2013).

5. Radich, J. G., Krenselewski, A. L., Zhu, J. & Kamat, P.V. Is Graphene a Stable Platform for Photocatalysis? Mineralization of Reduced Graphene Oxide with UV-Irradiated TiO₂ Nanoparticles. *Chem. Mater.* **26**, 4662–4668 (2014).
6. Yu, Y. L. *et al.* Efficient visible-light photocatalytic degradation system assisted by conventional Pd catalysis. *Sci. Rep.* **5**, 9561 (2015).
7. Kamat, P. V. Manipulation of Charge Transfer across Semiconductor Interface. A Criterion That Cannot Be Ignored in Photocatalyst Design. *J. Phys. Chem. Lett.* **3**, 663–672 (2012).
8. Scanlon, D. O. *et al.* Band alignment of rutile and anatase TiO₂. *Nat. Mater.* **12**, 798–801 (2013).
9. Agrawal, Y. *et al.* High-Performance Stable Field Emission with Ultralow Turn on Voltage from rGO Conformal Coated TiO₂ Nanotubes 3D Arrays. *Sci. Rep.* **5**, 11612 (2015).
10. Reunchan, P. & Umezawa, N. Native defects and hydrogen impurities in Ag₃PO₄. *Phys. Res. B* **87**, 245205 (2013).
11. Xiang, Q. & Yu, J. Graphene-Based Photocatalysts for Hydrogen Generation. *J. Phys. Chem. Lett.* **4**, 753–759 (2013).
12. Yang, M. Q., Zhang, N., Pagliaro, M. & Xu, Y. J. Artificial photosynthesis over graphene-semiconductor composites. Are we getting better? *Chem. Soc. Rev.* **43**, 8240 (2014).
13. Jia, L. *et al.* Highly Durable N-Doped Graphene/CdS Nanocomposites with Enhanced Photocatalytic Hydrogen Evolution from Water under Visible Light Irradiation. *J. Phys. Chem. C* **115**, 11466–11473 (2011).
14. Chen, P. *et al.* Nitrogen-Doped Graphene/ZnSe Nanocomposites: Hydrothermal Synthesis and Their Enhanced Electrochemical and Photocatalytic Activities. *ACS Nano* **6**, 712–719 (2012).
15. Hou, Y., Wen, Z., Cui, S., Guo, X. & Chen, J. Constructing 2D Porous Graphitic C₃N₄ Nanosheets/Nitrogen-Doped Graphene/Layered MoS₂ Ternary Nanojunction with Enhanced Photoelectrochemical Activity. *Adv. Mater.* **25**, 6291–6297 (2013).
16. Meng, F., Li, J., Cushing, S. K., Zhi, M. & Wu, N. Solar Hydrogen Generation by Nanoscale p-n Junction of p-type Molybdenum Disulfide/n-type Nitrogen-Doped Reduced Graphene Oxide. *J. Am. Chem. Soc.* **135**, 10286 (2013).
17. Dong, C. *et al.* Nitrogen-doped graphene modified AgX@Ag (X = Br, Cl) composites with improved visible light photocatalytic activity and stability. *Appl. Catal. A-Gen* **488**, 11–18 (2014).
18. He, L., Jing, L., Luan, Y., Wang, L. & Fu, H. Enhanced Visible Activities of alpha-Fe₂O₃ by Coupling N-Doped Graphene and Mechanism Insight. *ACS Catal.* **4**, 990–998 (2014).
19. Jiang, B. *et al.* Nitrogen-doped graphene supported Pd@PdO core-shell clusters for C-C coupling reactions. *Nano Res.* **7**, 1280–1290 (2014).
20. Li, H. *et al.* A facile one-step hydrothermal synthesis of a B-doped graphene/rod-shaped TiO₂ nanocomposite. *RSC Adv.* **4**, 37992–37997 (2014).
21. Liu, L. Dong, C., Wu, K. L., Ye, Y. & Wei, X. W. Synthesis of nitrogen-doped graphene-ZnO nanocomposites with improved photocatalytic activity. *Mater. Lett.* **129**, 170–180 (2014).
22. Mou, Z. *et al.* TiO₂ Nanoparticles-Functionalized N-Doped Graphene with Superior Interfacial Contact and Enhanced Charge Separation for Photocatalytic Hydrogen Generation. *ACS Appl. Mater. Interfaces* **6**, 13798–13806 (2014).
23. Xing, M., Shen, F., Qiu, B. & Zhang, J. Highly-dispersed Boron-doped Graphene Nanosheets Loaded with TiO₂ Nanoparticles for Enhancing CO₂ Photoreduction. *Sci. Rep.* **4**, 6341 (2014).
24. Yao, Z., Wang, M., Sun, S., Jia, R. & Li, H. High Performance Photocatalysts Based on N-doped Graphene-P25 for Photocatalytic Reduction of Carbon Tetrachloride. *J. Inorg. Organomet. Polym. Mater.* **24**, 315–320 (2014).
25. Jiang, S. D., Tang, G., Ma, Y. F., Hu, Y. & Song, L. Synthesis of nitrogen-doped graphene-ZnS quantum dots composites with highly efficient visible light photodegradation. *Mater. Chem. Phys.* **151**, 34–42 (2015).
26. Liu, Y. L., Wang, S. P., Xu, S. G. & Cao, S. K. Evident improvement of nitrogen-doped graphene on visible light photocatalytic activity of N-TiO₂/N-graphene nanocomposites. *Mater. Res. Bull.* **65**, 27–35 (2015).
27. Yi, Z. G. *et al.* An orthophosphate semiconductor with photooxidation properties under visible-light irradiation. *Nat. Mater.* **9**, 559–564 (2010).
28. Bi, Y., Ouyang, S., Umezawa, N., Cao, J. & Ye, J. Facet Effect of Single-Crystalline Ag₃PO₄ Sub-microcrystals on Photocatalytic Properties. *J. Am. Chem. Soc.* **133**, 6490–6492 (2011).
29. Liu, J. J., Fu, X. L., Chen, S. F. & Zhu, Y. F. Electronic structure and optical properties of Ag₃PO₄ photocatalyst calculated by hybrid density functional method. *Appl. Phys. Lett.* **99**, 191903 (2011).
30. Ma, X. *et al.* Origin of Photocatalytic Activation of Silver Orthophosphate from First-Principles. *J. Phys. Chem. C* **115**, 4680–4687 (2011).
31. Umezawa, N., Ouyang, S. X. & Ye, J. H. Theoretical study of high photocatalytic performance of Ag₃PO₄. *Phys. Rev. B* **83**, 035202 (2011).
32. Zhang, H. *et al.* Carbon quantum dots/Ag₃PO₄ complex photocatalysts with enhanced photocatalytic activity and stability under visible light. *J. Mater. Chem.* **22**, 10501–10506 (2012).
33. Zhang, L., Zhang, H., Huang, H., Liu, Y. & Kang, Z. Ag₃PO₄/SnO₂ semiconductor nanocomposites with enhanced photocatalytic activity and stability. *New J. Chem.* **36**, 1541–1544 (2012).
34. Ao, Y. *et al.* Preparation of graphene oxide-Ag₃PO₄ composite photocatalyst with high visible light photocatalytic activity. *Appl. Surf. Sci.* **271**, 265–270 (2013).
35. Cao, B., Dong, P., Cao, S. & Wang, Y. J. BiOCl/Ag₃PO₄ Composites with Highly Enhanced Ultraviolet and Visible Light Photocatalytic Performances. *Am. Ceram. Soc.* **96**, 544–548 (2013).
36. Chen, G. *et al.* Ag₃PO₄/graphene-oxide composite with remarkably enhanced visible-light-driven photocatalytic activity toward dyes in water. *J. Hazard. Mater.* **244**, 86–93 (2013).
37. Wang, Y., Li, X., Wang, Y. & Fan, C. Novel visible-light AgBr/Ag₃PO₄ hybrids photocatalysts with surface plasma resonance effects. *J. Solid State Chem.* **202**, 51–56 (2013).
38. Xu, Y. S. & Zhang, W. D. Monodispersed Ag₃PO₄ nanocrystals loaded on the surface of spherical Bi₂MoO₆ with enhanced photocatalytic performance. *Dalton Trans.* **42**, 1094–1101 (2013).
39. Yang, X. *et al.* Fabrication of Ag₃PO₄-Graphene Composites with Highly Efficient and Stable Visible Light Photocatalytic Performance. *ACS Catal.* **3**, 363–369 (2013).
40. Chen, X., Huang, X. & Yi, Z. Enhanced Ethylene Photodegradation Performance of g-C₃N₄-Ag₃PO₄ Composites with Direct Z-Scheme Configuration. *Chem-Eur J* **20**, 17590–17596 (2014).
41. Dong, C., Wu, K. L., Li, M. R., Liu, L. & Wei, X. W. Synthesis of Ag₃PO₄-ZnO nanorod composites with high visible-light photocatalytic activity. *Catal. Commun.* **46**, 32–35 (2014).
42. Yan, Y., Guan, H., Liu, S. & Jiang, R. Ag₃PO₄/Fe₂O₃ composite photocatalysts with an n-n heterojunction semiconductor structure under visible-light irradiation. *Ceram. Int.* **40**, 9095–9100 (2014).
43. Yang Z. M. *et al.* Novel Ag₃PO₄/CeO₂ composite with high efficiency and stability for photocatalytic applications. *J. Mater. Chem. A*, **2**, 1750–1756 (2014).
44. Xu, L., Huang, W.Q., Wang, L. L., Huang, G. F. & Peng, P. Mechanism of Superior Visible-Light Photocatalytic Activity and Stability of Hybrid Ag₃PO₄/Graphene Nanocomposite. *J. Phys. Chem. C* **118**, 12972–12979 (2014).
45. Avila, Y., Cocolozzi, G. H. & Romero, M. T. First principles calculations of phenol adsorption on pristine and group III (B, Al, Ga) doped graphene layers. *J. Mol. Model.* **20**, 1–9 (2014).
46. Ning, Z. *et al.* Structural Stability, Electronic and Magnetic Properties of Cu Adsorption on Defected Graphene: A First Principles Study. *J. Supercond. NovMagn* **27**, 115–120 (2014).

47. Seenithurai, S., Pandyan, R. K., Kumar, S. V. & Mahendran, M. Electronic properties of boron and nitrogen doped graphene. *Nano Hybrids* **5**, 65–83 (2013).
48. Rani, P. & Jindal, V. K. Designing band gap of graphene by B and N dopant atoms. *RSC Adv.* **3**, 802–812 (2013).
49. Dai, J. Y., Yuan, J. M. & Giannozzi, P. Gas adsorption on graphene doped with B, N, Al, and S: A theoretical study. *Appl. Phys. Lett.* **95**, 232105 (2009).
50. Poh, H. L. & Pumera, M. P. p-Element-Doped Graphene: Heteroatoms for Electrochemical Enhancement *Chemelectrochem* **2**, 190–199 (2015).
51. Meyer, J. C. *et al.* The structure of suspended graphene sheets. *Nature* **446**, 60–63 (2007).
52. Du, A. *et al.* Hybrid Graphene/Titania Nanocomposite: Interface Charge Transfer, Hole Doping, and Sensitization for Visible Light Response. *J. Phys. Chem. Lett.* **2**, 894–899 (2011).
53. Xu, P., Tang, Q. & Zhou, Z. Structural and electronic properties of graphene-ZnO interfaces: dispersion-corrected density functional theory investigations. *Nanotechnology* **24**, 305401 (2013).
54. Yan, X. G. *et al.* Band-Gap Widening of Nitrogen-Doped Cu₂O: New Insights from First-Principles Calculations. *Sci. Adv. Mater.* **6**, 1221–1227 (2014).
55. Mi, Q., Chen, D., Hu, J., Huang, Z. & Li, J. Nitrogen-doped graphene/CdS hollow spheres nanocomposite with enhanced photocatalytic performance. *Chin. J. Catal.* **34**, 2138–2145 (2013).
56. Zou, F. *et al.* Microwave-Induced *In Situ* Synthesis of Zn₂GeO₄/N-Doped Graphene Nanocomposites and Their Lithium-Storage Properties. *Chem-Eur. J.* **19**, 6027–6033 (2013).
57. Novoselov, K. S. *et al.* Electric Field Effect in Atomically Thin Carbon Films. *Science*, **306**, 666–669 (2004).
58. Novoselov, K. S. *et al.* Two-dimensional gas of massless Dirac fermions in graphene. *Nature* **438**, 197–200 (2005).
59. Zhang Y. Y. *et al.* Localization and the Kosterlitz-Thouless transition in disordered graphene. *Phys. Rev. Lett.* **102**, 106401 (2009).
60. Zhang Y. Y. *et al.* Quantum blockade and loop currents in graphene with topological defects. *Phys. Rev. B.* **78**, 155413 (2008).
61. Clark, S. J. *et al.* First principles methods using CASTEP. *Z. Kristallogr.* **220**, 567–570 (2005).
62. Yu, P. Y. & Cardona, M. Fundamentals of semiconductors, *Springer*, 1996.

Acknowledgements

This work was supported by the NSFC under grants Nos 11434015, 61227902, 61378017, NKBRSC under grants Nos 2012CB821305, SKLQQOD under grants No. KF201403, SPRPCAS under grants No. XDB01020300.

Author Contributions

W.Q.H., G.F.H. and W.M.L. conceived and supervised this research. C.N.H. performed DFT calculations. C.N.H., W.Q.H., L.X., Y.C.Y., B.X.Z., G.F.H., P.P. and W.M.L. analyzed the computational data. W.Q.H., G.F.H. and C.N.H. wrote the paper, assisted by W.M.L. All authors reviewed the final paper.

Additional Information

Competing financial interests: The authors declare no competing financial interests.

How to cite this article: He, C.-N. *et al.* Tuning near-gap electronic structure, interface charge transfer and visible light response of hybrid doped graphene and Ag₃PO₄ composite: Dopant effects. *Sci. Rep.* **6**, 22267; doi: 10.1038/srep22267 (2016).



This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>